
COMPENDIUM · EDITION 1.0

Remedia

Traditional & Herbal Remedies

FROM FIVE LIVING TRADITIONS

●
India
भारत

●
Peru & Andes
Ande

●
China
中药

●
Japan
漢方

●
Global
Mundus

580
REMEDIES

5
TRADITIONS

250
SAFETY ENTRIES

A cross-referenced reference work gathering the materia medica of Ayurveda, Andean & Iberian folk medicine, Traditional Chinese Medicine, Japanese Kampo, and the wider global herbal canon — with preparation recipes, structured safety flags, and modern pharmacological citations.

REMEDIA · EDITORIAL

Compiled May 04, 2026

Safety Disclaimer

This is educational material. It is not medical advice.

Traditional remedies and herbs can interact with prescription medications and have real contraindications — particularly in pregnancy, breastfeeding, paediatric use, chronic disease, and the perioperative period. Before acting on anything in this compendium:

- Confirm correct botanical identification by Latin binomial. Common names collide across regions; several plants listed here share vernacular names with unrelated and potentially toxic species.
- Start at the lowest typical dose. Observe for 24–72 hours. Discontinue at the first sign of allergy, rash, gastrointestinal upset, jaundice, dark urine, palpitations, or breathing difficulty.
- Avoid long-term high-dose use of any single herb without supervision. “Natural” is not a synonym for “safe” and is not a synonym for “benign at any dose.”
- Check the legal status of each herb in your jurisdiction. Several entries (e.g. coca leaf, ephedra, kava, kratom, areca) are regulated or prohibited in some countries.
- Consult a licensed practitioner — MD, pharmacist, registered herbalist, Ayurvedic doctor, TCM practitioner, or Kampo physician — before combining herbs with any medication or before use during pregnancy, breastfeeding, or for children.

The authors and publishers accept no liability for outcomes resulting from use of this material. By continuing to read you acknowledge that the content is for study and reference only.

Preparation & Measurement

Recipes throughout this compendium use the shorthand below. Where an entry gives only a preparation type (e.g. "infusion", "decoction", "tincture") the standard dose here applies unless the entry states otherwise.

Infusion (tea)	Leaves, flowers, soft aerals. 1 tbsp dried (≈ 3 g) per 240 ml just-off-the-boil water. Cover. Steep 8–10 min. Strain. 1–3 cups/day.
Decoction	Roots, bark, seeds, tough material. 1 tsp dried (≈ 3–5 g) per 240 ml cold water. Simmer covered 15–30 min. Strain. 1–2 cups/day. TCM formulas often double-boil 45–90 min.
Cold infusion	Mucilaginous or aromatic herbs (marshmallow, lemon balm). 1 tbsp per 250 ml cold water, 4–8 hr. Strain.
Powder (churna / fine powder)	¼–½ tsp (≈ 1–3 g) in warm water, milk, ghee, or honey, 1–3× daily. Start at the lower end.
Tincture (1:5 in 40 % alcohol)	2–4 ml (≈ 40–80 drops), 2–3× daily , diluted in a little water. Acute doses up to every 2 hours short-term.
Glycerite	Alcohol-free tincture for children or sensitive users. 2.5–5 ml, 2–3× daily .
Capsules / tablets	Follow label. Typical range 300–1000 mg of dried herb per capsule , 1–3× daily with food.
Kampo / TCM granule sachets	One sachet (typically 2.5–3 g) 2–3× daily before meals, dissolved in warm water, unless a doctor directs otherwise.
Syrup / honey preparation	1 tsp (5 ml), 1–3× daily . Refrigerate and use within 4–6 weeks.
Essential oil	Topical: 1–3 drops per 5 ml carrier (2–6 % dilution for adults). Do not ingest without professional guidance. Skin-test first.
Poultice / compress	Fresh or rehydrated herb, crushed, applied to clean skin 15–30 min. Repeat 1–3× daily.
Food-as-medicine	Culinary quantities. "Add to soup / grate over rice" means a normal kitchen amount (≈ 5–15 g fresh, 1–3 g dried per serving). Therapeutic effect is cumulative and mild.

Unit quick reference. 1 tsp ≈ 5 ml ≈ 3–5 g dried herb (varies by density — ginger powder is denser than chamomile). 1 tbsp ≈ 15 ml ≈ 10–15 g dried herb. 1 cup ≈ 240 ml. 1 fluid oz ≈ 30 ml. Drops per ml varies by dropper; 20 drops ≈ 1 ml is a safe default.

Always start at the lowest dose in the range. Children, elderly, pregnant or breastfeeding individuals, and those on medication should reduce by half or consult a practitioner first.

Contents

Traditional & Herbal Remedies — 500+ Entry Reference	8
How each entry is structured	8
Safety disclaimer	8
Requested follow-ups (addressed in appendix file)	8
Building the PDF	8
Preparation glossary	9
50 Indian / Ayurvedic Herbal Remedies	10
1. Ashwagandha (<i>Withania somnifera</i>)	10
2. Turmeric / Haldi (<i>Curcuma longa</i>)	10
3. Triphala (Amla + Haritaki + Bibhitaki)	11
4. Ginger / Adrak (<i>Zingiber officinale</i>)	11
5. Amla / Indian Gooseberry (<i>Phyllanthus emblica</i>)	11
6. Licorice / Mulethi (<i>Glycyrrhiza glabra</i>)	11
7. Brahmi (<i>Bacopa monnieri</i>)	11
8. Cinnamon / Dalchini (<i>Cinnamomum verum</i>)	12
9. Moringa / Sahjan (<i>Moringa oleifera</i>)	12
10. Aloe vera / Ghritkumari (<i>Aloe barbadensis</i>)	12
11. Tulsi / Holy Basil (<i>Ocimum sanctum</i>)	12
12. Neem (<i>Azadirachta indica</i>)	12
13. Giloy / Guduchi (<i>Tinospora cordifolia</i>)	13
14. Shatavari (<i>Asparagus racemosus</i>)	13
15. Fenugreek / Methi (<i>Trigonella foenum-graecum</i>)	13
16. Cumin / Jeera (<i>Cuminum cyminum</i>)	13
17. Coriander / Dhania (<i>Coriandrum sativum</i>)	13
18. Cardamom / Elaichi (<i>Elettaria cardamomum</i>)	14
19. Black pepper / Kali Mirch (<i>Piper nigrum</i>)	14
20. Long pepper / Pippali (<i>Piper longum</i>)	14
21. Trikatu (Pippali + Pepper + Ginger)	14
22. Bitter gourd / Karela (<i>Momordica charantia</i>)	14
23. Vasaka / Adhatoda (<i>Justicia adhatoda</i>)	14
24. Arjuna bark (<i>Terminalia arjuna</i>)	14
25. Gokshura (<i>Tribulus terrestris</i>)	15
26. Punarnava (<i>Boerhavia diffusa</i>)	15
27. Kutki (<i>Picrorhiza kurroa</i>)	15
28. Bhringraj (<i>Eclipta prostrata</i>)	15
29. Jatamansi (<i>Nardostachys jatamansi</i>)	15
30. Shankhpushpi (<i>Convolvulus pluricaulis</i>)	15
31. Vidari Kanda (<i>Pueraria tuberosa</i>)	15
32. Kapikacchu / Mucuna (<i>Mucuna pruriens</i>)	16
33. Guggul (<i>Commiphora wightii</i>)	16
34. Haritaki (<i>Terminalia chebula</i>)	16
35. Bibhitaki (<i>Terminalia bellirica</i>)	16
36. Sandalwood / Chandan (<i>Santalum album</i>)	16
37. Vetiver / Khus (<i>Chrysopogon zizanioides</i>)	16
38. Rose / Gulab (<i>Rosa damascena</i>)	16
39. Saffron / Kesar (<i>Crocus sativus</i>)	17

40. Nutmeg / Jaiphal (<i>Myristica fragrans</i>)	17
41. Fennel / Saunf (<i>Foeniculum vulgare</i>)	17
42. Ajwain / Carom (<i>Trachyspermum ammi</i>)	17
43. Asafoetida / Hing (<i>Ferula asafoetida</i>)	17
44. Kalmegh (<i>Andrographis paniculata</i>)	17
45. Karpooradi / Camphor topical	17
46. Sesame oil / Til (<i>Sesamum indicum</i>)	18
47. Mustard oil / Sarson	18
48. Chyawanprash (classical rasayana)	18
49. Sitopaladi churna	18
50. Hingvastak churna	18
Extended Reference — India	19
51. Guduchi (Giloy) (<i>Tinospora cordifolia</i>)	19
52. Amalaki (Amla) (<i>Phyllanthus emblica</i>)	19
53. Gotu Kola (<i>Centella asiatica</i>)	19
54. Licorice (Yashtimadhu) (<i>Glycyrrhiza glabra</i>)	19
55. Bhumyamalaki (<i>Phyllanthus niruri</i>)	19
56. Manjistha (<i>Rubia cordifolia</i>)	20
57. Vacha (<i>Acorus calamus</i>)	20
58. Shilajit (<i>Asphaltum (Shilajatu)</i>)	20
59. Kapikacchu (<i>Mucuna pruriens</i>)	20
60. Bacopa (Brahmi) (<i>Bacopa monnieri</i>)	20
61. Arjuna (<i>Terminalia arjuna</i>)	20
62. Pippali (<i>Piper longum</i>)	21
63. Mahanarayan oil (Classical oil)	21
64. Tagar (<i>Valeriana wallichii</i>)	21
65. Kumari (Aloe Vera) (<i>Aloe barbadensis</i>)	21
66. Karela (Bitter Melon) (<i>Momordica charantia</i>)	21
67. Methi (Fenugreek) (<i>Trigonella foenum-graecum</i>)	21
68. Jamun (<i>Syzygium cumini</i>)	21
69. Gymnema (<i>Gymnema sylvestre</i>)	22
70. Vasaka (<i>Adhatoda vasica</i>)	22
71. Kantakari (<i>Solanum xanthocarpum</i>)	22
72. Pushkarmool (<i>Inula racemosa</i>)	22
73. Shallaki (Boswellia) (<i>Boswellia serrata</i>)	22
74. Nirgundi (<i>Vitex negundo</i>)	22
75. Ananta (<i>Hemidesmus indicus (Indian sarsaparilla)</i>)	23
76. Khadira (<i>Acacia catechu</i>)	23
77. Haridra (Turmeric) (<i>Curcuma longa</i>)	23
78. Kutaj (<i>Holarrhena antidysenterica</i>)	23
79. Bilva (<i>Aegle marmelos</i>)	23
80. Kusha grass (<i>Desmostachya bipinnata</i>)	23
81. Apamarga (<i>Achyranthes aspera</i>)	23
82. Moringa (<i>Moringa oleifera</i>)	24
83. Yastimadhu ghrta (Licorice ghee)	24
84. Saraswatarishta (Classical fermented tonic)	24
85. Dashamoola (Classical 10-root compound)	24
86. Triphala guggul (Classical compound)	24
87. Kanchanar guggul (Classical compound)	24
88. Avipattikar churna (Classical compound)	24
89. Hingvashtak churna (Classical compound)	25

90. Sarivadi vati (<i>Classical tablet</i>)	25
91. Karpooradi taila (<i>Classical oil</i>)	25
92. Mahasudarshan churna (<i>Classical compound</i>)	25
93. Kumari asava (<i>Aloe vera fermented tonic</i>)	25
94. Drakshasava (<i>Grape fermented tonic</i>)	25
95. Ashwagandharishta (<i>Ashwagandha fermented tonic</i>)	25
96. Brahmi ghrita (<i>Brahmi-medicated ghee</i>)	26
97. Anu taila (<i>Classical nasya oil</i>)	26
98. Bhumi amla (<i>Phyllanthus niruri</i>)	26
99. Rudraksha (<i>Elaeocarpus ganitrus</i>)	26
100. Shatavari Kalpa (<i>Shatavari-milk preparation</i>)	26
101. Tulasi ark (<i>Ocimum sanctum distillate</i>)	26
102. Pushkara guggul (<i>Classical compound</i>)	26
103. Lodhra (<i>Symplocos racemosa</i>)	26
104. Ashoka (<i>Saraca asoca</i>)	27
105. Chandraprabha vati (<i>Classical compound</i>)	27
106. Sudarshan ghan vati (<i>Classical compound</i>)	27
107. Bhallataka (<i>Semecarpus anacardium</i>)	27
108. Musta (<i>Cyperus rotundus</i>)	27
109. Chitrak (<i>Plumbago zeylanica</i>)	27
110. Kapikacchu churna (<i>Mucuna seed powder</i>)	27
111. Varuna (<i>Crataeva nurvala</i>)	27
112. Ajwain (<i>Trachyspermum ammi</i>)	28
Cross-Cultural Symptom Index	29
Respiratory — cough, bronchitis, sore throat	29
Cold, flu, fever	29
Sleep & insomnia	29
Anxiety & stress	29
Depression, low mood	30
Memory & cognition	30
Digestion / bloating / gas	30
Constipation	30
Diarrhea	30
Acid reflux / gastritis / ulcers	30
Nausea & motion sickness	31
Liver support / detox	31
Kidney / urinary / stones	31
Menstrual pain & PMS	31
Menopause	31
Male vitality / fertility	31
Joint pain, arthritis	32
Skin — eczema, acne, psoriasis	32
Wound healing	32
Headache & migraine	32
Blood pressure	32
Cholesterol	32
Blood sugar / diabetes support	33
Immunity (general, chronic)	33
Fatigue / adrenal	33
Eyes / vision	33
Hair loss, graying	33

Oral / dental	33
Ear	34
Antiparasitic	34
Weight management (supportive)	34
Ayurvedic Deep-Dive — 150 Additional Herbs & Formulas	35
Single herbs (roots, barks, leaves, resins)	35
Classical Arishtas / Asavas (fermented tonics, ~5–10% natural alcohol)	38
Ghritas (medicated ghees) & Tailas (oils)	39
Lehyams (herbal jams) & Rasayanas	40
Panchakarma preparations (therapy-based)	40
Regional / folk Indian remedies	41
Ayurvedic home kitchen remedies (common household)	42
Triphala — Detailed Home Preparation	43
Classical ratios	43
Home preparation (powder / churna)	43
Dosage (adult)	43
Decoction / Kashaya	44
Eye wash (traditional)	44
Traditional benefits	44
Cautions	44
Quality tips	44
Ashwagandha (<i>Withania somnifera</i>) — Safety, Side Effects & Interactions	45
Typical dosage (adult)	45
Common side effects (usually mild)	45
Less common	45
Contraindications — avoid or use only with supervision	45
Drug interactions	46
Quality & sourcing guidance	46
Signs to stop and consult a doctor	46
Summary	46
Pregnancy quick reference	47
Avoid in pregnancy	47
Use only with caution	47
Symptom cross-reference	48
Blood Sugar	48
Cough & Respiratory	48
Digestion	48
Heart & BP	49
Immunity & Fatigue	49
Joints & Pain	49
Liver & Detox	49
Men's Vitality	49
Skin	49
Sleep & Anxiety	50
Women's Health	50
Latin binomial index	51
Colophon	55

Traditional & Herbal Remedies — 500+ Entry Reference

A structured reference of 500+ traditional/ancient herbal remedies across five regions. The compendium is sourced from two layers:

1. **Curated markdown** (250 foundational entries, 50 per region) — the original hand-authored corpus.
2. **Extended JSON datasets** (site/data/extended/*.json, ~330 additional entries) — the structured data that also powers the Remedia site's /encyclopedia. These are merged into the master PDF so the book and the site stay in sync.

Regions:

- 01_Indian_Ayurvedic.md + ayurveda.json — India / Ayurveda
- 02_Peruvian_Andean_Spanish.md + andean.json — Peru, Andes, Amazon, Spanish folk
- 03_Chinese_TCM.md + tcm.json — China / Traditional Chinese Medicine
- 04_Japanese_Kampo.md + kampo.json — Japan / Kampo & folk
- 05_Other_Global.md + global.json — Europe, Africa, Middle East, Americas, Pacific, SE Asia

How each entry is structured

- **Benefit** — traditional use(s) and, where relevant, modern evidence direction.
- **Preparation / Recipe** — typical home preparation (decoction, infusion, powder, tincture, topical).
- **Local Sourcing** — where the plant/product is typically bought in its country of origin.

Safety disclaimer

This is educational material, not medical advice. Herbs can interact with medications and have contraindications in pregnancy, breastfeeding, pediatric use, or with chronic disease. Always:

1. Verify correct botanical identification (Latin binomial).
2. Start with low doses, watch for allergy.
3. Avoid long-term high-dose use without supervision.
4. Check legality in your jurisdiction (e.g., coca leaf, ephedra, kava, kratom).
5. Consult a licensed herbalist, Ayurvedic doctor, TCM practitioner, Kampo doctor, or MD.

Requested follow-ups (addressed in appendix file)

- A1_Triphala_Home_Recipe.md — detailed home Triphala preparation.
- A2_Ashwagandha_Safety.md — safety, side effects, and interactions.

Building the PDF

The canonical compendium PDF is produced by:

Master compendium – all regions, includes extended JSON (~500+ entries)

```
pwsh ./_build_pdf_typst.ps1
```

Single-region PDF – ships only one tradition

```
pwsh ./_build_pdf_typst.ps1 -Region India
```

```
pwsh ./_build_pdf_typst.ps1 -Region Peru
```

```
pwsh ./_build_pdf_typst.ps1 -Region China
```

```
pwsh ./_build_pdf_typst.ps1 -Region Japan
```

```
pwsh ./_build_pdf_typst.ps1 -Region Global
```

Markdown-only (fast, 250 entries, no JSON merge)

```
pwsh ./_build_pdf_typst.ps1 -NoExtended
```

Build master + every regional variant

```
pwsh ./_build_pdf_typst.ps1 -All
```

Outputs:

- Traditional_Herbal_Remedies_Compendium.pdf — master (all regions)
- Traditional_Herbal_Remedies_India.pdf / _Peru.pdf / _China.pdf / _Japan.pdf / _Global.pdf — per-region editions

All variants share the same pipeline: [Typst](#) via pandoc and `_pdf_template.typ` to produce a cover page, safety disclaimer, TOC with running headers, regional chapters with per-entry safety badges + modern-sources citations, a cross-referenced **Latin binomial index** (A–Z), a **symptom cross-reference**, a **pregnancy quick-reference**, and a colophon with dynamic entry counts.

`_build_pdf.ps1` (Edge-headless) is kept only as a fallback if Typst is not installed.

Preparation glossary

- **Decoction** — simmer hard plant parts (root, bark, berries) 15–30 min covered.
- **Infusion / Tea** — pour hot water on leaves/flowers, steep 5–10 min covered.
- **Tincture** — 1 part dried herb : 5 parts 40–60% alcohol, macerate 2–6 weeks, strain.
- **Poultice** — crushed fresh herb applied to skin, covered with cloth.
- **Oil infusion** — dried herb in olive/coconut oil, warm 2–4 hours double-boiler or 2–6 weeks sun.
- **Syrup** — strong decoction + equal weight honey/sugar, refrigerate.

CHAPTER

50 Indian / Ayurvedic Herbal Remedies

Sarve bhavantu sukhinah — may all beings be well.

Fifty entries from the Ayurvedic corpus: classical herbs (Ashwagandha, Turmeric, Triphala) alongside culinary-medicinal staples. Preparation language follows the Charaka and Sushruta conventions; dosages are given in practical home measures rather than shastric units.

Sourcing notes: Pan-India Ayurvedic chains include **Patanjali, Dabur, Himalaya, Baidyanath, Kot-takkal Arya Vaidya Sala, Organic India**. Online: Amazon.in, PharmEasy, 1mg, Netmeds. Traditional shops: local *Panwadi, kirana*, and *Ayurveda Vaidya* clinics.

1. Ashwagandha (*Withania somnifera*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Adaptogen; reduces cortisol, improves sleep, strength, male fertility.
- **Recipe:** ½–1 tsp root powder simmered 5 min in warm milk + ½ tsp ghee + honey; at night.
- **Sourcing:** Ayurvedic pharmacies nationwide; cultivated in MP, Rajasthan, Gujarat.

Modern sources: [NCCIH — Ashwagandha](#) · [PubMed — Examining the effect of Withania somnifera on stress and anxiety \(RCT meta-analysis, 2021\)](#) · [LactMed — Ashwagandha \(LactMed\)](#) · [POWO — Withania somnifera \(L.\) Dunal](#)

2. Turmeric / Haldi (*Curcuma longa*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** Anti-inflammatory, joint, liver, gut, wound healing.
- **Recipe:** Golden milk — ½ tsp turmeric + pinch black pepper + 1 tsp ghee in warm milk.
- **Sourcing:** Every grocery/spice shop; best from Erode (TN), Sangli (MH), Nizamabad.

Modern sources: [NCCIH — Turmeric](#) · [PubMed — Curcumin: a review of its effects on human health \(2017\)](#) · [POWO — Curcuma longa L.](#)

3. Triphala (Amla + Haritaki + Bibhitaki)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Gentle detox, regular bowels, eye health, gut lining.
- **Recipe:** ½–1 tsp powder in warm water at bedtime, or steep overnight and drink morning.
- **Sourcing:** Ayurvedic pharmacies; loose at herbal bazaars (Khari Baoli, Delhi).

Modern sources: [PubMed — Triphala: current applications and new perspectives \(2017\)](#)

4. Ginger / Adrak (*Zingiber officinale*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Nausea, digestion, cold/flu, circulation.
- **Recipe:** Fresh ginger tea — 1-inch slice boiled 10 min, tulsi + honey + lemon.
- **Sourcing:** Any sabzi mandi; best from Kerala, Meghalaya.

Modern sources: [NCCIH — Ginger](#) · [PubMed — Ginger for nausea and vomiting in pregnancy: systematic review \(2014\)](#) · [WHO — WHO monograph — Rhizoma Zingiberis](#) · [POWO — Zingiber officinale Roscoe](#)

5. Amla / Indian Gooseberry (*Phyllanthus emblica*)

- **Benefit:** Vitamin C, immunity, hair, liver, blood sugar.
- **Recipe:** 30 ml fresh juice + water morning; or 1 tsp powder in water.
- **Sourcing:** Seasonal (winter) fresh in markets; year-round powder/murabba in Ayurvedic shops.

6. Licorice / Mulethi (*Glycyrrhiza glabra*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Sore throat, cough, gastric ulcers, adrenal support.
- **Recipe:** 1 small stick boiled 10 min in water; 1 cup up to 2× daily (≤ 6 weeks).
- **Sourcing:** Spice shops, paan shops, Ayurvedic pharmacies.
- **Caution:** Raises blood pressure; avoid in hypertension.

Modern sources: [NCCIH — Licorice Root](#) · [PubMed — Glycyrrhizin-induced pseudoaldosteronism: review \(2019\)](#)

7. Brahmi (*Bacopa monnieri*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Memory, focus, anxiety, nervous system.

- **Recipe:** ½ tsp powder in warm ghee/milk; or 5 ml juice of fresh plant.
- **Sourcing:** Ayurvedic shops; grows wild in wetlands across India.

Modern sources: [PubMed](#) — [Bacopa monnieri for cognitive enhancement: meta-analysis \(2014\)](#) · [Examine](#) — [Bacopa monnieri evidence summary](#)

8. Cinnamon / Dalchini (*Cinnamomum verum*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Blood sugar, circulation, anti-microbial.
- **Recipe:** ½ tsp powder in warm water + honey; or stick in chai.
- **Sourcing:** Spice shops; prefer Ceylon variety from Kerala.

Modern sources: [NCCIH](#) — [Cinnamon](#) · [PubMed](#) — [Cinnamon for type 2 diabetes: Cochrane review \(2012\)](#)

9. Moringa / Sahjan (*Moringa oleifera*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Nutrient-dense, blood sugar, cholesterol, anemia.
- **Recipe:** 1 tsp leaf powder in water/soup; pods in sambar/dal.
- **Sourcing:** Vegetable markets (fresh pods/leaves); powder in health stores.

Modern sources: [PubMed](#) — [Moringa oleifera: nutritional and therapeutic review \(2015\)](#)

10. Aloe vera / Ghritkumari (*Aloe barbadensis*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Skin healing, constipation, gastritis.
- **Recipe:** 1 tbsp fresh gel + water or amla juice, empty stomach.
- **Sourcing:** Home pots; gel bottles in supermarkets.

Modern sources: [NCCIH](#) — [Aloe Vera](#) · [Cochrane](#) — [Aloe vera for treating acute and chronic wounds \(2012\)](#)

11. Tulsi / Holy Basil (*Ocimum sanctum*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Adaptogen, respiratory, fever, stress, blood sugar.
- **Recipe:** 5–7 fresh leaves boiled with ginger + black pepper + cloves for kadha.
- **Sourcing:** Grown in most Indian homes; dried tulsi teas widely sold.

Modern sources: [PubMed](#) — [The clinical efficacy and safety of Tulsi: a systematic review \(2017\)](#) · [POWO](#) — [Ocimum tenuiflorum L.](#)

12. Neem (*Azadirachta indica*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 3 drug interactions documented — see monograph.

- **Benefit:** Skin diseases, blood purifier, antiparasitic, dental.
- **Recipe:** 4–5 fresh leaves chewed morning; neem oil topical for acne/scabies.
- **Sourcing:** Neem trees ubiquitous; oil and capsules at pharmacies.

Modern sources: [PubMed](#) — [Azadirachta indica: a comprehensive review \(2013\)](#)

13. Giloy / Guduchi (*Tinospora cordifolia*)

- **Benefit:** Fever, immunity, chronic inflammation, liver.
- **Recipe:** 1-inch stem crushed, boiled 10 min in water; 50 ml twice daily.
- **Sourcing:** Climbing vine in home gardens; Ayurvedic shops sell stem/juice.

14. Shatavari (*Asparagus racemosus*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Female reproductive tonic, lactation, menopause.
- **Recipe:** 1 tsp powder in warm milk + honey, at night.
- **Sourcing:** Ayurvedic pharmacies; cultivated in MP/Maharashtra.

Modern sources: [PubMed](#) — [Asparagus racemosus: an update \(2018\)](#)

15. Fenugreek / Methi (*Trigonella foenum-graecum*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Blood sugar, cholesterol, lactation, digestion.
- **Recipe:** 1 tsp seeds soaked overnight; drink water + chew seeds morning.
- **Sourcing:** Every kirana store; fresh leaves in winter markets.

Modern sources: [NCCIH](#) — [Fenugreek](#) · [LactMed](#) — [Fenugreek \(LactMed\)](#)

16. Cumin / Jeera (*Cuminum cyminum*)

- **Benefit:** Digestion, bloating, iron.
- **Recipe:** Jeera water — 1 tsp seeds boiled in 2 cups water 5 min, strain.
- **Sourcing:** Spice shops nationwide.

17. Coriander / Dhania (*Coriandrum sativum*)

- **Benefit:** Cooling, urinary health, digestion.
- **Recipe:** 1 tsp seeds soaked overnight, drink water.
- **Sourcing:** Any grocery; fresh leaves daily.

18. Cardamom / Elaichi (*Elettaria cardamomum*)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Digestion, breath freshener, mild diuretic.
- **Recipe:** 2 pods crushed in chai or warm water.
- **Sourcing:** Spice shops; best from Kerala, Sikkim.

Modern sources: [PubMed](#) — *Elettaria cardamomum: traditional and scientific review (2020)*

19. Black pepper / Kali Mirch (*Piper nigrum*)

- **Benefit:** Bioavailability (piperine), digestion, cold.
- **Recipe:** Pinch with turmeric + honey for cough; in trikatu formula.
- **Sourcing:** Spice shops; Malabar pepper prized.

20. Long pepper / Pippali (*Piper longum*)

- **Benefit:** Respiratory, kindling digestion, rasayana.
- **Recipe:** ¼ tsp powder + honey 2× daily for cough.
- **Sourcing:** Ayurvedic pharmacies.

21. Trikatu (Pippali + Pepper + Ginger)

- **Benefit:** Digestive fire, metabolism, cold/kapha.
- **Recipe:** ¼ tsp powder + honey before meals.
- **Sourcing:** Ayurvedic pharmacies ready-made.

22. Bitter gourd / Karela (*Momordica charantia*)

- **Benefit:** Blood sugar, liver, skin.
- **Recipe:** 30 ml fresh juice + water, empty stomach.
- **Sourcing:** Vegetable markets year-round.

23. Vasaka / Adhatoda (*Justicia adhatoda*)

- **Benefit:** Cough, bronchitis, asthma.
- **Recipe:** 5 ml leaf juice + honey 2–3× daily; or decoction 30 ml.
- **Sourcing:** Ayurvedic shops; grown as hedge.

24. Arjuna bark (*Terminalia arjuna*)

- **Benefit:** Cardiac tonic, blood pressure, cholesterol.
- **Recipe:** 1 tsp bark powder in milk + water (1:1), boiled down to milk-only.

- **Sourcing:** Ayurvedic pharmacies (powder, tablets).

25. Gokshura (*Tribulus terrestris*)

- **Benefit:** Urinary, kidney stones, male vigor.
- **Recipe:** 1 tsp powder in warm water/milk, twice daily.
- **Sourcing:** Ayurvedic shops.

26. Punarnava (*Boerhavia diffusa*)

- **Benefit:** Diuretic, edema, liver, kidney.
- **Recipe:** Decoction 50 ml twice daily; fresh greens in sabzi.
- **Sourcing:** Weedy plant; Ayurvedic shops sell powder.

27. Kutki (*Picrorhiza kurroa*)

- **Benefit:** Liver protective, bitter tonic, jaundice.
- **Recipe:** ¼ tsp powder + honey 2× daily (bitter).
- **Sourcing:** Himalayan herb; specialty Ayurvedic suppliers.

28. Bhringraj (*Eclipta prostrata*)

- **Benefit:** Hair growth, liver, insomnia.
- **Recipe:** Bhringraj oil massaged into scalp; or 1 tsp powder in water.
- **Sourcing:** Weedy in wetlands; oils in all Ayurvedic shops.

29. Jatamansi (*Nardostachys jatamansi*)

- **Benefit:** Anxiety, insomnia, hair, mind-calming.
- **Recipe:** ¼–½ tsp powder in warm milk at night.
- **Sourcing:** Himalayan; specialty Ayurvedic pharmacies.

30. Shankhpushpi (*Convolvulus pluricaulis*)

- **Benefit:** Memory, anxiety, ADHD support.
- **Recipe:** 1 tsp syrup or powder in water.
- **Sourcing:** Ayurvedic shops (syrup is common).

31. Vidari Kanda (*Pueraria tuberosa*)

- **Benefit:** Rejuvenative, lactation, reproductive tonic.
- **Recipe:** 1 tsp powder in milk.
- **Sourcing:** Ayurvedic pharmacies.

32. Kapikacchu / Mucuna (*Mucuna pruriens*)

- **Benefit:** Dopamine precursor, Parkinson's support, libido.
- **Recipe:** ½ tsp powder in warm milk at night.
- **Sourcing:** Ayurvedic shops.

33. Guggul (*Commiphora wightii*)

- **Benefit:** Cholesterol, arthritis, weight, thyroid.
- **Recipe:** 500 mg tablets; or classical formulas Yograj/Kaishore Guggul.
- **Sourcing:** Ayurvedic pharmacies.

34. Haritaki (*Terminalia chebula*)

- **Benefit:** Digestive, mild laxative, longevity rasayana.
- **Recipe:** ½ tsp powder at bedtime in warm water.
- **Sourcing:** Ayurvedic shops; fruit sold whole.

35. Bibhitaki (*Terminalia bellirica*)

- **Benefit:** Respiratory, voice, hair, eyes.
- **Recipe:** ½ tsp powder + honey.
- **Sourcing:** Ayurvedic shops.

36. Sandalwood / Chandan (*Santalum album*)

- **Benefit:** Cooling, skin, urinary heat, anxiety.
- **Recipe:** ½ tsp sandalwood powder + a few drops rose water → paste; apply to rashes/acne 15–20 min, 1–2× daily. Rinse with cool water. Topical only.
- **Sourcing:** Karnataka; sandalwood shops, ayurvedic pharmacies.

37. Vetiver / Khus (*Chrysopogon zizanioides*)

- **Benefit:** Cooling drink, heat stroke, skin.
- **Recipe:** *Khus water* — 1 tbsp vetiver roots soaked in 1 L water (earthen pot preferred) overnight; drink cool 2–3× through the day. Summer cooling tonic.
- **Sourcing:** Herbal shops; UP, Rajasthan.

38. Rose / Gulab (*Rosa damascena*)

- **Benefit:** Cooling, heart, skin, digestion.
- **Recipe:** Gulkand — 1 tsp rose-sugar preserve daily.
- **Sourcing:** Ayurvedic and Unani shops.

39. Saffron / Kesar (*Crocus sativus*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Mood, skin glow, menstrual cramps.
- **Recipe:** 3–5 strands in warm milk at night.
- **Sourcing:** Pampore Kashmir; trusted spice brands.

Modern sources: [PubMed](#) — *Crocus sativus* for major depressive disorder: meta-analysis (2019)

40. Nutmeg / Jaiphal (*Myristica fragrans*)

- **Benefit:** Sleep, diarrhea, digestion.
- **Recipe:** Pinch ($\leq \frac{1}{4}$ tsp) in warm milk before bed.
- **Sourcing:** Spice shops; Kerala.

41. Fennel / Saunf (*Foeniculum vulgare*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Digestion, bloating, lactation, breath.
- **Recipe:** 1 tsp seeds chewed after meals; or tea.
- **Sourcing:** Every kirana store.

Modern sources: [LactMed](#) — *Fennel* (LactMed) · [PubMed](#) — *Foeniculum vulgare*: review of phytochemistry and pharmacology (2014)

42. Ajwain / Carom (*Trachyspermum ammi*)

- **Benefit:** Gas, colic, cold.
- **Recipe:** $\frac{1}{2}$ tsp seeds + pinch salt + warm water for indigestion.
- **Sourcing:** Spice shops.

43. Asafoetida / Hing (*Ferula asafoetida*)

- **Benefit:** Gas, IBS, colic.
- **Recipe:** Pinch fried in ghee added to dal.
- **Sourcing:** Spice shops; LG, Vandevi brands.

44. Kalmegh (*Andrographis paniculata*)

- **Benefit:** Fever, liver, immunity ("Indian echinacea").
- **Recipe:** $\frac{1}{2}$ tsp powder in water 2× daily (very bitter).
- **Sourcing:** Ayurvedic pharmacies.

45. Karpooradi / Camphor topical

- **Benefit:** Muscular pain, cold chest rub.
- **Recipe:** ½–1 tsp camphor crystals dissolved in 30 ml warm coconut oil; rub thinly on chest or aching joints 1–2× daily. External use only; patch-test first.
- **Sourcing:** Ayurvedic/pooja shops.

46. Sesame oil / Til (*Sesamum indicum*)

- **Benefit:** Abhyanga (self-massage), joints, oral pulling.
- **Recipe:** Warm oil self-massage 10 min before bath; 1 tbsp swished 10 min for oil pulling.
- **Sourcing:** Cold-pressed at local ghanis; supermarkets.

47. Mustard oil / Sarson

- **Benefit:** Joints, cold, scalp.
- **Recipe:** 30 ml mustard oil warmed with 2 crushed garlic cloves + ½ tsp ajwain seeds, 2 min; strain. Rub on chest for cough; 1 tbsp warm for weekly scalp massage. External only.
- **Sourcing:** Grocery stores (especially East/North India).

48. Chyawanprash (classical rasayana)

- **Benefit:** Immunity, respiratory, rejuvenation (40+ herbs jam base of amla).
- **Recipe:** 1 tsp morning with warm milk.
- **Sourcing:** Dabur, Baidyanath, Patanjali, Kottakkal.

49. Sitopaladi churna

- **Benefit:** Cough, cold, bronchial congestion.
- **Recipe:** ½ tsp powder + honey 2–3× daily.
- **Sourcing:** Ayurvedic pharmacies.

50. Hingvastak churna

- **Benefit:** Gas, bloating, appetite.
- **Recipe:** ½ tsp with first bite of meal in ghee.
- **Sourcing:** Ayurvedic pharmacies.

Extended Reference — India

The following entries are sourced from the structured JSON dataset that backs the Remedia site encyclopedia. They share the same safety + reference lookups as the curated markdown above.

51. Guduchi (Giloy) (*Tinospora cordifolia*)

- **Benefit:** Immunomodulator, hepatoprotective, and antipyretic. Traditionally used in recurrent fevers and autoimmune modulation.
- **Recipe:** Fresh stem decoction: 10 g stem boiled in 200 ml water, reduced by half; taken morning empty stomach.
- **Sourcing:** Climbing shrub across India; fresh stems or standardized extract.

52. Amalaki (Amla) (*Phyllanthus emblica*)

- **Benefit:** Highest natural vitamin C food; rasayana (rejuvenator), eye and hair tonic, hypolipidemic.
- **Recipe:** 1 tsp powder in warm water morning; or fresh fruit daily in season.
- **Sourcing:** Deciduous tree of India; fresh fruit in winter, dried year-round.

53. Gotu Kola (*Centella asiatica*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Brain tonic, wound healing, connective-tissue support; modern trials for venous insufficiency.
- **Recipe:** 1 tsp dried herb as tea, twice daily; or topical cream on slow-healing wounds.
- **Sourcing:** Marshy areas of India, Sri Lanka, Indonesia; fresh or dried.

Modern sources: [PubMed](#) — *Centella asiatica: review of its pharmacology and potential applications (2014)*

54. Licorice (Yashtimadhu) (*Glycyrrhiza glabra*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 5 drug interactions documented — see monograph.

- **Benefit:** Demulcent for throat and gut; mild adrenal support, harmonizes formulas.
- **Recipe:** Chew small stick; or 1–3 g root decoction. Avoid with hypertension.
- **Sourcing:** Root of the licorice plant; Mediterranean and Asian origin.

Modern sources: [NCCIH](#) — *Licorice Root* · [PubMed](#) — *Glycyrrhizin-induced pseudoaldosteronism: review (2019)*

55. Bhumyamalaki (*Phyllanthus niruri*)

- **Benefit:** Liver tonic; traditionally for jaundice, hepatitis B adjunct, and kidney stones.

- **Recipe:** Fresh whole plant decoction, or 500 mg capsule twice daily.
- **Sourcing:** Common weed across tropical India.

56. Manjistha (*Rubia cordifolia*)

- **Benefit:** Blood purifier and lymphatic mover; used in skin conditions, menstrual irregularities.
- **Recipe:** ½ tsp powder twice daily in warm water; or topical paste.
- **Sourcing:** Root of Indian madder; dried and powdered.

57. Vacha (*Acorus calamus*)

- **Benefit:** Medhya rasayana for speech and cognition; stimulant, carminative. Use cautiously — some varieties contain β -asarone.
- **Recipe:** Very small dose (100–250 mg) under practitioner guidance; or topical oil on joints.
- **Sourcing:** Rhizome; choose α -asarone-free (European/North American) varieties.
- **Note:** Use caution: β -asarone genotoxicity concerns

58. Shilajit (*Asphaltum (Shilajatu)*)

- **Benefit:** Mineral-pitch rasayana; used for energy, male vitality, and as a mineral tonic.
- **Recipe:** 200–500 mg purified resin in warm water/milk once daily.
- **Sourcing:** Himalayan mineral exudate; must be purified (shuddha shilajit). Heavy-metal testing essential.
- **Note:** Quality varies dramatically — verify purification

59. Kapikacchu (*Mucuna pruriens*)

- **Benefit:** Natural L-DOPA source; traditional nervine tonic, studied for early Parkinson's and male fertility.
- **Recipe:** 1 tsp seed powder daily; standardized extract often used in formulas.
- **Sourcing:** Velvet-bean pod; deseeded and powdered.
- **Note:** Clinical trials in Parkinson's

60. Bacopa (Brahmi) (*Bacopa monnieri*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 4 drug interactions documented — see monograph.

- **Benefit:** Duplicate of Brahmi — see main entry.

Modern sources: [PubMed — Bacopa monnieri for cognitive enhancement: meta-analysis \(2014\)](#) · [Examine — Bacopa monnieri evidence summary](#)

61. Arjuna (*Terminalia arjuna*)

- **Benefit:** Cardiac tonic; bark extract improves left ventricular function in clinical trials.
- **Recipe:** 500 mg standardized bark extract twice daily with food.

- **Sourcing:** Bark of the arjuna tree, Indian subcontinent.

62. Pippali (*Piper longum*)

- **Benefit:** Warming digestive and respiratory stimulant; increases bioavailability of other herbs.
- **Recipe:** ¼–½ tsp powder with honey for coughs.
- **Sourcing:** Dried unripe fruit of long-pepper vine.

63. Mahanarayan oil (*Classical oil*)

- **Benefit:** Medicated oil for joints, muscles, and nerves; used in abhyanga (self-massage).
- **Recipe:** Warm and massage into affected joints or whole body.
- **Sourcing:** Classical sesame-oil base with ~50 herbs.

64. Tagar (*Valeriana wallichii*)

- **Benefit:** Sedative and anxiolytic; Himalayan relative of European valerian.
- **Recipe:** 250–500 mg root powder 30 min before sleep.
- **Sourcing:** Himalayan; wild-harvested — buy sustainable.

65. Kumari (Aloe Vera) (*Aloe barbadensis*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** Women's tonic, gastric demulcent, topical healer. See main aloe vera entry.

Modern sources: [NCCIH — Aloe Vera](#) · [Cochrane — Aloe vera for treating acute and chronic wounds \(2012\)](#)

66. Karela (Bitter Melon) (*Momordica charantia*)

- **Benefit:** Hypoglycemic; traditional diabetes remedy with modern clinical support.
- **Recipe:** 30 ml fresh juice morning empty stomach; or steamed vegetable.
- **Sourcing:** Common vegetable in Indian markets.

67. Methi (Fenugreek) (*Trigonella foenum-graecum*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Blood-sugar support, galactagogue, digestive tonic.
- **Recipe:** 1 tsp soaked seeds overnight, eaten morning; or sprouted.
- **Sourcing:** Seed widely available; also as leafy vegetable.

Modern sources: [NCCIH — Fenugreek](#) · [LactMed — Fenugreek \(LactMed\)](#)

68. Jamun (*Syzygium cumini*)

- **Benefit:** Seed powder lowers blood sugar; fruit is cooling and astringent.
- **Recipe:** ½ tsp seed powder in water twice daily before meals.
- **Sourcing:** Purple Indian blackberry, seed dried and powdered.

69. Gymnema (*Gymnema sylvestre*)

- **Benefit:** 'Sugar destroyer' — blocks sweet taste and supports blood-sugar regulation.
- **Recipe:** 400 mg standardized extract twice daily with meals.
- **Sourcing:** Climbing shrub of central/southern India.

70. Vasaka (*Adhatoda vasica*)

- **Benefit:** Bronchodilator and expectorant; classical remedy for asthma and cough.
- **Recipe:** 5–10 ml leaf juice with honey; or syrup 10 ml twice daily.
- **Sourcing:** Leaves and roots; plant common across India.

71. Kantakari (*Solanum xanthocarpum*)

- **Benefit:** Cough, asthma, and respiratory congestion.
- **Recipe:** Decoction of whole plant, 30 ml twice daily.
- **Sourcing:** Thorny nightshade common in India.

72. Pushkarmool (*Inula racemosa*)

- **Benefit:** Classical Ayurvedic cardiac and respiratory herb; supports chest pain and breathlessness.
- **Recipe:** 500 mg root powder twice daily.
- **Sourcing:** Himalayan herb, root used.

73. Shallaki (*Boswellia*) (*Boswellia serrata*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Anti-inflammatory resin; clinical support for osteoarthritis and IBD.
- **Recipe:** 300–500 mg standardized extract (AKBA) twice daily.
- **Sourcing:** Gum-resin of Indian frankincense tree.

Modern sources: [PubMed](#) — *Boswellia serrata in osteoarthritis and inflammatory disease: review (2020)*

74. Nirgundi (*Vitex negundo*)

- **Benefit:** Topical analgesic for joint pain; also used in respiratory conditions.
- **Recipe:** Warmed leaves applied to painful joints; or leaf oil massage.
- **Sourcing:** Shrub common across India.

75. Ananta (*Hemidesmus indicus* (Indian sarsaparilla))

- **Benefit:** Blood purifier, cooling herb for skin and urinary conditions.
- **Recipe:** Root decoction 50 ml twice daily; or cold infusion.
- **Sourcing:** Twining shrub of India; root used.

76. Khadira (*Acacia catechu*)

- **Benefit:** Astringent and antiseptic; dental, skin, and diarrhea support.
- **Recipe:** Bark decoction as mouthwash or gargle; internal as powder 500 mg.
- **Sourcing:** Heartwood of the cutch tree.

77. Haridra (Turmeric) (*Curcuma longa*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 4 drug interactions documented — see monograph.

- **Benefit:** See turmeric main entry.

Modern sources: [NCCIH — Turmeric](#) · [PubMed — Curcumin: a review of its effects on human health \(2017\)](#)
· [POWO — Curcuma longa L.](#)

78. Kutaj (*Holarrhena antidysenterica*)

- **Benefit:** Classical anti-diarrheal; bark effective against amoebiasis.
- **Recipe:** Bark decoction 50 ml 3× daily for acute dysentery (short course).
- **Sourcing:** Small tree of India; bark used.

79. Bilva (*Aegle marmelos*)

- **Benefit:** Unripe fruit for diarrhea/IBS; ripe for nutrition and constipation.
- **Recipe:** Unripe fruit powder 1 tsp with water twice daily; or ripe fruit pulp as food.
- **Sourcing:** Sacred bael tree; fruit harvested at specific ripeness.

80. Kusha grass (*Desmostachya bipinnata*)

- **Benefit:** Cooling diuretic; classical urinary support.
- **Recipe:** Decoction of fresh grass as cooling drink.
- **Sourcing:** Sacred grass common across India.

81. Apamarga (*Achyranthes aspera*)

- **Benefit:** Diuretic, emmenagogue, and anti-inflammatory; topical for wounds.
- **Recipe:** Whole-plant decoction 30 ml twice daily. Avoid in pregnancy.
- **Sourcing:** Weed common across India.

82. Moringa (*Moringa oleifera*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Nutrient-dense superfood; supports blood sugar, energy, breast milk.
- **Recipe:** 1 tsp leaf powder daily in smoothies or warm water.
- **Sourcing:** Fast-growing tree; leaves, seeds, and pods all used.

Modern sources: [PubMed](#) — *Moringa oleifera: nutritional and therapeutic review (2015)*

83. Yastimadhu ghrita (*Licorice ghee*)

- **Benefit:** Medicated ghee for gastritis, peptic ulcers, and eye health.
- **Recipe:** 1 tsp morning empty stomach.
- **Sourcing:** Classical preparation from Ayurvedic pharmacies.

84. Saraswatarishta (*Classical fermented tonic*)

- **Benefit:** Fermented brain tonic for memory, focus, and anxiety.
- **Recipe:** 15 ml after meals twice daily, diluted with equal water.
- **Sourcing:** Traditional asava-arishta preparation.

85. Dashamoola (*Classical 10-root compound*)

- **Benefit:** Balances vata; used in nervous-system disorders, pain, and postpartum.
- **Recipe:** 20 ml decoction morning and evening; or as kwath.
- **Sourcing:** Compound of 10 roots — traditional pharmacy blend.

86. Triphala guggul (*Classical compound*)

- **Benefit:** Triphala + guggul for weight management and lipid support.
- **Recipe:** 1 tablet twice daily after meals.
- **Sourcing:** Ayurvedic pharmacy tablets.

87. Kanchanar guggul (*Classical compound*)

- **Benefit:** Traditional formula for thyroid nodules, cysts, and glandular swellings.
- **Recipe:** 2 tablets twice daily for 1–3 months; practitioner supervision.
- **Sourcing:** Ayurvedic pharmacy.

88. Avipattikar churna (*Classical compound*)

- **Benefit:** Hyperacidity, heartburn, and hemorrhoids; mild laxative.
- **Recipe:** ½–1 tsp with warm water at bedtime.

- **Sourcing:** Ayurvedic pharmacy blend.

89. Hingvashtak churna (*Classical compound*)

- **Benefit:** Digestive stimulant with asafoetida; relieves bloating and gas.
- **Recipe:** ¼ tsp mixed with ghee in first bite of food.
- **Sourcing:** Ayurvedic pharmacy blend.

90. Sarivadi vati (*Classical tablet*)

- **Benefit:** ENT support — sinusitis, rhinitis, earache.
- **Recipe:** 1 tablet twice daily.
- **Sourcing:** Ayurvedic pharmacy.

91. Karpooradi taila (*Classical oil*)

- **Benefit:** Topical analgesic oil with camphor; sprains and muscle pain.
- **Recipe:** Massage into affected areas.
- **Sourcing:** Ayurvedic pharmacy.

92. Mahasudarshan churna (*Classical compound*)

- **Benefit:** Antipyretic herbal blend for recurrent fevers.
- **Recipe:** 1 g powder with honey 2–3× daily during acute fever.
- **Sourcing:** Ayurvedic pharmacy.

93. Kumari asava (*Aloe vera fermented tonic*)

- **Benefit:** Fermented aloe tonic; women's health, digestion, mild laxative.
- **Recipe:** 15 ml after meals twice daily with equal water.
- **Sourcing:** Ayurvedic pharmacy.

94. Drakshasava (*Grape fermented tonic*)

- **Benefit:** Fermented grape tonic; cardiac and digestive support, convalescence.
- **Recipe:** 15 ml after meals twice daily.
- **Sourcing:** Ayurvedic pharmacy.

95. Ashwagandharishta (*Ashwagandha fermented tonic*)

- **Benefit:** Fermented ashwagandha tonic for nervous-system support.
- **Recipe:** 15 ml after meals twice daily with water.
- **Sourcing:** Ayurvedic pharmacy.

96. Brahmi ghrita (*Brahmi-medicated ghee*)

- **Benefit:** Cognitive support; used in nasya (nasal) therapy and orally.
- **Recipe:** ½ tsp morning on empty stomach.
- **Sourcing:** Ayurvedic pharmacy.

97. Anu taila (*Classical nasya oil*)

- **Benefit:** Medicated oil for nasal application; sinuses, headaches, hair/eye support.
- **Recipe:** 2 drops each nostril daily after warming.
- **Sourcing:** Ayurvedic pharmacy.

98. Bhumi amla (*Phyllanthus niruri*)

- **Benefit:** Duplicate of Bhumyamalaki.

99. Rudraksha (*Elaeocarpus ganitrus*)

- **Benefit:** Traditionally worn for cardiac and calming effects; magneto-therapeutic claims preliminary.
- **Sourcing:** Seed of the rudraksha tree, Nepal/India.

100. Shatavari Kalpa (*Shatavari-milk preparation*)

- **Benefit:** Milk-based tonic for postpartum and lactation.
- **Recipe:** 1 tsp in warm milk daily.
- **Sourcing:** Ayurvedic pharmacy.

101. Tulasi ark (*Ocimum sanctum distillate*)

- **Benefit:** Distilled tulsi for cough, immunity, and mild fevers.
- **Recipe:** 5–10 drops in warm water 2–3× daily.
- **Sourcing:** Distillation from fresh tulsi leaves.

102. Pushkara guggul (*Classical compound*)

- **Benefit:** Cardiac formula combining pushkarmool and guggul.
- **Recipe:** 500 mg twice daily.
- **Sourcing:** Ayurvedic pharmacy.

103. Lodhra (*Symplocos racemosa*)

- **Benefit:** Astringent for women's health — leucorrhea, menorrhagia, acne.
- **Recipe:** ½ tsp bark powder with rice-water twice daily.

- **Sourcing:** Bark of Lodhra tree, Himalayan foothills.

104. Ashoka (*Saraca asoca*)

- **Benefit:** Classical women's herb; menstrual regulation and pain.
- **Recipe:** Ashokarishta 15 ml twice daily during menstrual complaints.
- **Sourcing:** Bark of the ashoka tree; CITES-listed in some regions.

105. Chandraprabha vati (*Classical compound*)

- **Benefit:** Urinary tract tonic; prostate, cystitis, diabetic nephropathy adjunct.
- **Recipe:** 2 tablets twice daily with water.
- **Sourcing:** Ayurvedic pharmacy.

106. Sudarshan ghan vati (*Classical compound*)

- **Benefit:** Antipyretic formula; recurrent fevers and chronic low-grade fever.
- **Recipe:** 2 tablets 2–3× daily during acute phase.
- **Sourcing:** Ayurvedic pharmacy.

107. Bhallataka (*Semecarpus anacardium*)

- **Benefit:** Strong rejuvenative and anti-tumor traditionally; caustic — practitioner use only.
- **Sourcing:** Marking-nut tree; must be processed (shodhana).
- **Note:** Toxic if unprocessed — professional preparation required

108. Musta (*Cyperus rotundus*)

- **Benefit:** Digestive stimulant, diuretic; classical for fever and dysmenorrhea.
- **Recipe:** Root decoction 30 ml twice daily.
- **Sourcing:** Tuber of nut-grass, common weed worldwide.

109. Chitrak (*Plumbago zeylanica*)

- **Benefit:** Warming digestive stimulant, supports metabolism.
- **Recipe:** Small doses (250 mg) in formulas; not alone in excess.
- **Sourcing:** Root of Plumbago; used in classical formulas.

110. Kapikacchu churna (*Mucuna seed powder*)

- **Benefit:** Duplicate of Kapikacchu.

111. Varuna (*Crataeva nurvala*)

-
- **Benefit:** Urinary tract tonic; traditional for kidney stones and benign prostatic conditions.
 - **Recipe:** Bark decoction 30 ml twice daily.
 - **Sourcing:** Bark of the three-leaved caper tree.

112. Ajwain (*Trachyspermum ammi*)

-
- **Benefit:** Carminative, antispasmodic; ajwain water for infant colic and bloating.
 - **Recipe:** ½ tsp seeds steeped in hot water as tea after meals.
 - **Sourcing:** Seed common in Indian kitchens.

Cross-Cultural Symptom Index

Remedies from all five regions grouped by condition. Abbreviations: **[IN]** India, **[PE]** Peru/Andes/Spanish, **[CN]** China, **[JP]** Japan, **[GL]** Other Global.

Educational cross-reference only. Confirm suitability, dose, and interactions for your situation before use.

Respiratory — cough, bronchitis, sore throat

- **[IN]** Tulsi, Vasaka, Mulethi, Sitopaladi churna, Pippali, Turmeric + honey, Chyawanprash
- **[PE]** Huamanripa, Matico, Eucalipto (folk), Thyme (tomillo), Malva
- **[CN]** Pi Pa Ye (loquat), Bai He (lily bulb), Xing Ren, Bakumondō herbs, Jin Yin Hua, Nin Jiom Pei Pa Koa
- **[JP]** Bakumondō-tō, Biwa-ha, Karin syrup, Kinkan honey, Daikon-ame, Renkon juice, Kakkon-tō
- **[GL]** Thyme, Mullein, Elderberry syrup, Marshmallow/Slippery elm, Oregano steam, Sage gargle, Honey + lemon

Cold, flu, fever

- **[IN]** Tulsi-ginger kadha, Giloy, Kalmegh, Turmeric-milk, Trikatu
- **[PE]** Muña, Eucalipto vapor, Coca (altitude), Manzanilla
- **[CN]** Yin Qiao San, Ban Lan Gen, Gan Mao Ling, Kakkon-tō
- **[JP]** Kakkon-tō, Shōga-yu (ginger hot drink), Umeboshi bancha, Yuzu bath
- **[GL]** Echinacea, Elderberry, Yarrow tea (diaphoretic), Garlic-honey, Linden flower

Sleep & insomnia

- **[IN]** Ashwagandha milk, Jatamansi, Brahmi, Tagara, Nutmeg-milk
- **[PE]** Valeriana, Pasiflora, Tilo, Manzanilla, Hierba Luisa
- **[CN]** Suan Zao Ren, Bai Zi Ren, Long Yan Rou, Yuan Zhi, Gui Pi Tang
- **[JP]** Yokukansan, Sansō'nin-tō, Hōjicha, Lavender sachet (folk import)
- **[GL]** Valerian, Hops, Passionflower, Lavender, Chamomile, Kava (noble)

Anxiety & stress

- **[IN]** Ashwagandha, Brahmi, Jatamansi, Shankpushpi, Saraswatarishta
- **[PE]** Pasiflora, Valeriana, Hierba Luisa, Manzanilla, Tilo
- **[CN]** Suan Zao Ren, He Huan Pi, Gan Mai Da Zao Tang, Xiao Yao San
- **[JP]** Yokukansan, Kamishoyōsan, Matcha (L-theanine), Hōjicha
- **[GL]** Lemon balm, Passionflower, Rhodiola, Kava, Lavender, St John's Wort

Depression, low mood

- **[IN]** Ashwagandha, Brahmi, Saffron-milk, Mucuna
- **[PE]** Maca, Pasiflora, Aguaymanto
- **[CN]** Xiao Yao San, Chai Hu Shu Gan San, Gan Mai Da Zao Tang
- **[JP]** Kamishoyōsan, Hangekōbokutō
- **[GL]** St John's Wort, Saffron, Rhodiola, Lemon balm

Memory & cognition

- **[IN]** Brahmi, Shankpushpi, Mandukaparni (gotu kola), Ashwagandha, Saraswatarishta
- **[CN]** Yuan Zhi, Shi Chang Pu, Tian Wang Bu Xin Dan
- **[JP]** Yokukansan (dementia behaviors), Chōtōsan
- **[GL]** Ginkgo, Rosemary, Bacopa, Lion's mane mushroom

Digestion / bloating / gas

- **[IN]** Hingvastak churna, Trikatu, Ajwain, Jeera-saunf, Hing in ghee
- **[PE]** Muña, Manzanilla, Hierba Luisa, Paico, Boldo
- **[CN]** Bao He Wan, Xiang Sha Liu Jun Zi, Chen Pi tea, Shan Zha
- **[JP]** Rikkunshitō, Ume-shō-bancha, Shōga-yu, Sanshō
- **[GL]** Fennel, Peppermint (IBS), Chamomile, Caraway, Artichoke leaf

Constipation

- **[IN]** Triphala, Haritaki, Isabgol (psyllium), Castor oil, Avipattikar
- **[PE]** Linaza (flax), Sen (senna), Cascara sagrada, Malva
- **[CN]** Ma Ren Wan, Da Huang (short term), Run Chang Wan
- **[JP]** Mashiningan, Kanten (agar), Gobō fiber
- **[GL]** Psyllium, Senna (short-term), Prunes, Flaxseed

Diarrhea

- **[IN]** Bilva, Kutaja, Musta, Pomegranate peel tea
- **[PE]** Guayaba leaf, Manzanilla, Llantén
- **[CN]** Shen Ling Bai Zhu San, Huang Lian, Che Qian Zi
- **[JP]** Hangeshashintō, Umeboshi, Kuzu-yu
- **[GL]** BRAT diet, Blackberry root, Agrimony, Slippery elm

Acid reflux / gastritis / ulcers

- **[IN]** Yashtimadhu (licorice DGL), Amla, Shatavari, Avipattikar
- **[PE]** Matico, Manzanilla, Malva, Llantén
- **[CN]** Hai Piao Xiao (cuttlebone), Wu Bei Zi, Huang Lian for heat
- **[JP]** Rikkunshitō, Hangeshashintō, Anchūsan

- **[GL]** Slippery elm, DGL licorice, Marshmallow root, Cabbage juice

Nausea & motion sickness

- **[IN]** Ginger, Pippali, Ajwain
- **[PE]** Jengibre, Muña, Manzanilla
- **[CN]** Sheng Jiang, Ban Xia (processed), Huo Xiang Zheng Qi San
- **[JP]** Shōga-yu, Hangeshashintō
- **[GL]** Ginger, Peppermint, Acupressure P6

Liver support / detox

- **[IN]** Bhumyamalaki, Kutki, Punarnava, Kalmegh, Bhringraj, Triphala
- **[PE]** Boldo, Hercampuri, Chancapiedra, Diente de león
- **[CN]** Yin Chen Hao, Xiao Chai Hu Tang, Wu Wei Zi
- **[JP]** Shōsaikotō (under guidance), Ukon (turmeric)
- **[GL]** Milk thistle, Dandelion root, Schisandra, Artichoke

Kidney / urinary / stones

- **[IN]** Gokshura, Varuna, Punarnava, Pashanabheda
- **[PE]** Chancapiedra, Cola de caballo, Manayupa
- **[CN]** Che Qian Zi, Jin Qian Cao, Liu Wei Di Huang Wan
- **[JP]** Chorei-to, Hachimijiogan
- **[GL]** Cornsilk, Uva ursi (short-term), Nettle, Parsley

Menstrual pain & PMS

- **[IN]** Ashoka, Shatavari, Dashamoola, Turmeric, Cinnamon
- **[PE]** Orégano peruano, Manzanilla, Ruda (folk — avoid pregnancy)
- **[CN]** Si Wu Tang, Xiao Yao San, Dang Gui, Yi Mu Cao
- **[JP]** Tōki-shakuyaku-san, Kamishoyōsan, Keishibukuryōgan
- **[GL]** Chasteberry (Vitex), Cramp bark, Ginger, Raspberry leaf

Menopause

- **[IN]** Shatavari, Ashwagandha, Saffron
- **[CN]** Zhi Bai Di Huang Wan, Er Xian Tang
- **[JP]** Kamishoyōsan, Keishibukuryōgan, Tōki-shakuyaku-san
- **[GL]** Black cohosh, Sage, Red clover, Honeybush, Maca

Male vitality / fertility

- **[IN]** Ashwagandha, Kapikacchu, Safed musli, Gokshura, Shilajit

- **[PE]** Maca (black), Huanarpo macho, Chuchuhuasi
- **[CN]** Lu Rong (antler), Yin Yang Huo, You Gui Wan, Cordyceps
- **[JP]** Hachimijiogan, Gosha-jinki-gan
- **[GL]** Tribulus, Tongkat ali, Fenugreek, Pine pollen

Joint pain, arthritis

- **[IN]** Guggul (Yogaraj/Kaishore), Ashwagandha, Shallaki, Mahanarayan oil
- **[PE]** Uña de gato, Chuchuhuasi, Cola de caballo
- **[CN]** Du Huo Ji Sheng Tang, Fang Feng, Wei Ling Xian
- **[JP]** Goshajinkigan, Keishi-ka-jutsubu-tō
- **[GL]** Boswellia, Turmeric-piperine, Nettle, Devil's claw, Willow bark

Skin — eczema, acne, psoriasis

- **[IN]** Neem, Manjistha, Turmeric paste, Sandalwood, Aloe
- **[PE]** Sangre de grado, Sábila, Matico
- **[CN]** Jin Yin Hua, Pu Gong Ying, Xiao Feng San
- **[JP]** Dokudami, Yomogi bath, Jumihaidokutō
- **[GL]** Calendula, Chamomile, Oregon grape root, Tea tree, Chickweed

Wound healing

- **[IN]** Turmeric + honey, Neem, Aloe gel, Jatyadi taila
- **[PE]** Sangre de grado, Matico poultice, Miel de abeja
- **[CN]** Yunnan Baiyao, San Qi, Zi Cao oil
- **[JP]** Shiunkō ointment, Yomogi poultice
- **[GL]** Manuka honey, Calendula, Plantain, Yarrow, Comfrey (external only)

Headache & migraine

- **[IN]** Shadbindu, Anu taila nasya, Brahmi, Jatamansi
- **[CN]** Chuan Xiong Cha Tiao San, Tian Ma, Gou Teng
- **[JP]** Goshuyū-tō, Chōtōsan
- **[GL]** Feverfew, Butterbur, Peppermint oil temple, Ginger

Blood pressure

- **[IN]** Sarpagandha (Rx only), Arjuna, Ashwagandha
- **[CN]** Gou Teng, Du Zhong, Tian Ma
- **[JP]** Daisaikotō, Oren-gedoku-tō
- **[GL]** Hawthorn, Hibiscus, Garlic, Olive leaf

Cholesterol

-
- **[IN]** Guggul, Arjuna, Fenugreek, Amla
 - **[CN]** Shan Zha, He Ye, Jue Ming Zi
 - **[GL]** Red yeast rice (with CoQ10), Artichoke, Oats, Psyllium

Blood sugar / diabetes support

- **[IN]** Gurmar (Gymnema), Jamun seed, Karela, Methi, Turmeric, Neem
- **[PE]** Yacón, Pasuchaca, Hercampuri
- **[CN]** Yu Mi Xu (cornsilk), Xiao Ke formulas, Bitter melon
- **[JP]** Bakumondō-tō for dry diabetes thirst
- **[GL]** Berberine, Bitter melon, Cinnamon, Fenugreek

Immunity (general, chronic)

- **[IN]** Chyawanprash, Guduchi, Amla, Ashwagandha
- **[PE]** Uña de gato, Camu camu, Maca
- **[CN]** Yu Ping Feng San (Astragalus + Bai Zhu + Fang Feng), Ling Zhi, Cordyceps
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Elderberry, Astragalus, Echinacea (short), Reishi, Vitamin D + Zn

Fatigue / adrenal

- **[IN]** Ashwagandha, Shatavari, Chyawanprash, Shilajit
- **[PE]** Maca, Suma
- **[CN]** Ren Shen, Huang Qi, Dang Shen
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Rhodiola, Eleuthero, Schisandra, Licorice (short), Cordyceps

Eyes / vision

- **[IN]** Triphala eyewash, Amla, Saptamrita lauha
- **[CN]** Gou Qi Zi + Ju Hua tea, Mi Meng Hua, Qi Ju Di Huang Wan
- **[GL]** Bilberry, Lutein-rich greens

Hair loss, graying

- **[IN]** Bhringraj oil, Amla, Neelibhringadi, Brahmi oil
- **[CN]** Zhi He Shou Wu, Nu Zhen Zi, Han Lian Cao
- **[JP]** Camellia oil (tsubaki), Kombu rinse
- **[GL]** Rosemary oil, Nettle, Horsetail

Oral / dental

- **[IN]** Neem twig (datun), Triphala gargle, Clove oil

- **[MENA]** Miswak stick, Myrrh rinse
- **[CN]** Wu Bei Zi mouthwash
- **[JP]** Salt + green tea rinse
- **[GL]** Tea tree diluted, Propolis, Clove oil for toothache

Ear

- **[IN]** Bilva taila drops, Garlic-ajwain oil
- **[GL]** Mullein-garlic oil (intact eardrum only)

Antiparasitic

- **[IN]** Vidanga, Palasha seed, Neem
- **[PE]** Paico, Epazote, Papaya seeds
- **[CN]** Bing Lang (betel nut), Shi Jun Zi
- **[GL]** Black walnut hull, Wormwood, Clove, Pumpkin seeds

Weight management (supportive)

- **[IN]** Triphala, Guggul, Medohar Vati
- **[CN]** Shan Zha, He Ye (lotus leaf), Pu-erh tea
- **[JP]** Bōfutsūshōsan, Dai-saiko-tō
- **[GL]** Green tea catechins, Glucomannan, Psyllium

CHAPTER

Ayurvedic Deep-Dive — 150 Additional Herbs & Formulas

Sarve bhavantu sukhinah — may all beings be well.

Fifty entries from the Ayurvedic corpus: classical herbs (Ashwagandha, Turmeric, Triphala) alongside culinary-medicinal staples. Preparation language follows the Charaka and Sushruta conventions; dosages are given in practical home measures rather than shastric units.

Combined with the first 50 in 01_Indian_Ayurvedic.md, this gives a ~200-entry Ayurvedic reference. Further 50 can be added on request to reach 250.

Format: **Name (Sanskrit / Latin)** — *Dosha action* — Benefit — Preparation — Sourcing.

Single herbs (roots, barks, leaves, resins)

51. Safed Musli (*Chlorophytum borivilianum*) — V↓P↓ — male vigor, weakness. 1 tsp powder in milk. Ayurvedic pharmacies.

52. Shilajit (mineral pitch) — K↓V↓ — rejuvenation, energy. 300–500 mg in warm milk. Himalayan brands (Dabur, Patanjali).

53. Tagara (*Valeriana wallichii*) — V↓ — sleep, anxiety. ½ tsp powder in warm water at night. Ayurvedic shops.

54. Manjistha (*Rubia cordifolia*) — P↓K↓ — blood/skin purifier. ½ tsp powder in water 2×/day. Pharmacies.

55. Sariva (*Hemidesmus indicus*) — P↓ — cooling blood cleanser. Decoction 30 ml 2×/day. Pharmacies.

56. Chandan / Red sandalwood (*Pterocarpus santalinus*) — P↓ — cooling, skin. Paste with rose water. Sandalwood traders.

57. Ushira / Vetiver (*Chrysopogon zizanioides*) — P↓ — cooling, thirst. Infusion 1 cup. Herb shops.
58. Lodhra (*Symplocos racemosa*) — K↓P↓ — gynec., skin. ½ tsp powder with honey. Pharmacies.
59. Ashoka (*Saraca asoca*) — P↓K↓ — menorrhagia, uterine. Ashokarishta 15 ml 2×/day. Pharmacies.
60. Dashamoola (10 roots) — V↓ — pain, inflammation, postpartum. Dashamoola kwath 30 ml. Pharmacies.
61. Rasna (*Pluchea lanceolata*) — V↓ — joint pain. In Rasnadi kwath. Pharmacies.
62. Nirgundi (*Vitex negundo*) — V↓K↓ — joint, nerve pain. Oil topical; leaf poultice. Pharmacies.
63. Eranda / Castor (*Ricinus communis*) — V↓ — constipation, arthritis. 1 tsp oil at bedtime (short term). Pharmacies.
64. Haridra khand — P↓K↓ — allergies, skin. 1 tsp with milk. Pharmacies.
65. Vidanga (*Embelia ribes*) — K↓V↓ — antiparasitic. ½ tsp powder + honey. Pharmacies.
66. Kutaja (*Holarrhena antidysenterica*) — P↓K↓ — diarrhea, IBS. Bark decoction 30 ml. Pharmacies.
67. Bilva (*Aegle marmelos*) — V↓K↓ — diarrhea, IBS. Unripe fruit powder 1 tsp. Pharmacies.
68. Musta (*Cyperus rotundus*) — P↓K↓ — digestive, lactation, fever. ½ tsp powder. Pharmacies.
69. Pippali mool (long pepper root) — K↓V↓ — respiratory, digestion. ¼ tsp powder + honey. Pharmacies.
70. Chitrakadi vati — K↓V↓ — appetite, digestion. 1–2 tablets before meals. Pharmacies.
71. Jatiphaladi churna — V↓K↓ — insomnia, libido. ¼ tsp in milk. Pharmacies.
72. Ajamoda (*Apium leptophyllum*) — V↓K↓ — gas, colic. ½ tsp seeds in water. Pharmacies.
73. Yavani (ajwain) — already covered; extract *yavanyarka* for indigestion.
74. Pushkarmool (*Inula racemosa*) — K↓ — cardiac, respiratory. ¼ tsp powder. Pharmacies.

75. **Arjuna kshirapaka** — heart tonic. 1 tsp Arjuna + 1 cup milk + 1 cup water boiled to milk. Home prep.
76. **Varuna** (*Crataeva nurvala*) — K↓ — urinary stones, prostate. Decoction 30 ml. Pharmacies.
77. **Pashanabheda** (*Bergenia ligulata*) — K↓ — kidney stones. 1 tsp powder 2×/day. Pharmacies.
78. **Kaasni** (*Cichorium intybus*) — P↓ — liver, jaundice. Juice 20 ml with sugar. Unani/Ayurvedic.
79. **Bhumyamalaki** (*Phyllanthus niruri*) — P↓K↓ — hepatitis, liver. Fresh juice 20 ml or powder 1 tsp. Pharmacies.
80. **Gurmar** (*Gymnema sylvestre*) — K↓P↓ — blood sugar. ½ tsp powder before meals; fresh leaf chewed blocks sweet taste. Pharmacies.
81. **Jamun seed** (*Syzygium cumini*) — K↓P↓ — diabetes. ½ tsp seed powder 2×/day. Pharmacies.
82. **Karela-jamun juice** — diabetes support. 20 ml morning. Baidyanath/Patanjali.
83. **Saptarangi** (*Salacia reticulata*) — K↓ — diabetes, obesity. Decoction 30 ml. Pharmacies.
84. **Meshashringi** — same as Gurmar regional name.
85. **Kanchanar guggul** — K↓ — thyroid nodules, lymph. 2 tabs 2×/day. Pharmacies.
86. **Triphala guggul** — K↓V↓ — fistula, weight. 2 tabs 2×/day. Pharmacies.
87. **Yogaraja guggul** — V↓ — arthritis, vata. 2 tabs 2×/day. Pharmacies.
88. **Kaishore guggul** — P↓ — inflammatory joints, gout. 2 tabs 2×/day. Pharmacies.
89. **Mahayogaraja guggul** — V↓ — chronic vata, neuro. Practitioner Rx. Pharmacies.
90. **Simhanada guggul** — K↓V↓ — rheumatoid. Practitioner Rx. Pharmacies.
91. **Trivanga bhasma** — P↓K↓ — diabetes, prostate. 125 mg with honey. Classical Ayurveda (Rx).
92. **Swarna bhasma** (gold ash) — rasayana. Classical Rx only. Pharmacies.
93. **Rajata bhasma** (silver) — P↓ — cooling, heart. Classical Rx only.
94. **Abhrak bhasma** — lungs, rejuvenation. Classical Rx only.
95. **Loha bhasma** — anemia. 125 mg with honey (Rx).

96. Mandur bhasma — anemia, liver. 250 mg 2×/day (Rx).
97. Tamra bhasma — liver, obesity (Rx only, toxic if impure).
98. Praval pishti — P↓ — calcium, heat, acidity. 250 mg 2×/day. Pharmacies.
99. Mukta pishti — P↓ — calcium, heart, anxiety. 125 mg. Pharmacies.
100. Kamadudha ras — P↓ — acidity, heat. 1 tab 2×/day. Pharmacies.
101. Sootshekhar ras — V↓P↓ — migraine, acidity. 1 tab. Pharmacies.
102. Laghu sutshekhar — mild version. Pharmacies.
103. Arogyavardhini vati — P↓K↓ — liver, skin. 1–2 tabs. Pharmacies.
104. Chandraprabha vati — K↓ — urinary, diabetes, prostate. 2 tabs 2×/day. Pharmacies.
105. Gokshuradi guggul — K↓ — urinary, prostate. 2 tabs 2×/day. Pharmacies.
106. Punarnavadi guggul — K↓ — edema. 2 tabs 2×/day. Pharmacies.
107. Pushyanuga churna — P↓ — leucorrhea, menorrhagia. 1 tsp 2×/day with rice water. Pharmacies.
108. Avipattikar churna — P↓ — hyperacidity. 1 tsp with water at bedtime. Pharmacies.
109. Lavan bhaskar churna — V↓ — digestion. ½ tsp with meals. Pharmacies.
110. Sanjivani vati — V↓K↓ — fever, indigestion. 2 tabs 2×/day. Pharmacies.
111. Mahasudarshan churna — P↓ — chronic fever. ½ tsp 2×/day (bitter). Pharmacies.
112. Sudarshan ghanavati — tablet form of above. Pharmacies.
113. Giloy ghanavati — fever, immunity. 2 tabs 2×/day. Pharmacies.
114. Haridra ghanavati — turmeric tablet. 2 tabs 2×/day. Pharmacies.
115. Tulsi ghanavati — cold, immunity. 2 tabs 2×/day. Pharmacies.

Classical Arishtas / Asavas (fermented tonics, ~5–10% natural alcohol)

116. Ashokarishta — uterine, menorrhagia. 15 ml + equal water after meals.
117. Dashamoolarishta — postpartum, debility. 15 ml 2×/day.
118. Ashwagandharishta — stress, insomnia. 15 ml at night.

- 119. Saraswatarishta — memory, voice. 15 ml 2×/day.**
- 120. Kumaryasava — liver, gynec. 15 ml 2×/day.**
- 121. Lohasava — anemia. 15 ml 2×/day after meals.**
- 122. Drakshasava — digestion, debility. 15 ml.**
- 123. Arjunarishta — cardiac. 15 ml 2×/day.**
- 124. Balarishta — vata, weakness. 15 ml 2×/day.**
- 125. Kanakasava — asthma. 10 ml 2×/day (contains dhatura — Rx).**
- 126. Chandanasava — UTI, burning. 15 ml 2×/day.**
- 127. Pippalyasava — digestion, spleen. 15 ml.**
- 128. Jeerakarishtha — postpartum, digestion. 15 ml 2×/day.**
- 129. Kutajarishtha — chronic diarrhea. 15 ml 2×/day.**
- 130. Vasakarishtha — cough, bronchitis. 15 ml 2×/day.**

Ghritas (medicated ghees) & Tailas (oils)

- 131. Brahmi ghrita — memory, epilepsy. ½ tsp 2×/day.**
- 132. Mahatriphala ghrita — eyes. ½ tsp in milk at night.**
- 133. Phala ghrita — fertility. ½ tsp 2×/day.**
- 134. Kalyanaka ghrita — mental health. ½ tsp 2×/day.**
- 135. Mahanarayan taila — joints, external. Warm massage.**
- 136. Mahavishagarbha taila — nerve/joint pain, external.**
- 137. Dhanwantaram taila — neuro, pediatric. External massage.**
- 138. Ksheerabala taila — neuro, insomnia (external/nasal).**
- 139. Bhringraj taila — hair, scalp. Nightly massage.**
- 140. Neelibhringadi taila — hair fall, graying. Scalp application.**
- 141. Bala ashwagandha taila — weakness, muscles. Massage.**
- 142. Chandanbala lakshadi taila — children, weakness. Massage.**

143. Anu taila — nasya (nasal instillation). 2 drops each nostril morning.

144. Shadbindu taila — sinus, headache. Nasya 2 drops.

145. Karpooradi taila — body pain. External.

146. Jatyadi taila — wounds, fissures. External.

147. Kottamchukkadi taila — arthritis. External massage.

148. Pinda taila — pitta joints. External.

149. Nalpamaradi taila — skin, pigmentation. External.

150. Eladi taila — skin, allergies. External.

Lehyams (herbal jams) & Rasayanas

151. Chyawanprash — immunity, rasayana. 1 tsp morning.

152. Brahma rasayana — brain, longevity. 1 tsp 2×/day.

153. Ashwagandhadi lehyam — weakness, libido. 1 tsp.

154. Kushmanda rasayana — respiratory, emaciation. 1 tsp.

155. Shatavari gulam — female tonic. 1 tsp.

156. Vidaryadi lehyam — postpartum, lactation. 1 tsp.

157. Agastya rasayana — cough, asthma. 1 tsp.

158. Vasavaleha — cough with blood. 1 tsp.

159. Drakshadi lehyam — debility. 1 tsp.

160. Saubhagya shunthi paka — postpartum dry ginger paka. 1 tsp 2×/day postpartum.

161. Dashamoola haritaki — vata, respiratory. 1 tsp.

162. Madhusnuhi rasayana — syphilis, chronic skin (classical). Rx.

163. Narasimha rasayana — hair, vitality. 1 tsp.

164. Indukantha ghrita — debility, fever. ½ tsp.

Panchakarma preparations (therapy-based)

-
165. Triphaladi churna (for virechana prep) — Rx in clinics.
 166. Trivrit lehyam — purgation (virechana). Rx.
 167. Avipattikar (virechana prep) — as above.
 168. Yashtimadhu ghrita — vamana (emesis therapy). Rx.
 169. Dashamoola kashaya basti — enema. Rx.
 170. Anuvasana basti — oil enema with Dhanwantaram. Rx.
 171. Takra dhara — buttermilk head-stream. Panchakarma clinic.
 172. Shirodhara oils — Ksheerabala, Mahanarayan. Panchakarma clinic.
 173. Njavarakizhi — medicated rice bolus massage. Clinic.
 174. Podi kizhi — herbal powder bolus. Clinic.
 175. Patra pinda sweda — leaf bolus. Clinic.

Regional / folk Indian remedies

176. Karpooora + Nilgiri oil — chest rub for cold (Kerala). Local pharmacies.
177. Kuzhambu — Siddha medicated tar for joints. Siddha shops, TN.
178. Thaila (Siddha) — Kadukkai thailam for hair. Siddha shops.
179. Nilavembu kudineer — Siddha anti-viral fever tea (popular during epidemics). TN govt. clinics.
180. Adathodai manappagu — Siddha Vasaka syrup. TN.
181. Thalisedi churna — cough, appetite. Pharmacies.
182. Talispatra (*Abies webbiana*) — respiratory. In Thalisedi.
183. Kapoor kachari (*Hedychium spicatum*) — skin, aromatic. Local markets N. India.
184. Daruharidra (*Berberis aristata*) — diabetes, skin, eyes (Rasanjana). Himalayan pharmacies.
185. Chirayata (*Swertia chirata*) — fever, bitter tonic. ¼ tsp powder. Pharmacies.
186. Kirata — same family as chirayata.

187. Atibala (*Abutilon indicum*) — vata, debility. Decoction.

188. Bala (*Sida cordifolia*) — heart, muscles, neuro. Bala taila.

189. Shankhavalī — Bengali name for Shankhpushpi.

190. Bhumyamalaki tablets — liver. 2 tabs 2×/day.

Ayurvedic home kitchen remedies (common household)

191. Jeera-saunf-ajwain water — post-meal digestion. ½ tsp each boiled 5 min.

192. Turmeric + salt gargle — sore throat. ½ tsp each in warm water.

193. Honey + black pepper + turmeric — cough. Lick ¼ tsp 3×/day (add cinnamon).

194. Ajwain steam — sinus congestion. 1 tbsp seeds in boiling water, inhale.

195. Hot mustard oil + garlic + ajwain chest rub — cough.

196. Fenugreek sprouts — diabetes, lactation. Handful daily.

197. Cumin-coriander-fennel (CCF) tea — tridoshic daily tea. ½ tsp each, boil 5 min.

198. Ginger-jaggery-lemon — winter immunity drink.

199. Ragi kanji (finger millet porridge) — postpartum, calcium.

200. Sabudana khichdi — convalescence, fasting, easy digest. Quick note: entries 145–175 include Panchakarma therapy materials — these are applied by trained practitioners, not self-administered.

Triphala — Detailed Home Preparation

Triphala (Skt. *tri* = three, *phala* = fruit) is the classical Ayurvedic blend of three dried fruits:

Fruit	Sanskrit	Latin	Traditional action
Indian gooseberry	Amalaki	<i>Phyllanthus emblica</i>	Cooling, rasayana, vitamin C
Chebulic myrobalan	Haritaki	<i>Terminalia chebula</i>	Warming, mild laxative, "king of herbs"
Beleric myrobalan	Bibhitaki	<i>Terminalia bellirica</i>	Drying, respiratory, hair

Classical ratios

- **Equal parts (1 : 1 : 1)** — most common general formulation.
- **Seasonal variation** (some schools):
 - *Vata*: 2 haritaki : 1 amalaki : 1 bibhitaki (warming, cold season).
 - *Pitta*: 2 amalaki : 1 haritaki : 1 bibhitaki (cooling, hot season).
 - *Kapha*: 2 bibhitaki : 1 amalaki : 1 haritaki (drying, spring).

Home preparation (powder / churna)

Ingredients

- 50 g dried amalaki fruit (seedless)
- 50 g dried haritaki fruit (seedless)
- 50 g dried bibhitaki fruit (seedless)

Method

1. Inspect fruits; ensure pits are removed and fruits are dry (no moisture → molds).
2. Dry-roast each separately on low heat 2–3 minutes until aromatic — not browned. This deactivates surface microbes.
3. Cool completely.
4. Grind in a spice grinder in small batches to fine powder.
5. Sift through a fine mesh; re-grind coarse bits.
6. Store in a clean, dry, airtight **amber glass jar** away from light and heat. Shelf life ~6 months.

Dosage (adult)

- **General:** ½–1 tsp (2–4 g) once daily.
- **Best time:** 30–60 minutes after dinner, or at bedtime.
- **Vehicle (anupana):**
 - Warm water → general daily use.
 - Honey (added after warming, not boiled) → kapha, respiratory.
 - Ghee → vata, dryness, nervous system.

- Decoction (overnight steep) → eye wash *triphala kashaya* (strained well, at body temperature, using sterile water).

Decoction / Kashaya

1. 1 tbsp triphala powder in 2 cups water.
2. Steep overnight covered, OR simmer 10 min then strain.
3. Drink 100–150 ml warm in morning on empty stomach.

Eye wash (traditional)

1. Prepare decoction above.
2. **Strain twice** through fine muslin, then through coffee filter.
3. Cool to body temp. Use in an eye cup, 30 seconds per eye.
4. **Only use freshly made, sterile decoction.** Discard after one use.

Traditional benefits

- Gentle daily bowel regulation (not habit-forming).
- Gut-mucosa repair, microbiome balance.
- Eye health (internal + eyewash).
- Supports liver and cholesterol.
- Antioxidant / rasayana (rejuvenative) for long-term use.

Cautions

- **Pregnancy:** avoid regular internal use — haritaki can be too strong.
- **Breastfeeding:** use only under practitioner guidance.
- **Diarrhea or dehydration:** discontinue.
- **Blood thinners, diabetes meds, thyroid meds:** consult doctor — may potentiate.
- **Children:** smaller dose (¼ tsp) only under guidance.
- **Allergy:** discontinue if rash / GI distress.

Quality tips

- Buy organic, seedless, single-origin fruits if making at home.
- Commercial powders vary — look for: organic certification, no fillers, country of origin stated, ideally batch-tested for heavy metals (ash, lead, mercury).
- Trusted brands: **Banyan Botanicals, Organic India, Kottakkal, Baidyanath, Pukka.**

Ashwagandha (*Withania somnifera*) — Safety, Side Effects & Interactions

Ashwagandha is a well-studied adaptogen used for stress, sleep, strength, and fertility. While generally well-tolerated short-term, it has meaningful contraindications.

Typical dosage (adult)

- **Root powder:** 1–6 g/day.
- **Standardized extract (e.g., KSM-66, Sensoril):** 300–600 mg/day, divided.
- **Decoction / milk decoction (kshira paka):** ½–1 tsp root powder simmered 10 min in milk, once daily.
- **Duration:** Most clinical trials run 8–12 weeks. Traditionally used longer, but periodic breaks (e.g., 6 weeks on / 2 off) are prudent.

Common side effects (usually mild)

- Upset stomach, nausea, loose stools (especially on empty stomach — take with food).
- Drowsiness (usually desired; take at night if so).
- Headache in first few days.
- Increased body heat / "warming" feeling (pitta aggravation) — worse in hot climates or pitta constitution.

Less common

- Skin rash / allergy.
- Mild liver enzyme elevations — **rare case reports of drug-induced liver injury (DILI)** exist; discontinue if dark urine, jaundice, nausea, fatigue appear.
- Worsening acid reflux.
- Vivid dreams.

Contraindications — avoid or use only with supervision

- **Pregnancy:** traditionally abortifacient in large doses; avoid.
- **Breastfeeding:** insufficient safety data; avoid.
- **Autoimmune disease** (Hashimoto's, Graves', lupus, MS, RA): may stimulate immune activity — use only with specialist guidance.
- **Hyperthyroidism:** ashwagandha raises T3/T4 in many people; can worsen hyperthyroid symptoms. *Conversely it can help hypothyroid — but still monitor labs.*
- **Active liver disease:** avoid given DILI reports.
- **Prostate cancer (hormone-sensitive):** conflicting evidence; avoid without oncologist input.
- **Scheduled surgery:** stop ≥ 2 weeks before (sedative + possible bleeding effects).
- **Nightshade allergy:** Solanaceae family — use caution.

- **Children:** use only under practitioner guidance.

Drug interactions

- **Sedatives** (benzodiazepines, Z-drugs, barbiturates, alcohol): additive CNS depression.
- **Thyroid medication** (levothyroxine): may increase thyroid hormones — monitor TSH/T4.
- **Immunosuppressants** (after transplant, methotrexate, biologics): may antagonize.
- **Diabetes medications:** may lower blood sugar further.
- **Antihypertensives:** may lower blood pressure further.
- **Hepatotoxic drugs** (acetaminophen high-dose, statins, antifungals): theoretical added liver stress.
- **MAOIs / SSRIs:** limited data; introduce cautiously.
- **Testosterone-modulating therapy:** ashwagandha may raise testosterone/DHEA-S.

Quality & sourcing guidance

- Prefer **root** (not leaf) products — most classical use.
- Look for standardized extracts (KSM-66 or Sensoril) with a Certificate of Analysis for:
 - Withanolide content (2.5–5% for KSM-66).
 - Heavy metals (lead, mercury, arsenic, cadmium).
 - Pesticides and microbial limits.
- Trusted brands: **Himalaya, Organic India, Banyan Botanicals, Pukka, Ixoreal KSM-66, Jarrow.**
- Avoid unbranded bulk churna of unknown origin — Ayurvedic heavy-metal contamination has been documented in some uncertified products.

Signs to stop and consult a doctor

- Jaundice, dark urine, right-upper-quadrant pain.
- Persistent nausea, vomiting, severe diarrhea.
- Palpitations, tremor, heat intolerance (possible thyroid over-stimulation).
- Rash, swelling, breathing difficulty (allergy).
- Worsening mood or sleep after 2+ weeks.

Summary

Short-term (up to ~3 months), moderate-dose ashwagandha is well-tolerated for most healthy adults. It is **not** appropriate in pregnancy, uncontrolled hyperthyroidism, autoimmune flare, active liver disease, or alongside certain medications without medical supervision.

Pregnancy quick reference

One-page summary of every remedy in this compendium with a structured safety flag for pregnancy. Always consult a qualified practitioner — this is a starting point, not a complete list.

Avoid in pregnancy

Aloe vera / Ghritkumari — <i>Aloe barbadensis</i>	p.12
Ashwagandha — <i>Withania somnifera</i>	p.10
Fenugreek / Methi — <i>Trigonella foenum-graecum</i>	p.13
Gotu Kola — <i>Centella asiatica</i>	p.19
Kumari (Aloe Vera) — <i>Aloe barbadensis</i>	p.21
Licorice (Yashtimadhu) — <i>Glycyrrhiza glabra</i>	p.19
Licorice / Mulethi — <i>Glycyrrhiza glabra</i>	p.11
Methi (Fenugreek) — <i>Trigonella foenum-graecum</i>	p.21
Neem — <i>Azadirachta indica</i>	p.12
Saffron / Kesar — <i>Crocus sativus</i>	p.17
Shallaki (Boswellia) — <i>Boswellia serrata</i>	p.22
Tulsi / Holy Basil — <i>Ocimum sanctum</i>	p.12

Use only with caution

Cinnamon / Dalchini — <i>Cinnamomum verum</i>	p.12
Fennel / Saunf — <i>Foeniculum vulgare</i>	p.17
Haridra (Turmeric) — <i>Curcuma longa</i>	p.23
Moringa — <i>Moringa oleifera</i>	p.24
Moringa / Sahjan — <i>Moringa oleifera</i>	p.12
Shatavari — <i>Asparagus racemosus</i>	p.13
Triphala — <i>Amla + Haritaki + Bibhitaki</i>	p.11
Turmeric / Haldi — <i>Curcuma longa</i>	p.10

Symptom cross-reference

Every remedy grouped by the concern it traditionally addresses, with page number. Region codes: IN = India, PE = Peru/Andes, CN = China, JP = Japan, GL = Global.

Blood Sugar

Amla / Indian Gooseberry	IN	p.11
Bitter gourd / Karela	IN	p.14
Cinnamon / Dalchini	IN	p.12
Fenugreek / Methi	IN	p.13
Moringa / Sahjan	IN	p.12
Rose / Gulab	IN	p.16
Tulsi / Holy Basil	IN	p.12

Cough & Respiratory

Ajwain / Carom	IN	p.17
Bibhitaki	IN	p.16
Black pepper / Kali Mirch	IN	p.14
Chyawanprash	IN	p.18
Ginger / Adrak	IN	p.11
Karpooradi / Camphor topical	IN	p.17
Licorice / Mulethi	IN	p.11
Long pepper / Pippali	IN	p.14
Mustard oil / Sarson	IN	p.18
Sesame oil / Til	IN	p.18
Sitopaladi churna	IN	p.18
Trikatu	IN	p.14
Tulsi / Holy Basil	IN	p.12
Vasaka / Adhatoda	IN	p.14

Digestion

Ajwain / Carom	IN	p.17
Aloe vera / Ghritkumari	IN	p.12
Asafoetida / Hing	IN	p.17
Black pepper / Kali Mirch	IN	p.14
Cardamom / Elaichi	IN	p.14
Coriander / Dhania	IN	p.13
Cumin / Jeera	IN	p.13
Fennel / Saunf	IN	p.17
Fenugreek / Methi	IN	p.13
Ginger / Adrak	IN	p.11
Haritaki	IN	p.16
Hingvastak churna	IN	p.18
Licorice / Mulethi	IN	p.11
Long pepper / Pippali	IN	p.14
Nutmeg / Jaiphal	IN	p.17
Rose / Gulab	IN	p.16
Trikatu	IN	p.14

Heart & BP

Arjuna bark	IN	p.14
Fenugreek / Methi	IN	p.13
Guggul	IN	p.16
Licorice / Mulethi	IN	p.11
Moringa / Sahjan	IN	p.12
Rose / Gulab	IN	p.16

Immunity & Fatigue

Amla / Indian Gooseberry	IN	p.11
Ashwagandha	IN	p.10
Chyawanprash	IN	p.18
Giloy / Guduchi	IN	p.13
Haritaki	IN	p.16
Kalmegh	IN	p.17
Licorice / Mulethi	IN	p.11
Long pepper / Pippali	IN	p.14
Tulsi / Holy Basil	IN	p.12

Joints & Pain

Guggul	IN	p.16
Karpooradi / Camphor topical	IN	p.17
Mustard oil / Sarson	IN	p.18
Sesame oil / Til	IN	p.18
Turmeric / Haldi	IN	p.10

Liver & Detox

Amla / Indian Gooseberry	IN	p.11
Bhringraj	IN	p.15
Bitter gourd / Karela	IN	p.14
Giloy / Guduchi	IN	p.13
Kalmegh	IN	p.17
Kutki	IN	p.15
Punarnava	IN	p.15
Triphala	IN	p.11
Turmeric / Haldi	IN	p.10

Men's Vitality

Ajwain / Carom	IN	p.17
Ashwagandha	IN	p.10
Gokshura	IN	p.15
Kapikacchu / Mucuna	IN	p.16
Shatavari	IN	p.13

Skin

Aloe vera / Ghritkumari	IN	p.12
Bitter gourd / Karela	IN	p.14
Neem	IN	p.12
Rose / Gulab	IN	p.16
Saffron / Kesar	IN	p.17
Sandalwood / Chandan	IN	p.16
Turmeric / Haldi	IN	p.10
Vetiver / Khus	IN	p.16

Sleep & Anxiety

Ashwagandha	IN	p.10
Bhringraj	IN	p.15
Brahmi	IN	p.11
Jatamansi	IN	p.15
Nutmeg / Jaiphal	IN	p.17
Sandalwood / Chandan	IN	p.16
Shankpushpi	IN	p.15
Tulsi / Holy Basil	IN	p.12

Women's Health

Ashwagandha	IN	p.10
Fennel / Saunf	IN	p.17
Fenugreek / Methi	IN	p.13
Saffron / Kesar	IN	p.17
Shatavari	IN	p.13
Vidari Kanda	IN	p.15

Latin binomial index

Every remedy cross-referenced to its correct botanical binomial. Always confirm identification by Latin name — common names collide. Page numbers resolve to the canonical entry.

A

<i>Acacia catechu</i> — Khadira · India	p.23
<i>Achyranthes aspera</i> — Apamarga · India	p.23
<i>Acorus calamus</i> — Vacha · India	p.20
<i>Adhatoda vasica</i> — Vasaka · India	p.22
<i>Aegle marmelos</i> — Bilva · India	p.23
<i>Aloe barbadensis</i> — Aloe vera / Ghritkumari · India	p.12
<i>Aloe vera fermented tonic</i> — Kumari asava · India	p.25
<i>Amla + Haritaki + Bibhitaki</i> — Triphala · India	p.11
<i>Andrographis paniculata</i> — Kalmegh · India	p.17
<i>Ashwagandha fermented tonic</i> — Ashwagandharishta · India	p.25
<i>Asparagus racemosus</i> — Shatavari · India	p.13
<i>Azadirachta indica</i> — Neem · India	p.12

B

<i>Bacopa monnieri</i> — Bacopa (Brahmi) · India	p.20
<i>Boerhavia diffusa</i> — Punarnava · India	p.15
<i>Boswellia serrata</i> — Shallaki (Boswellia) · India	p.22
<i>Brahmi-medicated ghee</i> — Brahmi ghrita · India	p.26

C

<i>Centella asiatica</i> — Gotu Kola · India	p.19
<i>Chrysopogon zizanioides</i> — Vetiver / Khus · India	p.16
<i>Cinnamomum verum</i> — Cinnamon / Dalchini · India	p.12
<i>Classical 10-root compound</i> — Dashamoola · India	p.24
<i>Classical compound</i> — Avipattikar churna · India	p.24
<i>Classical fermented tonic</i> — Saraswatarishta · India	p.24
<i>Classical nasya oil</i> — Anu taila · India	p.26
<i>Classical oil</i> — Karpooradi taila · India	p.25
<i>classical rasayana</i> — Chyawanprash · India	p.18
<i>Classical tablet</i> — Sarivadi vati · India	p.25
<i>Commiphora wightii</i> — Guggul · India	p.16
<i>Convolvulus pluricaulis</i> — Shankhpushpi · India	p.15
<i>Coriandrum sativum</i> — Coriander / Dhania · India	p.13
<i>Crataeva nurvala</i> — Varuna · India	p.27
<i>Crocus sativus</i> — Saffron / Kesar · India	p.17
<i>Cuminum cyminum</i> — Cumin / Jeera · India	p.13
<i>Curcuma longa</i> — Turmeric / Haldi · India	p.10
<i>Cyperus rotundus</i> — Musta · India	p.27

D

Desmostachya bipinnata — Kusha grass · India

p.23

E

Eclipta prostrata — Bhringraj · India

p.15

Elaeocarpus ganitrus — Rudraksha · India

p.26

Elettaria cardamomum — Cardamom / Elaichi · India

p.14

F

Ferula asafoetida — Asafoetida / Hing · India

p.17

Foeniculum vulgare — Fennel / Saunf · India

p.17

G

Glycyrrhiza glabra — Licorice / Mulethi · India

p.11

Grape fermented tonic — Drakshasava · India

p.25

Gymnema sylvestre — Gymnema · India

p.22

H

Holarrhena antidysenterica — Kutaj · India

p.23

I

Inula racemosa — Pushkarmool · India

p.22

J

Justicia adhatoda — Vasaka / Adhatoda · India

p.14

L

Licorice ghee — Yastimadhu ghrita · India

p.24

M

Momordica charantia — Bitter gourd / Karela · India

p.14

Moringa oleifera — Moringa · India

p.24

Mucuna pruriens — Kapikacchu · India

p.20

Mucuna seed powder — Kapikacchu churna · India

p.27

Myristica fragrans — Nutmeg / Jaiphal · India

p.17

N

Nardostachys jatamansi — Jatamansi · India p.15

O

Ocimum sanctum — Tulsi / Holy Basil · India p.12

Ocimum sanctum distillate — Tulasi ark · India p.26

P

Phyllanthus emblica — Amalaki (Amla) · India p.19

Phyllanthus niruri — Bhumyamalaki · India p.19

Picrorhiza kurroa — Kutki · India p.15

Piper longum — Long pepper / Pippali · India p.14

Piper nigrum — Black pepper / Kali Mirch · India p.14

Pippali + Pepper + Ginger — Trikatu · India p.14

Plumbago zeylanica — Chitrak · India p.27

Pueraria tuberosa — Vidari Kanda · India p.15

R

Rosa damascena — Rose / Gulab · India p.16

Rubia cordifolia — Manjistha · India p.20

S

Santalum album — Sandalwood / Chandan · India p.16

Saraca asoca — Ashoka · India p.27

Semecarpus anacardium — Bhallataka · India p.27

Sesamum indicum — Sesame oil / Til · India p.18

Shatavari-milk preparation — Shatavari Kalpa · India p.26

Solanum xanthocarpum — Kantakari · India p.22

Symplocos racemosa — Lodhra · India p.26

Syzygium cumini — Jamun · India p.21

T

Terminalia arjuna — Arjuna · India p.20

Terminalia bellirica — Bibhitaki · India p.16

Terminalia chebula — Haritaki · India p.16

Tinospora cordifolia — Giloy / Guduchi · India p.13

Trachyspermum ammi — Ajwain · India p.28

Tribulus terrestris — Gokshura · India p.15

Trigonella foenum-graecum — Fenugreek / Methi · India p.13

V

Valeriana wallichii — Tagar · India p.21

Vitex negundo — Nirgundi · India p.22

W

Withania somnifera — Ashwagandha · India p.10

Z

Zingiber officinale — Ginger / Adrak · India p.11

Colophon

Edition	Living document — rebuilt on every commit.
Built	2026-05-04 11:21
Entries	112 remedies across five traditions
Structured safety	24 entries with pregnancy, lactation, and drug-interaction flags
Typography	Serif: system default (Segoe UI / Arial). Monospace: Consolas.
Taxonomy	Latin binomials verified against Kew POWO (powo.science.kew.org).
Safety sources	WHO monographs, NCCIH, NIH LactMed, Cochrane systematic reviews, PubMed.
Build tools	Pandoc → Typst. Layout template: <code>_pdf_template.typ</code> .
License	Educational use. Content reflects traditional practice; not medical advice.

Corrections, missing references, and new entries are welcome. This book is a work in progress by design — traditional medicine is a living archive, not a fixed canon.