
COMPENDIUM · EDITION 1.0

Remedia

Traditional & Herbal Remedies

FROM FIVE LIVING TRADITIONS

●
India
भारत

●
Peru & Andes
Ande

●
China
中药

●
Japan
漢方

●
Global
Mundus

580
REMEDIES

5
TRADITIONS

250
SAFETY ENTRIES

A cross-referenced reference work gathering the materia medica of Ayurveda, Andean & Iberian folk medicine, Traditional Chinese Medicine, Japanese Kampo, and the wider global herbal canon — with preparation recipes, structured safety flags, and modern pharmacological citations.

REMEDIA · EDITORIAL

Compiled May 04, 2026

Safety Disclaimer

This is educational material. It is not medical advice.

Traditional remedies and herbs can interact with prescription medications and have real contraindications — particularly in pregnancy, breastfeeding, paediatric use, chronic disease, and the perioperative period. Before acting on anything in this compendium:

- Confirm correct botanical identification by Latin binomial. Common names collide across regions; several plants listed here share vernacular names with unrelated and potentially toxic species.
- Start at the lowest typical dose. Observe for 24–72 hours. Discontinue at the first sign of allergy, rash, gastrointestinal upset, jaundice, dark urine, palpitations, or breathing difficulty.
- Avoid long-term high-dose use of any single herb without supervision. “Natural” is not a synonym for “safe” and is not a synonym for “benign at any dose.”
- Check the legal status of each herb in your jurisdiction. Several entries (e.g. coca leaf, ephedra, kava, kratom, areca) are regulated or prohibited in some countries.
- Consult a licensed practitioner — MD, pharmacist, registered herbalist, Ayurvedic doctor, TCM practitioner, or Kampo physician — before combining herbs with any medication or before use during pregnancy, breastfeeding, or for children.

The authors and publishers accept no liability for outcomes resulting from use of this material. By continuing to read you acknowledge that the content is for study and reference only.

Preparation & Measurement

Recipes throughout this compendium use the shorthand below. Where an entry gives only a preparation type (e.g. "infusion", "decoction", "tincture") the standard dose here applies unless the entry states otherwise.

Infusion (tea)	Leaves, flowers, soft aerals. 1 tbsp dried (≈ 3 g) per 240 ml just-off-the-boil water. Cover. Steep 8–10 min. Strain. 1–3 cups/day.
Decoction	Roots, bark, seeds, tough material. 1 tsp dried (≈ 3–5 g) per 240 ml cold water. Simmer covered 15–30 min. Strain. 1–2 cups/day. TCM formulas often double-boil 45–90 min.
Cold infusion	Mucilaginous or aromatic herbs (marshmallow, lemon balm). 1 tbsp per 250 ml cold water, 4–8 hr. Strain.
Powder (churna / fine powder)	¼–½ tsp (≈ 1–3 g) in warm water, milk, ghee, or honey, 1–3× daily. Start at the lower end.
Tincture (1:5 in 40 % alcohol)	2–4 ml (≈ 40–80 drops), 2–3× daily , diluted in a little water. Acute doses up to every 2 hours short-term.
Glycerite	Alcohol-free tincture for children or sensitive users. 2.5–5 ml, 2–3× daily .
Capsules / tablets	Follow label. Typical range 300–1000 mg of dried herb per capsule , 1–3× daily with food.
Kampo / TCM granule sachets	One sachet (typically 2.5–3 g) 2–3× daily before meals, dissolved in warm water, unless a doctor directs otherwise.
Syrup / honey preparation	1 tsp (5 ml), 1–3× daily . Refrigerate and use within 4–6 weeks.
Essential oil	Topical: 1–3 drops per 5 ml carrier (2–6 % dilution for adults). Do not ingest without professional guidance. Skin-test first.
Poultice / compress	Fresh or rehydrated herb, crushed, applied to clean skin 15–30 min. Repeat 1–3× daily.
Food-as-medicine	Culinary quantities. "Add to soup / grate over rice" means a normal kitchen amount (≈ 5–15 g fresh, 1–3 g dried per serving). Therapeutic effect is cumulative and mild.

Unit quick reference. 1 tsp ≈ 5 ml ≈ 3–5 g dried herb (varies by density — ginger powder is denser than chamomile). 1 tbsp ≈ 15 ml ≈ 10–15 g dried herb. 1 cup ≈ 240 ml. 1 fluid oz ≈ 30 ml. Drops per ml varies by dropper; 20 drops ≈ 1 ml is a safe default.

Always start at the lowest dose in the range. Children, elderly, pregnant or breastfeeding individuals, and those on medication should reduce by half or consult a practitioner first.

Contents

Traditional & Herbal Remedies — 500+ Entry Reference	8
How each entry is structured	8
Safety disclaimer	8
Requested follow-ups (addressed in appendix file)	8
Building the PDF	8
Preparation glossary	9
50 Japanese (Kampo & Folk) Herbal Remedies	10
1. Yomogi 蓬 (Japanese mugwort, <i>Artemisia princeps</i>)	10
2. Shiso 紫蘇 (<i>Perilla frutescens</i>)	10
3. Dokudami ドクダミ (<i>Houttuynia cordata</i>)	10
4. Biwa-ha 枇杷葉 (loquat leaf)	11
5. Ryokucha 緑茶 (green tea, <i>Camellia sinensis</i>)	11
6. Shōga 生姜 (ginger)	11
7. Umeboshi 梅干し (pickled plum)	11
8. Yomogi-mochi 蓬餅	11
9. Kuromoji 黒文字 (<i>Lindera umbellata</i>)	11
10. Mitsuba 三つ葉 (<i>Cryptotaenia japonica</i>)	12
11. Kuzu 葛 (<i>Pueraria lobata</i> root starch)	12
12. Kakkon-tō 葛根湯 (classical formula)	12
13. Shōsaikotō 小柴胡湯	12
14. Hochu-ekki-tō 補中益気湯	12
15. Kakkon-tō-ka-senkyū-shin'i 葛根湯加川芎辛夷	12
16. Bakumondō-tō 麦門冬湯	12
17. Daikenchūtō 大建中湯	13
18. Tōki-shakuyaku-san 当归芍薬散	13
19. Kamishoyōsan 加味逍遥散	13
20. Yokukansan 抑肝散	13
21. Rikkunshitō 六君子湯	13
22. Hangeshashintō 半夏瀉心湯	13
23. Goshajinkigan 牛車腎気丸	13
24. Mugi-cha 麦茶 (roasted barley tea)	14
25. Sobacha 蕎麦茶 (buckwheat tea)	14
26. Genmaicha 玄米茶 (brown rice + green tea)	14
27. Hōjicha ほうじ茶 (roasted green tea)	14
28. Matcha 抹茶	14
29. Goma 胡麻 (sesame)	14
30. Natto 納豆	14
31. Miso 味噌	15
32. Shoyu-kōji 醤油麹 / Shio-kōji 塩麹	15
33. Konbu 昆布 (kelp)	15
34. Wakame 若布	15
35. Hijiki ひじき	15
36. Ume extract / Bainiku ekisu 梅肉エキス	15
37. Ninniku 大蒜 (garlic) — Japanese folk	16
38. Aojiru 青汁 (green juice, kale/barley grass)	16
39. Amazake 甘酒	16

40. Yuzu 柚子	16
41. Sanshō 山椒 (Japanese pepper)	16
42. Wasabi 山葵 (<i>Eutrema japonicum</i>)	16
43. Kanten 寒天 (agar)	16
44. Gobō ごぼう (burdock root)	17
45. Renkon 蓮根 (lotus root)	17
46. Daikon 大根	17
47. Kinkan 金柑 (kumquat)	17
48. Karin 花梨 (Chinese quince)	17
49. Kikurage きくらげ (wood ear)	17
50. Akamoku アカモク (seaweed)	17
Extended Reference — Japan	19
51. Kakkonto (<i>Ge Gen Tang</i>)	19
52. Shokenchuto (<i>Xiao Jian Zhong Tang</i>)	19
53. Hochuekkito (<i>Bu Zhong Yi Qi Tang</i>)	19
54. Rikkunshito (<i>Liu Jun Zi Tang</i>)	19
55. Hangegeshintō (<i>Ban Xia Xie Xin Tang</i>)	19
56. Kamishoyosan (<i>Jia Wei Xiao Yao San</i>)	19
57. Unkeito (<i>Wen Jing Tang</i>)	20
58. Tokishakuyakusan (<i>Dang Gui Shao Yao San</i>)	20
59. Saikokaryukotsuboreito (<i>Chai Hu Jia Long Gu Mu Li Tang</i>)	20
60. Yokukansan (<i>Yi Gan San</i>)	20
61. Sansoninto (<i>Suan Zao Ren Tang</i>)	20
62. Keishibukuryogan (<i>Gui Zhi Fu Ling Wan</i>)	20
63. Daikenchuto (<i>Da Jian Zhong Tang</i>)	20
64. Rikkosan (<i>Li Ge San</i>)	21
65. Maoto (<i>Ma Huang Tang</i>)	21
66. Bakumondoto (<i>Mai Men Dong Tang</i>)	21
67. Shoseiryuto (<i>Xiao Qing Long Tang</i>)	21
68. Saireito (<i>Chai Ling Tang</i>)	21
69. Hachimijiogan (<i>Ba Wei Di Huang Wan</i>)	21
70. Rokumigan (<i>Liu Wei Wan</i>)	21
71. Bofutsushosan (<i>Fang Feng Tong Sheng San</i>)	22
72. Juzentaihoto (<i>Shi Quan Da Bu Tang</i>)	22
73. Ninjin'yoeito (<i>Ren Shen Yang Rong Tang</i>)	22
74. Shakuyakukanzoto (<i>Shao Yao Gan Cao Tang</i>)	22
75. Orenge dokuto (<i>Huang Lian Jie Du Tang</i>)	22
76. Ryokeijutsukanto (<i>Ling Gui Zhu Gan Tang</i>)	22
77. Tokakujokito (<i>Tao He Cheng Qi Tang</i>)	22
78. Shimotsuto (<i>Si Wu Tang</i>)	23
79. Seishinrenshiin (<i>Qing Xin Lian Zi Yin</i>)	23
80. Choto-san (<i>Gou Teng San</i>)	23
81. Shimbuto (<i>Zhen Wu Tang</i>)	23
82. Goshuyuto (<i>Wu Zhu Yu Tang</i>)	23
83. Orento (<i>Huang Lian Tang</i>)	23
84. Keishikajutsubuto (<i>Gui Zhi Jia Zhu Fu Tang</i>)	23
85. Tsumuraso (<i>Standardized extract base</i>)	23
86. Goreisan (<i>Wu Ling San</i>)	24
87. Jumihaidokuto (<i>Shi Wei Bai Du Tang</i>)	24
88. Seijobofuto (<i>Qing Shang Fang Feng Tang</i>)	24
89. Inchinkoto (<i>Yin Chen Hao Tang</i>)	24

90. Shigyakusan (<i>Si Ni San</i>)	24
91. Toki Shakuyaku San (Dang Gui Shao Yao San) (<i>Classical women's formula</i>)	24
92. Shosaikoto (<i>Xiao Chai Hu Tang</i>)	24
93. Shofu Nagashi (<i>Folk topical bath</i>)	25
94. Mugwort moxa (<i>Mogusa</i>) (<i>Artemisia princeps</i>)	25
95. Umeboshi (<i>Prunus mume</i>)	25
96. Kuzu (<i>Pueraria lobata starch</i>)	25
97. Shiso leaf (<i>Perilla frutescens</i>)	25
98. Yuzu (<i>Citrus junos</i>)	25
99. Wasabi (fresh) (<i>Eutrema japonicum</i>)	25
100. Ume-shoyo-kuzu (<i>Folk drink</i>)	26
101. Amazake (<i>Fermented rice drink</i>)	26
102. Miso (<i>Fermented soy paste</i>)	26
103. Natto (<i>Fermented soybean</i>)	26
104. Matcha (<i>Camellia sinensis (shade-grown)</i>)	26
105. Hojicha (<i>Roasted green tea</i>)	26
106. Kombu (<i>Laminaria / Saccharina</i>)	26
107. Wakame (<i>Undaria pinnatifida</i>)	27
108. Nori (<i>Porphyra spp</i>)	27
109. Hijiki (<i>Sargassum fusiforme</i>)	27
110. Sesame (black) (<i>Sesamum indicum (black)</i>)	27
Cross-Cultural Symptom Index	28
Respiratory — cough, bronchitis, sore throat	28
Cold, flu, fever	28
Sleep & insomnia	28
Anxiety & stress	28
Depression, low mood	29
Memory & cognition	29
Digestion / bloating / gas	29
Constipation	29
Diarrhea	29
Acid reflux / gastritis / ulcers	29
Nausea & motion sickness	30
Liver support / detox	30
Kidney / urinary / stones	30
Menstrual pain & PMS	30
Menopause	30
Male vitality / fertility	30
Joint pain, arthritis	31
Skin — eczema, acne, psoriasis	31
Wound healing	31
Headache & migraine	31
Blood pressure	31
Cholesterol	31
Blood sugar / diabetes support	32
Immunity (general, chronic)	32
Fatigue / adrenal	32
Eyes / vision	32
Hair loss, graying	32
Oral / dental	32
Ear	33

Antiparasitic	33
Weight management (supportive)	33
Kampo Full Formulary — Classical Japanese Herbal Formulas	34
Exterior-releasing (for colds, early infection)	34
Harmonizing Shao Yang (lingering cold, liver/GB)	34
Spleen-Qi tonifying (digestion, fatigue)	35
Blood tonifying / women's medicine	35
Calming shen (mind)	35
Respiratory	36
Pain, rheumatology	36
Urinary / kidney	36
Skin / allergies	36
Hot flashes, menopause	36
GI & reflux	36
Constipation / laxatives	37
Inflammation / autoimmune support (adjunct)	37
Folk home formulas (non-Tsumura)	37
Notes on safety	37
Pregnancy quick reference	38
Avoid in pregnancy	38
Use only with caution	38
Symptom cross-reference	39
Blood Sugar	39
Cough & Respiratory	39
Digestion	39
Heart & BP	40
Immunity & Fatigue	40
Joints & Pain	40
Liver & Detox	40
Skin	40
Sleep & Anxiety	40
Women's Health	40
Latin binomial index	42
Colophon	46

Traditional & Herbal Remedies — 500+ Entry Reference

A structured reference of 500+ traditional/ancient herbal remedies across five regions. The compendium is sourced from two layers:

1. **Curated markdown** (250 foundational entries, 50 per region) — the original hand-authored corpus.
2. **Extended JSON datasets** (site/data/extended/*.json, ~330 additional entries) — the structured data that also powers the Remedia site's /encyclopedia. These are merged into the master PDF so the book and the site stay in sync.

Regions:

- 01_Indian_Ayurvedic.md + ayurveda.json — India / Ayurveda
- 02_Peruvian_Andean_Spanish.md + andean.json — Peru, Andes, Amazon, Spanish folk
- 03_Chinese_TCM.md + tcm.json — China / Traditional Chinese Medicine
- 04_Japanese_Kampo.md + kampo.json — Japan / Kampo & folk
- 05_Other_Global.md + global.json — Europe, Africa, Middle East, Americas, Pacific, SE Asia

How each entry is structured

- **Benefit** — traditional use(s) and, where relevant, modern evidence direction.
- **Preparation / Recipe** — typical home preparation (decoction, infusion, powder, tincture, topical).
- **Local Sourcing** — where the plant/product is typically bought in its country of origin.

Safety disclaimer

This is educational material, not medical advice. Herbs can interact with medications and have contraindications in pregnancy, breastfeeding, pediatric use, or with chronic disease. Always:

1. Verify correct botanical identification (Latin binomial).
2. Start with low doses, watch for allergy.
3. Avoid long-term high-dose use without supervision.
4. Check legality in your jurisdiction (e.g., coca leaf, ephedra, kava, kratom).
5. Consult a licensed herbalist, Ayurvedic doctor, TCM practitioner, Kampo doctor, or MD.

Requested follow-ups (addressed in appendix file)

- A1_Triphala_Home_Recipe.md — detailed home Triphala preparation.
- A2_Ashwagandha_Safety.md — safety, side effects, and interactions.

Building the PDF

The canonical compendium PDF is produced by:

Master compendium – all regions, includes extended JSON (~500+ entries)

```
pwsh ./_build_pdf_typst.ps1
```

Single-region PDF – ships only one tradition

```
pwsh ./_build_pdf_typst.ps1 -Region India
```

```
pwsh ./_build_pdf_typst.ps1 -Region Peru
```

```
pwsh ./_build_pdf_typst.ps1 -Region China
```

```
pwsh ./_build_pdf_typst.ps1 -Region Japan
```

```
pwsh ./_build_pdf_typst.ps1 -Region Global
```

Markdown-only (fast, 250 entries, no JSON merge)

```
pwsh ./_build_pdf_typst.ps1 -NoExtended
```

Build master + every regional variant

```
pwsh ./_build_pdf_typst.ps1 -All
```

Outputs:

- Traditional_Herbal_Remedies_Compendium.pdf — master (all regions)
- Traditional_Herbal_Remedies_India.pdf / _Peru.pdf / _China.pdf / _Japan.pdf / _Global.pdf — per-region editions

All variants share the same pipeline: [Typst](#) via pandoc and `_pdf_template.typ` to produce a cover page, safety disclaimer, TOC with running headers, regional chapters with per-entry safety badges + modern-sources citations, a cross-referenced **Latin binomial index** (A–Z), a **symptom cross-reference**, a **pregnancy quick-reference**, and a colophon with dynamic entry counts.

`_build_pdf.ps1` (Edge-headless) is kept only as a fallback if Typst is not installed.

Preparation glossary

- **Decoction** — simmer hard plant parts (root, bark, berries) 15–30 min covered.
- **Infusion / Tea** — pour hot water on leaves/flowers, steep 5–10 min covered.
- **Tincture** — 1 part dried herb : 5 parts 40–60% alcohol, macerate 2–6 weeks, strain.
- **Poultice** — crushed fresh herb applied to skin, covered with cloth.
- **Oil infusion** — dried herb in olive/coconut oil, warm 2–4 hours double-boiler or 2–6 weeks sun.
- **Syrup** — strong decoction + equal weight honey/sugar, refrigerate.

CHAPTER

50 Japanese (Kampo & Folk) Herbal Remedies

Ichigo ichi-e — one encounter, one opportunity.

Kampo is TCM reinterpreted through four centuries of Japanese clinical adaptation. Expect familiar Chinese herbs in characteristically simplified formulas — usually fewer ingredients per prescription than their TCM equivalents.

Sourcing: **Tsumura** and **Kracie** sell standardized Kampo granule formulas at pharmacies (ドラッグストア) — Matsumoto Kiyoshi, Welcia, Tsuruha. Single herbs at **Kampo-yaku-kyoku** (漢方薬局) specialty shops. Folk herbs and teas at supermarkets, depachika, and farmer's markets (michi-no-eki).

1. Yomogi 蓬 (Japanese mugwort, *Artemisia princeps*)

- **Benefit:** Digestion, women's health, skin, moxa.
- **Recipe:** Infusion: 1 tsp (≈2 g) dried leaf in 240 ml hot water, 8–10 min; 1–2 cups/day. Fresh young leaves pounded into *yomogi-mochi* as a seasonal food (spring).
- **Sourcing:** Supermarkets (spring), moxibustion shops.

2. Shiso 紫蘇 (*Perilla frutescens*)

- **Benefit:** Allergies, antibacterial, cold.
- **Recipe:** Fresh leaves in tea, sashimi; red shiso in umeboshi.
- **Sourcing:** Every supermarket.

3. Dokudami ドクダミ (*Houttuynia cordata*)

- **Benefit:** "Ten medicines" — detox, skin, sinus.
- **Recipe:** Dried leaves roasted, infused as tea.
- **Sourcing:** Pharmacies (dokudami-cha).

4. Biwa-ha 枇杷葉 (loquat leaf)

- **Benefit:** Cough, skin, biwa compress therapy.
- **Recipe:** Decoction of 2–3 leaves; or leaf moxa compress.
- **Sourcing:** Kampo shops.

5. Ryokucha 緑茶 (green tea, *Camellia sinensis*)

- **Benefit:** Antioxidant, metabolism, oral health.
- **Recipe:** Sencha 70–80 °C, 1 min; matcha whisked.
- **Sourcing:** Everywhere; Uji, Shizuoka premium.

6. Shōga 生姜 (ginger)

Safety Pregnancy: **generally safe**. Lactation: **generally safe**. 2 drug interactions documented — see monograph.

- **Benefit:** Warming, cold, nausea.
- **Recipe:** *Shōga-yu*: 1 tsp freshly grated ginger + 1 tsp honey in 200 ml hot water; drink warm 1–3× daily for chills, early cold, nausea.
- **Sourcing:** Supermarkets; Kochi premium.

Modern sources: [NCCIH — Ginger](#) · [PubMed — Ginger for nausea and vomiting in pregnancy: systematic review \(2014\)](#) · [WHO — WHO monograph — *Rhizoma Zingiberis*](#) · [POWO — *Zingiber officinale* Roscoe](#)

7. Umeboshi 梅干し (pickled plum)

- **Benefit:** Digestion, hangover, fatigue.
- **Recipe:** *Ume-shō-bancha*: 1 umeboshi (mashed) + 1 tsp shoyu + ½ tsp grated ginger + 200 ml hot bancha tea; stir, drink warm. Classic for cold, fatigue, hangover.
- **Sourcing:** Supermarkets; Wakayama best.

8. Yomogi-mochi 蓬餅

- **Benefit:** Seasonal digestive support.
- **Recipe:** 100 g sweet-rice flour (mochi) + 2 tbsp yomogi paste + water to a soft dough; steamed 20 min, shaped into cakes. Seasonal (hanami).
- **Sourcing:** Wagashi shops (spring).

9. Kuromoji 黒文字 (*Lindera umbellata*)

- **Benefit:** Aromatic digestive, anti-viral studies.
- **Recipe:** 10 g dried kuromoji twigs in 500 ml water, simmered 5–8 min; 1 cup warm, 1–2× daily. Aromatic after-meal digestive.
- **Sourcing:** Specialty tea shops; michi-no-eki.

10. Mitsuba 三つ葉 (*Cryptotaenia japonica*)

- **Benefit:** Aromatic, digestive, mild sedative.
- **Recipe:** 1 small handful fresh mitsuba leaves (≈5 g) added at the end of clear soups or chawanmushi, per serving. Culinary aromatic herb.
- **Sourcing:** Supermarkets.

11. Kuzu 葛 (*Pueraria lobata* root starch)

- **Benefit:** Diarrhea, cold, hangover; Kakkon-tō base.
- **Recipe:** *Kuzu-yu* — 1 tsp kuzu in cold water, then heat with ginger + shoyu.
- **Sourcing:** Supermarkets; Yoshino Nara premium.

12. Kakkon-tō 葛根湯 (classical formula)

- **Benefit:** Early cold with stiff neck/shoulders.
- **Recipe:** Tsumura No. 1: 1 sachet (2.5 g) in 100 ml hot water, 2–3× daily before meals. Begin at first sign of cold.
- **Sourcing:** Any pharmacy.

13. Shōsaikotō 小柴胡湯

- **Benefit:** Lingering cold, liver, digestion.
- **Recipe:** Tsumura No. 9: 1 sachet (2.5 g) in 100 ml hot water, 2–3× daily before meals. Prescription in Japan; avoid with interferon and chronic hepatitis without medical supervision.
- **Sourcing:** Pharmacies; Tsumura.

14. Hochu-ekki-tō 補中益気湯

- **Benefit:** Fatigue, weak digestion, post-illness.
- **Recipe:** Granules 2–3×/day.
- **Sourcing:** Tsumura, Kracie.

15. Kakkon-tō-ka-senkyū-shin'ī 葛根湯加川芎辛夷

- **Benefit:** Sinus congestion.
- **Recipe:** Tsumura No. 2: 1 sachet (2.5 g) in warm water, 2–3× daily before meals for sinus-type colds.
- **Sourcing:** Pharmacies.

16. Bakumondō-tō 麦門冬湯

- **Benefit:** Dry cough, throat irritation.
- **Recipe:** Tsumura No. 29: 1 sachet (2.5 g) in warm water, 2–3× daily before meals for dry persistent cough.
- **Sourcing:** Pharmacies.

17. Daikenchūtō 大建中湯

- **Benefit:** Cold abdomen, post-op ileus.
- **Recipe:** Tsumura No. 100: 1 sachet (2.5 g) in warm water 2–3× daily before meals; widely used peri-operatively for post-op ileus and cold-type abdominal pain.
- **Sourcing:** Pharmacies.

18. Tōki-shakuyaku-san 当帰芍薬散

- **Benefit:** Menstrual pain, cold constitution in women.
- **Recipe:** Tsumura No. 23: 1 sachet (2.5 g) in hot water 2–3× daily before meals for menstrual pain, cold constitution in women.
- **Sourcing:** Pharmacies.

19. Kamishoyōsan 加味逍遥散

- **Benefit:** PMS, irritability, hot flashes.
- **Recipe:** Tsumura No. 24: 1 sachet (2.5 g) in hot water 2–3× daily before meals for PMS, menopausal irritability, hot flashes.
- **Sourcing:** Pharmacies.

20. Yokukansan 抑氐散

- **Benefit:** Irritability, insomnia, behavioral symptoms in dementia.
- **Recipe:** Tsumura No. 54: 1 sachet (2.5 g) in hot water 2–3× daily before meals for agitation, insomnia, BPSD in dementia.
- **Sourcing:** Pharmacies (doctor prescribed).

21. Rikkunshitō 六君子湯

- **Benefit:** Appetite, functional dyspepsia.
- **Recipe:** Tsumura No. 43: 1 sachet (2.5 g) in hot water 2–3× daily before meals for appetite loss and functional dyspepsia.
- **Sourcing:** Pharmacies.

22. Hangeshashintō 半夏瀉心湯

- **Benefit:** Nausea, diarrhea, chemo-induced mucositis.
- **Recipe:** Tsumura No. 14: 1 sachet (2.5 g) in warm water 2–3× daily before meals for chemo-induced mucositis and functional dyspepsia.
- **Sourcing:** Pharmacies.

23. Goshajinkigan 牛車腎気丸

- **Benefit:** Elderly lower-back weakness, chemo neuropathy.
- **Recipe:** Tsumura No. 107: 1 sachet (2.5 g) in warm water 2–3× daily before meals for lower-body cold, numbness, chemo-induced peripheral neuropathy.
- **Sourcing:** Pharmacies.

24. Mugi-cha 麦茶 (roasted barley tea)

- **Benefit:** Cooling, hydration, mild GI.
- **Recipe:** Cold-brew barley bag in 1 L water 2–4 hr.
- **Sourcing:** Supermarkets.

25. Sobacha 蕎麦茶 (buckwheat tea)

- **Benefit:** Circulation, rutin, blood pressure.
- **Recipe:** 1 tsp roasted buckwheat in hot water.
- **Sourcing:** Supermarkets.

26. Genmaicha 玄米茶 (brown rice + green tea)

- **Benefit:** Digestion, warming tea.
- **Recipe:** 1 tbsp in 500 ml hot water.
- **Sourcing:** Supermarkets.

27. Hōjicha ほうじ茶 (roasted green tea)

- **Benefit:** Low caffeine, calming.
- **Recipe:** Steep 30 sec boiling water.
- **Sourcing:** Tea shops.

28. Matcha 抹茶

- **Benefit:** L-theanine + caffeine, focus, antioxidants.
- **Recipe:** 1 tsp + 70 ml 80 °C water, whisk.
- **Sourcing:** Uji; tea shops.

29. Goma 胡麻 (sesame)

- **Benefit:** Calcium, lignans, skin.
- **Recipe:** 1 tbsp toasted black sesame over 1 bowl rice; or *gomashio*: 1 tbsp sesame + ½ tsp sea salt ground together, sprinkle 1–2 tsp per serving.
- **Sourcing:** Supermarkets.

30. Natto 納豆

- **Benefit:** Nattokinase, vitamin K2, gut.
- **Recipe:** 40–50 g (one standard pack) natto stirred with 1 tsp shoyu + ¼ tsp karashi mustard, served over 1 bowl of rice; 3–5× per week.
- **Sourcing:** All supermarkets.

31. Miso 味噌

- **Benefit:** Probiotic, isoflavones.
- **Recipe:** 1 tbsp miso in 200 ml dashi (not boiled).
- **Sourcing:** Supermarkets; regional varieties.

32. Shoyu-kōji 醤油麹 / Shio-kōji 塩麹

- **Benefit:** Enzymes, digestion.
- **Recipe:** Marinade: 1 tbsp shoyu-kōji or shio-kōji per 100 g fish or vegetables; rest 30 min–2 hr before cooking.
- **Sourcing:** Supermarkets.

33. Konbu 昆布 (kelp)

- **Benefit:** Iodine, minerals, umami.
- **Recipe:** Cold-soak 1 hr for dashi.
- **Sourcing:** Hokkaido; supermarkets.

34. Wakame 若布

- **Benefit:** Minerals, fucoidan.
- **Recipe:** Miso soup: 1 tsp dried wakame (≈2 g) per 200 ml dashi, added at the end. Sunomono: 5 g dried wakame rehydrated 5 min with sliced cucumber + 1 tbsp rice vinegar + 1 tsp sugar.
- **Sourcing:** Supermarkets.

35. Hijiki ひじき

- **Benefit:** Iron, fiber (note arsenic — moderate use).
- **Recipe:** 10 g dried hijiki rehydrated 20 min, drained, simmered 15 min with 1 julienned carrot + 1 tbsp shoyu + 1 tsp mirin + 1 tsp sesame oil. Serves 2.
- **Sourcing:** Supermarkets.

36. Ume extract / Bainiku ekisu 梅肉エキス

- **Benefit:** Concentrated umeboshi paste, digestion, fatigue.
- **Recipe:** Pea-sized amount (≈½ tsp / ≈2 g) stirred in 100 ml warm water, 1–2× daily for acute diarrhea, food poisoning, digestive weakness.
- **Sourcing:** Health shops; Wakayama.

37. Ninniku 大蒜 (garlic) — Japanese folk

- **Benefit:** Cold, circulation.
- **Recipe:** Garlic-honey maceration 2 weeks.
- **Sourcing:** Aomori Fukuchi premium.

38. Ajiru 青汁 (green juice, kale/barley grass)

- **Benefit:** Greens supplement.
- **Recipe:** 1 sachet (3–4 g powder) in 150 ml cold water, juice, or milk; 1× daily.
- **Sourcing:** Supermarkets.

39. Amazake 甘酒

- **Benefit:** B-vitamins, digestion, "drinkable IV".
- **Recipe:** Rice + *kōji* fermented 8–10 hr at 55 °C.
- **Sourcing:** Supermarkets.

40. Yuzu 柚子

- **Benefit:** Cold prevention, circulation, *yuzu-yu* bath.
- **Recipe:** 3–5 whole yuzu fruits floated in a hot bath (*yuzu-yu*) on winter solstice (*tōji*). Peel scores optional. Skin reactions rare but possible.
- **Sourcing:** Kochi; supermarkets (winter).

41. Sanshō 山椒 (Japanese pepper)

- **Benefit:** Digestion, mild numbing.
- **Recipe:** Small pinch (≈¼ tsp) ground sanshō over grilled unagi or finished miso soup, per serving; or 1 tsp whole berries simmered in 1 L broth for aromatic heat.
- **Sourcing:** Supermarkets.

42. Wasabi 山葵 (*Eutrema japonicum*)

- **Benefit:** Antimicrobial, sinus clearing.
- **Recipe:** ½ tsp freshly grated wasabi root per 4 sashimi slices (≈50 g fish), paired with soy. Antimicrobial action is strongest in the first 20 min after grating.
- **Sourcing:** Shizuoka; real wasabi at specialty shops.

43. Kanten 寒天 (agar)

- **Benefit:** Fiber, satiety, cholesterol.
- **Recipe:** 1 g in 200 ml water, boiled; cold jelly.
- **Sourcing:** Supermarkets.

44. Gobō ごぼう (burdock root)

- **Benefit:** Fiber, inulin, skin.
- **Recipe:** *Kinpira gobō*: 1 medium burdock root (≈150 g) julienned, stir-fried with 1 tbsp shoyu + 1 tsp mirin + 1 tsp sesame oil + chili, 5–7 min. Serves 2.
- **Sourcing:** Supermarkets.

45. Renkon 蓮根 (lotus root)

- **Benefit:** Traditional cough, throat.
- **Recipe:** 2 tbsp freshly grated lotus-root juice + ¼ tsp grated ginger + 1 tsp honey in 100 ml warm water; drink 1–3× daily for sore throat and cough.
- **Sourcing:** Supermarkets.

46. Daikon 大根

- **Benefit:** Digestion, cough (daikon-ame).
- **Recipe:** ½ daikon radish (≈150 g) cubed, covered in honey 8–12 hr, strained. 1 tsp syrup 3–4× daily for cough; refrigerate, use within 2 weeks.
- **Sourcing:** Supermarkets.

47. Kinkan 金柑 (kumquat)

- **Benefit:** Sore throat, cough.
- **Recipe:** 10 kumquats halved (seeds removed) + 3 tbsp honey, rested 24 hr at room temperature. 1 tsp in 100 ml warm water, 2–3× daily for cough.
- **Sourcing:** Supermarkets (winter).

48. Karin 花梨 (Chinese quince)

- **Benefit:** Cough, throat.
- **Recipe:** Sliced in honey 2 weeks → syrup.
- **Sourcing:** Autumn markets.

49. Kikurage きくらげ (wood ear)

- **Benefit:** Circulation, blood.
- **Recipe:** 5 g dried wood-ear mushroom rehydrated 20 min in warm water, drained, stir-fried with vegetables. 1 serving 2–3×/week.
- **Sourcing:** Supermarkets.

50. Akamoku アカモク (seaweed)

- **Benefit:** Fucoidan, metabolism, thyroid support (caution with iodine).

- **Recipe:** 2 tbsp prepared akamoku seaweed with 1 tsp ponzu, served over 1 bowl rice; 1 serving 2–3×/week.
- **Sourcing:** Coastal supermarkets.

Extended Reference — Japan

The following entries are sourced from the structured JSON dataset that backs the Remedia site encyclopedia. They share the same safety + reference lookups as the curated markdown above.

51. Kakkonto (*Ge Gen Tang*)

- **Benefit:** Released-exterior formula for early cold with stiff neck and chills; famous first-choice cold remedy in Japan.
- **Recipe:** 2.5 g granules 3× daily at symptom onset.
- **Sourcing:** Tsumura, Kracie, and other major Kampo makers.
- **Note:** Japanese MHLW-approved Kampo formula

52. Shokenchuto (*Xiao Jian Zhong Tang*)

- **Benefit:** Warms middle jiao; pediatric abdominal pain, weak constitution.
- **Recipe:** 2.5 g granules 2–3× daily before meals.
- **Sourcing:** Standardized granules.

53. Hochuekkito (*Bu Zhong Yi Qi Tang*)

- **Benefit:** Tonifies middle qi and raises yang; chronic fatigue, immune weakness.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Standardized Kampo.

54. Rikkunshito (*Liu Jun Zi Tang*)

- **Benefit:** Strengthens spleen, resolves phlegm; functional dyspepsia — extensively studied.
- **Recipe:** 2.5 g granules before meals 3× daily.
- **Sourcing:** Tsumura TJ-43 most researched.
- **Note:** Japanese clinical trials in functional dyspepsia

55. Hangegeshinto (*Ban Xia Xie Xin Tang*)

- **Benefit:** Harmonizes middle jiao; chronic gastritis, mouth ulcers from chemotherapy.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Tsumura, Kracie.

56. Kamishoyosan (*Jia Wei Xiao Yao San*)

-
- **Benefit:** Modified Xiao Yao San for menopausal symptoms — hot flashes, irritability.
 - **Recipe:** 2.5 g granules 2–3× daily.
 - **Sourcing:** Standardized Kampo, #24 Tsumura.

57. Unkeito (*Wen Jing Tang*)

-
- **Benefit:** Warms womb, regulates menstruation; irregular cycles, infertility with cold.
 - **Recipe:** 2.5 g granules 3× daily.
 - **Sourcing:** Standardized Kampo.

58. Tokishakuyakusan (*Dang Gui Shao Yao San*)

-
- **Benefit:** Nourishes blood and resolves dampness; anemia, edema, menstrual pain.
 - **Recipe:** 2.5 g granules 3× daily.
 - **Sourcing:** Tsumura TJ-23.

59. Saikokaryukotsuboreito (*Chai Hu Jia Long Gu Mu Li Tang*)

-
- **Benefit:** Soothes shen, anchors yang; anxiety with palpitations and insomnia.
 - **Recipe:** 2.5 g granules 2–3× daily.
 - **Sourcing:** Standardized Kampo.

60. Yokukansan (*Yi Gan San*)

-
- **Benefit:** Calms liver wind; researched for dementia-related behavioral symptoms.
 - **Recipe:** 2.5 g granules 3× daily.
 - **Sourcing:** Tsumura TJ-54, extensively researched.
 - **Note:** Japanese RCTs in BPSD

61. Sansoninto (*Suan Zao Ren Tang*)

-
- **Benefit:** Classical insomnia formula; nourishes liver blood, calms shen.
 - **Recipe:** 2.5 g granules 30 min before bed.
 - **Sourcing:** Standardized Kampo.

62. Keishibukuryogan (*Gui Zhi Fu Ling Wan*)

-
- **Benefit:** Resolves blood stasis below; fibroids, endometriosis support.
 - **Recipe:** 2.5 g granules 3× daily.
 - **Sourcing:** Tsumura TJ-25.

63. Daikenchuto (*Da Jian Zhong Tang*)

- **Benefit:** Warms middle; postoperative ileus, cold abdominal pain. Researched in Japanese surgery.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Tsumura TJ-100.
- **Note:** Postoperative ileus trials

64. Rikkosan (*Li Ge San*)

- **Benefit:** Classical oral/dental Kampo for mouth ulcers and gingivitis.
- **Recipe:** Dissolve 2.5 g granules in mouth 2–3× daily.
- **Sourcing:** Standardized Kampo.

65. Maoto (*Ma Huang Tang*)

- **Benefit:** Strong wind-cold release; early influenza with high fever and no sweat. Short-course only.
- **Recipe:** 2.5 g granules every 4 hr at symptom onset, max 3 days.
- **Sourcing:** Regulated — requires practitioner in many countries.
- **Note:** Ephedra-containing; cardiovascular caution

66. Bakumondoto (*Mai Men Dong Tang*)

- **Benefit:** Moistens lung yin; chronic dry cough with tickly throat.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

67. Shoseiryuto (*Xiao Qing Long Tang*)

- **Benefit:** Wind-cold with phlegm-fluids; classical allergy and asthma formula.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

68. Saireito (*Chai Ling Tang*)

- **Benefit:** Combines Xiao Chai Hu Tang and Wu Ling San; fevers with edema, nephritis adjunct.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

69. Hachimijiogan (*Ba Wei Di Huang Wan*)

- **Benefit:** Tonifies kidney yang; cold lower back, urinary weakness, diabetes adjunct.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Tsumura TJ-7.

70. Rokumigan (*Liu Wei Wan*)

- **Benefit:** Japanese version of Liu Wei Di Huang Wan; kidney yin tonic.

71. Bofutsushosan (*Fang Feng Tong Sheng San*)

- **Benefit:** Weight management; obesity with constipation.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Tsumura TJ-62.

72. Juzentaihoto (*Shi Quan Da Bu Tang*)

- **Benefit:** Tonifies qi and blood completely; post-illness recovery, cancer convalescence.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Tsumura TJ-48, oncology-adjunct research.

73. Ninjin'yoeito (*Ren Shen Yang Rong Tang*)

- **Benefit:** Strong tonic for qi, blood, and spirit; deep fatigue with anemia.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Tsumura TJ-108.

74. Shakuyakukanzoto (*Shao Yao Gan Cao Tang*)

- **Benefit:** Rapid muscle-cramp relief; only 2 herbs — peony and licorice.
- **Recipe:** 2.5 g granules at onset of cramp.
- **Sourcing:** Tsumura TJ-68.

75. Orengedokuto (*Huang Lian Jie Du Tang*)

- **Benefit:** Clears fire-toxins; hypertension with red face, bleeding, infections.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

76. Ryokeijutsukanto (*Ling Gui Zhu Gan Tang*)

- **Benefit:** Resolves phlegm-fluids; dizziness, vertigo, palpitations from dampness.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

77. Tokakujokito (*Tao He Cheng Qi Tang*)

- **Benefit:** Breaks blood stasis with heat; stuck menstruation, constipation.
- **Recipe:** 2.5 g granules 2–3× daily. Avoid in pregnancy.
- **Sourcing:** Standardized Kampo.

78. Shimotsuto (*Si Wu Tang*)

- **Benefit:** Classical blood-tonifying formula for women.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Standardized Kampo.

79. Seishinrenshiin (*Qing Xin Lian Zi Yin*)

- **Benefit:** Clears heart fire, calms shen; UTIs with anxiety, chronic cystitis.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

80. Choto-san (*Gou Teng San*)

- **Benefit:** Clears liver wind; hypertension-related headaches, elderly vascular dementia adjunct.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Tsumura TJ-47.

81. Shimbuto (*Zhen Wu Tang*)

- **Benefit:** Warms yang, resolves water; chronic heart failure with edema, cold.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Standardized Kampo.

82. Goshuyuto (*Wu Zhu Yu Tang*)

- **Benefit:** Warms stomach, subdues counterflow; migraine with vomiting.
- **Recipe:** 2.5 g granules at migraine onset.
- **Sourcing:** Standardized Kampo.

83. Orento (*Huang Lian Tang*)

- **Benefit:** Harmonizes upper-lower; gastritis with cold extremities.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

84. Keishikajutsubuto (*Gui Zhi Jia Zhu Fu Tang*)

- **Benefit:** Warms channels, dispels wind-damp; chronic cold joint pain.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

85. Tsumuraso (*Standardized extract base*)

- **Benefit:** Reference to Tsumura, Japan's largest Kampo manufacturer — most RCT-studied.

86. Goreisan (*Wu Ling San*)

- **Benefit:** Regulates body fluids; edema, headaches from fluid imbalance, motion sickness.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

87. Jumihaidokuto (*Shi Wei Bai Du Tang*)

- **Benefit:** Classical skin-detox formula; eczema, furuncles, acute dermatitis.
- **Recipe:** 2.5 g granules 2–3× daily.
- **Sourcing:** Standardized Kampo.

88. Seijobofuto (*Qing Shang Fang Feng Tang*)

- **Benefit:** Classical adult acne formula; clears heat from upper body.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

89. Inchinkoto (*Yin Chen Hao Tang*)

- **Benefit:** Liver damp-heat and jaundice formula.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

90. Shigyakusan (*Si Ni San*)

- **Benefit:** Releases liver qi stagnation with cold extremities; anxiety with IBS.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Standardized Kampo.

91. Toki Shakuyaku San (*Dang Gui Shao Yao San*) (*Classical women's formula*)

- **Benefit:** See Tokishakuyakusan.

92. Shosaikoto (*Xiao Chai Hu Tang*)

- **Benefit:** Harmonizes shao yang; alternating chills/fever, chronic hepatitis adjunct under supervision.
- **Recipe:** 2.5 g granules 3× daily.
- **Sourcing:** Regulated — interstitial pneumonia risk reported.

- **Note:** Japan MHLW warning re: interferon combination

93. Shofu Nagashi (*Folk topical bath*)

- **Benefit:** Medicated bath with yuzu, ginger, and mugwort — winter-solstice tradition.
- **Recipe:** Whole citrus and herbs in bathwater for circulation and warmth.
- **Sourcing:** Traditional.

94. Mugwort moxa (*Mogusa*) (*Artemisia princeps*)

- **Benefit:** Processed mugwort used in moxibustion; warms channels, dispels cold.
- **Recipe:** Burned near acupoints (practitioner use).
- **Sourcing:** Aged Japanese mogusa.

95. Umeboshi (*Prunus mume*)

- **Benefit:** Fermented salt-plum; digestive aid, alkalizing, antimicrobial against *H. pylori*.
- **Recipe:** 1 plum with rice or hot water at meals.
- **Sourcing:** Traditional Japanese pickled plum.

96. Kuzu (*Pueraria lobata starch*)

- **Benefit:** Culinary starch used in hot drinks for digestion and chills.
- **Recipe:** 1 tsp kuzu whisked into cold water, then heated with ginger until translucent.
- **Sourcing:** Traditional Japanese kuzu starch.

97. Shiso leaf (*Perilla frutescens*)

- **Benefit:** Aromatic culinary herb; warming, stomach-settling, anti-allergic.
- **Recipe:** Fresh leaves with raw fish; or infusion.
- **Sourcing:** Common Japanese herb.

98. Yuzu (*Citrus junos*)

- **Benefit:** Aromatic yuzu peel for circulation; yuzu baths at winter solstice.
- **Recipe:** Fresh fruit added whole to bath.
- **Sourcing:** Japanese citrus.

99. Wasabi (fresh) (*Eutrema japonicum*)

- **Benefit:** Anti-microbial and digestive; fresh wasabi preferable to reconstituted pastes.
- **Recipe:** Grated fresh rhizome with sushi.
- **Sourcing:** Mountain-stream cultivation in Japan.

100. Ume-shoyo-kuzu (*Folk drink*)

- **Benefit:** Umeboshi + shoyu + ginger + kuzu drink for colds and digestive chills.
- **Recipe:** 1 umeboshi + 1 tsp grated ginger + 1 tsp shoyu + kuzu starch in hot water.
- **Sourcing:** Traditional home remedy.

101. Amazake (*Fermented rice drink*)

- **Benefit:** Rice koji-fermented; gentle gut microbiome food, natural energy.
- **Recipe:** 1 cup morning or afternoon.
- **Sourcing:** Traditional; refrigerated unpasteurized preferred.

102. Miso (*Fermented soy paste*)

- **Benefit:** Probiotic, isoflavone-rich; daily miso soup associated with lower breast cancer risk in Japanese studies.
- **Recipe:** 1 cup unboiled miso soup daily.
- **Sourcing:** Unpasteurized miso preserves live cultures.

103. Natto (*Fermented soybean*)

- **Benefit:** Nattokinase supports circulation; rich in vitamin K2.
- **Recipe:** 30–50 g daily as breakfast side.
- **Sourcing:** Japanese grocery stores, refrigerated.

104. Matcha (*Camellia sinensis (shade-grown)*)

- **Benefit:** L-theanine + catechins; calm focus and antioxidant support.
- **Recipe:** 1 tsp whisked in hot (not boiling) water; daily.
- **Sourcing:** Japanese shade-grown green tea.

105. Hojicha (*Roasted green tea*)

- **Benefit:** Low-caffeine roasted tea; evening-friendly, warming.
- **Recipe:** 1 tsp in hot water for 1 min.
- **Sourcing:** Japanese roasted green tea.

106. Kombu (*Laminaria / Saccharina*)

- **Benefit:** Mineral-rich kelp; iodine, thyroid support.
- **Recipe:** 1 strip in dashi broth; or 1 small piece daily.
- **Sourcing:** Hokkaido kombu prized.

107. Wakame (*Undaria pinnatifida*)

- **Benefit:** Mineral-rich seaweed; thyroid support, blood-lipid benefits.
- **Recipe:** Dried wakame rehydrated in soups.
- **Sourcing:** Japanese and Korean coasts.

108. Nori (*Porphyra spp*)

- **Benefit:** Iodine- and vitamin B12-rich seaweed.
- **Recipe:** 1 sheet daily.
- **Sourcing:** Japanese sheets.

109. Hijiki (*Sargassum fusiforme*)

- **Benefit:** Iron-rich seaweed; caution — naturally concentrates arsenic.
- **Recipe:** Small amounts in side dishes.
- **Sourcing:** Japanese coast. UK FSA advises limiting.
- **Note:** Inorganic arsenic — limit frequency

110. Sesame (black) (*Sesamum indicum (black)*)

- **Benefit:** Tonifies kidney and blood; traditional hair and longevity food.
- **Recipe:** 1 tsp ground black sesame daily.
- **Sourcing:** Whole or ground.

Cross-Cultural Symptom Index

Remedies from all five regions grouped by condition. Abbreviations: **[IN]** India, **[PE]** Peru/Andes/Spanish, **[CN]** China, **[JP]** Japan, **[GL]** Other Global.

Educational cross-reference only. Confirm suitability, dose, and interactions for your situation before use.

Respiratory — cough, bronchitis, sore throat

- **[IN]** Tulsi, Vasaka, Mulethi, Sitopaladi churna, Pippali, Turmeric + honey, Chyawanprash
- **[PE]** Huamanripa, Matico, Eucalipto (folk), Thyme (tomillo), Malva
- **[CN]** Pi Pa Ye (loquat), Bai He (lily bulb), Xing Ren, Bakumondō herbs, Jin Yin Hua, Nin Jiom Pei Pa Koa
- **[JP]** Bakumondō-tō, Biwa-ha, Karin syrup, Kinkan honey, Daikon-ame, Renkon juice, Kakkon-tō
- **[GL]** Thyme, Mullein, Elderberry syrup, Marshmallow/Slippery elm, Oregano steam, Sage gargle, Honey + lemon

Cold, flu, fever

- **[IN]** Tulsi-ginger kadha, Giloy, Kalmegh, Turmeric-milk, Trikatu
- **[PE]** Muña, Eucalipto vapor, Coca (altitude), Manzanilla
- **[CN]** Yin Qiao San, Ban Lan Gen, Gan Mao Ling, Kakkon-tō
- **[JP]** Kakkon-tō, Shōga-yu (ginger hot drink), Umeboshi bancha, Yuzu bath
- **[GL]** Echinacea, Elderberry, Yarrow tea (diaphoretic), Garlic-honey, Linden flower

Sleep & insomnia

- **[IN]** Ashwagandha milk, Jatamansi, Brahmi, Tagara, Nutmeg-milk
- **[PE]** Valeriana, Pasiflora, Tilo, Manzanilla, Hierba Luisa
- **[CN]** Suan Zao Ren, Bai Zi Ren, Long Yan Rou, Yuan Zhi, Gui Pi Tang
- **[JP]** Yokukansan, Sansō'nin-tō, Hōjicha, Lavender sachet (folk import)
- **[GL]** Valerian, Hops, Passionflower, Lavender, Chamomile, Kava (noble)

Anxiety & stress

- **[IN]** Ashwagandha, Brahmi, Jatamansi, Shankpushpi, Saraswatarishta
- **[PE]** Pasiflora, Valeriana, Hierba Luisa, Manzanilla, Tilo
- **[CN]** Suan Zao Ren, He Huan Pi, Gan Mai Da Zao Tang, Xiao Yao San
- **[JP]** Yokukansan, Kamishoyōsan, Matcha (L-theanine), Hōjicha
- **[GL]** Lemon balm, Passionflower, Rhodiola, Kava, Lavender, St John's Wort

Depression, low mood

- **[IN]** Ashwagandha, Brahmi, Saffron-milk, Mucuna
- **[PE]** Maca, Pasiflora, Aguaymanto
- **[CN]** Xiao Yao San, Chai Hu Shu Gan San, Gan Mai Da Zao Tang
- **[JP]** Kamishoyōsan, Hangekōbokutō
- **[GL]** St John's Wort, Saffron, Rhodiola, Lemon balm

Memory & cognition

- **[IN]** Brahmi, Shankpushpi, Mandukaparni (gotu kola), Ashwagandha, Saraswatarishta
- **[CN]** Yuan Zhi, Shi Chang Pu, Tian Wang Bu Xin Dan
- **[JP]** Yokukansan (dementia behaviors), Chōtōsan
- **[GL]** Ginkgo, Rosemary, Bacopa, Lion's mane mushroom

Digestion / bloating / gas

- **[IN]** Hingvastak churna, Trikatu, Ajwain, Jeera-saunf, Hing in ghee
- **[PE]** Muña, Manzanilla, Hierba Luisa, Paico, Boldo
- **[CN]** Bao He Wan, Xiang Sha Liu Jun Zi, Chen Pi tea, Shan Zha
- **[JP]** Rikkunshitō, Ume-shō-bancha, Shōga-yu, Sanshō
- **[GL]** Fennel, Peppermint (IBS), Chamomile, Caraway, Artichoke leaf

Constipation

- **[IN]** Triphala, Haritaki, Isabgol (psyllium), Castor oil, Avipattikar
- **[PE]** Linaza (flax), Sen (senna), Cascara sagrada, Malva
- **[CN]** Ma Ren Wan, Da Huang (short term), Run Chang Wan
- **[JP]** Mashiningan, Kanten (agar), Gobō fiber
- **[GL]** Psyllium, Senna (short-term), Prunes, Flaxseed

Diarrhea

- **[IN]** Bilva, Kutaja, Musta, Pomegranate peel tea
- **[PE]** Guayaba leaf, Manzanilla, Llantén
- **[CN]** Shen Ling Bai Zhu San, Huang Lian, Che Qian Zi
- **[JP]** Hangeshashintō, Umeboshi, Kuzu-yu
- **[GL]** BRAT diet, Blackberry root, Agrimony, Slippery elm

Acid reflux / gastritis / ulcers

- **[IN]** Yashtimadhu (licorice DGL), Amla, Shatavari, Avipattikar
- **[PE]** Matico, Manzanilla, Malva, Llantén
- **[CN]** Hai Piao Xiao (cuttlebone), Wu Bei Zi, Huang Lian for heat
- **[JP]** Rikkunshitō, Hangeshashintō, Anchūsan

- **[GL]** Slippery elm, DGL licorice, Marshmallow root, Cabbage juice

Nausea & motion sickness

- **[IN]** Ginger, Pippali, Ajwain
- **[PE]** Jengibre, Muña, Manzanilla
- **[CN]** Sheng Jiang, Ban Xia (processed), Huo Xiang Zheng Qi San
- **[JP]** Shōga-yu, Hangeshashintō
- **[GL]** Ginger, Peppermint, Acupressure P6

Liver support / detox

- **[IN]** Bhumyamalaki, Kutki, Punarnava, Kalmegh, Bhringraj, Triphala
- **[PE]** Boldo, Hercampuri, Chancapiedra, Diente de león
- **[CN]** Yin Chen Hao, Xiao Chai Hu Tang, Wu Wei Zi
- **[JP]** Shōsaikotō (under guidance), Ukon (turmeric)
- **[GL]** Milk thistle, Dandelion root, Schisandra, Artichoke

Kidney / urinary / stones

- **[IN]** Gokshura, Varuna, Punarnava, Pashanabheda
- **[PE]** Chancapiedra, Cola de caballo, Manayupa
- **[CN]** Che Qian Zi, Jin Qian Cao, Liu Wei Di Huang Wan
- **[JP]** Chorei-to, Hachimijiogan
- **[GL]** Cornsilk, Uva ursi (short-term), Nettle, Parsley

Menstrual pain & PMS

- **[IN]** Ashoka, Shatavari, Dashamoola, Turmeric, Cinnamon
- **[PE]** Orégano peruano, Manzanilla, Ruda (folk — avoid pregnancy)
- **[CN]** Si Wu Tang, Xiao Yao San, Dang Gui, Yi Mu Cao
- **[JP]** Tōki-shakuyaku-san, Kamishoyōsan, Keishibukuryōgan
- **[GL]** Chasteberry (Vitex), Cramp bark, Ginger, Raspberry leaf

Menopause

- **[IN]** Shatavari, Ashwagandha, Saffron
- **[CN]** Zhi Bai Di Huang Wan, Er Xian Tang
- **[JP]** Kamishoyōsan, Keishibukuryōgan, Tōki-shakuyaku-san
- **[GL]** Black cohosh, Sage, Red clover, Honeybush, Maca

Male vitality / fertility

- **[IN]** Ashwagandha, Kapikacchu, Safed musli, Gokshura, Shilajit

- **[PE]** Maca (black), Huanarpo macho, Chuchuhuasi
- **[CN]** Lu Rong (antler), Yin Yang Huo, You Gui Wan, Cordyceps
- **[JP]** Hachimijiogan, Gosha-jinki-gan
- **[GL]** Tribulus, Tongkat ali, Fenugreek, Pine pollen

Joint pain, arthritis

- **[IN]** Guggul (Yogaraj/Kaishore), Ashwagandha, Shallaki, Mahanarayan oil
- **[PE]** Uña de gato, Chuchuhuasi, Cola de caballo
- **[CN]** Du Huo Ji Sheng Tang, Fang Feng, Wei Ling Xian
- **[JP]** Goshajinkigan, Keishi-ka-jutsubu-tō
- **[GL]** Boswellia, Turmeric-piperine, Nettle, Devil's claw, Willow bark

Skin — eczema, acne, psoriasis

- **[IN]** Neem, Manjistha, Turmeric paste, Sandalwood, Aloe
- **[PE]** Sangre de grado, Sábila, Matico
- **[CN]** Jin Yin Hua, Pu Gong Ying, Xiao Feng San
- **[JP]** Dokudami, Yomogi bath, Jumihaidokutō
- **[GL]** Calendula, Chamomile, Oregon grape root, Tea tree, Chickweed

Wound healing

- **[IN]** Turmeric + honey, Neem, Aloe gel, Jatyadi taila
- **[PE]** Sangre de grado, Matico poultice, Miel de abeja
- **[CN]** Yunnan Baiyao, San Qi, Zi Cao oil
- **[JP]** Shiunkō ointment, Yomogi poultice
- **[GL]** Manuka honey, Calendula, Plantain, Yarrow, Comfrey (external only)

Headache & migraine

- **[IN]** Shadbindu, Anu taila nasya, Brahmi, Jatamansi
- **[CN]** Chuan Xiong Cha Tiao San, Tian Ma, Gou Teng
- **[JP]** Goshuyū-tō, Chōtōsan
- **[GL]** Feverfew, Butterbur, Peppermint oil temple, Ginger

Blood pressure

- **[IN]** Sarpagandha (Rx only), Arjuna, Ashwagandha
- **[CN]** Gou Teng, Du Zhong, Tian Ma
- **[JP]** Daisaikotō, Oren-gedoku-tō
- **[GL]** Hawthorn, Hibiscus, Garlic, Olive leaf

Cholesterol

-
- **[IN]** Guggul, Arjuna, Fenugreek, Amla
 - **[CN]** Shan Zha, He Ye, Jue Ming Zi
 - **[GL]** Red yeast rice (with CoQ10), Artichoke, Oats, Psyllium

Blood sugar / diabetes support

- **[IN]** Gurmar (Gymnema), Jamun seed, Karela, Methi, Turmeric, Neem
- **[PE]** Yacón, Pasuchaca, Hercampuri
- **[CN]** Yu Mi Xu (cornsilk), Xiao Ke formulas, Bitter melon
- **[JP]** Bakumondō-tō for dry diabetes thirst
- **[GL]** Berberine, Bitter melon, Cinnamon, Fenugreek

Immunity (general, chronic)

- **[IN]** Chyawanprash, Guduchi, Amla, Ashwagandha
- **[PE]** Uña de gato, Camu camu, Maca
- **[CN]** Yu Ping Feng San (Astragalus + Bai Zhu + Fang Feng), Ling Zhi, Cordyceps
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Elderberry, Astragalus, Echinacea (short), Reishi, Vitamin D + Zn

Fatigue / adrenal

- **[IN]** Ashwagandha, Shatavari, Chyawanprash, Shilajit
- **[PE]** Maca, Suma
- **[CN]** Ren Shen, Huang Qi, Dang Shen
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Rhodiola, Eleuthero, Schisandra, Licorice (short), Cordyceps

Eyes / vision

- **[IN]** Triphala eyewash, Amla, Saptamrita lauha
- **[CN]** Gou Qi Zi + Ju Hua tea, Mi Meng Hua, Qi Ju Di Huang Wan
- **[GL]** Bilberry, Lutein-rich greens

Hair loss, graying

- **[IN]** Bhringraj oil, Amla, Neelibhringadi, Brahmi oil
- **[CN]** Zhi He Shou Wu, Nu Zhen Zi, Han Lian Cao
- **[JP]** Camellia oil (tsubaki), Kombu rinse
- **[GL]** Rosemary oil, Nettle, Horsetail

Oral / dental

- **[IN]** Neem twig (datun), Triphala gargle, Clove oil

- **[MENA]** Miswak stick, Myrrh rinse
- **[CN]** Wu Bei Zi mouthwash
- **[JP]** Salt + green tea rinse
- **[GL]** Tea tree diluted, Propolis, Clove oil for toothache

Ear

- **[IN]** Bilva taila drops, Garlic-ajwain oil
- **[GL]** Mullein-garlic oil (intact eardrum only)

Antiparasitic

- **[IN]** Vidanga, Palasha seed, Neem
- **[PE]** Paico, Epazote, Papaya seeds
- **[CN]** Bing Lang (betel nut), Shi Jun Zi
- **[GL]** Black walnut hull, Wormwood, Clove, Pumpkin seeds

Weight management (supportive)

- **[IN]** Triphala, Guggul, Medohar Vati
- **[CN]** Shan Zha, He Ye (lotus leaf), Pu-erh tea
- **[JP]** Bōfutsūshōsan, Dai-saiko-tō
- **[GL]** Green tea catechins, Glucomannan, Psyllium

CHAPTER

Kampo Full Formulary — Classical Japanese Herbal Formulas

Ichigo-ichi-e — one encounter, one opportunity.

Kampo is TCM reinterpreted through four centuries of Japanese clinical adaptation. Expect familiar Chinese herbs in characteristically simplified formulas — usually fewer ingredients per prescription than their TCM equivalents.

Standardized Kampo formulas covered by Japanese health insurance are produced mainly by **Tsumura** (ツムラ) and **Kracie** (クラシエ), numbered (Tsumura uses numbers 1–138+). Each entry: **Tsumura No. — Formula name (kanji / romaji) — primary use — typical dosage.**

Dosage is usually one sachet (typically 2.5–3 g granule) 2–3× daily before meals in warm water, unless noted. Always follow package directions or doctor's prescription.

Exterior-releasing (for colds, early infection)

1. **No. 1 — Kakkonto** (葛根湯) — early cold, stiff shoulders/neck, no sweating.
2. **No. 2 — Katsukonto ka Senkyu Shin'i** (葛根湯加川芎辛夷) — sinus congestion, chronic rhinitis.
3. **No. 27 — Maoto** (麻黄湯) — strong cold with fever, no sweating, body aches (short term; contains ephedra).
4. **No. 19 — Shoseiryuto** (小青竜湯) — watery rhinitis, allergic cold, wheeze (ephedra).
5. **No. 127 — Masin Bofuto** (麻杏甘石湯) — wheezing cough, bronchitis (ephedra).
6. **No. 55 — Makyokansekitō** (麻杏甘石湯) — asthma with heat (ephedra).
7. **No. 62 — Bofutsuushosan** (防風通聖散) — metabolic syndrome, constipation, central obesity.
8. **No. 20 — Boiogito** (防己黃耆湯) — flabby obesity, sweating, knee swelling.

Harmonizing Shao Yang (lingering cold, liver/GB)

9. **No. 9 — Shosaikoto** (小柴胡湯) — lingering cold, liver inflammation (caution: interstitial pneumonitis risk; avoid with interferon).
10. **No. 8 — Daisaikoto** (大柴胡湯) — robust build, constipation, hypertension, cholesterol.

11. **No. 10 — Saikokeishito (柴胡桂枝湯)** — lingering cold + body aches.
12. **No. 12 — Saikokeishi Kankyoto (柴胡桂枝乾姜湯)** — weak patient, night sweats, anxiety.
13. **No. 11 — Saikoryukotsuboreito (柴胡加竜骨牡蛎湯)** — anxiety, insomnia, palpitations, hypertension.
14. **No. 96 — Saibokuto (柴朴湯)** — asthma with anxiety, globus sensation.
15. **No. 24 — Kamishoyosan (加味逍遙散)** — PMS, menopause, irritability, hot flashes.
16. **No. 25 — Keishibukuryogan (桂枝茯苓丸)** — blood stasis, menstrual pain, fibroids.

Spleen-Qi tonifying (digestion, fatigue)

17. **No. 41 — Hochuekkito (補中益氣湯)** — fatigue, poor appetite, post-illness recovery.
18. **No. 48 — Juzentaihoto (十全大補湯)** — qi-blood deficiency, post-chemo, anemia.
19. **No. 108 — Ninjin'yoeito (人參養榮湯)** — sarcopenia, elderly debility, cognitive decline.
20. **No. 43 — Rikkunshito (六君子湯)** — functional dyspepsia, appetite loss.
21. **No. 32 — Ninjinto (人參湯)** — cold-type diarrhea, abdominal cold.
22. **No. 100 — Daikenchuto (大建中湯)** — post-op ileus, cold abdominal pain, bloating (widely used surgically).
23. **No. 99 — Shokenchuto (小建中湯)** — pediatric abdominal pain, weak constitution.
24. **No. 14 — Hangeshashinto (半夏瀉心湯)** — nausea, diarrhea, chemo-induced mucositis, epigastric fullness.
25. **No. 75 — Shikunshito (四君子湯)** — base spleen-qi tonic.
26. **No. 66 — Ninjinto variant.**

Blood tonifying / women's medicine

27. **No. 23 — Tokishakuyakusan (当歸芍藥散)** — cold-type menstrual pain, edema, pregnancy-safe tonic.
28. **No. 77 — Kyukichoketsuin (芎歸調血飲)** — postpartum recovery.
29. **No. 71 — Shimotsuto (四物湯)** — base blood tonic.
30. **No. 38 — Tokishigyakukagoshuyushokyoto (当歸四逆加呉茱萸生姜湯)** — cold hands/feet, menstrual.
31. **No. 125 — Keishibukuryogan ka Yokuinin** — skin + blood stasis.
32. **No. 56 — Goshajinkigan (牛車腎氣丸)** — elderly weakness, chemo neuropathy, knee/lower back pain.
33. **No. 7 — Hachimijiogan (八味地黄丸)** — kidney-yang deficiency, cold knees, nocturia.
34. **No. 87 — Rokumigan (六味丸)** — kidney-yin deficiency, dryness.

Calming shen (mind)

35. **No. 54 — Yokukansan (抑肝散)** — irritability, dementia behaviors (BPSD), bruxism in children.
36. **No. 83 — Yokukansan ka Chinpi Hange** — same + digestive weakness.
37. **No. 72 — Kanbakutaisoto (甘麦大枣湯)** — emotional lability, pediatric night crying, perimenopausal tearfulness.
38. **No. 16 — Hangekobokuto (半夏厚朴湯)** — globus hystericus, throat tightness, anxiety.
39. **No. 73 — Saiboku** — as Saibokuto.
40. **No. 103 — Sansoninto (酸棗仁湯)** — insomnia with mental fatigue.
41. **No. 137 — Kamikihito (加味帰脾湯)** — anxiety, insomnia, anemia.

42. **No. 65 — Kihito (帰脾湯)** — heart-spleen deficiency, palpitations.

Respiratory

43. **No. 29 — Bakumondoto (麦門冬湯)** — dry cough, hoarseness, throat irritation.
44. **No. 55 — Makyokansekitō** — see above.
45. **No. 95 — Gokoto (五虎湯)** — heat-type wheeze (ephedra).
46. **No. 91 — Chikujountanto (竹筴温胆湯)** — post-cold lingering cough, insomnia.

Pain, rheumatology

47. **No. 18 — Keishikajutsubuto (桂枝加朮附湯)** — cold-type joint pain.
48. **No. 28 — Eppikajutsuto (越婢加朮湯)** — hot-swollen joints (ephedra).
49. **No. 53 — Sokeikakketsuto (疎経活血湯)** — chronic joint pain, sciatica.
50. **No. 78 — Mabukuryoryojutsuto (麻杏薏甘湯)** — wind-damp joint pain (ephedra).
51. **No. 17 — Goreisan (五苓散)** — fluid imbalance, edema, headache, nausea, altitude.
52. **No. 116 — Chotosan (釣藤散)** — morning hypertension headache in elderly.
53. **No. 31 — Goshuyuto (呉茱萸湯)** — migraine with nausea, cold extremities.

Urinary / kidney

54. **No. 40 — Chorei-to (猪苓湯)** — UTIs, hematuria, cystitis.
55. **No. 111 — Seishinrenshiin (清心蓮子飲)** — chronic urinary, palpitations, anxiety.
56. **No. 112 — Chorei-to-go-shimotsu-to** — chronic UTI with blood deficiency.

Skin / allergies

57. **No. 22 — Shofusan (消風散)** — itching, weepy eczema.
58. **No. 50 — Keigairengyoto (荊芥連翹湯)** — chronic sinusitis, adolescent acne.
59. **No. 57 — Onseiin (温清飲)** — dry itchy eczema.
60. **No. 6 — Jumihaidokuto (十味敗毒湯)** — acute pustular skin infections.
61. **No. 76 — Ryutanshakanto (竜胆瀉肝湯)** — lower genital inflammation, UTIs with heat.

Hot flashes, menopause

62. **No. 24 — Kamishoyosan** — see above.
63. **No. 25 — Keishibukuryogan** — see above.
64. **No. 23 — Tokishakuyakusan** — see above.

GI & reflux

65. **No. 43 — Rikkunshito** — see above.
66. **No. 134 — Keishi-ka-shakuyaku-to (桂枝加芍藥湯)** — IBS with cramping.
67. **No. 60 — Keishi-ka-shakuyaku-daioto** — IBS-C.

68. **No. 128 — Keishi-ka-shakuyaku-shokyoninjinto** — IBS with weakness.
69. **No. 114 — Saireito (柴苓湯)** — lingering fever with fluid imbalance.
70. **No. 123 — Tsumuranoryokeijutsukanto** — dizziness from fluid imbalance.

Constipation / laxatives

71. **No. 126 — Mashiningan (麻子仁丸)** — elderly dry constipation.
72. **No. 133 — Daijokito (大承氣湯)** — severe heat-excess constipation (short term).
73. **No. 74 — Chotoki** — mild bowel.
74. **No. 84 — Daiokansoto (大黃甘草湯)** — simple constipation.

Inflammation / autoimmune support (adjunct)

75. **No. 109 — Shoseiryuto-go-shigyakuto** — chronic allergic.
76. **No. 107 — Goshajinkigan** — see above.
77. **No. 41 — Hochuekkito** — immune modulation in chronic fatigue.

Folk home formulas (non-Tsumura)

- **Ume-shō-bancha** — umeboshi + shoyu + ginger + bancha; colds, fatigue, hangover.
- **Kuzu-yu** — kuzu + ginger + shoyu; diarrhea, colds, post-illness.
- **Daikon-ame** — daikon cubes in honey overnight; cough syrup.
- **Shoga-yu** — grated ginger + honey + hot water; wind-cold.
- **Yuzu-yu bath** — whole yuzu in bathwater on winter solstice.
- **Biwa compress** — dried loquat leaf + moxa over skin; joint pain, tumors (traditional).
- **Konnyaku compress** — hot boiled konnyaku wrapped, applied to liver/abdomen for warming.

Notes on safety

- **Ephedra-containing formulas** (Nos. 27, 19, 127, 55, 95, 78, 28) — avoid in hypertension, heart disease, pregnancy, with MAOIs/stimulants.
- **Licorice (Kanzo)** is in many formulas — chronic combined use risks pseudoaldosteronism (low K, high BP, edema). Monitor if using multiple Kampo long-term.
- **Shosaikoto (No. 9)** — contraindicated with interferon; rare interstitial pneumonitis.
- **Daio (rhubarb)** laxative formulas — avoid long-term and in pregnancy.
- Kampo is prescribed by MDs in Japan under *sho* (pattern) diagnosis — pattern-matching improves results and reduces side effects.

Pregnancy quick reference

One-page summary of every remedy in this compendium with a structured safety flag for pregnancy. Always consult a qualified practitioner — this is a starting point, not a complete list.

Avoid in pregnancy

No entries flagged.

Use only with caution

No entries flagged.

Symptom cross-reference

Every remedy grouped by the concern it traditionally addresses, with page number. Region codes: IN = India, PE = Peru/Andes, CN = China, JP = Japan, GL = Global.

Blood Sugar

Wakame 若布 JP p.15

Cough & Respiratory

Aojiru 青汁 JP p.16
 Bakumondō-tō 麦門冬湯 JP p.12
 Biwa-ha 枇杷葉 JP p.11
 Daikenchūtō 大建中湯 JP p.13
 Daikon 大根 JP p.17
 Dokudami ドクダミ JP p.10
 Goshajinkigan 牛車腎気丸 JP p.13
 Kakkon-tō 葛根湯 JP p.12
 Kakkon-tō-ka-senkyū-shin'i 葛根湯加川芎辛夷 JP p.12
 Kanten 寒天 JP p.16
 Karin 花梨 JP p.17
 Kinkan 金柑 JP p.17
 Konbu 昆布 JP p.15
 Kuzu 葛 (**Pueraria lobata** root starch) JP p.12
 Mugi-cha 麦茶 JP p.14
 Ninniku 大蒜 (garlic) — Japanese folk JP p.16
 Renkon 蓮根 JP p.17
 Shiso 紫蘇 JP p.10
 Shōga 生姜 JP p.11
 Shōsaikotō 小柴胡湯 JP p.12
 Tōki-shakuyaku-san 当归芍薬散 JP p.13
 Umeboshi 梅干し JP p.11
 Wasabi 山葵 JP p.16
 Yuzu 柚子 JP p.16

Digestion

Amazake 甘酒 JP p.16
 Daikon 大根 JP p.17
 Genmaicha 玄米茶 JP p.14
 Hangeshashintō 半夏瀉心湯 JP p.13
 Hochu-ekki-tō 補中益気湯 JP p.12
 Kuromoji 黒文字 JP p.11
 Kuzu 葛 (**Pueraria lobata** root starch) JP p.12
 Mitsuba 三つ葉 JP p.12
 Rikkunshitō 六君子湯 JP p.13
 Sanshō 山椒 JP p.16
 Shōga 生姜 JP p.11
 Shōsaikotō 小柴胡湯 JP p.12
 Shoyu-kōji 醤油麹 / Shio-kōji 塩麹 JP p.15

Ume extract / Bainiku ekisu 梅肉エキス	JP	p.15
Umeboshi 梅干し	JP	p.11
Yomogi 蓬 (Japanese mugwort, Artemisia princeps)	JP	p.10
Yomogi-mochi 蓬餅	JP	p.11

Heart & BP

Kanten 寒天	JP	p.16
Sobacha 蕎麦茶	JP	p.14

Immunity & Fatigue

Hochu-ekki-tō 補中益気湯	JP	p.12
Ume extract / Bainiku ekisu 梅肉エキス	JP	p.15
Umeboshi 梅干し	JP	p.11

Joints & Pain

Daikenchūtō 大建中湯	JP	p.13
Goshajinkigan 牛車腎気丸	JP	p.13
Tōki-shakuyaku-san 当帰芍薬散	JP	p.13

Liver & Detox

Dokudami ドクダミ	JP	p.10
Shōsaikotō 小柴胡湯	JP	p.12

Skin

Biwa-ha 枇杷葉	JP	p.11
Dokudami ドクダミ	JP	p.10
Gobō ごぼう	JP	p.17
Goma 胡麻	JP	p.14
Yomogi 蓬 (Japanese mugwort, Artemisia princeps)	JP	p.10
Yuzu 柚子	JP	p.16

Sleep & Anxiety

Hōjicha ほうじ茶	JP	p.14
Mitsuba 三つ葉	JP	p.12
Yokukansan 抑眠散	JP	p.13

Women's Health

Kamishoyōsan 加味逍遥散	JP	p.13
Tōki-shakuyaku-san 当归芍薬散	JP	p.13

Latin binomial index

Every remedy cross-referenced to its correct botanical binomial. Always confirm identification by Latin name — common names collide. Page numbers resolve to the canonical entry.

A

agar — Kanten 寒天 · Japan p.16
Artemisia princeps — Mugwort moxa (Mogusa) · Japan p.25

B

Ba Wei Di Huang Wan — Hachimijiogan · Japan p.21
Ban Xia Xie Xin Tang — Hangegeshintō · Japan p.19
brown rice + green tea — Genmaicha 玄米茶 · Japan p.14
Bu Zhong Yi Qi Tang — Hochuekkito · Japan p.19
buckwheat tea — Sobacha 蕎麦茶 · Japan p.14
burdock root — Gobō ごぼう · Japan p.17

C

Chai Hu Jia Long Gu Mu Li Tang — Saikokaryukotsuboreito · Japan p.20
Chai Ling Tang — Saireito · Japan p.21
Chinese quince — Karin 花梨 · Japan p.17
Citrus junos — Yuzu · Japan p.25
classical formula — Kakkon-tō 葛根湯 · Japan p.12
Classical women's formula — Toki Shakuyaku San (Dang Gui Shao Yao San) · Japan p.24
Cryptotaenia japonica — Mitsuba 三つ葉 · Japan p.12

D

Da Jian Zhong Tang — Daikenchuto · Japan p.20
Dang Gui Shao Yao San — Tokishakuyakusan · Japan p.20

E

Eutrema japonicum — Wasabi (fresh) · Japan p.25

F

Fang Feng Tong Sheng San — Bofutsushosan · Japan p.22
Fermented rice drink — Amazake · Japan p.26
Fermented soy paste — Miso · Japan p.26
Fermented soybean — Natto · Japan p.26

Folk drink — Ume-shoyo-kuzu · Japan p.26
Folk topical bath — Shofu Nagashi · Japan p.25

G

Ge Gen Tang — Kakkonto · Japan p.19
ginger — Shōga 生姜 · Japan p.11
Gou Teng San — Choto-san · Japan p.23
green juice, kale/barley grass — Aojiru 青汁 · Japan p.16
Gui Zhi Fu Ling Wan — Keishibukuryogan · Japan p.20
Gui Zhi Jia Zhu Fu Tang — Keishikajutsubuto · Japan p.23

H

Houttuynia cordata — Dokudami ドクダミ · Japan p.10
Huang Lian Jie Du Tang — Orengekuto · Japan p.22
Huang Lian Tang — Orento · Japan p.23

J

Japanese pepper — Sanshō 山椒 · Japan p.16
Jia Wei Xiao Yao San — Kamishoyosan · Japan p.19

K

kelp — Konbu 昆布 · Japan p.15
kumquat — Kinkan 金柑 · Japan p.17

L

Laminaria / Saccharina — Kombu · Japan p.26
Li Ge San — Rikkosan · Japan p.21
Lindera umbellata — Kuromoji 黒文字 · Japan p.11
Ling Gui Zhu Gan Tang — Ryokeijutsukanto · Japan p.22
Liu Jun Zi Tang — Rikkunshito · Japan p.19
Liu Wei Wan — Rokumigan · Japan p.21
loquat leaf — Biwa-ha 枇杷葉 · Japan p.11
lotus root — Renkon 蓮根 · Japan p.17

M

Ma Huang Tang — Maoto · Japan p.21
Mai Men Dong Tang — Bakumondoto · Japan p.21

P

Perilla frutescens — Shiso 紫蘇 · Japan p.10

<i>pickled plum</i> — Umeboshi 梅干し · Japan	p.11
<i>Porphyra spp</i> — Nori · Japan	p.27
<i>Prunus mume</i> — Umeboshi · Japan	p.25
<i>Pueraria lobata starch</i> — Kuzu · Japan	p.25

Q

<i>Qing Shang Fang Feng Tang</i> — Seijobofuto · Japan	p.24
<i>Qing Xin Lian Zi Yin</i> — Seishinrenshiin · Japan	p.23

R

<i>Ren Shen Yang Rong Tang</i> — Ninjin'yoeito · Japan	p.22
<i>roasted barley tea</i> — Mugi-cha 麦茶 · Japan	p.14
<i>Roasted green tea</i> — Hojicha · Japan	p.26

S

<i>Sargassum fusiforme</i> — Hijiki · Japan	p.27
<i>seaweed</i> — Akamoku アカモク · Japan	p.17
<i>sesame</i> — Goma 胡麻 · Japan	p.14
<i>Shao Yao Gan Cao Tang</i> — Shakuyakukanzoto · Japan	p.22
<i>Shi Quan Da Bu Tang</i> — Juzentaihoto · Japan	p.22
<i>Shi Wei Bai Du Tang</i> — Jumihaidokuto · Japan	p.24
<i>Si Ni San</i> — Shigyakusan · Japan	p.24
<i>Si Wu Tang</i> — Shimotsuto · Japan	p.23
<i>Standardized extract base</i> — Tsumuraso · Japan	p.23
<i>Suan Zao Ren Tang</i> — Sansoninto · Japan	p.20

T

<i>Tao He Cheng Qi Tang</i> — Tokakujokito · Japan	p.22
--	------

U

<i>Undaria pinnatifida</i> — Wakame · Japan	p.27
---	------

W

<i>Wen Jing Tang</i> — Unkeito · Japan	p.20
<i>wood ear</i> — Kikurage きくらげ · Japan	p.17
<i>Wu Ling San</i> — Goreisan · Japan	p.24
<i>Wu Zhu Yu Tang</i> — Goshuyuto · Japan	p.23

X

<i>Xiao Chai Hu Tang</i> — Shosaikoto · Japan	p.24
---	------

Xiao Jian Zhong Tang — Shokenchuto · Japan

p.19

Xiao Qing Long Tang — Shoseiryuto · Japan

p.21

Y

Yi Gan San — Yokukansan · Japan

p.20

Yin Chen Hao Tang — Inchinkoto · Japan

p.24

Z

Zhen Wu Tang — Shimbuto · Japan

p.23

Colophon

Edition	Living document — rebuilt on every commit.
Built	2026-05-04 11:21
Entries	110 remedies across five traditions
Structured safety	1 entries with pregnancy, lactation, and drug-interaction flags
Typography	Serif: system default (Segoe UI / Arial). Monospace: Consolas.
Taxonomy	Latin binomials verified against Kew POWO (powo.science.kew.org).
Safety sources	WHO monographs, NCCIH, NIH LactMed, Cochrane systematic reviews, PubMed.
Build tools	Pandoc → Typst. Layout template: <code>_pdf_template.typ</code> .
License	Educational use. Content reflects traditional practice; not medical advice.

Corrections, missing references, and new entries are welcome. This book is a work in progress by design — traditional medicine is a living archive, not a fixed canon.