
COMPENDIUM · EDITION 1.0

Remedia

Traditional & Herbal Remedies

FROM FIVE LIVING TRADITIONS

●
India
भारत

●
Peru & Andes
Ande

●
China
中药

●
Japan
漢方

●
Global
Mundus

580
REMEDIES

5
TRADITIONS

250
SAFETY ENTRIES

A cross-referenced reference work gathering the materia medica of Ayurveda, Andean & Iberian folk medicine, Traditional Chinese Medicine, Japanese Kampo, and the wider global herbal canon — with preparation recipes, structured safety flags, and modern pharmacological citations.

REMEDIA · EDITORIAL

Compiled May 04, 2026

Safety Disclaimer

This is educational material. It is not medical advice.

Traditional remedies and herbs can interact with prescription medications and have real contraindications — particularly in pregnancy, breastfeeding, paediatric use, chronic disease, and the perioperative period. Before acting on anything in this compendium:

- Confirm correct botanical identification by Latin binomial. Common names collide across regions; several plants listed here share vernacular names with unrelated and potentially toxic species.
- Start at the lowest typical dose. Observe for 24–72 hours. Discontinue at the first sign of allergy, rash, gastrointestinal upset, jaundice, dark urine, palpitations, or breathing difficulty.
- Avoid long-term high-dose use of any single herb without supervision. “Natural” is not a synonym for “safe” and is not a synonym for “benign at any dose.”
- Check the legal status of each herb in your jurisdiction. Several entries (e.g. coca leaf, ephedra, kava, kratom, areca) are regulated or prohibited in some countries.
- Consult a licensed practitioner — MD, pharmacist, registered herbalist, Ayurvedic doctor, TCM practitioner, or Kampo physician — before combining herbs with any medication or before use during pregnancy, breastfeeding, or for children.

The authors and publishers accept no liability for outcomes resulting from use of this material. By continuing to read you acknowledge that the content is for study and reference only.

Preparation & Measurement

Recipes throughout this compendium use the shorthand below. Where an entry gives only a preparation type (e.g. "infusion", "decoction", "tincture") the standard dose here applies unless the entry states otherwise.

Infusion (tea)	Leaves, flowers, soft aerals. 1 tbsp dried (≈ 3 g) per 240 ml just-off-the-boil water. Cover. Steep 8–10 min. Strain. 1–3 cups/day.
Decoction	Roots, bark, seeds, tough material. 1 tsp dried (≈ 3–5 g) per 240 ml cold water. Simmer covered 15–30 min. Strain. 1–2 cups/day. TCM formulas often double-boil 45–90 min.
Cold infusion	Mucilaginous or aromatic herbs (marshmallow, lemon balm). 1 tbsp per 250 ml cold water, 4–8 hr. Strain.
Powder (churna / fine powder)	¼–½ tsp (≈ 1–3 g) in warm water, milk, ghee, or honey, 1–3× daily. Start at the lower end.
Tincture (1:5 in 40 % alcohol)	2–4 ml (≈ 40–80 drops), 2–3× daily , diluted in a little water. Acute doses up to every 2 hours short-term.
Glycerite	Alcohol-free tincture for children or sensitive users. 2.5–5 ml, 2–3× daily .
Capsules / tablets	Follow label. Typical range 300–1000 mg of dried herb per capsule , 1–3× daily with food.
Kampo / TCM granule sachets	One sachet (typically 2.5–3 g) 2–3× daily before meals, dissolved in warm water, unless a doctor directs otherwise.
Syrup / honey preparation	1 tsp (5 ml), 1–3× daily . Refrigerate and use within 4–6 weeks.
Essential oil	Topical: 1–3 drops per 5 ml carrier (2–6 % dilution for adults). Do not ingest without professional guidance. Skin-test first.
Poultice / compress	Fresh or rehydrated herb, crushed, applied to clean skin 15–30 min. Repeat 1–3× daily.
Food-as-medicine	Culinary quantities. "Add to soup / grate over rice" means a normal kitchen amount (≈ 5–15 g fresh, 1–3 g dried per serving). Therapeutic effect is cumulative and mild.

Unit quick reference. 1 tsp ≈ 5 ml ≈ 3–5 g dried herb (varies by density — ginger powder is denser than chamomile). 1 tbsp ≈ 15 ml ≈ 10–15 g dried herb. 1 cup ≈ 240 ml. 1 fluid oz ≈ 30 ml. Drops per ml varies by dropper; 20 drops ≈ 1 ml is a safe default.

Always start at the lowest dose in the range. Children, elderly, pregnant or breastfeeding individuals, and those on medication should reduce by half or consult a practitioner first.

Contents

Traditional & Herbal Remedies — 500+ Entry Reference	8
How each entry is structured	8
Safety disclaimer	8
Requested follow-ups (addressed in appendix file)	8
Building the PDF	8
Preparation glossary	9
50 Peruvian / Andean / Spanish Folk Remedies	10
1. Coca leaf (<i>Erythroxylum coca</i>)	10
2. Maca (<i>Lepidium meyenii</i>)	10
3. Cat's claw / Uña de gato (<i>Uncaria tomentosa</i>)	11
4. Sangre de grado / Sangre de drago (<i>Croton lechleri</i>)	11
5. Muña (<i>Minthostachys mollis</i> — Andean mint)	11
6. Chuchuhuasi (<i>Maytenus macrocarpa</i>)	11
7. Copaiba oil (<i>Copaifera</i> spp.)	11
8. Aguaymanto / Goldenberry (<i>Physalis peruviana</i>)	11
9. Camu camu (<i>Myrciaria dubia</i>)	11
10. Sacha inchi (<i>Plukenetia volubilis</i>)	12
11. Hercampuri (<i>Gentianella alborosea</i>)	12
12. Chancapiedra / Stonebreaker (<i>Phyllanthus niruri</i>)	12
13. Boldo (<i>Peumus boldus</i>)	12
14. Hierba Luisa / Lemon verbena (<i>Aloysia citrodora</i>)	12
15. Manayupa / Desmodium (<i>Desmodium molliculum</i>)	12
16. Paico / Epazote (<i>Dysphania ambrosioides</i>)	12
17. Huamanripa (<i>Senecio tephrosioides</i>)	13
18. Matico (<i>Piper aduncum</i>)	13
19. Ayahuasca (<i>Banisteriopsis caapi</i> + <i>Psychotria viridis</i>)	13
20. San Pedro / Huachuma (<i>Echinopsis pachanoi</i>)	13
21. Yerba mate (<i>Ilex paraguariensis</i>) — South American	13
22. Achiote / Annatto (<i>Bixa orellana</i>)	13
23. Graviola / Soursop (<i>Annona muricata</i>)	13
24. Chirimoya (<i>Annona cherimola</i>)	14
25. Lucuma (<i>Pouteria lucuma</i>)	14
26. Kiwicha / Amaranth (<i>Amaranthus caudatus</i>)	14
27. Quinoa (<i>Chenopodium quinoa</i>)	14
28. Cañihua (<i>Chenopodium pallidicaule</i>)	14
29. Mashua (<i>Tropaeolum tuberosum</i>)	14
30. Maca negra (black maca)	14
31. Suma / Brazilian ginseng (<i>Pfaffia paniculata</i>)	15
32. Jergón sacha (<i>Dracontium lorentense</i>)	15
33. Ajo sacha / "Wild garlic" (<i>Mansoa alliacea</i>)	15
34. Chancapiedra syrup (commercial)	15
35. Algarrobina (<i>Prosopis pallida</i> carob syrup)	15
36. Uña de gavián (<i>Uncaria guianensis</i>)	15
37. Uchu sanango (<i>Tabernaemontana sananho</i>)	15
38. Manzanilla / Chamomile (<i>Matricaria chamomilla</i>) — Spanish folk	16
39. Romero / Rosemary (<i>Salvia rosmarinus</i>) — Spanish folk	16

40. Tomillo / Thyme (<i>Thymus vulgaris</i>) — Spanish folk	16
41. Salvia / Sage (<i>Salvia officinalis</i>) — Spanish folk	16
42. Malva / Mallow (<i>Malva sylvestris</i>) — Spanish folk	16
43. Cola de caballo / Horsetail (<i>Equisetum arvense</i>) — Spanish/Peruvian	16
44. Llantén / Plantain (<i>Plantago major</i>)	16
45. Ortiga / Nettle (<i>Urtica dioica</i>)	17
46. Diente de león / Dandelion (<i>Taraxacum officinale</i>)	17
47. Aloe / Sábila (<i>Aloe vera</i>) — Spanish	17
48. Orégano peruano (<i>Lippia graveolens</i>)	17
49. Valeriana (<i>Valeriana officinalis</i>)	17
50. Pasiflora / Passionflower (<i>Passiflora incarnata</i>)	18
Extended Reference — Peru/Andes/Spanish	19
51. Coca (<i>Erythroxylum coca</i>)	19
52. Muña (<i>Minthostachys mollis</i>)	19
53. Chanca Piedra (<i>Phyllanthus niruri</i>)	19
54. Cat's Claw (Uña de Gato) (<i>Uncaria tomentosa</i>)	20
55. Sangre de Grado (<i>Croton lechleri</i>)	20
56. Maca (red/black) (<i>Lepidium meyenii</i>)	20
57. Purple Corn (<i>Zea mays (morada)</i>)	20
58. Kiwicha (Amaranth) (<i>Amaranthus caudatus</i>)	20
59. Yacón (<i>Smallanthus sonchifolius</i>)	20
60. Oca (<i>Oxalis tuberosa</i>)	21
61. Ulluco (<i>Ullucus tuberosus</i>)	21
62. Paico (<i>Dysphania ambrosioides (formerly Chenopodium)</i>)	21
63. Huacatay (<i>Tagetes minuta</i>)	21
64. Chicha Morada (Purple corn drink)	21
65. Emoliente (Peruvian herbal drink)	21
66. Aguaymanto (<i>Physalis peruviana</i>)	21
67. Achiote (<i>Bixa orellana</i>)	22
68. Pau d'arco (<i>Handroanthus impetiginosus</i>)	22
69. Guayusa (<i>Ilex guayusa</i>)	22
70. Yerba Mate (<i>Ilex paraguariensis</i>)	22
71. Palo Santo (<i>Bursera graveolens</i>)	22
72. Copaiba (<i>Copaifera spp</i>)	22
73. Clavo Huasca (<i>Tynanthus panurensis</i>)	22
74. Ayahuasca (<i>Banisteriopsis caapi + Psychotria viridis</i>)	23
75. San Pedro (Huachuma) (<i>Echinopsis pachanoi</i>)	23
76. Ruda (<i>Ruta graveolens</i>)	23
77. Chuño (Freeze-dried potato)	23
78. Molle (<i>Schinus molle</i>)	23
79. Lepidium peruvianum (Red maca)	23
80. Noni (<i>Morinda citrifolia</i>)	23
81. Graviola (Soursop) (<i>Annona muricata</i>)	24
82. Guanábana leaf (<i>Annona muricata leaf</i>)	24
83. Wiri wiri pepper (<i>Capsicum frutescens</i>)	24
84. Suelta con suelta (<i>Phoradendron spp</i>)	24
85. Cola de caballo (<i>Equisetum arvense</i>)	24
86. Llantén (<i>Plantago major</i>)	24
87. Yerba luisa (<i>Aloysia citrodora (Lemon verbena)</i>)	24
88. Manzanilla (Chamomile) (<i>Matricaria chamomilla</i>)	25
89. Anís estrellado (<i>Illicium verum</i>)	25

90. Azahar (<i>Citrus aurantium flower</i>)	25
91. Tilo (<i>Tilia cordata</i>)	25
92. Toronjil (<i>Melissa officinalis</i>)	25
93. Hierbabuena (<i>Mentha spicata</i>)	25
94. Guayaba (Guava) (<i>Psidium guajava</i>)	26
95. Tamarindo (<i>Tamarindus indica</i>)	26
96. Nopal (<i>Opuntia ficus-indica</i>)	26
97. Piñón (<i>Jatropha curcas</i>)	26
98. Malva (<i>Malva sylvestris</i>)	26
99. Alfalfa (<i>Medicago sativa</i>)	26
Cross-Cultural Symptom Index	27
Respiratory — cough, bronchitis, sore throat	27
Cold, flu, fever	27
Sleep & insomnia	27
Anxiety & stress	27
Depression, low mood	28
Memory & cognition	28
Digestion / bloating / gas	28
Constipation	28
Diarrhea	28
Acid reflux / gastritis / ulcers	28
Nausea & motion sickness	29
Liver support / detox	29
Kidney / urinary / stones	29
Menstrual pain & PMS	29
Menopause	29
Male vitality / fertility	29
Joint pain, arthritis	30
Skin — eczema, acne, psoriasis	30
Wound healing	30
Headache & migraine	30
Blood pressure	30
Cholesterol	30
Blood sugar / diabetes support	31
Immunity (general, chronic)	31
Fatigue / adrenal	31
Eyes / vision	31
Hair loss, graying	31
Oral / dental	31
Ear	32
Antiparasitic	32
Weight management (supportive)	32
Pregnancy quick reference	33
Avoid in pregnancy	33
Use only with caution	33
Symptom cross-reference	34
Blood Sugar	34
Cough & Respiratory	34
Digestion	34
Heart & BP	34
Immunity & Fatigue	34

Joints & Pain 35

Liver & Detox 35

Men’s Vitality 35

Skin 35

Sleep & Anxiety 35

Women’s Health 36

Latin binomial index 37

Colophon 40

Traditional & Herbal Remedies — 500+ Entry Reference

A structured reference of 500+ traditional/ancient herbal remedies across five regions. The compendium is sourced from two layers:

1. **Curated markdown** (250 foundational entries, 50 per region) — the original hand-authored corpus.
2. **Extended JSON datasets** (site/data/extended/*.json, ~330 additional entries) — the structured data that also powers the Remedia site's /encyclopedia. These are merged into the master PDF so the book and the site stay in sync.

Regions:

- 01_Indian_Ayurvedic.md + ayurveda.json — India / Ayurveda
- 02_Peruvian_Andean_Spanish.md + andean.json — Peru, Andes, Amazon, Spanish folk
- 03_Chinese_TCM.md + tcm.json — China / Traditional Chinese Medicine
- 04_Japanese_Kampo.md + kampo.json — Japan / Kampo & folk
- 05_Other_Global.md + global.json — Europe, Africa, Middle East, Americas, Pacific, SE Asia

How each entry is structured

- **Benefit** — traditional use(s) and, where relevant, modern evidence direction.
- **Preparation / Recipe** — typical home preparation (decoction, infusion, powder, tincture, topical).
- **Local Sourcing** — where the plant/product is typically bought in its country of origin.

Safety disclaimer

This is educational material, not medical advice. Herbs can interact with medications and have contraindications in pregnancy, breastfeeding, pediatric use, or with chronic disease. Always:

1. Verify correct botanical identification (Latin binomial).
2. Start with low doses, watch for allergy.
3. Avoid long-term high-dose use without supervision.
4. Check legality in your jurisdiction (e.g., coca leaf, ephedra, kava, kratom).
5. Consult a licensed herbalist, Ayurvedic doctor, TCM practitioner, Kampo doctor, or MD.

Requested follow-ups (addressed in appendix file)

- A1_Triphala_Home_Recipe.md — detailed home Triphala preparation.
- A2_Ashwagandha_Safety.md — safety, side effects, and interactions.

Building the PDF

The canonical compendium PDF is produced by:

Master compendium – all regions, includes extended JSON (~500+ entries)

```
pwsh ./_build_pdf_typst.ps1
```

Single-region PDF – ships only one tradition

```
pwsh ./_build_pdf_typst.ps1 -Region India
```

```
pwsh ./_build_pdf_typst.ps1 -Region Peru
```

```
pwsh ./_build_pdf_typst.ps1 -Region China
```

```
pwsh ./_build_pdf_typst.ps1 -Region Japan
```

```
pwsh ./_build_pdf_typst.ps1 -Region Global
```

Markdown-only (fast, 250 entries, no JSON merge)

```
pwsh ./_build_pdf_typst.ps1 -NoExtended
```

Build master + every regional variant

```
pwsh ./_build_pdf_typst.ps1 -All
```

Outputs:

- Traditional_Herbal_Remedies_Compendium.pdf — master (all regions)
- Traditional_Herbal_Remedies_India.pdf / _Peru.pdf / _China.pdf / _Japan.pdf / _Global.pdf — per-region editions

All variants share the same pipeline: [Typst](#) via pandoc and `_pdf_template.typ` to produce a cover page, safety disclaimer, TOC with running headers, regional chapters with per-entry safety badges + modern-sources citations, a cross-referenced **Latin binomial index** (A–Z), a **symptom cross-reference**, a **pregnancy quick-reference**, and a colophon with dynamic entry counts.

`_build_pdf.ps1` (Edge-headless) is kept only as a fallback if Typst is not installed.

Preparation glossary

- **Decoction** — simmer hard plant parts (root, bark, berries) 15–30 min covered.
- **Infusion / Tea** — pour hot water on leaves/flowers, steep 5–10 min covered.
- **Tincture** — 1 part dried herb : 5 parts 40–60% alcohol, macerate 2–6 weeks, strain.
- **Poultice** — crushed fresh herb applied to skin, covered with cloth.
- **Oil infusion** — dried herb in olive/coconut oil, warm 2–4 hours double-boiler or 2–6 weeks sun.
- **Syrup** — strong decoction + equal weight honey/sugar, refrigerate.

CHAPTER

50 Peruvian / Andean / Spanish Folk Remedies

Cada planta sabe su enfermedad.

Andean curanderismo, Amazonian plant medicine, and Iberian folk remedies that crossed the Atlantic. Many entries list both Spanish and Quechua common names; altitude and harvest notes accompany sourcing where relevant.

Sourcing hubs: **Mercado San Pedro (Cusco)**, **Mercado Belén (Iquitos)**, **Mercado de Surquillo / Mercado Central (Lima)**, **Mercado Modelo (Chiclayo)**, Andean ferias in Puno/Huancayo. Spanish folk herbs from *herbolarios* (herb shops) across Spain and Latin America.

1. Coca leaf (*Erythroxylum coca*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Altitude sickness (soroche), energy, appetite, digestion.
- **Recipe:** *Mate de coca* — 1 tbsp leaves in hot water 5 min.
- **Sourcing:** Legal in Peru/Bolivia; markets of Cusco, Puno, La Paz. Illegal in most other countries.

Modern sources: [WHO — WHO Cocaine Project — coca leaf report \(1995\)](#) · [POWO — Erythroxylum coca Lam.](#)

2. Maca (*Lepidium meyenii*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 2 drug interactions documented — see monograph.

- **Benefit:** Stamina, hormonal balance, libido, fertility.
- **Recipe:** 1 tsp gelatinized powder in smoothie/oats.
- **Sourcing:** Junín plateau; Lima health stores, supermarkets.

Modern sources: [PubMed — Lepidium meyenii \(maca\): a systematic review \(2010\)](#)

3. Cat's claw / Uña de gato (*Uncaria tomentosa*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Immune, anti-inflammatory, arthritis.
- **Recipe:** 1 tsp inner-bark shreds simmered 15 min; 1–2 cups daily.
- **Sourcing:** Amazonian markets; *herbolarios* in Lima.

Modern sources: [NCCIH — Cat's Claw](#) · [PubMed — Uncaria tomentosa: clinical review \(2016\)](#)

4. Sangre de grado / Sangre de drago (*Croton lechleri*)

- **Benefit:** Wound healing, cold sores, topical antimicrobial.
- **Recipe:** 2–3 drops red latex rubbed onto clean wound until it turns pale.
- **Sourcing:** Amazonian pharmacies (Iquitos, Pucallpa).

5. Muña (*Minthostachys mollis* — Andean mint)

- **Benefit:** Indigestion, altitude bloating, cold.
- **Recipe:** Infusion — 1 tsp dried leaves in hot water 5 min post-meal.
- **Sourcing:** Andean markets; *herbolarios*.

6. Chuchuhuasi (*Maytenus macrocarpa*)

- **Benefit:** Joint pain, muscle ache, energy tonic.
- **Recipe:** *Aguardiente* maceration — bark in cane alcohol 2–4 weeks; 1 shot glass dose.
- **Sourcing:** Amazonian markets.

7. Copaiba oil (*Copaifera* spp.)

- **Benefit:** Anti-inflammatory, skin, wound, gums.
- **Recipe:** 1–2 drops in carrier oil topically; internally only under guidance.
- **Sourcing:** Iquitos markets; *naturistas*.

8. Aguaymanto / Goldenberry (*Physalis peruviana*)

- **Benefit:** Vitamin C, antioxidant, blood sugar.
- **Recipe:** Fresh: 10–15 berries daily. Dried as snack: 1–2 tbsp. Juice: 120 ml once daily.
- **Sourcing:** Markets in Cajamarca, Ancash; supermarkets.

9. Camu camu (*Myrciaria dubia*)

- **Benefit:** Highest-known natural vitamin C, antiviral.
- **Recipe:** ½ tsp powder in water/juice; fresh pulp juice in Amazon.

- **Sourcing:** Loreto markets; Lima health stores.

10. Sacha inchi (*Plukenetia volubilis*)

- **Benefit:** Omega-3/6, cholesterol, brain.
- **Recipe:** Toasted seeds as snack; 1 tbsp oil on salads.
- **Sourcing:** San Martín/Ucayali markets; Lima supermarkets.

11. Hercampuri (*Gentianella alborosea*)

- **Benefit:** Liver, cholesterol, weight.
- **Recipe:** Decoction — 1 tsp in 1 cup water 10 min; bitter.
- **Sourcing:** Andean herbolarios.

12. Chancapiedra / Stonebreaker (*Phyllanthus niruri*)

- **Benefit:** Kidney stones, gallstones, liver.
- **Recipe:** 1 tbsp dried herb in 2 cups water, boil 10 min; 2 cups/day.
- **Sourcing:** Amazonian and Andean markets.

13. Boldo (*Peumus boldus*)

- **Benefit:** Liver, gallbladder, digestion.
- **Recipe:** Infusion — 1 tsp leaves in hot water 5 min after fatty meals.
- **Sourcing:** Chilean/Peruvian herbolarios; Spain.

14. Hierba Luisa / Lemon verbena (*Aloysia citrodora*)

- **Benefit:** Digestion, anxiety, sleep.
- **Recipe:** Infusion — 5–6 fresh leaves in hot water.
- **Sourcing:** Home gardens; markets across Peru & Spain.

15. Manayupa / Desmodium (*Desmodium molliculum*)

- **Benefit:** Allergies, liver, blood purifier.
- **Recipe:** 1 tbsp dried herb simmered 5 min; 2 cups/day.
- **Sourcing:** Herbolarios in Peru.

16. Paico / Epazote (*Dysphania ambrosioides*)

- **Benefit:** Antiparasitic, gas, digestion.
- **Recipe:** Infusion — 1 tsp fresh leaves; short cures, not in pregnancy.
- **Sourcing:** Markets across Peru, Mexico.

17. Huamanripa (*Senecio tephrosioides*)

- **Benefit:** Bronchitis, cough, altitude respiratory issues.
- **Recipe:** Decoction — 1 tbsp in water + honey.
- **Sourcing:** Andean ferias.

18. Matico (*Piper aduncum*)

- **Benefit:** Wound healing, ulcers, antimicrobial.
- **Recipe:** Wounds: 3–4 fresh leaves crushed, applied 15–20 min, 2–3× daily. Gastritis: 1 tbsp dried leaves in 240 ml just-off-boil water, 10 min steep, 2× daily before meals.
- **Sourcing:** Amazonian and Andean markets.

19. Ayahuasca (*Banisteriopsis caapi* + *Psychotria viridis*)

- **Benefit:** Ceremonial / psychospiritual (traditional use only).
- **Preparation:** Only by trained *curanderos* in ceremonial context.
- **Sourcing:** Traditional Amazonian centers; legality varies internationally.

20. San Pedro / Huachuma (*Echinopsis pachanoi*)

- **Benefit:** Ceremonial use in Andean tradition.
- **Preparation:** Traditional curandero decoction only.
- **Sourcing:** Andean curanderos; cactus widely cultivated.

21. Yerba mate (*Ilex paraguariensis*) — South American

- **Benefit:** Stimulant, antioxidant, focus.
- **Recipe:** Gourd + bombilla; loose leaves + hot (not boiling) water.
- **Sourcing:** Ubiquitous in Argentina, Paraguay, Uruguay, S. Brazil; supermarkets.

22. Achiote / Annatto (*Bixa orellana*)

- **Benefit:** Skin (burns, sun), antioxidant; culinary.
- **Recipe:** Salve: 1 tbsp seeds warmed in 30 ml coconut/olive oil 5 min, strain; apply to skin. Sunburn: 1 tsp fresh-seed paste on affected area 10–15 min, rinse.
- **Sourcing:** Amazonian markets.

23. Graviola / Soursop (*Annona muricata*)

- **Benefit:** Calming, sleep, traditional immune use.
- **Recipe:** Leaf infusion — 3 leaves in hot water 10 min.
- **Sourcing:** Tropical Peru, Caribbean markets.

24. Chirimoya (*Annona cherimola*)

- **Benefit:** Digestion, iron, antioxidants (fruit).
- **Recipe:** Fresh: ½–1 whole fruit eaten raw. ⚠️ Seeds are toxic — discard, never chew or swallow.
- **Sourcing:** Andean valleys, Lima markets.

25. Lucuma (*Pouteria lucuma*)

- **Benefit:** Low-GI sweetener, beta-carotene, iron.
- **Recipe:** 1 tbsp powder in smoothies/oats.
- **Sourcing:** Peruvian markets; health stores.

26. Kiwicha / Amaranth (*Amaranthus caudatus*)

- **Benefit:** Complete protein, calcium, iron.
- **Recipe:** Popped: 2 tbsp grain toasted on dry pan 1–2 min until it pops. Porridge: 3 tbsp grain simmered in 240 ml water or milk 20 min.
- **Sourcing:** Andean markets.

27. Quinoa (*Chenopodium quinoa*)

- **Benefit:** Complete protein, minerals.
- **Recipe:** Rinse, simmer 1:2 water 15 min.
- **Sourcing:** Universally available.

28. Cañihua (*Chenopodium pallidicaule*)

- **Benefit:** Protein, iron, easy digest.
- **Recipe:** 1–2 tbsp toasted flour (*cañihuaco*) stirred into 240 ml warm water, milk, or juice, 1–2× daily.
- **Sourcing:** Puno markets.

29. Mashua (*Tropaeolum tuberosum*)

- **Benefit:** Prostate and urinary folk use.
- **Recipe:** Boiled tuber: 1 medium tuber (≈ 100 g) boiled 20 min, eaten as a side. Juice: 100 ml fresh, once daily, short term only (cooling effect on prostate / androgen-sensitive users).
- **Sourcing:** Andean ferias.

30. Maca negra (black maca)

- **Benefit:** Cognition, male fertility (stronger than yellow).
- **Recipe:** 1 tsp powder in smoothies.
- **Sourcing:** Junín; specialty health stores.

31. Suma / Brazilian ginseng (*Pfaffia paniculata*)

- **Benefit:** Adaptogen, stamina.
- **Recipe:** ½ tsp powder in water.
- **Sourcing:** Amazonian naturistas.

32. Jergón sacha (*Dracontium loretense*)

- **Benefit:** Traditional: snake bite, immune support.
- **Recipe:** Tincture or decoction used only under trained curandero / ethnobotanist guidance — typical ritual doses 5–10 ml tincture or a small cup of decoction. Do not self-dose.
- **Sourcing:** Iquitos markets.

33. Ajo sacha / "Wild garlic" (*Mansoa alliacea*)

- **Benefit:** Joint pain, colds, fever.
- **Recipe:** Decoction: 1 tbsp dried leaf/bark in 500 ml water, simmered 20 min; 1 cup 2× daily up to 10 days. Ritual bath: 2 handfuls in 4 L hot water, poured over body.
- **Sourcing:** Amazonian markets.

34. Chancapiedra syrup (commercial)

- **Benefit:** Kidney & gallbladder support.
- **Recipe:** 1 tbsp 2×/day for short cures.
- **Sourcing:** Peruvian pharmacies.

35. Algarrobina (*Prosopis pallida* carob syrup)

- **Benefit:** Iron, energy, traditional tonic.
- **Recipe:** 1 tbsp in milk; also in cocktails.
- **Sourcing:** Piura markets; supermarkets nationally.

36. Uña de gavián (*Uncaria guianensis*)

- **Benefit:** Similar to cat's claw, joints and immunity.
- **Recipe:** 1 tsp inner-bark shreds in 240 ml water, simmered 15–20 min; 1–2 cups daily. Limit to 4–6 weeks at a time.
- **Sourcing:** Amazonian markets.

37. Uchu sanango (*Tabernaemontana sananho*)

- **Benefit:** Traditional nerve and strength tonic.
- **Recipe:** Strictly ceremonial / medicinal under trained curandero supervision. Potent psychoactive; not for self-administration.

- **Sourcing:** Amazonian master plant traditions.

38. Manzanilla / Chamomile (*Matricaria chamomilla*) — Spanish folk

- **Benefit:** Digestion, sleep, colic.
- **Recipe:** 1 tsp flowers in hot water 5 min.
- **Sourcing:** Every herbolario in Spain & Peru.

39. Romero / Rosemary (*Salvia rosmarinus*) — Spanish folk

- **Benefit:** Circulation, memory, hair, digestion.
- **Recipe:** Infusion: 1 tsp dried leaf in 240 ml hot water, 8–10 min; 1–2 cups/day. Hair rinse: 2 tbsp dried in 500 ml water simmered 10 min, cooled, poured over clean hair. Joint rub: 2–3 ml tincture diluted in carrier oil, massaged into area 2× daily.
- **Sourcing:** Spanish herbolarios; Mediterranean gardens.

40. Tomillo / Thyme (*Thymus vulgaris*) — Spanish folk

- **Benefit:** Cough, throat, antimicrobial.
- **Recipe:** 1 tsp dried in hot water + honey + lemon.
- **Sourcing:** Herbolarios and supermarkets.

41. Salvia / Sage (*Salvia officinalis*) — Spanish folk

- **Benefit:** Sore throat, hot flashes, oral hygiene.
- **Recipe:** 1 tsp dried sage in 240 ml just-off-boil water, covered 10 min, cooled. Gargle 30 sec, 3–4× daily for sore throat. Avoid repeated swallowing in pregnancy.
- **Sourcing:** Herbolarios.

42. Malva / Mallow (*Malva sylvestris*) — Spanish folk

- **Benefit:** Cough, constipation, skin.
- **Recipe:** Infusion flowers/leaves 10 min.
- **Sourcing:** Herbolarios.

43. Cola de caballo / Horsetail (*Equisetum arvense*) — Spanish/Peruvian

- **Benefit:** Diuretic, nails, hair, bones (silica).
- **Recipe:** 1 tsp dried in water simmered 10 min.
- **Sourcing:** Herbolarios across Hispanic world.

44. Llantén / Plantain (*Plantago major*)

- **Benefit:** Wounds, cough, insect bites.
- **Recipe:** Bites/stings: crush 2–3 fresh leaves, apply 15–20 min. Cough syrup: 2 handfuls fresh leaves + 300 ml water simmered 20 min, strain, add 200 g honey; 1 tbsp 3× daily.
- **Sourcing:** Wild weed; herbolarios.

45. Ortiga / Nettle (*Urtica dioica*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 5 drug interactions documented — see monograph.

- **Benefit:** Allergies, anemia, joints, prostate.
- **Recipe:** Cooked like spinach; tea of dried leaves.
- **Sourcing:** Wild; herbolarios.

Modern sources: [PubMed](#) — *Urtica dioica: therapeutic indications review (2018)* · [POWO](#) — *Urtica dioica L.*

46. Diente de león / Dandelion (*Taraxacum officinale*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 5 drug interactions documented — see monograph.

- **Benefit:** Liver, diuretic, digestion.
- **Recipe:** Leaves: 1 handful young leaves raw in salad. Root decoction: 1 tsp dried root in 240 ml water, simmered 15 min; 1 cup 1–2× daily as a gentle liver tonic.
- **Sourcing:** Wild; herbolarios.

Modern sources: [PubMed](#) — *Taraxacum officinale: review of properties and human use (2011)* · [POWO](#) — *Taraxacum officinale F.H.Wigg.*

47. Aloe / Sábila (*Aloe vera*) — Spanish

- **Benefit:** Burns, skin, constipation.
- **Recipe:** Topical: ½ tsp fresh inner gel on burns/irritation, 1–3× daily. Smoothie: 1–2 tbsp filleted inner gel (skin and yellow latex removed) in 240 ml juice/water — short-term only, not during pregnancy.
- **Sourcing:** Home plants; herbolarios.

48. Orégano peruano (*Lippia graveolens*)

- **Benefit:** Menstrual cramps, digestion.
- **Recipe:** 1 tsp in hot water; 2 cups/day during cramps.
- **Sourcing:** Tacna and Arequipa markets.

49. Valeriana (*Valeriana officinalis*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 2 drug interactions documented — see monograph.

- **Benefit:** Sleep, anxiety.
- **Recipe:** 1 tsp root simmered 10 min at night.

- **Sourcing:** Herbolarios in Spain and Peru.

Modern sources: [NCCIH — Valerian](#) · [PubMed — Valerian for insomnia: systematic review \(2010\)](#)

50. Pasiflora / Passionflower (*Passiflora incarnata*)

Safety Pregnancy: **AVOID**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Anxiety, insomnia.
- **Recipe:** 1 tsp dried aerial parts infused 10 min.
- **Sourcing:** Herbolarios across Hispanic world.

CHAPTER

Extended Reference — Peru/Andes/Spanish

Cada planta sabe su enfermedad.

Andean curanderismo, Amazonian plant medicine, and Iberian folk remedies that crossed the Atlantic. Many entries list both Spanish and Quechua common names; altitude and harvest notes accompany sourcing where relevant.

The following entries are sourced from the structured JSON dataset that backs the Remedia site encyclopedia. They share the same safety + reference lookups as the curated markdown above.

Modern sources: [NCCIH — Passionflower](#) · [PubMed — Passiflora incarnata for anxiety: systematic review \(2017\)](#)

51. Coca (*Erythroxylum coca*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Altitude sickness, fatigue, digestion; traditional leaf chewing and tea across Andean Peru/Bolivia.
- **Recipe:** Mate de coca: 5–10 leaves in hot water.
- **Sourcing:** Legal in Peru, Bolivia, Argentina as traditional plant; restricted elsewhere.
- **Note:** WHO UN 1961 convention — restricted internationally

Modern sources: [WHO — WHO Cocaine Project — coca leaf report \(1995\)](#) · [POWO — Erythroxylum coca Lam.](#)

52. Muña (*Minthostachys mollis*)

- **Benefit:** Andean mint; digestive, antimicrobial, respiratory support.
- **Recipe:** Fresh leaves or dried infusion after meals.
- **Sourcing:** Peruvian highlands markets.

53. Chanca Piedra (*Phyllanthus niruri*)

- **Benefit:** 'Stone breaker' — traditional Amazonian remedy for kidney/gallstones, liver support.
- **Recipe:** Decoction 200 ml 2× daily; or capsules 500 mg.
- **Sourcing:** Widespread Amazonian and Andean herb.

54. Cat's Claw (Uña de Gato) (*Uncaria tomentosa*)

Safety Pregnancy: **AVOID**. Lactation: **AVOID**. 4 drug interactions documented — see monograph.

- **Benefit:** Immune modulator, anti-inflammatory; studied in rheumatoid arthritis.
- **Recipe:** 500 mg standardized bark extract 2–3× daily.
- **Sourcing:** Amazonian vine bark; sustainable sourcing essential.

Modern sources: [NCCIH — Cat's Claw](#) · [PubMed — Uncaria tomentosa: clinical review \(2016\)](#)

55. Sangre de Grado (*Croton lechleri*)

- **Benefit:** 'Dragon's blood' — red sap for wound healing, GI ulcers; FDA-approved crofelemer for diarrhea.
- **Recipe:** Few drops topically on wounds; or diluted in water internally.
- **Sourcing:** Amazonian tree; sustainable tapping.
- **Note:** Crofelemer (Mytesi) is FDA-approved for HIV-associated diarrhea

56. Maca (red/black) (*Lepidium meyenii*)

Safety Pregnancy: **insufficient data**. Lactation: **insufficient data**. 2 drug interactions documented — see monograph.

- **Benefit:** Hormone balance; red for women, black for men, yellow general. See main maca entry.

Modern sources: [PubMed — Lepidium meyenii \(maca\): a systematic review \(2010\)](#)

57. Purple Corn (*Zea mays (morada)*)

- **Benefit:** Anthocyanin-rich; cardiovascular and blood-sugar support, traditional chicha morada drink.
- **Recipe:** Boil cobs with cinnamon, clove, pineapple rind — traditional chicha.
- **Sourcing:** Peruvian highland variety.

58. Kiwicha (Amaranth) (*Amaranthus caudatus*)

- **Benefit:** High-protein Andean grain; iron-rich, gluten-free.
- **Recipe:** Popped as snack or cooked porridge.
- **Sourcing:** Andean altiplano.

59. Yacón (*Smallanthus sonchifolius*)

- **Benefit:** Prebiotic FOS (fructooligosaccharide)-rich tuber; gut microbiome and blood-sugar support.

- **Recipe:** Fresh tuber like jicama; or yacón syrup 1 tsp.
- **Sourcing:** Andean tuber; syrup form exported.

60. Oca (*Oxalis tuberosa*)

- **Benefit:** Andean tuber; nutritious food, gentle on digestion.
- **Recipe:** Cooked like potato.
- **Sourcing:** Andean regions.

61. Ulluco (*Ullucus tuberosus*)

- **Benefit:** Andean tuber, mineral-rich.
- **Recipe:** Cooked in stews.
- **Sourcing:** Andean staple.

62. Paico (*Dysphania ambrosioides* (formerly *Chenopodium*))

- **Benefit:** 'Epazote' — traditional anti-parasitic and carminative.
- **Recipe:** Small amount cooked with beans; do not exceed traditional culinary amounts.
- **Sourcing:** Widespread Latin American herb.
- **Note:** Essential oil (ascaridole) is toxic — culinary use only

63. Huacatay (*Tagetes minuta*)

- **Benefit:** Peruvian black mint; digestive, antibacterial, traditional culinary.
- **Recipe:** Fresh leaves in sauces; tea for digestion.
- **Sourcing:** Peruvian markets.

64. Chicha Morada (*Purple corn drink*)

- **Benefit:** Traditional purple-corn beverage; antioxidant, cardiovascular support.
- **Recipe:** See Purple Corn.

65. Emoliente (*Peruvian herbal drink*)

- **Benefit:** Classic Lima street drink with boiled barley, flaxseed, horsetail, alfalfa, and bitter herbs.
- **Recipe:** Hot from street vendor; home recipes vary.
- **Sourcing:** Peruvian street carts.

66. Aguaymanto (*Physalis peruviana*)

- **Benefit:** Golden berry / Cape gooseberry; vitamin A/C-rich, traditional anti-inflammatory.
- **Recipe:** Fresh fruit daily; or dried.

- **Sourcing:** Andean origin, now widely grown.

67. Achiote (*Bixa orellana*)

- **Benefit:** Seed used for natural dye and topically for skin healing.
- **Recipe:** Paste on skin; culinary coloring.
- **Sourcing:** Amazonian tree seeds.

68. Pau d'arco (*Handroanthus impetiginosus*)

- **Benefit:** Amazonian bark; anti-fungal and anti-parasitic traditionally, immune adjunct.
- **Recipe:** Bark decoction; or standardized extract.
- **Sourcing:** Inner bark; sustainable sourcing important.

69. Guayusa (*Ilex guayusa*)

- **Benefit:** Amazonian caffeinated leaf; sustained energy with L-theanine.
- **Recipe:** 1–2 tsp leaf steeped 5 min.
- **Sourcing:** Ecuadorian Amazon; Runa Tea largest exporter.

70. Yerba Mate (*Ilex paraguariensis*)

Safety Pregnancy: **caution**. Lactation: **caution**. 4 drug interactions documented — see monograph.

- **Benefit:** South American caffeinated holly; digestion, energy, antioxidants.
- **Recipe:** Traditional gourd with bombilla; 1–3 cups daily.
- **Sourcing:** Argentina, Paraguay, southern Brazil.
- **Note:** High-temp drinking linked to esophageal cancer risk

Modern sources: [PubMed](#) — *Ilex paraguariensis* (yerba mate): health effects review (2011)

71. Palo Santo (*Bursera graveolens*)

- **Benefit:** Sacred incense wood; traditional smoke-cleansing.
- **Recipe:** Burn as incense.
- **Sourcing:** Fallen wood only (sustainable); CITES monitored.

72. Copaiba (*Copaifera spp*)

- **Benefit:** Amazonian oleoresin; anti-inflammatory topically and internally.
- **Recipe:** 3–5 drops in water or topically.
- **Sourcing:** Amazonian tree, tapped sustainably.

73. Clavo Huasca (*Tynanthus panurensis*)

-
- **Benefit:** Amazonian vine; traditional aphrodisiac, clove-like aroma.
 - **Recipe:** Bark decoction or tincture.
 - **Sourcing:** Amazonian forest vine.

74. Ayahuasca (*Banisteriopsis caapi* + *Psychotria viridis*)

-
- **Benefit:** Traditional sacred brew — requires ceremonial context. Contains DMT; illegal in most countries.
 - **Sourcing:** Shamanic/religious use only.
 - **Note:** Controlled substance outside ceremonial/religious exemptions

75. San Pedro (Huachuma) (*Echinopsis pachanoi*)

-
- **Benefit:** Traditional Andean ceremonial cactus. Contains mescaline; controlled in most countries.
 - **Sourcing:** Ceremonial use in Peru.
 - **Note:** Controlled substance

76. Ruda (*Ruta graveolens*)

-
- **Benefit:** Traditional 'cleansing' herb; used in folk rituals and mild digestive complaints.
 - **Recipe:** Very small amounts only; toxic in excess.
 - **Sourcing:** Common garden herb.
 - **Note:** Emmenagogue — absolutely avoid in pregnancy

77. Chuño (*Freeze-dried potato*)

-
- **Benefit:** Traditional Andean preserved food; easy to digest, staple during altitude travel.
 - **Recipe:** Soaked and cooked in stews.
 - **Sourcing:** Altiplano highlands.

78. Molle (*Schinus molle*)

-
- **Benefit:** Peruvian pepper tree; fruit used as mild laxative, bark for wounds.
 - **Recipe:** Traditional decoctions; seeds as pink-pepper seasoning.
 - **Sourcing:** Native Andean tree.

79. *Lepidium peruvianum* (*Red maca*)

-
- **Benefit:** Variety of maca traditionally preferred for women.

80. Noni (*Morinda citrifolia*)

-
- **Benefit:** Pacific/Amazonian fruit; traditional tonic and immune support.
 - **Recipe:** 30 ml juice daily; strong taste.

- **Sourcing:** Tropical Pacific and Central/South America.

81. Graviola (Soursop) (*Annona muricata*)

- **Benefit:** Amazonian fruit; traditional antimicrobial and calming.
- **Recipe:** Fresh fruit; tea from leaves (limit long-term — neurotoxicity concerns).
- **Sourcing:** Tropical Americas.
- **Note:** Chronic leaf use linked to atypical parkinsonism

82. Guanábana leaf (*Annona muricata* leaf)

- **Benefit:** Duplicate of Graviola leaf.

83. Wiri wiri pepper (*Capsicum frutescens*)

- **Benefit:** Andean/Amazonian chili; circulation and digestive heat.
- **Recipe:** Fresh or dried in cooking.
- **Sourcing:** South American markets.

84. Suela con suela (*Phoradendron* spp)

- **Benefit:** 'Bone-setter' — topical poultice for fractures and sprains.
- **Recipe:** Fresh plant poultice.
- **Sourcing:** Andean herb markets.

85. Cola de caballo (*Equisetum arvense*)

- **Benefit:** Horsetail — diuretic, mineral-rich (silica), bone support.
- **Recipe:** 1 tsp dried in tea daily; short courses.
- **Sourcing:** Widely available.

86. Llantén (*Plantago major*)

- **Benefit:** Plantain leaf — topical wound healing, demulcent for coughs and throat.
- **Recipe:** Fresh leaf poultice; or leaf infusion.
- **Sourcing:** Common worldwide.

87. Yerba luisa (*Aloysia citrodora* (Lemon verbena))

- **Benefit:** Calming digestive tea; evening comfort.
- **Recipe:** 1 tsp leaves in hot water 5 min.
- **Sourcing:** Common Peruvian garden herb.

88. Manzanilla (Chamomile) (*Matricaria chamomilla*)

Safety Pregnancy: **caution**. Lactation: **generally safe**. 3 drug interactions documented — see monograph.

- **Benefit:** Calming, digestive, anti-inflammatory. Widely used in Spanish-speaking herbal tradition.
- **Recipe:** 1 tsp flowers in hot water.
- **Sourcing:** Widely cultivated.

Modern sources: [NCCIH — Chamomile](#) · [PubMed — Chamomile \(*Matricaria recutita*\) review of medicinal properties \(2011\)](#)

89. Anís estrellado (*Illicium verum*)

- **Benefit:** Star anise for infant colic, digestive upset.
- **Recipe:** Weak tea only for infants; stronger for adults.
- **Sourcing:** Asia; use *Illicium verum* — not Japanese star anise which is toxic.
- **Note:** Confirm species — Japanese star anise neurotoxic

90. Azahar (*Citrus aurantium flower*)

- **Benefit:** Orange blossom; calming for anxiety and sleep.
- **Recipe:** Tea from dried flowers; or water for baking.
- **Sourcing:** Mediterranean/Spanish tradition.

91. Tilo (*Tilia cordata*)

- **Benefit:** Linden flower — gentle sedative, for colds and anxiety.
- **Recipe:** 1 tsp flowers in hot water.
- **Sourcing:** European and cultivated.

92. Toronjil (*Melissa officinalis*)

Safety Pregnancy: **caution**. Lactation: **caution**. 3 drug interactions documented — see monograph.

- **Benefit:** Lemon balm — calming, antiviral (HSV), digestive.
- **Recipe:** Fresh or dried leaf tea.
- **Sourcing:** Widely grown.

Modern sources: [NCCIH — Lemon Balm](#) · [PubMed — Melissa officinalis for anxiety and sleep: systematic review \(2019\)](#)

93. Hierbabuena (*Mentha spicata*)

- **Benefit:** Spearmint — digestive, anti-androgenic (useful in PCOS).
- **Recipe:** Fresh leaves in tea twice daily.
- **Sourcing:** Garden herb.

94. Guayaba (Guava) (*Psidium guajava*)

- **Benefit:** Leaves for diarrhea; fruit vitamin C-rich.
- **Recipe:** Leaf decoction for acute diarrhea.
- **Sourcing:** Tropical fruit tree.

95. Tamarindo (*Tamarindus indica*)

- **Benefit:** Mild laxative, cooling, rich in tartaric acid.
- **Recipe:** Pulp in water as drink.
- **Sourcing:** Tropical pod.

96. Nopal (*Opuntia ficus-indica*)

- **Benefit:** Prickly pear pad; blood sugar and cholesterol support.
- **Recipe:** Fresh pad grilled; or powder/capsules.
- **Sourcing:** Mexican/Andean staple.

97. Piñón (*Jatropha curcas*)

- **Benefit:** Traditional topical for skin; seed oil also used. Seed highly toxic internally.
- **Sourcing:** Andean markets.
- **Note:** Seeds contain toxic curcin — external only

98. Malva (*Malva sylvestris*)

- **Benefit:** Mucilaginous soother; coughs, gut inflammation, topical on skin.
- **Recipe:** Leaf and flower tea; cooled compress topically.
- **Sourcing:** Common weed in Americas/Europe.

99. Alfalfa (*Medicago sativa*)

- **Benefit:** Mineral-rich tonic; vitamins K, C, trace minerals.
- **Recipe:** Sprouts or leaf tea.
- **Sourcing:** Widely available.
- **Note:** Canavanine content — caution with lupus

Cross-Cultural Symptom Index

Remedies from all five regions grouped by condition. Abbreviations: **[IN]** India, **[PE]** Peru/Andes/Spanish, **[CN]** China, **[JP]** Japan, **[GL]** Other Global.

Educational cross-reference only. Confirm suitability, dose, and interactions for your situation before use.

Respiratory — cough, bronchitis, sore throat

- **[IN]** Tulsi, Vasaka, Mulethi, Sitopaladi churna, Pippali, Turmeric + honey, Chyawanprash
- **[PE]** Huamanripa, Matico, Eucalipto (folk), Thyme (tomillo), Malva
- **[CN]** Pi Pa Ye (loquat), Bai He (lily bulb), Xing Ren, Bakumondō herbs, Jin Yin Hua, Nin Jiom Pei Pa Koa
- **[JP]** Bakumondō-tō, Biwa-ha, Karin syrup, Kinkan honey, Daikon-ame, Renkon juice, Kakkon-tō
- **[GL]** Thyme, Mullein, Elderberry syrup, Marshmallow/Slippery elm, Oregano steam, Sage gargle, Honey + lemon

Cold, flu, fever

- **[IN]** Tulsi-ginger kadha, Giloy, Kalmegh, Turmeric-milk, Trikatu
- **[PE]** Muña, Eucalipto vapor, Coca (altitude), Manzanilla
- **[CN]** Yin Qiao San, Ban Lan Gen, Gan Mao Ling, Kakkon-tō
- **[JP]** Kakkon-tō, Shōga-yu (ginger hot drink), Umeboshi bancha, Yuzu bath
- **[GL]** Echinacea, Elderberry, Yarrow tea (diaphoretic), Garlic-honey, Linden flower

Sleep & insomnia

- **[IN]** Ashwagandha milk, Jatamansi, Brahmi, Tagara, Nutmeg-milk
- **[PE]** Valeriana, Pasiflora, Tilo, Manzanilla, Hierba Luisa
- **[CN]** Suan Zao Ren, Bai Zi Ren, Long Yan Rou, Yuan Zhi, Gui Pi Tang
- **[JP]** Yokukansan, Sansō'nin-tō, Hōjicha, Lavender sachet (folk import)
- **[GL]** Valerian, Hops, Passionflower, Lavender, Chamomile, Kava (noble)

Anxiety & stress

- **[IN]** Ashwagandha, Brahmi, Jatamansi, Shankpushpi, Saraswatarishta
- **[PE]** Pasiflora, Valeriana, Hierba Luisa, Manzanilla, Tilo
- **[CN]** Suan Zao Ren, He Huan Pi, Gan Mai Da Zao Tang, Xiao Yao San
- **[JP]** Yokukansan, Kamishoyōsan, Matcha (L-theanine), Hōjicha
- **[GL]** Lemon balm, Passionflower, Rhodiola, Kava, Lavender, St John's Wort

Depression, low mood

- **[IN]** Ashwagandha, Brahmi, Saffron-milk, Mucuna
- **[PE]** Maca, Pasiflora, Aguaymanto
- **[CN]** Xiao Yao San, Chai Hu Shu Gan San, Gan Mai Da Zao Tang
- **[JP]** Kamishoyōsan, Hangekōbokutō
- **[GL]** St John's Wort, Saffron, Rhodiola, Lemon balm

Memory & cognition

- **[IN]** Brahmi, Shankpushpi, Mandukaparni (gotu kola), Ashwagandha, Saraswatarishta
- **[CN]** Yuan Zhi, Shi Chang Pu, Tian Wang Bu Xin Dan
- **[JP]** Yokukansan (dementia behaviors), Chōtōsan
- **[GL]** Ginkgo, Rosemary, Bacopa, Lion's mane mushroom

Digestion / bloating / gas

- **[IN]** Hingvastak churna, Trikatu, Ajwain, Jeera-saunf, Hing in ghee
- **[PE]** Muña, Manzanilla, Hierba Luisa, Paico, Boldo
- **[CN]** Bao He Wan, Xiang Sha Liu Jun Zi, Chen Pi tea, Shan Zha
- **[JP]** Rikkunshitō, Ume-shō-bancha, Shōga-yu, Sanshō
- **[GL]** Fennel, Peppermint (IBS), Chamomile, Caraway, Artichoke leaf

Constipation

- **[IN]** Triphala, Haritaki, Isabgol (psyllium), Castor oil, Avipattikar
- **[PE]** Linaza (flax), Sen (senna), Cascara sagrada, Malva
- **[CN]** Ma Ren Wan, Da Huang (short term), Run Chang Wan
- **[JP]** Mashiningan, Kanten (agar), Gobō fiber
- **[GL]** Psyllium, Senna (short-term), Prunes, Flaxseed

Diarrhea

- **[IN]** Bilva, Kutaja, Musta, Pomegranate peel tea
- **[PE]** Guayaba leaf, Manzanilla, Llantén
- **[CN]** Shen Ling Bai Zhu San, Huang Lian, Che Qian Zi
- **[JP]** Hangeshashintō, Umeboshi, Kuzu-yu
- **[GL]** BRAT diet, Blackberry root, Agrimony, Slippery elm

Acid reflux / gastritis / ulcers

- **[IN]** Yashtimadhu (licorice DGL), Amla, Shatavari, Avipattikar
- **[PE]** Matico, Manzanilla, Malva, Llantén
- **[CN]** Hai Piao Xiao (cuttlebone), Wu Bei Zi, Huang Lian for heat
- **[JP]** Rikkunshitō, Hangeshashintō, Anchūsan

- **[GL]** Slippery elm, DGL licorice, Marshmallow root, Cabbage juice

Nausea & motion sickness

- **[IN]** Ginger, Pippali, Ajwain
- **[PE]** Jengibre, Muña, Manzanilla
- **[CN]** Sheng Jiang, Ban Xia (processed), Huo Xiang Zheng Qi San
- **[JP]** Shōga-yu, Hangeshashintō
- **[GL]** Ginger, Peppermint, Acupressure P6

Liver support / detox

- **[IN]** Bhumyamalaki, Kutki, Punarnava, Kalmegh, Bhringraj, Triphala
- **[PE]** Boldo, Hercampuri, Chancapiedra, Diente de león
- **[CN]** Yin Chen Hao, Xiao Chai Hu Tang, Wu Wei Zi
- **[JP]** Shōsaikotō (under guidance), Ukon (turmeric)
- **[GL]** Milk thistle, Dandelion root, Schisandra, Artichoke

Kidney / urinary / stones

- **[IN]** Gokshura, Varuna, Punarnava, Pashanabheda
- **[PE]** Chancapiedra, Cola de caballo, Manayupa
- **[CN]** Che Qian Zi, Jin Qian Cao, Liu Wei Di Huang Wan
- **[JP]** Chorei-to, Hachimijiogan
- **[GL]** Cornsilk, Uva ursi (short-term), Nettle, Parsley

Menstrual pain & PMS

- **[IN]** Ashoka, Shatavari, Dashamoola, Turmeric, Cinnamon
- **[PE]** Orégano peruano, Manzanilla, Ruda (folk — avoid pregnancy)
- **[CN]** Si Wu Tang, Xiao Yao San, Dang Gui, Yi Mu Cao
- **[JP]** Tōki-shakuyaku-san, Kamishoyōsan, Keishibukuryōgan
- **[GL]** Chasteberry (Vitex), Cramp bark, Ginger, Raspberry leaf

Menopause

- **[IN]** Shatavari, Ashwagandha, Saffron
- **[CN]** Zhi Bai Di Huang Wan, Er Xian Tang
- **[JP]** Kamishoyōsan, Keishibukuryōgan, Tōki-shakuyaku-san
- **[GL]** Black cohosh, Sage, Red clover, Honeybush, Maca

Male vitality / fertility

- **[IN]** Ashwagandha, Kapikacchu, Safed musli, Gokshura, Shilajit

- **[PE]** Maca (black), Huanarpo macho, Chuchuhuasi
- **[CN]** Lu Rong (antler), Yin Yang Huo, You Gui Wan, Cordyceps
- **[JP]** Hachimijiogan, Gosha-jinki-gan
- **[GL]** Tribulus, Tongkat ali, Fenugreek, Pine pollen

Joint pain, arthritis

- **[IN]** Guggul (Yogaraj/Kaishore), Ashwagandha, Shallaki, Mahanarayan oil
- **[PE]** Uña de gato, Chuchuhuasi, Cola de caballo
- **[CN]** Du Huo Ji Sheng Tang, Fang Feng, Wei Ling Xian
- **[JP]** Goshajinkigan, Keishi-ka-jutsu-tō
- **[GL]** Boswellia, Turmeric-piperine, Nettle, Devil's claw, Willow bark

Skin — eczema, acne, psoriasis

- **[IN]** Neem, Manjistha, Turmeric paste, Sandalwood, Aloe
- **[PE]** Sangre de grado, Sábila, Matico
- **[CN]** Jin Yin Hua, Pu Gong Ying, Xiao Feng San
- **[JP]** Dokudami, Yomogi bath, Jumihaidokutō
- **[GL]** Calendula, Chamomile, Oregon grape root, Tea tree, Chickweed

Wound healing

- **[IN]** Turmeric + honey, Neem, Aloe gel, Jatyadi taila
- **[PE]** Sangre de grado, Matico poultice, Miel de abeja
- **[CN]** Yunnan Baiyao, San Qi, Zi Cao oil
- **[JP]** Shiunkō ointment, Yomogi poultice
- **[GL]** Manuka honey, Calendula, Plantain, Yarrow, Comfrey (external only)

Headache & migraine

- **[IN]** Shadbindu, Anu taila nasya, Brahmi, Jatamansi
- **[CN]** Chuan Xiong Cha Tiao San, Tian Ma, Gou Teng
- **[JP]** Goshuyū-tō, Chōtōsan
- **[GL]** Feverfew, Butterbur, Peppermint oil temple, Ginger

Blood pressure

- **[IN]** Sarpagandha (Rx only), Arjuna, Ashwagandha
- **[CN]** Gou Teng, Du Zhong, Tian Ma
- **[JP]** Daisaikotō, Oren-gedoku-tō
- **[GL]** Hawthorn, Hibiscus, Garlic, Olive leaf

Cholesterol

- **[IN]** Guggul, Arjuna, Fenugreek, Amla
- **[CN]** Shan Zha, He Ye, Jue Ming Zi
- **[GL]** Red yeast rice (with CoQ10), Artichoke, Oats, Psyllium

Blood sugar / diabetes support

- **[IN]** Gurmar (Gymnema), Jamun seed, Karela, Methi, Turmeric, Neem
- **[PE]** Yacón, Pasuchaca, Hercampuri
- **[CN]** Yu Mi Xu (cornsilk), Xiao Ke formulas, Bitter melon
- **[JP]** Bakumondō-tō for dry diabetes thirst
- **[GL]** Berberine, Bitter melon, Cinnamon, Fenugreek

Immunity (general, chronic)

- **[IN]** Chyawanprash, Guduchi, Amla, Ashwagandha
- **[PE]** Uña de gato, Camu camu, Maca
- **[CN]** Yu Ping Feng San (Astragalus + Bai Zhu + Fang Feng), Ling Zhi, Cordyceps
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Elderberry, Astragalus, Echinacea (short), Reishi, Vitamin D + Zn

Fatigue / adrenal

- **[IN]** Ashwagandha, Shatavari, Chyawanprash, Shilajit
- **[PE]** Maca, Suma
- **[CN]** Ren Shen, Huang Qi, Dang Shen
- **[JP]** Hochu-ekki-tō, Jūzen-taiho-tō
- **[GL]** Rhodiola, Eleuthero, Schisandra, Licorice (short), Cordyceps

Eyes / vision

- **[IN]** Triphala eyewash, Amla, Saptamrita lauha
- **[CN]** Gou Qi Zi + Ju Hua tea, Mi Meng Hua, Qi Ju Di Huang Wan
- **[GL]** Bilberry, Lutein-rich greens

Hair loss, graying

- **[IN]** Bhringraj oil, Amla, Neelibhringadi, Brahmi oil
- **[CN]** Zhi He Shou Wu, Nu Zhen Zi, Han Lian Cao
- **[JP]** Camellia oil (tsubaki), Kombu rinse
- **[GL]** Rosemary oil, Nettle, Horsetail

Oral / dental

- **[IN]** Neem twig (datun), Triphala gargle, Clove oil

- **[MENA]** Miswak stick, Myrrh rinse
- **[CN]** Wu Bei Zi mouthwash
- **[JP]** Salt + green tea rinse
- **[GL]** Tea tree diluted, Propolis, Clove oil for toothache

Ear

- **[IN]** Bilva taila drops, Garlic-ajwain oil
- **[GL]** Mullein-garlic oil (intact eardrum only)

Antiparasitic

- **[IN]** Vidanga, Palasha seed, Neem
- **[PE]** Paico, Epazote, Papaya seeds
- **[CN]** Bing Lang (betel nut), Shi Jun Zi
- **[GL]** Black walnut hull, Wormwood, Clove, Pumpkin seeds

Weight management (supportive)

- **[IN]** Triphala, Guggul, Medohar Vati
- **[CN]** Shan Zha, He Ye (lotus leaf), Pu-erh tea
- **[JP]** Bōfutsūshōsan, Dai-saiko-tō
- **[GL]** Green tea catechins, Glucomannan, Psyllium

Pregnancy quick reference

One-page summary of every remedy in this compendium with a structured safety flag for pregnancy. Always consult a qualified practitioner — this is a starting point, not a complete list.

Avoid in pregnancy

Cat's claw / Uña de gato — <i>Uncaria tomentosa</i>	p.11
Cat's Claw (Uña de Gato) — <i>Uncaria tomentosa</i>	p.20
Coca — <i>Erythroxylum coca</i>	p.19
Coca leaf — <i>Erythroxylum coca</i>	p.10
Pasiflora / Passionflower — <i>Passiflora incarnata</i>	p.18
Valeriana — <i>Valeriana officinalis</i>	p.17

Use only with caution

Diente de león / Dandelion — <i>Taraxacum officinale</i>	p.17
Manzanilla (Chamomile) — <i>Matricaria chamomilla</i>	p.25
Ortiga / Nettle — <i>Urtica dioica</i>	p.17
Toronjil — <i>Melissa officinalis</i>	p.25
Yerba Mate — <i>Ilex paraguariensis</i>	p.22

Symptom cross-reference

Every remedy grouped by the concern it traditionally addresses, with page number. Region codes: IN = India, PE = Peru/Andes, CN = China, JP = Japan, GL = Global.

Blood Sugar

Aguaymanto / Goldenberry PE p.11

Cough & Respiratory

Ajo sachá / "Wild garlic" PE p.15
 Huamanripa PE p.13
 Llantén / Plantain PE p.16
 Malva / Mallow (**Malva sylvestris**) — Spanish folk PE p.16
 Muña (**Minthostachys mollis**) — Andean mint PE p.11
 Salvia / Sage (**Salvia officinalis**) — Spanish folk PE p.16
 Sangre de grado / Sangre de drago PE p.11
 Tomillo / Thyme (**Thymus vulgaris**) — Spanish folk PE p.16

Digestion

Aloe / Sábila (**Aloe vera**) — Spanish PE p.17
 Boldo PE p.12
 Cañihua PE p.14
 Chirimoya PE p.14
 Coca leaf PE p.10
 Diente de león / Dandelion PE p.17
 Hierba Luisa / Lemon verbena PE p.12
 Malva / Mallow (**Malva sylvestris**) — Spanish folk PE p.16
 Manzanilla / Chamomile (**Matricaria chamomilla**) — Spanish folk PE p.16
 Matico PE p.13
 Muña (**Minthostachys mollis**) — Andean mint PE p.11
 Orégano peruano PE p.17
 Paico / Epazote PE p.12
 Romero / Rosemary (**Salvia rosmarinus**) — Spanish folk PE p.16

Heart & BP

Hercampuri PE p.12
 Sacha inchi PE p.12

Immunity & Fatigue

Algarrobina (Prosopis pallida carob syrup)	PE	p.15
Cat's claw / Uña de gato	PE	p.11
Chuchuhuasi	PE	p.11
Coca leaf	PE	p.10
Graviola / Soursop	PE	p.13
Jergón sacha	PE	p.15
Suma / Brazilian ginseng	PE	p.15
Uña de gavián	PE	p.15

Joints & Pain

Ajo sacha / "Wild garlic"	PE	p.15
Boldo	PE	p.12
Cat's claw / Uña de gato	PE	p.11
Chuchuhuasi	PE	p.11
Hierba Luisa / Lemon verbena	PE	p.12
Manzanilla / Chamomile (Matricaria chamomilla) — Spanish folk	PE	p.16
Ortiga / Nettle	PE	p.17
Romero / Rosemary (Salvia rosmarinus) — Spanish folk	PE	p.16
Uña de gavián	PE	p.15
Valeriana	PE	p.17

Liver & Detox

Boldo	PE	p.12
Chancapiedra / Stonebreaker	PE	p.12
Diente de león / Dandelion	PE	p.17
Hercampuri	PE	p.12
Manayupa / Desmodium	PE	p.12

Men's Vitality

Maca	PE	p.10
Maca negra	PE	p.14
Mashua	PE	p.14
Ortiga / Nettle	PE	p.17

Skin

Achiote / Annatto	PE	p.13
Aloe / Sábila (Aloe vera) — Spanish	PE	p.17
Copaiba oil (Copaifera spp.)	PE	p.11
Llantén / Plantain	PE	p.16
Malva / Mallow (Malva sylvestris) — Spanish folk	PE	p.16
Matico	PE	p.13
Sangre de grado / Sangre de drago	PE	p.11

Sleep & Anxiety

Graviola / Soursop	PE	p.13
--------------------	----	------

Hierba Luisa / Lemon verbena	PE	p.12
Manzanilla / Chamomile (Matricaria chamomilla) — Spanish folk	PE	p.16
Pasiflora / Passionflower	PE	p.18
Valeriana	PE	p.17

Women's Health

Aloe / Sábila (Aloe vera) — Spanish	PE	p.17
Maca	PE	p.10
Maca negra	PE	p.14
Orégano peruano	PE	p.17
Paico / Epazote	PE	p.12
Salvia / Sage (Salvia officinalis) — Spanish folk	PE	p.16

Latin binomial index

Every remedy cross-referenced to its correct botanical binomial. Always confirm identification by Latin name — common names collide. Page numbers resolve to the canonical entry.

A

<i>Aloysia citrodora</i> — Hierba Luisa / Lemon verbena · Peru/Andes/Spanish	p.12
<i>Amaranthus caudatus</i> — Kiwicha / Amaranth · Peru/Andes/Spanish	p.14
<i>Annona cherimola</i> — Chirimoya · Peru/Andes/Spanish	p.14
<i>Annona muricata</i> — Graviola / Soursop · Peru/Andes/Spanish	p.13
<i>Annona muricata</i> leaf — Guanábana leaf · Peru/Andes/Spanish	p.24

B

<i>Banisteriopsis caapi</i> + <i>Psychotria viridis</i> — Ayahuasca · Peru/Andes/Spanish	p.23
<i>Bixa orellana</i> — Achiote · Peru/Andes/Spanish	p.22
black maca — Maca negra · Peru/Andes/Spanish	p.14
<i>Bursera graveolens</i> — Palo Santo · Peru/Andes/Spanish	p.22

C

<i>Capsicum frutescens</i> — Wiri wiri pepper · Peru/Andes/Spanish	p.24
<i>Chenopodium pallidicaule</i> — Cañihua · Peru/Andes/Spanish	p.14
<i>Chenopodium quinoa</i> — Quinoa · Peru/Andes/Spanish	p.14
<i>Citrus aurantium</i> flower — Azahar · Peru/Andes/Spanish	p.25
commercial — Chancapiedra syrup · Peru/Andes/Spanish	p.15
<i>Copaifera</i> spp — Copaiba · Peru/Andes/Spanish	p.22
<i>Croton lechleri</i> — Sangre de Grado · Peru/Andes/Spanish	p.20

D

<i>Desmodium molliculum</i> — Manayupa / Desmodium · Peru/Andes/Spanish	p.12
<i>Dracontium lorentense</i> — Jergón sachá · Peru/Andes/Spanish	p.15
<i>Dysphania ambrosioides</i> — Paico / Epazote · Peru/Andes/Spanish	p.12

E

<i>Echinopsis pachanoi</i> — San Pedro (Huachuma) · Peru/Andes/Spanish	p.23
<i>Equisetum arvense</i> — Cola de caballo · Peru/Andes/Spanish	p.24
<i>Erythroxylum coca</i> — Coca · Peru/Andes/Spanish	p.19

F

Freeze-dried potato — Chuño · Peru/Andes/Spanish p.23

G

Gentianella alborosea — Hercampuri · Peru/Andes/Spanish p.12

H

Handroanthus impetiginosus — Pau d'arco · Peru/Andes/Spanish p.22

I

Ilex guayusa — Guayusa · Peru/Andes/Spanish p.22

Ilex paraguariensis — Yerba Mate · Peru/Andes/Spanish p.22

Illicium verum — Anís estrellado · Peru/Andes/Spanish p.25

J

Jatropha curcas — Piñón · Peru/Andes/Spanish p.26

L

Lepidium meyenii — Maca · Peru/Andes/Spanish p.10

Lippia graveolens — Orégano peruano · Peru/Andes/Spanish p.17

M

Malva sylvestris — Malva · Peru/Andes/Spanish p.26

Mansoa alliacea — Ajo sacha / "Wild garlic" · Peru/Andes/Spanish p.15

Matricaria chamomilla — Manzanilla (Chamomile) · Peru/Andes/Spanish p.25

Maytenus macrocarpa — Chuchuhuasi · Peru/Andes/Spanish p.11

Medicago sativa — Alfalfa · Peru/Andes/Spanish p.26

Melissa officinalis — Toronjil · Peru/Andes/Spanish p.25

Mentha spicata — Hierbabuena · Peru/Andes/Spanish p.25

Minthostachys mollis — Muña · Peru/Andes/Spanish p.19

Morinda citrifolia — Noni · Peru/Andes/Spanish p.23

Myrciaria dubia — Camu camu · Peru/Andes/Spanish p.11

O

Opuntia ficus-indica — Nopal · Peru/Andes/Spanish p.26

Oxalis tuberosa — Oca · Peru/Andes/Spanish p.21

P

<i>Passiflora incarnata</i> — Pasiflora / Passionflower · Peru/Andes/Spanish	p.18
<i>Peruvian herbal drink</i> — Emoliente · Peru/Andes/Spanish	p.21
<i>Peumus boldus</i> — Boldo · Peru/Andes/Spanish	p.12
<i>Pfaffia paniculata</i> — Suma / Brazilian ginseng · Peru/Andes/Spanish	p.15
<i>Phoradendron spp</i> — Suelta con suelta · Peru/Andes/Spanish	p.24
<i>Phyllanthus niruri</i> — Chanca Piedra · Peru/Andes/Spanish	p.19
<i>Physalis peruviana</i> — Aguaymanto / Goldenberry · Peru/Andes/Spanish	p.11
<i>Piper aduncum</i> — Matico · Peru/Andes/Spanish	p.13
<i>Plantago major</i> — Llantén / Plantain · Peru/Andes/Spanish	p.16
<i>Plukenetia volubilis</i> — Sacha inchi · Peru/Andes/Spanish	p.12
<i>Pouteria lucuma</i> — Lucuma · Peru/Andes/Spanish	p.14
<i>Psidium guajava</i> — Guayaba (Guava) · Peru/Andes/Spanish	p.26
<i>Purple corn drink</i> — Chicha Morada · Peru/Andes/Spanish	p.21

R

<i>Red maca</i> — <i>Lepidium peruvianum</i> · Peru/Andes/Spanish	p.23
<i>Ruta graveolens</i> — Ruda · Peru/Andes/Spanish	p.23

S

<i>Schinus molle</i> — Molle · Peru/Andes/Spanish	p.23
<i>Senecio tephrosioides</i> — Huamanripa · Peru/Andes/Spanish	p.13
<i>Smallanthus sonchifolius</i> — Yacón · Peru/Andes/Spanish	p.20

T

<i>Tabernaemontana sananho</i> — Uchu sanango · Peru/Andes/Spanish	p.15
<i>Tagetes minuta</i> — Huacatay · Peru/Andes/Spanish	p.21
<i>Tamarindus indica</i> — Tamarindo · Peru/Andes/Spanish	p.26
<i>Taraxacum officinale</i> — Diente de león / Dandelion · Peru/Andes/Spanish	p.17
<i>Tilia cordata</i> — Tilo · Peru/Andes/Spanish	p.25
<i>Tropaeolum tuberosum</i> — Mashua · Peru/Andes/Spanish	p.14
<i>Tynanthus panurensis</i> — Clavo Huasca · Peru/Andes/Spanish	p.22

U

<i>Ullucus tuberosus</i> — Ulluco · Peru/Andes/Spanish	p.21
<i>Uncaria guianensis</i> — Uña de gavián · Peru/Andes/Spanish	p.15
<i>Uncaria tomentosa</i> — Cat's claw / Uña de gato · Peru/Andes/Spanish	p.11
<i>Urtica dioica</i> — Ortiga / Nettle · Peru/Andes/Spanish	p.17

V

<i>Valeriana officinalis</i> — Valeriana · Peru/Andes/Spanish	p.17
---	------

Colophon

Edition	Living document — rebuilt on every commit.
Built	2026-05-04 11:21
Entries	99 remedies across five traditions
Structured safety	13 entries with pregnancy, lactation, and drug-interaction flags
Typography	Serif: system default (Segoe UI / Arial). Monospace: Consolas.
Taxonomy	Latin binomials verified against Kew POWO (powo.science.kew.org).
Safety sources	WHO monographs, NCCIH, NIH LactMed, Cochrane systematic reviews, PubMed.
Build tools	Pandoc → Typst. Layout template: <code>_pdf_template.typ</code> .
License	Educational use. Content reflects traditional practice; not medical advice.

Corrections, missing references, and new entries are welcome. This book is a work in progress by design — traditional medicine is a living archive, not a fixed canon.