Sample report. Example Co, its server and every finding below are fictitious, made up to show what a client receives.

FILEMAKER SECURITY AUDIT

Example Co: FileMaker Server and Files

CLIENT
Example Co

AUDIT DATE
30 October 2026

PREPARED BY
RCC consultant

SERVER
fms.example.com

PLATFORM
Microsoft Windows Server 2019 Standard, FMS 22.0.2

RULE SET
v1.0

Executive summary

Example Co's server is backed up nightly and its Inventory file is close to how it was set up, but security has drifted since. The most serious issues are an out-of-date FileMaker Server version, a firewall profile turned off, one file without encryption at rest, and the Invoices file, where 9 of 14 accounts have Full Access and everyday staff can use the Data API. The Contacts file also allows Guest access. None of these needs downtime to fix except the server update.

10	11
Fail	Warn
24	**0**
Pass	Not checked

45 checks: 9 server, 9 operating system, and 9 for each of 3 files.

Scope and method

We reviewed the configuration of one FileMaker Server and the 3 files it hosts as of 30 October 2026, against best-practice rule set v1.0. Server settings were read through the FileMaker Admin

API. Operating system settings were read by a read-only script run in a remote desktop session. File security was read from an accounts-only XML export of each file. Nothing was installed or changed on the server.

Not covered: account passwords and password policy, ongoing monitoring, log review, and any testing from outside Example Co's network. Items marked Not checked could not be read and should not be read as passing.

Server checklist

ID	CHECK	STATUS	FINDING
SRV-01	FileMaker Server version	Fail	22.0.2 is below the minimum safe version, 22.0.4.
SRV-02	SSL certificate	Warn	Trusted certificate, but expires 20 November 2026 (21 days).
SRV-03	Encryption at rest	Fail	Contacts.fmp12 is not encrypted.
SRV-04	Host password-protected files only	Pass	Enabled.
SRV-05	Web technologies	Fail	OData is on with no stated need. Data API is in use.
SRV-06	Backup schedules	Pass	1 enabled backup schedule, last run succeeded.
SRV-07	Script schedules	Warn	"Nightly import" runs as Admin, which has Full Access.
SRV-08	Plug-ins	Pass	2 plug-ins installed, listed in the appendix for review.
SRV-09	OttoFMS	Warn	OttoFMS 4.18.2: 1 API key never expires (Old integration).

Operating system checklist

ID	CHECK	STATUS	FINDING
OS-01	Listening ports	Warn	Not part of FileMaker Server: 8080 (java).
OS-02	Remote access services	Warn	AnyDesk (7070) and RDP (3389) are listening. Confirm each is needed and limited to known users.
OS-03	Firewall	Fail	The Public firewall profile is turned off.
OS-04	OS version	Pass	Windows Server 2019, still supported.
OS-05	Patching	Warn	Last update installed 62 days ago.
OS-06	Local administrators	Warn	5 members, including shared account named fmadmin.
OS-07	Disk encryption	Pass	BitLocker on for C: and D:.
OS-08	Antivirus	Pass	Microsoft Defender running, signatures 1 day old.
OS-09	Antivirus exclusions	Warn	The live database folder is not excluded from real-time scanning, which Claris recommends.

File audits

Invoices.fmp12

15 accounts · 5 privilege sets · 4 fail, 2 warn, 3 pass

ID	CHECK	STATUS	FINDING
FIL-01	Full Access accounts	Fail	9 of 14 active accounts have Full Access, including 7 staff accounts.
FIL-02	Default account names	Fail	An active account named Admin.
FIL-03	Guest account	Pass	Disabled.
FIL-04	Everyone on one privilege set	Fail	64% of active accounts share [Full Access].
FIL-05	Wide privilege sets	Warn	"Staff" can modify layouts and value lists.
FIL-06	Export and print	Pass	Matches what Example Co asked for.
FIL-07	Extended privileges	Fail	Granted without a stated need: fmrest on "Staff".
FIL-08	Shared logins	Warn	"frontdesk" was connected from 3 machines at the time of the audit.
FIL-09	External authentication	Pass	No external accounts.

Accounts with Full Access

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
Admin	[Full Access]	Active	FileMaker
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker
jsmith	[Full Access]	Active	FileMaker
mlopez	[Full Access]	Active	FileMaker
frontdesk	[Full Access]	Active	FileMaker
akim	[Full Access]	Active	FileMaker
bwong	[Full Access]	Active	FileMaker
cdavis	[Full Access]	Active	FileMaker

Contacts.fmp12

6 accounts · 3 privilege sets · 2 fail, 0 warn, 7 pass

ID	CHECK	STATUS	FINDING
FIL-01	Full Access accounts	Pass	2 Full Access accounts, all developers or administrators.
FIL-02	Default account names	Pass	No default account names in use.
FIL-03	Guest account	Fail	Guest is enabled, so anyone who can reach the server can open the file without a password.
FIL-04	Everyone on one privilege set	Pass	Largest group is 60% on Staff.
FIL-05	Wide privilege sets	Pass	No non-developer set can change the file's design or accounts.
FIL-06	Export and print	Pass	Matches what Example Co asked for.
FIL-07	Extended privileges	Fail	Granted without a stated need: fmodata on "Staff".
FIL-08	Shared logins	Pass	No shared logins seen at the time of the audit.
FIL-09	External authentication	Pass	No external accounts.

Accounts with Full Access

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker

Inventory.fmp12

9 accounts · 4 privilege sets · 0 fail, 1 warn, 8 pass

ID	CHECK	STATUS	FINDING
FIL-01	Full Access accounts	Pass	2 Full Access accounts, all developers or administrators.
FIL-02	Default account names	Pass	No default account names in use.
FIL-03	Guest account	Pass	Disabled.
FIL-04	Everyone on one privilege set	Pass	Largest group is 38% on Warehouse.
FIL-05	Wide privilege sets	Warn	"Warehouse" can modify value lists.
FIL-06	Export and print	Pass	Matches what Example Co asked for.
FIL-07	Extended privileges	Pass	Web and API access only where needed.
FIL-08	Shared logins	Pass	No shared logins seen at the time of the audit.
FIL-09	External authentication	Pass	No external accounts.

Accounts with Full Access

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker

Remediation plan

Fails first, then warnings. Each is a change Example Co's administrator can make; we can help on request.

1. **Full Access accounts (Invoices.fmp12).** Move staff to privilege sets that match their work, and keep Full Access to two named administrators.
2. **Default account names (Invoices.fmp12).** Rename or disable default accounts such as Admin and give administrators named accounts.
3. **Guest account (Contacts.fmp12).** Disable the Guest account so every user must sign in.
4. **Everyone on one privilege set (Invoices.fmp12).** Split users across privilege sets that match their roles.
5. **Extended privileges (Invoices.fmp12, Contacts.fmp12).** Remove web and API extended privileges from privilege sets that don't need them.
6. **Firewall.** Turn every firewall profile on, with inbound rules only for 443 and 5003 plus remote access from known addresses.
7. **FileMaker Server version.** Update FileMaker Server to the minimum safe version or later, after a verified backup and in a maintenance window.
8. **Encryption at rest.** Encrypt each unencrypted file with the FileMaker Developer Utility, then host the encrypted copy.
9. **Web technologies.** Turn off every web technology (Data API, OData, WebDirect, XML, PHP) the client doesn't use.
10. **Wide privilege sets (Invoices.fmp12, Inventory.fmp12).** Remove layout, script, value list and account management rights from sets used by non-developers.
11. **Shared logins (Invoices.fmp12).** Give each person their own account.
12. **Listening ports.** Identify each unexpected listening program and remove or firewall it if it isn't needed.
13. **Remote access services.** Confirm each remote access service is needed and limited to known users and addresses; remove the rest.
14. **Patching.** Install pending operating system updates and keep automatic updates on, with a maintenance window for restarts.

15. **Local administrators.** Replace shared administrator accounts with named accounts, and keep the administrators group small.
16. **Antivirus exclusions.** Exclude the live FileMaker database folder from real-time scanning, as Claris recommends, and scan backups instead.
17. **SSL certificate.** Install a certificate from a trusted authority for the server's hostname and renew it before it expires.
18. **Script schedules.** Run scheduled scripts under a dedicated account with only the privileges the script needs.
19. **OttoFMS.** Keep OttoFMS up to date and give every API key an expiry date.

Appendix

Accounts by file

Contacts.fmp12

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
[Guest]	[Read-Only Access]	Active	FileMaker
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker
mgreen	Staff	Active	FileMaker
tnguyen	Staff	Active	FileMaker
prao	Staff	Active	FileMaker

Inventory.fmp12

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
[Guest]	[Read-Only Access]	Inactive	FileMaker
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker
wh1	Warehouse	Active	FileMaker
wh2	Warehouse	Active	FileMaker
wh3	Warehouse	Active	FileMaker
off1	Office	Active	FileMaker
off2	Office	Active	FileMaker
off3	Office	Active	FileMaker

Invoices.fmp12

ACCOUNT	PRIVILEGE SET	STATUS	TYPE
[Guest]	[Read-Only Access]	Inactive	FileMaker
Admin	[Full Access]	Active	FileMaker
rcc.dev	[Full Access]	Active	FileMaker
itlead	[Full Access]	Active	FileMaker
jsmith	[Full Access]	Active	FileMaker
mlopez	[Full Access]	Active	FileMaker
frontdesk	[Full Access]	Active	FileMaker
akim	[Full Access]	Active	FileMaker
bwong	[Full Access]	Active	FileMaker
cdavis	[Full Access]	Active	FileMaker
dpatel	Staff	Active	FileMaker
eortiz	Staff	Active	FileMaker
fchen	Staff	Active	FileMaker
webform	Web Form	Active	FileMaker
auditor	Read Only	Active	FileMaker

Plug-ins

ExamplePDF, ExampleCharts

Rule definitions: rules/server.yaml, rules/os.yaml and rules/files.yaml in rule set v1.0.

Disclaimer

> This report is a point-in-time review of Example Co's FileMaker Server and files as configured on 30 October 2026, against the checks listed in Scope and method. RCC has made a good-faith effort to find common security weaknesses and recommend improvements, but RCC does not manage, monitor or take responsibility for Example Co's servers, files or security. This review is not continuous monitoring and does not cover items marked Not checked, account passwords, or changes made after the audit date. A report with no failures does not guarantee a system is secure. Example Co remains responsible for its servers and files, and for deciding on and carrying out any remediation. RCC can help with remediation on request under a separate engagement.