
DQL – Data Query Language

```
SELECT sales_grouped.*,
       ps.*,
       p.*
  FROM prepared_sales ps
  JOIN (
        SELECT extract(YEAR FROM sales_date)::numeric AS sales_year,
               sum(sales_amount) AS sum_sales,
               sum(sales_qty) AS sum_sales_qty
          FROM (SELECT s.*
                  FROM sales s
                 WHERE s.sales_qty > 2) sales_with_qty_sold_over_2
      GROUP BY 1
  ) sales_grouped ON ps.sales_year = sales_grouped.sales_year
;
```



SUBQUERY = INNER QUERY = INNER SELECT

DQL – Data Query Language

```
SELECT sales_grouped.*,
       ps.*,
       p.*
  FROM prepared_sales ps
  JOIN (
        SELECT extract(YEAR FROM sales_date)::numeric AS sales_year,
               sum(sales_amount) AS sum_sales,
               sum(sales_qty) AS sum_sales_qty
          FROM (SELECT s.*
                  FROM sales s
                 WHERE s.sales_qty > 2) sales_with_qty_sold_over_2
      GROUP BY 1
  ) sales_grouped ON ps.sales_year = sales_grouped.sales_year
;
```

DQL – Data Query Language

```
SELECT sales_grouped.*,
       ps.*,
       p.*
  FROM prepared_sales ps
  JOIN (
       SELECT extract(YEAR FROM sales_date)::numeric AS sales_year,
              sum(sales_amount) AS sum_sales,
              sum(sales_qty) AS sum_sales_qty
         FROM (SELECT s.*
                 FROM sales s
                WHERE s.sales_qty > 2) sales_with_qty_sold_over_2
     GROUP BY 1
  ) sales_grouped ON ps.sales_year = sales_grouped.sales_year
;
```

DQL – Data Query Language



```
SELECT sales_grouped.*,
       ps.*,
       p.*
  FROM prepared_sales ps
  JOIN (
        SELECT extract(YEAR FROM sales_date)::numeric AS sales_year,
               sum(sales_amount) AS sum_sales,
               sum(sales_qty) AS sum_sales_qty
          FROM (SELECT s.*
                  FROM sales s
                 WHERE s.sales_qty > 2) sales_with_qty_sold_over_2
      GROUP BY 1
  ) sales_grouped ON ps.sales_year = sales_grouped.sales_year
;
```

SUBQUERY– gdzie?

- INSERT / UPDATE / DELETE / SELECT
- WHERE … / HAVING …
- FROM …

PAMIĘTAJ ILE WIERSZY / KOLUMN ZWRACA SUBQUERY

SUBQUERY = INNER QUERY = INNER SELECT