



USER DOCUMENTATION

Feature Guide

Every module of DataGov Tools v2: system flows, process connections, field values and annotated screenshots

Document	DataGov Tools v2 - Feature Guide
Version	1.0
Date	28 September 2026
Software release	Commit 779429d, branch release/v2-2026-09-27
Prepared by	Tara Romantika
Classification	INTERNAL

Document control

Item	Value
Document	DataGov Tools v2 - Feature Guide
Version	1.0
Date	28 September 2026
Software release	DataGov Tools v2, commit 779429d (branch release/v2-2026-09-27)
Prepared by	Tara Romantika
Audience	Users of DataGov Tools v2 and the project team
Classification	Internal

Revision history

Version	Date	Author	Change
1.0	28 Sep 2026	Tara Romantika	First edition: all modules with system flows, process connections, field values and annotated screenshots of the sample project PRJ-2026-022

Contents

1	About this guide	2
2	System flow and how the processes connect	3
3	Roles and access	5
4	Login, dashboard and navigation	6
5	Data Assets Catalog (projects)	8
6	Metadata Management	11
7	Data Quality	15
8	Data Sharing Request (DSR)	21
9	AI Compliance Checklist (AICK)	24
10	Data Protection Impact Assessment (DPIA)	27
11	Record of Processing Activities (ROPA)	30
12	Data extermination (BAPD) and retention policies	33
13	Administration and system behaviour	36
14	Sample test project and glossary	39

1 About this guide

DataGov Tools v2 is a data governance platform: it documents a project's data, measures its quality, and runs the approvals needed to share, assess and delete it. This guide describes every feature as of commit 779429d (release/v2-2026-09-27), one module per section, in the order a project normally goes through them.



Figure 1 - Module map: how records connect.

A project is created first; its data is documented in Metadata and checked in Data Quality. Creating a DSR also creates its AI checklist (AICK) and the project's DPIA draft. An approved ROPA sets how long uploaded files are kept, and BAPD records the final deletion.

The screenshots in this guide show the sample project PRJ-2026-022 (fictitious data). Red numbered markers on a screenshot refer to the numbered list under it. Each module section ends with **Field values**: the meaning of every fixed value (status, category, level ...) used in that module.

2 System flow and how the processes connect

The modules are one chain: the project gives every record its team and dates, Metadata supplies the files that Data Quality checks, a DSR brings its AICK and DPIA with it, and an approved ROPA decides when the uploaded files are deleted.

Every flow diagram in this guide has the same symbol legend above it.




Figure 2 - How the processes connect.

Connections between processes

From	To	What passes and when	How
Project	Every module	Every record belongs to a project and shows its Project ID; the project team receives approval requests and notifications.	Automatic
Project (Data Owner, SME)	DSR sign-off	Prepared By = Data Owner with position; Acknowledged By = SME with company job title.	Automatic prefill
Project (DM, SME)	AICK sign-off	Prepared By = Delivery Manager; Acknowledged By = SME.	Automatic prefill
Project end date	DSR, file retention	Default end of the sharing period; start of the file retention period.	Automatic
Metadata (uploaded files)	Data Quality	DQ runs read the files stored at import; the DQ table list follows the Metadata tables. A missing file blocks a new run ("re-upload in Metadata").	Automatic
DSR (on create)	AICK	One AICK per DSR, with the same number (DSR-2026-0007 / AICK-2026-0007).	Automatic

DSR (first of a project)	DPIA	A DPIA draft for the project, if it has none; the DPIA shows the DSR and AICK IDs and the sharing period.	Automatic
Metadata, Data Quality	DPIA governance D1-D4	The dictionary and DQ results are the evidence for "Create metadata documentation" and "Measure Data Quality Index".	Manual reference
ROPA (approved)	File retention	Retention = project end date + the ROPA period instead of + 30 days; recalculated daily.	Automatic
File retention	Uploaded files	Warning 7 days before; on the date the files and their shared copies are deleted. Records stay.	Automatic, 07:00
Retention policies	BAPD	Datasets past their retention appear as overdue; a BAPD records their deletion with two approvals.	Daily scan 02:00
DSR sharing period	DSR status	Warning 7 days before the end; approved DSRs past their end date are archived.	Automatic, 08:00
Every action	Audit log, notifications	Creates, updates, approvals and sign-offs are logged; approval requests and results are notified in-app (and by email when set up).	Automatic

3 Roles and access

Access works on two levels: a **system role** decides what a user may do in each module, and a **project role** decides who approves and signs for a specific project.

System roles

Default permissions; a Super Admin can adjust a role's permissions in Settings.

System role	What it can do
Super Admin	Everything, including users, roles and AI setup; bypasses approval-step checks in the UI
Compliance Officer / DPO	All modules; approves DSR, DPIA, BAPD and DQ; no user management
Data Governance Officer	All modules; approves DSR, DPIA, ROPA, BAPD; runs DQ
Project Manager / Data Owner	All governance modules including approvals; reads DQ
Data Steward	All governance modules including approvals; runs DQ
Requester / Regular User	Creates and edits records; no approvals; reads DQ
Auditor	Read-only on every module, including the audit log
Viewer	Read-only on every module; may create DSR drafts

Project roles

Set per project in the Data Assets Catalog: SME, Delivery Manager, Project Manager, Data Governance Officer, Metadata Officer, DQ Officer and PIC Data Compliance (all system users), plus the Data Steward and Data Owner (name, email, and for the owner a position). These people receive the project's approval requests and notifications, and fill the DSR and AICK sign-offs.

Field values

The fixed values used in this module and what each one means.

User status (Settings & Access)

Value	Meaning
Active	The user can sign in and receives notifications.
Inactive	The user cannot sign in; history and audit entries stay.

4 Login, dashboard and navigation

Users sign in with email and password at `http://localhost` and land on the Executive Dashboard.

- **Login:** email and password; the session renews itself while you work. A wrong password says so; a server problem shows "HTTP 502 - Server not reachable" instead of a login error.
- **Notifications:** the bell opens a drawer with in-app notifications (approval requested, approved or rejected, DQ run finished, files expiring); the same events can also be sent by email.
- **Detail popups:** a Project ID, DSR ID or AICK ID shown in a list opens the same detail view as its own page.




Figure 3 - Executive Dashboard.

1. **Sidebar menu** - every module, grouped as Discover, Govern, Quality, Control and System. Items you have no permission for are hidden.
2. **New Data Asset** - creates a project; New DSR and Run DQ sit next to it.
3. **Summary cards** - governed assets, sharing requests, privacy assessments, quality checks and disposals due.
4. **Action Items & Approvals** - records waiting for you; Review opens the record.
5. **Audit Telemetry** - the latest activity in the system.
6. **Governance Workflow Distribution** - records per module by status (Draft, Review, Approved, Archived).
7. **Direct Operations** - shortcuts to the main tasks.

Field values

The fixed values used in this module and what each one means.

Governance Workflow Distribution columns (dashboard)

Value	Meaning
Draft	Records not yet submitted.
Review	Records submitted or under review, waiting for an approver.
Approved	Records with every approval step approved.
Archived	Closed records kept for history (e.g. expired DSRs).

Action item urgency (dashboard)

Value	Meaning
Red triangle (high)	A DSR waiting for PIC Data Compliance (Submitted), or a DSR or BAPD whose date is 7 days away or already passed (e.g. "Expires in -1001d").
Orange clock (medium)	Any other item waiting for your action; listed after the high ones.

5 Data Assets Catalog (projects)

Every governance record belongs to a project, and the project page is where its team, owners and retention date are kept.

- **Project list:** all projects with filters for year, category and client.
- **New Project:** name, customer/client, line of business, use case, project year, category (AI / ML, Analytics, Data Governance, Data Quality, Integration, Other), monetized yes/no, start and end date.
- **Project ID:** assigned by the system as `PRJ-<year>-<number>` (e.g. PRJ-2026-022); it cannot be typed or edited. Changing the project year gives the next free ID of that year.
- **Project team:** SME, Delivery Manager, Project Manager, Data Governance Officer, Metadata Officer, DQ Officer and PIC Data Compliance, picked from the user list.
- **Data Steward and Data Owner:** name and email; the Data Owner also has a Position (e.g. "CRM Department Head"), used in the DSR sign-off.
- **Uploaded Source Files Kept Until:** the date the project's uploaded Excel/CSV files are deleted: end date + 30 days, or end date + the retention period of an approved ROPA (see section 11). Metadata, DQ and governance records are never deleted automatically.

Process flow




Figure 4 - Project setup flow.

Connects to: every other module through the Project ID and team; the Data Owner and SME fill the DSR sign-off; the end date starts the file retention period (section 12).

The screenshot shows the 'AI Governance Control Plane' interface. The main content area displays the 'Retail Customer Churn Prediction' project page for 'PRJ-2026-022'. The page is divided into three main sections: 'BASIC INFORMATION', 'UPLOADED SOURCE FILES KEPT UNTIL', and 'PROJECT TEAM'. Red numbered callouts (1-6) highlight specific features: 1. Project ID (PRJ-2026-022), 2. Export PDF button, 3. Edit button, 4. Basic Information section, 5. Uploaded Source Files Kept Until section, and 6. Project Team section.

1. Project ID - assigned by the system.

2. Export PDF - project, team and owners as one PDF.

3. Edit - change any field, team member or owner.

4. Basic Information - client, category, year, dates and use case.

5. Uploaded Source Files Kept Until - the retention date of the uploaded files and the rule behind it.

6. Project Team - the people who approve and sign for this project.

Figure 5 - Project page of PRJ-2026-022.

- 1. Project ID** - assigned by the system.
- 2. Export PDF** - project, team and owners as one PDF.
- 3. Edit** - change any field, team member or owner.
- 4. Basic Information** - client, category, year, dates and use case.
- 5. Uploaded Source Files Kept Until** - the retention date of the uploaded files and the rule behind it.
- 6. Project Team** - the people who approve and sign for this project.

Field values

The fixed values used in this module and what each one means.

Project Category

Value	Meaning
AI / ML	The project builds or uses machine-learning or AI models.
Analytics	Reporting, dashboards or analysis without a model.
Data Governance	Work on policies, documentation or controls of data.
Data Quality	Work mainly on checking or improving data quality.
Integration	Moving or connecting data between systems.
Other	Anything that fits none of the above.

Monetized

Value	Meaning
Yes	The project earns revenue from the data or its results.
No	Internal or non-commercial use.

Uploaded Source Files Kept Until: rule shown

Value	Meaning
End date + 30 days (no approved ROPA yet)	Default retention: no approved ROPA exists for the project.
End date + approved ROPA retention period	An approved ROPA sets a longer or shorter period; the longest approved one counts.
Set the project End Date ...	No end date yet, so no deletion date can be calculated.

6 Metadata Management

Metadata turns a project's files into a data dictionary: one row per column (attribute), with its meaning, format and sensitivity filled in automatically and reviewed by people.

1. **Import data:** pick the project, then upload Excel/CSV files (several files and sheets at once, up to 25 MB each) or connect a GCP BigQuery table. Data from other databases is exported to Excel/CSV first. Uploaded files are stored for DQ runs until the retention date.
2. **Source tables:** every imported table of the project, with Open Grid per table and Open All Tables.
3. **Attributes grid:** Table Type, Data Year, Grouping, Level, Attribute, Type, Sensitivity, Business Term, Business Definition, Standard Format, PK, Null and Sample.

Filled in automatically

- **Data type, primary key, nullable and sample values** from the data itself.
- **Sensitivity:** "Highly Confidential" when the column name matches a personal-data keyword (NIK, KTP, nama, email, phone, birth date, salary ...), else "Confidential".
- **Business term:** the column name in words; codes are expanded (cd = Code, id = Identifier) and abbreviations stay in capitals (nik = NIK, amount_idr = Amount IDR).
- **Standard format:** assessed from the values (e.g. "ID / Code (e.g. CUST00001)", phone number, date); editable from a list.
- **Business definition:** written by the AI model (llama3.2:3b) with Generate AI Definitions, 5 attributes per batch, with a progress bar and a Time left countdown; single rows can be regenerated.

Cells are edited in place and saved; Save All stamps today's date and your name on every row; grouping can be set per table. Export gives Excel or PDF with the project header.

Process flow




Figure 6 - Metadata flow.

Connects to: Data Quality, which checks the stored files table by table; the file retention date, after which the files are deleted; DPIA governance item D1 as evidence.

control-plane / production Search assets, glossary, rules... + Create Super Administrator

Metadata Attributes
32 attributes - 4 tables

1 Export 2 Generate AI Definitions 3 Save All

4 PROJECT ID PROJECT NAME PROJECT YEAR BUSINESS USERS LINE OF BUSINESS DATA STEWARD DATA OWNER

PRJ-2026-022 Retail Customer Churn Pr... 2026 PT Nusantara Retail Digital Retail & Consumer Analyti... Rizky Pramono risky.pramono@nusantarane... Sri Handayani sri.handayani@nusantarane...

5 All Tables All Sensitivity Search attribute, term, or definition...

#	TABLE	TABLE TYPE	DATA YEAR	GROUPING	LEVEL	ATTRIBUTE	TYPE	SENSITIVITY	BUSINESS TERM	BUSINESS DEFINITION	STANDARD
1	TEST01_Customer_Mas ter.xlsx - customer s	Source	2026	-	Raw	customer_id	STRING	Confidential	Customer Identifier	Captures and records a unique identifier for every customer in the tail and co... more	ID / C CUST001
2	TEST01_Customer_Mas ter.xlsx - customer s	Source	2026	-	Raw	full_name	STRING	Highly Confidential	Full Name	Captures and records highly confidential personal information that identifies in... more	Free t
3	TEST01_Customer_Mas ter.xlsx - customer s	Source	2026	-	Raw	nik	INTEGER	Highly Confidential	NIK	Captures and records a unique identifier for customers in the retail and consume... more	Intege number
4	TEST01_Customer_Mas ter.xlsx - customer s	Source	2026	-	Raw	email	STRING	Highly Confidential	Email	Captures and records highly confidential personal contact information used to tr... more	Email (name@

AI Governance Control Plane v1.0 © 2026 Enterprise Governance

Figure 7 - Metadata attributes grid of PRJ-2026-022.

- 1. Export** - the dictionary as Excel or PDF.
- 2. Generate AI Definitions** - writes the missing definitions with the AI model (greyed out here because all 32 are done).
- 3. Save All** - stamps today's date and your name on every row.
- 4. Project info strip** - project, business users, line of business, Data Steward and Data Owner (name and email).
- 5. Filters** - by table and sensitivity, plus a search box.
- 6. Sensitivity** - "Highly Confidential" for personal data.
- 7. Business term** - the column name in words; abbreviations such as NIK stay in capitals.
- 8. more** - expands a long definition, format or sample.
- 9. ai badge** - the definition was written by the AI model.

Field values

The fixed values used in this module and what each one means.

Sensitivity

Value	Meaning
Public	May be shared publicly.
Internal	For use inside the company only.
Confidential	Business-sensitive; default for columns without personal data.
Highly Confidential	Personal or very sensitive data (e.g. NIK, KTP, name, email, phone, birth date, salary); set automatically when the column name matches a personal-data keyword.

Table Type (whole table)

Value	Meaning
Source	Data as received from the original system (default).
Target	The output table the project produces.
Lookup	A small table used to translate codes (e.g. city codes to names).
Reference	Master or reference data other tables point to.
Staging	A temporary, in-between table during processing.

Level (whole table)

Value	Meaning
Raw	Unprocessed data (default).
Staging	Cleaned or transformed data.
Aggregate	Summarised data (totals, averages).

Standard Format groups

Value	Meaning
Date & Time	Date (YYYY-MM-DD), Date (DD/MM/YYYY), Date (DD-MM-YYYY), Date (YYYY/MM/DD), Datetime (YYYY-MM-DD HH:MM:SS).
Contact	Email (name@domain.com), Phone number.
Numeric	Integer (whole number), Decimal number, Decimal (1, 2 or 3 decimal places).
Identifier	ID / Code with an example taken from the data, e.g. "ID / Code (e.g. CUST00001)".
Text	Free text, Free text (long description).
Category	"Category: ..." lists the few distinct values a column uses (e.g. M, F).

Standard Format is assessed from the values and can be changed from this list.

Other attribute values

Value	Meaning
Grouping	Free business grouping per table, e.g. Customer, Transaction, Sales; empty until someone sets it.
PK = PK	Every value in the column is different, so it can identify a row (primary-key candidate).
Null = Yes / No	Yes: the column has empty values. No: every row has a value.
ai badge	The Business Definition was written by the AI model.
Generating ...	The AI definition is being written right now.
(All Blank)	Sample shown when every value in the column is empty.
Source: Excel / BigQuery	Where the table was imported from.

7 Data Quality

Data Quality scores every column of a table on four dimensions, using rules the AI model (llama3.2:3b) writes from the data itself; runs work on the files already imported in Metadata.

Dimension	What it checks	Applies to
Completeness	Share of rows that are not empty	Every column
Consistency	Share of values that match the column's pattern (regex) and business rules	Every column
Uniqueness	Share of distinct values	ID-like and key columns
Latency	How recent the latest date is: 100 today, 70 within 7 days, 50 within 14, 30 within 30, 0 older	Date columns

Each check is **pass** at 95% or more, **warning** from 70% to under 95%, **fail** under 70%. A column with no values at all (empty, spaces, NULL, N/A, "-") is marked **no data** instead.




Figure 8 - DQ run statuses.

A failed run shows why (e.g. source file not found, no data rows, AI model not reachable) and what to do; temporary problems are retried automatically.

Process flow




Figure 9 - Data Quality flow.

Connects to: Metadata, which provides the files and table list; DPIA governance item D2 (Measure Data Quality Index) as evidence; the Project Report for all tables together.

Running DQ

1. **New DQ Run / Run All Data:** a 6-step wizard - Project, Data (files from Metadata; missing or already-running files cannot be picked), Preview (first 10 rows), Generate, Results, Archive.
2. **Generate:** files are checked one after another, about 1 minute per column; each file shows "x / y columns checked" and a countdown, plus a total Time left.
3. **Progress page:** you may leave the page. Data Quality - project - View progress reopens the running files with their countdown; a banner on the DQ page shows the time left.
4. **No double start:** while a file is queued or running, it cannot be started or re-run again.

Data Quality Control
Evaluate Completeness, Consistency, Uniqueness, and Freshness dimensions per data asset
4 tables · 4 runs executed · Avg Score: **93.1%**

1 Select Governance Project
PRJ-2026-022 — Retail Customer Churn Prediction

PROJECT ID	PROJECT NAME	PROJECT YEAR	BUSINESS USERS	LINE OF BUSINESS	DATA STEWARD	DATA OWNER
PRJ-2026-022	Retail Customer Churn Pr...	2026	PT Nusantara Retail Digital	Retail & Consumer Analyti...	Rizky Pramono rizky.pramono@nusantara...	Sri Handayani sri.handayani@nusantara...

3 SOURCE TABLES & STATUS **All (4)** Evaluated (4) Unchecked (0)

4 Project Report 5 Run All

TABLE NAME	SOURCE	ATTRIBUTES	DQ RUNS	LATEST SCORE	STATUS	LAST CHECKED	ACTION
TEST01_Customer_Master.xlsx - customers	Excel	11	1	6 94.2% v1	Completed	27 Sept 2026	8 Report →
TEST02_Transactions.xlsx - transactions	Excel	9	1	91.7% v1	Completed	27 Sept 2026	Report →
TEST03_Churn_Features.xlsx - features	Excel	10	1	93.5% v1	Completed	27 Sept 2026	Report →
TEST04_Header_Only.xlsx - empty	Excel	2	1	7 Failed	Failed	27 Sept 2026	Report →

Figure 10 - Data Quality overview of PRJ-2026-022.

1. **Project selector** - choose the project to evaluate.
2. **Run All Data** - starts the New DQ Run wizard for all files (becomes View Progress while runs are active).
3. **Filter** - all tables, evaluated, or not yet checked.
4. **Project Report** - all tables of the project in one report: combined cards, per-table scores, all rules and findings, export.
5. **Run All** - the same as 2, next to the table.
6. **Latest score** - with its version (v1, v2 ...). During a re-run the previous score stays visible with a "v2 running" badge.
7. **Status** - TEST04 failed on purpose: it has no data rows.
8. **Report** - opens that table's run.




Figure 11 - DQ run page of TEST01.

- 1. Re-run Check** - runs the file again as the next version; the version history is kept.
- 2. Total Metric Checks** - first row of cards, with passed, warning and failed checks next to it.
- 3. Blank Attributes** - columns with no values at all.
- 4. Overall Score** - second row, followed by the score per dimension.
- 5. Latency Score** - N/A when the table has no date columns.
- 6. Rules** - every rule with data type, business rules, regex, version, complexity, reasoning, remarks and result; exportable to Excel or PDF.
- 7. Findings** - what failed and where.
- 8. Score bars** - per column and dimension; N/A where a dimension does not apply.

Review: reviewers approve, reject or request revision; an approved run can be archived to GCP.

Field values

The fixed values used in this module and what each one means.

Check status (Rules tab, per metric)

Value	Meaning
pass	Score 95% or more: no action needed.
warning	Score from 70% to under 95%: acceptable, worth a review.
fail	Score under 70% on real values: listed in Findings.
no data	The column has no values at all (empty, spaces, NULL, N/A, "-"); nothing to measure.

Run status

Value	Meaning
pending (Queued)	Waiting for the worker; the files ahead are shown.
running	Being checked; shows columns done and time left.
completed	Finished with scores, rules and findings; awaiting review.
failed	Stopped; the reason and what to do are shown.
under_review	A reviewer requested revision.
approved	A reviewer approved the results; can be archived to GCP.
rejected	A reviewer rejected the results; re-run after fixing the data.

Newer run badge (DQ overview)

Value	Meaning
v2 queued / v2 running	A re-run is in progress; the score shown is still from the previous version.
v2 failed	The re-run failed; the previous version's score stays.

Rule attributes

Value	Meaning
Complexity: Low / Medium / High	How complex the pattern of the column is, as judged by the AI model.
Regex Version: New Version	The pattern (regex) was generated in this run.
N/A (Score tab)	The metric does not apply: Uniqueness only for columns where every value is different, Latency only for date columns.

Finding severity

Value	Meaning
critical	Score under 50%: fix first.
warning	Score from 50% up to the fail line.

Failure reasons (failed runs)

Value	Meaning
Source file not found	The uploaded file is no longer in the uploads folder; re-upload it in Metadata.
File could not be read	Corrupted, password-protected or not .xlsx.
No data found	The sheet has no header or no data rows.
AI model not installed	The DQ model is not on the Ollama server.
AI service refused the request	The API key was rejected.
AI service not reachable *	The worker could not connect to Ollama.
AI service too slow *	The model did not answer in time.
AI service error *	Ollama returned an error.
Database busy *	The results could not be saved at that moment.
BigQuery read failed	The BigQuery table could not be read.
Unsupported data source	The run has no readable source.
Unexpected error	Anything else; see the technical detail.

* Temporary problems: retried automatically.

8 Data Sharing Request (DSR)

A DSR asks permission to share a project's data with someone outside the team; it is approved in four steps and signed before sharing may start.

- **New DSR:** project, dataset name, recipient, purpose, whether the data is used for AI, and the sharing period (the end date follows the project end date). The system gives a tracking ID such as DSR-2026-0007.
- **Created with it:** an AI Compliance Checklist (AICK) for the DSR, and a DPIA draft for the project if the project has none yet.
- **Evaluation checklist:** the Data & Insights Sharing Evaluation Checklist - each item answered Yes/No with a remark.
- **Sign-off:** Prepared By is filled from the project's Data Owner (name and position on the project); Acknowledged By from the project's SME (name and company job title). Both have a signature and a remarks field.

Step	Approval
1	PIC Data Compliance approval
2	Delivery Manager / Project Manager approval
3	SME sign-off
4	Client sign-off

Status: Draft - Submitted (waiting for PIC Data Compliance) - Under Review (after step 1) - Approved - signed; any step can reject it. Seven days before the sharing period ends the team gets a warning, and an approved DSR past its end date is archived automatically.

Process flow




Figure 12 - DSR flow.

Connects to: the AICK (created for every DSR) and the project's DPIA (created with the first DSR); the project team, who are the approvers; the daily DSR expiry job.

AI Governance Control Plane

control-plane / production

Search assets, glossary, rules...

+ Create

Super Administrator

DSR-2026-0007 Submitted AI Use

Retail Customer Churn Prediction

Created 27 Sept 2026, 08:04 · Last updated 27 Sept 2026, 08:50

Action Required: PIC Data Compliance Approval Pending Approval
Assigned Approver: Budi Santoso

REQUEST DETAILS

PROJECT ID: PRJ-2026-022
PROJECT NAME: Retail Customer Churn Prediction
CUSTOMER / CLIENT: PT Nusantara Retail Digital
AI / ML USE: Yes - AI Use
SHARING START DATE: 05 Oct 2026
SHARING END DATE: 31 Mar 2027
PURPOSE / JUSTIFICATION: Share the pseudonymised churn features with the data-science vendor to train the churn model. Legal basis: legitimate interest and customer consent. No direct identifiers, named vendor team only, deleted at project end.

APPROVAL TIMELINE

PIC Data Compliance Approval
Budi Santoso

Add review comments or sign-off notes (optional)...

Approve Step Reject Request

DM Approval
Ahmad Fauzi

SME Sign Off
Dewi Rahayu

Not Yet

Not Yet

AI Governance Control Plane v1.0

© 2026 Enterprise Governance

Figure 13 - DSR-2026-0007.

1. Status - here Submitted: waiting for PIC Data Compliance. The AI Use badge means an AICK applies.

- 2. Export PDF** - request, checklist and sign-off as one PDF.
- 3. Edit** - fill the evaluation checklist and the sign-off.
- 4. Approve Step / Reject** - shown to the approver of the current step.
- 5. Request Details** - project, client, AI use, sharing period and purpose.
- 6. Approval Timeline** - the four steps with approver, comments and status.

Field values

The fixed values used in this module and what each one means.

DSR status

Value	Meaning
draft	Created and still being filled in; nothing has been sent for approval.
submitted	Sent for approval; waiting for the first approver (for DSR, AICK and DPIA: PIC Data Compliance).
under_review	The first step is approved; waiting for the next approver(s).
approved	Every approval step is approved.
rejected	An approver rejected it; the comment says why.
executed	After approval: the data sharing has been carried out.
archived	Closed; approved DSRs are archived automatically after the sharing period ends.

Approval step status (timeline)

Value	Meaning
Not Yet	An earlier step must be approved first.
Awaiting Action	The current step: its approver can approve or reject.
Approved	The step is approved (with name, date and comment).
Rejected	The step was rejected; the DSR becomes rejected.

Other values

Value	Meaning
AI / ML Use: Yes / No	Yes: the data is used for AI, so the AICK must be completed.
Checklist answer: Yes / No	Answer to each evaluation item, with a remark.

9 AI Compliance Checklist (AICK)

The AICK records how AI is used with the shared data; one is created automatically with every DSR (e.g. AICK-2026-0007 for DSR-2026-0007).

- **Gen AI Usage Assessment:** 10 questions in four groups - Before Use, Input, Output and Utilization - each answered Yes/No with a remark.
- **Sign-off:** Prepared By = the project's Delivery Manager, Acknowledged By = the project's SME, both filled from their user accounts, plus "Approved? Yes/No" and signatures.
- **Approval steps:** 1. PIC Data Compliance approval, 2. DM sign-off, 3. SME sign-off.
- **Status:** In Progress - Submitted - Under Review - Approved (Ready for Sign-Off) - Completed & Signed; or Rejected. It counts as signed only when both signatures are present or the last step is approved.

Process flow




Figure 14 - AICK flow.

Connects to: its DSR, which created it and whose AI use it assesses; the DPIA, which shows the AICK ID.

The screenshot displays the AI Governance Control Plane interface for the AICK-2026-0007 checklist. The interface is divided into a sidebar and a main content area. The sidebar contains navigation links for Executive Dashboard, Data Assets Catalog, Metadata Management, Data Sharing (DSR), AI/ML Checklist (AICK), Privacy Impact (DPIA), ROPA Records, Data Quality Control, Extermination (BAPD), Audit Telemetry, AI Setup & Ollama, and Settings & Access. The main content area shows the checklist details for 'Retail Customer Churn Prediction'. It includes a status bar at the top with 'Submitted' and 'AI Use' indicators, and an 'Export PDF' button. Below this is an 'Action Required' section for PIC Data Compliance Approval, with an 'Approve Step' button. The 'ASSESSMENT INFORMATION' section contains a table with project details. The 'APPROVAL TIMELINE' section shows the approval process, including a 'PIC Data Compliance Approval' step and sign-off steps for DM and SME. The 'GEN AI PROTECTION CHECKLIST' section contains a table for risk assessment.

PROJECT ID	DSR ID	PROJECT NAME
PRJ-2026-022	DSR-2026-0007	Retail Customer Churn Prediction
CUSTOMER / CLIENT	SHARING START DATE	SHARING END DATE
PT Nusantara Retail Digital	05 Oct 2026	31 Mar 2027

ASSESSMENT	RISK LEVEL	RISK MITIGATION	STATUS	REMARKS
GEN AI PROTECTION CHECKLIST				

Figure 15 - AICK-2026-0007.

- 1. Status** - the checklist's own status.
- 2. AI Use** - the linked DSR uses AI.
- 3. Export PDF** - checklist and sign-off as one PDF.
- 4. Approve Step** - shown to the approver of the current step.
- 5. Approval Timeline** - PIC Data Compliance, DM sign-off, SME sign-off.
- 6. Gen AI Protection Checklist** - the questions with risk level, mitigation, status and remarks.

Field values

The fixed values used in this module and what each one means.

AICK status (AI/ML Checklist list)

Value	Meaning
In Progress	Answers or sign-off are being filled in; not submitted.
Submitted	Sent; waiting for PIC Data Compliance.
Under Review	PIC Data Compliance approved; waiting for DM and SME.
Approved (Ready for Sign-Off)	All steps approved; signatures can be added.
Completed & Signed	Signed: both signatures present or the last step approved; locked.
Rejected	An approver rejected it; any signature is cleared.

Checklist values

Value	Meaning
Risk level: HIGH / MEDIUM / LOW	Fixed risk rating of each question; higher means the answer matters more.
Status: Yes / No	Whether the safeguard is in place; add a remark when not met.
Approved?: Yes / No	The sign-off decision; alone it does not sign the checklist.

10 Data Protection Impact Assessment (DPIA)

The DPIA assesses the privacy risk of a project's data use; each project has one, created as a draft together with its first DSR.

- **Open, don't create:** open the draft (e.g. DPIA-2026-0007) from the DPIA list and click Edit. The list shows DSR Status and DPIA Status as separate columns.
- **Risk assessment:** project asset, process name, data categories involved, risk description, mitigation measures and residual risk level (Low / Medium / High).
- **Governance activities:** template items A-D (A1-A6 access and documentation, B1 mitigated personal data, C1 secure environment, D1-D4 metadata and data quality), each with the responsible party, a Yes/No status (No shows N/A) and a remark.
- **Approval steps:** 1. PIC Data Compliance, 2. DM / PM approval.

Process flow




Figure 16 - DPIA flow.

Connects to: the first DSR of the project, which created it; Metadata and Data Quality as evidence for governance items D1-D4.

The screenshot displays the AI Governance Control Plane interface. On the left is a sidebar with navigation options: Executive Dashboard, DISCOVER (Data Assets Catalog, Metadata Management), GOVERN (Data Sharing (DSR), AI/ML Checklist (AICK), Privacy Impact (DPIA), ROPA Records), QUALITY (Data Quality Control), CONTROL (Extermination (BAPD), Audit Telemetry), and SYSTEM (AI Setup & Ollama, Settings & Access). The main area shows the 'control-plane / production' view for 'DPIA-2026-0007 Submitted v1' titled 'Retail Customer Churn Prediction'. A search bar and 'Create' button are at the top right, along with the user 'Super Administrator'. A yellow banner indicates 'Action Required: PIC Data Compliance Approval Pending Approval' with 'Assigned Approver: Budi Santoso' and buttons for 'Reject' and 'Approve Step'. The 'PROJECT INFORMATION' section lists: PROJECT ID (PRJ-2026-022), DSR ID (DSR-2026-0007), PROJECT NAME (Retail Customer Churn Prediction), SHARING START DATE (05 Oct 2026), PII FLAG (Contains PII, 9 categories selected), AICK ID (AICK-2026-0007), CUSTOMER / CLIENT (PT Nusantara Retail Digital), and SHARING END DATE (31 Mar 2027). The 'DATA CATEGORIES INVOLVED' section shows five categories: PERSONAL IDENTITY (Full Name, National ID / IC Number, Date of Birth, Gender), CONTACT INFORMATION (Email Address, Phone Number), FINANCIAL (Transaction History), DIGITAL & BEHAVIOURAL (Online Purchase Behaviour), and BUSINESS & COMMERCIAL (Customer Relationship (CRM)). The 'APPROVAL TIMELINE' section shows 'PIC Data Compliance Approval' by Budi Santoso with an 'Awaiting Action' button. The footer includes 'AI Governance Control Plane v1.0' and '© 2026 Enterprise Governance'.

Figure 17 - DPIA-2026-0007.

- 1. Status and version** - here Submitted, v1.
- 2. Export PDF** - the full assessment.
- 3. Approve Step** - shown to the approver of the current step.
- 4. Project Information** - with the linked DSR and AICK IDs and the sharing period.
- 5. PII flag** - how many personal-data categories are involved.
- 6. Data Categories Involved** - grouped as personal identity, contact, financial, digital and commercial.
- 7. Approval Timeline** - PIC Data Compliance, then DM / PM.

Field values

The fixed values used in this module and what each one means.

DPIA status

Value	Meaning
draft	Created and still being filled in; nothing has been sent for approval.
submitted	Sent for approval; waiting for the first approver (for DSR, AICK and DPIA: PIC Data Compliance).
under_review	The first step is approved; waiting for the next approver(s).
approved	Every approval step is approved.
rejected	An approver rejected it; the comment says why.
archived	Closed and kept for history.

Residual Risk Level

Value	Meaning
Low	Well-controlled; acceptable with current safeguards.
Medium	Some risk remains; additional monitoring may be needed.
High	Significant risk; escalation recommended.
Critical	Unacceptable; executive sign-off required.

Governance activities

Value	Meaning
Status: Yes	The activity is in place or planned.
Status: No	Not applicable; the Responsible party then shows N/A.
Responsible: ADI-DI	Done by the internal data team.
Responsible: Client	Done by the client (e.g. approving documents, granting access).

Other values

Value	Meaning
PII flag: Contains PII	At least one personal-data category is selected; the count is shown.
Data category groups	Personal Identity, Contact Information, Financial, Digital & Behavioural, Business & Commercial.
v1, v2 ...	Version of the assessment.

11 Record of Processing Activities (ROPA)

The ROPA records why and how personal data is processed in a project, and its approved retention period decides how long the project's uploaded files are kept.

- **Fields:** project, process name, purpose, data categories, data subjects, legal basis, retention period, recipients, and linked data assets.
- **Status:** Draft - Submitted - Under Review - Approved or Rejected. Submitting notifies the project's DGO and PIC Data Compliance. An approved ROPA cannot be edited and gets a new version number.
- **Retention period:** write it with a duration, e.g. "5 Years from Account Termination", "18 Months" or "5 tahun". Once approved, the project's files are kept until the project end date + that period instead of + 30 days; with several approved ROPAs the longest counts. A text without a duration ("As required by law") is ignored and the project page shows a warning.

Process flow




Figure 18 - ROPA flow.

Connects to: the file retention date of its project and the daily expiry job (section 12).

AI Governance Control Plane

control-plane / production

Search assets, glossary, rules...

+ Create

Super Administrator

Records of Processing Activities (ROPA)

Maintain register of data processing activities, categories, and lawful bases under UU PDP & GDPR Art. 30 · 5 records

+ New Record

Search process, project, category...

All Statuses

All Legal Bases

PROJECT	PROCESS NAME	DATA CATEGORY	LEGAL BASIS	STATUS	VERSION	CREATED	ACTION
PRJ-2026-020 DIDX	Profiling Customer	PII	Consent	draft	v1	31 Aug 2026	View
PRJ-2026-020 DIDX	Asset Link Test Activity	Financial Data	Consent	draft	v1	31 Aug 2026	View
PRJ-2026-020 DIDX	Asset Link Test Activity	Financial Data	Consent	draft	v1	31 Aug 2026	View
PRJ-2026-020 DIDX	Customer Risk Scoring & Fraud Profiling	Personal & Financial Telemetry	Consent	approved	v2	30 Aug 2026	View
PRJ-2026-020 DIDX	Customer Risk Scoring & Fraud Profiling	Personal & Financial Telemetry	Consent	approved	v2	30 Aug 2026	View

AI Governance Control Plane v1.0

© 2026 Enterprise Governance

Figure 19 - ROPA Records list.

- 1. New Record** - create a ROPA for a project.
- 2. Search** - by process, project or category.
- 3. Status filter** - draft, submitted, under review, approved, rejected.
- 4. Legal basis filter** - e.g. consent, contract.
- 5. Status** - an approved ROPA sets the file retention of its project.
- 6. View** - open the record.

Field values

The fixed values used in this module and what each one means.

ROPA status

Value	Meaning
draft	Created and still being filled in; nothing has been sent for approval.
submitted	Sent for approval; waiting for the first approver (for DSR, AICK and DPIA: PIC Data Compliance).
under_review	The first step is approved; waiting for the next approver(s).
approved	Every approval step is approved.
rejected	Rejected; goes back to draft to be corrected.
archived	Closed and kept for history.

An approved ROPA cannot be edited; approval raises its version (v1, v2 ...).

Legal Basis (why the processing is lawful, UU PDP / GDPR)

Value	Meaning
Consent	The data subject agreed to the processing.
Contract	Needed to perform a contract with the data subject.
Legal Obligation	Required by law or regulation.
Vital Interests	Needed to protect someone's life or health.
Public Task	Needed for a task in the public interest or official authority.
Legitimate Interests	Needed for a legitimate business interest that does not override the data subject's rights.

12 Data extermination (BAPD) and retention policies

BAPD is the formal record that a dataset has been deleted after its retention ended; it needs two approvals before the deletion is executed.

- **Retention policies:** a list per dataset type with its retention in days and a policy reference; a default set can be loaded by an admin.
- **Eligible datasets:** datasets whose retention has expired, found by a daily scan (02:00 WIB).
- **New BAPD:** project, dataset name and location, retention policy, expiry date, reason and the responsible person.
- **Approval (dual):** 1. Data Owner sign-off, 2. Compliance Officer review.
- **Status:** Draft - Submitted - Under Review - Approved - Executed - Archived; or Rejected.
- **Execute and proof:** after approval the deletion is marked executed (who and when) and a proof-of-deletion document can be downloaded.

Process flow




Figure 20 - BAPD flow.




Figure 21 - Uploaded file retention flow.

Connects to: retention policies and the daily scan, which list overdue datasets; ROPA and the project end date, which set when uploaded files are deleted.

Separately, the system deletes a project's uploaded source files by itself on the retention date shown in the Data Assets Catalog (see section 11 and Figure 21), with a warning 7 days before.

AI Governance Control Plane | control-plane / production | Search assets, glossary, rules... | + Create | Super Administrator

Extermination Records (BAPD)

Bulk archive & purge of data with dual mandatory sign-offs and Proof of Deletion (POD) - 6 records

1 + New BAPD Request

2 ⚠ 3 Datasets Overdue for Extermination

DATASET	LOCATION	EXPIRED	OVERDUE	ACTION
expired_customer_audit_logs_2023	gs://archive-governance-backup/logs/2023/	01 Jan 2024	1001d	3 Create BAPD →
test_ds	gs://test	01 Jan 2024	1001d	Create BAPD →
expired_customer_audit_logs_2023	gs://archive-governance-backup/logs/2023/	01 Jan 2024	1001d	Create BAPD →

Search dataset or location... | All Statuses

DATASET NAME	PROJECT	LOCATION	EXPIRY DATE	STATUS	POD PROOF	EXECUTED	VERSION	ACTION
DIDX	PRJ-2026-020	https://	12 Jan 2027	4 EXECUTED	5 Download	01 Sept 2026	v3	6 View
expired_customer_audit_logs_2023	PRJ-2026-020	gs://archive-gove...	01 Jan 2024	EXECUTED	Download	31 Aug 2026	v3	View
expired_customer_audit_logs_2023	PRJ-2026-020	gs://archive-gove...	01 Jan 2024	EXECUTED	Download	31 Aug 2026	v3	View
expired_customer_audit_logs_2023	PRJ-2026-020	gs://archive-gove...	01 Jan 2024	UNDER REVIEW	—	—	v2	View
test_ds	PRJ-2026-001	gs://test	01 Jan 2024	DRAFT	—	—	v1	View
expired_customer_audit_logs_2023	PRJ-2026-020	gs://archive-gove...	01 Jan 2024	DRAFT	—	—	v1	View

AI Governance Control Plane v1.0 | © 2026 Enterprise Governance

Figure 22 - Extermination Records (BAPD).

- 1. New BAPD Request** - start a deletion record.
- 2. Datasets overdue** - found by the daily retention scan.
- 3. Create BAPD** - start a request directly from an overdue dataset.

- 4. Status** - Draft, Under Review, Approved, Executed.
- 5. Download** - the proof of deletion after execution.
- 6. View** - open the record and its two approvals.

Field values

The fixed values used in this module and what each one means.

BAPD status

Value	Meaning
draft	Created and still being filled in; nothing has been sent for approval.
submitted	Sent for approval; waiting for the first approver (for DSR, AICK and DPIA: PIC Data Compliance).
under_review	The first step is approved; waiting for the next approver(s).
approved	Every approval step is approved.
executed	The deletion has been carried out; proof of deletion is available.
archived	Closed and kept for history.
rejected	An approver rejected the deletion request.

Other values

Value	Meaning
Approval: pending / approved / rejected	State of each of the two approval steps.
Overdue (e.g. 1001d)	Days since the dataset's retention expired.
POD Proof: Download	Proof of deletion document, available after execution.

13 Administration and system behaviour

Super Admins manage users, roles and the AI model; everything important is written to an audit log that nobody can change.

- **Settings & Access:** users with name, email and company position (searchable), their roles and active status; role permissions can be adjusted per role.
- **AI Setup & Ollama:** provider (local Ollama or an Ollama-compatible cloud endpoint), base URL, model (default `llama3.2:3b`), timeout per call, batch size, and an API key stored encrypted.
- **Audit Telemetry:** every create, update, approval and sign-off with user, time and details; audit rows cannot be edited or deleted.
- **Error messages:** a failed action shows the HTTP code, the cause and what to do, e.g. "HTTP 413 - File too large: the maximum is 25 MB per file".

The screenshot displays the 'AI Setup & Ollama' configuration page within the 'control-plane / production' environment. The page is titled 'INTELLIGENCE ENGINE CONFIGURATION' and 'AI Setup & LLM Provider'. It includes a sidebar with navigation options like 'Executive Dashboard', 'Data Assets Catalog', 'Metadata Management', 'Data Sharing (DSR)', 'AI/ML Checklist (AICK)', 'Privacy Impact (DPIA)', 'ROPA Records', 'Data Quality Control', 'Extermination (BAPD)', 'Audit Telemetry', and 'AI Setup & Ollama'. The main content area contains the 'OLLAMA PROVIDER CONFIGURATION' section, which includes a toggle for 'Enable AI generation', a dropdown for 'Provider' (set to Ollama), a dropdown for 'Mode' (set to local), a text field for 'Base URL' (http://ollama:11434), a dropdown for 'Model' (set to llama3.2:3b), a text field for 'Timeout' (120 seconds), a text field for 'Batch size' (5), and a text field for 'API Key'. There are buttons for 'Test Connection' and 'Save AI Setup'. Red numbered callouts 1-8 highlight specific elements: 1. Needs setup status, 2. Enable AI generation toggle, 3. Model dropdown, 4. Timeout field, 5. Batch size field, 6. API Key field, 7. Test Connection button, and 8. Save AI Setup button.

Figure 23 - AI Setup page.

1. **Setup status** - shows whether the AI configuration is complete.
2. **Enable AI generation** - turns AI definitions and DQ rules on or off.
3. **Model** - the model name, llama3.2:3b by default.
4. **Timeout** - seconds allowed per AI call.
5. **Batch size** - definitions generated per request.
6. **API Key** - only for a cloud endpoint; stored encrypted.
7. **Test Connection** - checks that the AI service answers.
8. **Save AI Setup** - stores the settings.

Scheduled jobs

Job	When (WIB)	What it does
Retention eligibility scan	Daily 02:00	Flags BAPD records past their expiry date
Temp file cleanup	Daily 03:00	Deletes export files older than 24 hours
Source file expiry	Daily 07:00	Warns 7 days before, then deletes uploaded files at their retention date
DSR expiry	Daily 08:00	Warns 7 days before a sharing period ends; archives expired DSRs
GCP key purge	Every 30 minutes	Removes temporary BigQuery credentials

Field values

The fixed values used in this module and what each one means.

AI Setup

Value	Meaning
AI Ready / Needs setup	Whether the AI configuration is complete and enabled.
Mode: local	The model runs on the company's own Ollama server (default).
Mode: cloud	An Ollama-compatible cloud endpoint; needs an API key.
API key: Not saved / saved	Whether a cloud API key is stored (encrypted).

Error messages (HTTP code shown with a cause and what to do)

Value	Meaning
400	Request not accepted: input missing or invalid.
401	Not signed in: the session expired; sign in again.
403	No permission: the role cannot do this action.
404	Not found: deleted or wrong link; refresh the page.
408	Request timed out: slow connection; try again.
409	Conflict: changed or already exists (e.g. a DQ run already queued).
413	File too large: maximum 25 MB per file.
422	Invalid data: a field has the wrong format.
429	Too many requests: wait a few seconds.
500	Server error: try again; report the time if it repeats.
502	Server not reachable: the API is restarting or stopped.
503	Service unavailable: busy or in maintenance.
504	Server took too long (e.g. AI generation on a slow CPU).

Audit log modules

Value	Meaning
auth	Sign-in and session events.
project, metadata, dq	Data Assets Catalog, Metadata and Data Quality.
dsr, dpia, ropa, bapd	The governance modules (AICK actions are logged under dsr).
rbac	Users, roles and permissions.

14 Sample test project and glossary

PRJ-2026-022 "Retail Customer Churn Prediction" is the sample project for trying every feature; all its data is fictitious.

It has four files - TEST01 Customer Master (200 rows), TEST02 Transactions (600), TEST03 Churn Features (200) and TEST04 Header Only (no rows, to show "No data found") - with 32 metadata attributes, DSR-2026-0007 with its AICK and DPIA, and DQ scores of 94.2%, 91.7% and 93.5%. The files and a step-by-step test guide are in the repository folder `Dummy Data Source/PRJ-2026-022/`.

Glossary

Term	Meaning
AICK	AI Compliance Checklist, one per DSR
BAPD	Formal record of data extermination (deletion)
DGO	Data Governance Officer
DPIA	Data Protection Impact Assessment, one per project
DQ	Data Quality
DSR	Data Sharing Request
PIC Data Compliance	Person in charge of data compliance; first approver of DSR, AICK and DPIA
ROPA	Record of Processing Activities
SME	Subject Matter Expert