SESSION 7: Basic Statistics

Assignment 2

1. Write a program to create barplots for all the categorical columns in mtcars.

#Found this cyl,carb,gear,am,vs etc variable as categorical in mtcars dataset and the plotting the same

counts<- table(mtcars$cyl)

barplot(counts ,main ="bar plot of cyl",xlab="cyl",ylab = "counts",col="blue")

counts<- table(mtcars$carb)

barplot(counts ,main ="bar plot of carb",xlab="carb",ylab = "counts",col="pink")

counts<- table(mtcars$gear)

barplot(counts ,main ="bar plot of gear",xlab="gear",ylab = "counts",col="yellow")

```
counts<- table(mtcars$am)

barplot(counts ,main ="bar plot of am",xlab="am",ylab = "counts",col="red")

counts<- table(mtcars$vs)

barplot(counts ,main ="bar plot of vs",xlab="vs",ylab = "counts",col="green")
```


2. Create a scatterplot matrix by gear types in mtcars dataset.

```
#scatter plot for dataset mtcars

library(ggplot2)

library(car)

#I'm plotting some variables only but we can plot through others mtcars dataset also say
wt,qsec etc

scatterplotMatrix(~mpg+disp+drat+hp|gear,data=mtcars,

        main="Three Gear Options")
```

ScatterPlot

3. Write a program to create a plot density by class variable.

#As known as Kernel Density Plots, Density Trace Graph.
#A Density Plot visualises the distribution of data over a continuous interval
#or time period. This chart is a variation of a Histogram that uses kernel smoothing to
#plot values, allowing for smoother distributions by smoothing out the noise.

#Density plots are similar to histograms on a density scale,
#but instead of fixed bins or intervals with jumps at the boundaries,
#are smooth. The argument adjust to geom_density regulates how
#smooth the density estimate is, with larger values resulting in smoother graphs.

#****Note****
#as per concerning to acadgild support about the issue that there is no class variable
#i find in mtcars dataset so that unable to plot through mtcars dataset
#however i find other variable other than class variables in mtcars dataset hence i'm plotting that here

class(mtcars)

```
#plot density of mpg variable
d<- density(mtcars$mpg)
plot(d, main="kernel density of mpg")
polygon(d,col="blue",border ="black")

#plot density of disp variable
c<- density(mtcars$disp)
plot(c, main="kernel density of disp")
polygon(c,col="green",border ="red")
```


kernel density of mpg

N = 32   Bandwidth = 2.477

kernel density of disp

N = 32   Bandwidth = 55.77

kernel density of disp

N = 32   Bandwidth = 55.77