

MediLink Healthcare Appointment Platform

Agile Delivery Plan — Patient Mobile & Patient Web

Document	Agile Delivery Plan (v1.0)
Date	2026-06-16
Prepared By	Satyam Kumar
Scope	Patient Mobile App (Flutter) + Patient Web App (Next.js 15). Provider/Admin portals OUT of scope.
Stack	Flutter • Next.js 15 (App Router + Route Handlers) • Supabase (PostgreSQL, Auth, Storage, Realtime) • Vercel • Zustand • TanStack Query • Tailwind + shadcn/ui • EN/AR (RTL)
Cadence	2-week sprints • Sprint 0 + Sprints 1–6 • MVP live end of Sprint 3

Calendar note: The 12-week rule and a literal Sprint 0→6 (7×2 weeks = 14 weeks) cannot both hold. Reconciled as Sprint 0 = 1-week setup + Sprints 1–6 = 12 weeks delivery (~13 weeks elapsed). For a hard 12-week cap, defer the two flagged Sprint 6 stories (AI Scheduling Assistant, Offline Mode).

1. Executive Summary

MediLink delivers two patient-facing products — a Flutter mobile app and a Next.js 15 web app — sharing one Supabase backend (PostgreSQL + Auth + Storage + Realtime), deployed on Vercel + Supabase. The goal is a usable, revenue-generating MVP as early as Sprint 3 (Week 7), prioritizing the patient booking-and-pay journey before AI and telemedicine.

• 2-week sprints. Sprint 0 (setup) + Sprints 1–6 (feature delivery).

• MVP live at the end of Sprint 3; full scope by Sprint 6.

• Revenue features (Thawani/Ompay, invoices) are front-loaded **before** AI features, per the sprint rules.

• **Critical dependency:** patients book against doctor/facility availability. As provider portals are out of scope, availability/doctor/facility data must be seeded (Sprint 0).

2. MVP Scope

MVP = the minimum that lets a patient find a doctor, book, pay, and get confirmation on both platforms.

MVP IN (Sprints 0–3, live Week 7):


Capability	Detail
Auth	Email register, login, OTP verify, Google login, forgot password
Patient profile	Create/edit profile, basic medical history
Doctor discovery	Search + filter doctors, doctor profile, facility profile
Booking	Book, reschedule, cancel; web check-in; overbooking/race-condition control
Payments	Thawani integration, invoice generation, payment history
Notifications	Email + push + in-app (booking confirm / reminder)
System	English + Arabic RTL, responsive web, SEO baseline

MVP OUT → fast-follow (Sprints 4–6):

Family members, document vault, insurance, ratings & reviews, follow-up & multi-location booking, Ompay, Apple login, SMS, AI symptom checker, AI doctor suggestions, AI scheduling assistant, telemedicine (video / waiting room / pre-consult form), prescriptions / lab results, dark mode, offline mode, analytics, audit logs.

Success metrics: ≥1 completed paid booking per platform; booking funnel < 90s; payment success ≥ 95%; zero double-bookings under concurrency test.

3. Technical Architecture



Key decisions

- BFF pattern:** Next.js Route Handlers are the single API surface for both clients. Mobile uses the same REST endpoints for logic needing service-role reads (e.g. provider availability across RLS). Direct supabase-js only for auth + simple owned-row reads.
- State/data:** Web = Zustand (UI/session) + TanStack Query (server cache, optimistic updates); Flutter mirrors it.
- Concurrency control:** booking uses a Postgres transaction with SELECT...FOR UPDATE on the slot row (or a unique partial index on (doctor_id, slot_start) where status='booked') — the overbooking guard.
- 18n:** next-intl (web) / intl + ARB (Flutter); RTL layout switch by locale.
- SEO (web only):** RSC + server-rendered doctor/facility pages, generateMetadata, JSON-LD Physician/MedicalBusiness, sitemap.
- Auth:** Supabase Auth (email, OTP, Google; Apple in Sprint 5); patients bypass AAL2.
- CI/CD:** GitHub → Vercel (web preview per PR) + EAS/Codemagic (Flutter); Supabase migrations in CI.

4. Feature Prioritization (MoSCoW)

Priority	Features	Rationale
Must (MVP)	Auth core, profile, doctor search/filter/profile, booking + reschedule + cancel, overbooking control, web check-in, Thawani, invoices, payment history, email+push+in-app notifications, EN/AR RTL, SEO baseline	Core revenue journey
Should	Family members, document vault, insurance, ratings & reviews, follow-up booking, multi-location booking, Ompay, Apple login, SMS, prescriptions, lab results	High value, post-MVP
Could	AI symptom checker, AI doctor suggestions, telemedicine (video/waiting room/pre-consult), dark mode, analytics, audit logs	Differentiators, after revenue path
Won't (now)	AI scheduling assistant (if 12-wk hard cap), full offline mode	Stretch / next release

5. Product Roadmap

Phase	Sprints	Weeks	Theme	Outcome
Foundation	Sprint 0	Wk 1	Architecture & setup	Skeleton apps, CI/CD, schema, seeded providers
Booking core	Sprints 1-2	Wk 2-5	Auth + discovery + booking	Patient can book (unpaid)

Phase	Sprints	Weeks	Theme	Outcome
MVP / Revenue	Sprint 3	Wk 6-7	Payments + notifications	MVP launch - paid bookings
Engagement	Sprint 4	Wk 8-9	Records, family, reviews, vault	Retention features
Telemedicine	Sprint 5	Wk 10-11	Video consult + Apple/Ompay	Virtual care
AI + hardening	Sprint 6	Wk 12-13	AI + analytics + launch	GA release

6. Team Structure (~7 people)

Role	Count	Responsibility
Tech Lead / Solution Architect	1	Architecture, Supabase schema/RLS, BFF design, code review, releases
Next.js Engineer (Web + BFF)	2	Web app + Route Handlers (shared API for both clients)
Flutter Engineer	2	Mobile app, shared API consumption
QA Engineer	1	Test plans, automation, UAT, concurrency tests
PM / Scrum Master	1	Backlog, ceremonies, stakeholders, UAT sign-off
UI/UX Designer (0.5)	0.5	Designs 1 sprint ahead; shadcn/Figma kit

Velocity assumption: ~40 story points / sprint.

7. Effort Estimation & Story Points

Sprint	Planned pts	Cumulative
Sprint 0	34	34
Sprint 1	40	74
Sprint 2	42	116
Sprint 3	40	156
Sprint 4	41	197
Sprint 5	40	237
Sprint 6	38	275

Total ≈ 275 story points.

Sprint Plans

Each sprint: Objective • User Stories (with points) • Acceptance Criteria • Risks • Deliverables. Platform tags: [W] web, [M] mobile, [S] shared API/DB.

Sprint 0 — Architecture & Setup

Weeks: Week 1 | **Story Points:** 34

Objective: Stand up a deployable skeleton for both apps, the shared Supabase schema with RLS, CI/CD, and seeded provider/availability data so booking can be built without the provider portals.

User Stories

ID	Story	Pts
S0-1 [S]	Supabase schema (profiles, patient_profiles, doctors, facilities, availability, appointments, payments, invoices, notifications) + RLS	8
S0-2 [S]	Seed scripts / admin-managed doctors, facilities, availability slots (stand-in for out-of-scope portals)	5
S0-3 [W]	Next.js 15 scaffold: App Router, Tailwind, shadcn/ui, Zustand, TanStack Query, next-intl (EN/AR)	5
S0-4 [M]	Flutter scaffold: routing, state mgmt, supabase_flutter, theming, EN/AR ARB	5
S0-5 [S]	CI/CD: GitHub Actions -> Vercel (web) + EAS/Codemagic (mobile) + Supabase migrations	5
S0-6 [S]	BFF contract: shared Route Handler API spec + auth middleware pattern	3
S0-7 [S]	Environments (dev/staging/prod), secrets, error monitoring (Sentry)	3

Acceptance Criteria

- Both apps build and deploy to staging via CI on merge to main.
- RLS enabled on every table; a patient can only read own rows (test-verified).
- Seed produces ≥ 10 doctors, ≥ 3 facilities, and bookable availability slots.
- Shared API spec documented and agreed by web + mobile.

Risks

- No provider portal → stale/incomplete availability. **Mitigation:** seed + internal admin script; data contract.
- Two-client API drift. **Mitigation:** lock the BFF contract in S0-6 before feature work.

Deliverables

Deployed skeleton (web + mobile), schema + RLS migrations, seeded data, CI/CD pipelines, API contract doc, monitoring.

Sprint 1 — Authentication & Patient Profile

Weeks: Weeks 2-3 | **Story Points:** 40

Objective: A patient can register, verify, log in (email + Google), recover password, and manage their profile on both platforms.

User Stories

ID	Story	Pts
S1-1 [S]	Auth API: email signup, login, session via Supabase Auth	5
S1-2 [S]	OTP verification (email/phone) flow	5
S1-3 [W/M]	Google OAuth login	5
S1-4 [W/M]	Forgot / reset password	3
S1-5 [W]	Web auth UI (register/login/OTP/reset) + RTL	5
S1-6 [M]	Mobile auth UI (register/login/OTP/reset)	5
S1-7 [S]	Patient profile API (CRUD) + basic medical history fields	5
S1-8 [W/M]	Profile management screens (both platforms)	5
S1-9 [S]	EN/AR strings wired for all auth/profile screens	2

Acceptance Criteria

- bullet New user can register, receive + enter OTP, reach authenticated home on both apps.
- bullet Google login creates/links a profile row.
- bullet Password reset email works end-to-end.
- bullet Arabic flips layout to RTL with translated labels on every auth/profile screen.
- bullet Sessions persist across app restart / page reload.

Risks

- bullet OAuth redirect / deep-link config differs web vs mobile. **Mitigation:** configure URI schemes early, test on device.
- bullet OTP deliverability. **Mitigation:** Resend/Supabase email + fallback logging.

Deliverables

Working auth (email, OTP, Google, reset) and profile management on web + mobile, fully bilingual.

Sprint 2 — Doctor Discovery & Appointment Booking

Weeks: Weeks 4-5 | **Story Points:** 42

Objective: Patient can search/filter doctors, view doctor & facility profiles, and book / reschedule / cancel an appointment with overbooking protection (unpaid booking; payment added S3).

User Stories

ID	Story	Pts
S2-1 [S]	Doctor search + filter API (specialty, location, availability)	5
S2-2 [W]	Web search/filter UI + SEO-rendered doctor pages (SSR + JSON-LD)	8
S2-3 [M]	Mobile search/filter UI	5
S2-4 [W/M]	Doctor profile + facility profile screens	5
S2-5 [S]	Booking API with transactional slot locking (overbooking control, buffer time)	8
S2-6 [S]	Reschedule + cancel API	3
S2-7 [W/M]	Booking flow UI (select slot -> confirm) both platforms	5
S2-8 [W/M]	Web check-in (view status)	3

Acceptance Criteria

- Search returns filtered doctors; web doctor pages server-rendered with valid structured data.
- Two concurrent booking attempts on the same slot -> exactly one succeeds (no double-book).
- Reschedule frees the old slot atomically; cancel releases the slot.
- Booking completes in < 90s in usability test.
- Web check-in shows correct appointment status.

Risks

- Race conditions under load — highest technical risk. **Mitigation:** DB unique constraint + FOR UPDATE + concurrency test suite.
- SEO rendering regressions. **Mitigation:** SSR snapshot tests.

Deliverables

Full discovery + booking/reschedule/cancel + check-in on both platforms; concurrency test report; SEO-rendered web pages.

Sprint 3 — Payments & Notifications -> MVP LAUNCH

Weeks: Weeks 6-7 | **Story Points:** 40

Objective: Close the revenue loop — patient pays via Thawani, gets an invoice, and receives confirmations/reminders. This sprint ships the MVP to production.

User Stories

ID	Story	Pts
S3-1 [S]	Thawani checkout integration + webhook handler (payment status -> appointment)	8
S3-2 [S]	Invoice generation (PDF + record) on successful payment	5
S3-3 [W/M]	Payment UI + post-payment confirmation	5
S3-4 [W/M]	Payment history screen	3
S3-5 [S]	Notification service: email (Resend) + push (FCM/APNs) + in-app store	8
S3-6 [W/M]	In-app notification center + push handling	5
S3-7 [S]	Booking->pay->confirm orchestration (hold slot until payment, release on timeout)	3
S3-8 [QA]	MVP regression + production launch checklist	3

Acceptance Criteria

- Booking -> Thawani payment -> appointment confirmed; webhook reconciles; failed/expired payment releases held slot.
- Invoice generated and downloadable; appears in payment history.
- Confirmation via email + push + in-app on booking; reminder scheduled.
- Payment success rate $\geq 95\%$ in staging; idempotent webhook (no double-charge/confirm).
- All MVP acceptance criteria from S1–S2 still pass (regression green).

Risks

- **Payment webhook reliability / idempotency. Mitigation:** idempotency keys, signature verification, reconciliation job.
- **Slot-hold vs payment-timeout edge cases. Mitigation:** explicit hold TTL + release worker; tested.

Deliverables

PRODUCTION MVP - paid booking journey live on web + mobile, invoices, payment history, multi-channel notifications. Go-live sign-off.

Sprint 4 — Patient Records, Family & Engagement

Weeks: Weeks 8-9 | **Story Points:** 41

Objective: Add retention/value features: family members, document vault, insurance, ratings & reviews, follow-up & multi-location booking, prescriptions & lab results.

User Stories

ID	Story	Pts
S4-1 [S]	Family members API + RLS (manage dependents, book on behalf)	5
S4-2 [W/M]	Family management UI + book-for-family	5
S4-3 [S]	Document vault (Supabase Storage) + insurance info	5
S4-4 [W/M]	Vault + insurance UI (upload/view)	5
S4-5 [S]	Ratings & reviews API (add/view, moderation flag)	3
S4-6 [W/M]	Reviews UI	3
S4-7 [S]	Follow-up (one-tap rebooking) + multi-location booking API	5
S4-8 [W/M]	Follow-up + multi-location UI	5
S4-9 [S/UI]	Prescriptions + lab results (read-only patient view)	5

Acceptance Criteria

- Patient can add a family member and book for them; RLS prevents access to unrelated patients.
- Documents upload to Storage with signed-URL access; insurance saved.
- Review can be added only for a completed appointment; visible on doctor profile.
- Follow-up rebooks the same doctor in ≤ 2 taps; multi-location shows branch selection.
- Prescriptions/lab results display when present, gracefully empty otherwise.

Risks

- Storage access control / PHI exposure. **Mitigation:** signed URLs, RLS on document rows, no public buckets.
- Review spam. **Mitigation:** gate on completed-appointment + moderation flag.

Deliverables

Family, vault, insurance, reviews, follow-up + multi-location booking, records viewing - both platforms.

Sprint 5 — Telemedicine + Apple Login + Ompay + SMS

Weeks: Weeks 10-11 | **Story Points:** 40

Objective: Enable virtual consultations and broaden payment/auth/notification reach.

User Stories

ID	Story	Pts
S5-1 [S]	Video consultation backend (Twilio/Agora/Daily token service)	8
S5-2 [W/M]	Video call UI + virtual waiting room	8
S5-3 [S/UI]	Pre-consultation form (symptoms/history pre-call)	5
S5-4 [W/M]	Apple login (mobile + web)	5
S5-5 [S]	Ompay payment integration (second gateway, behind selector)	5
S5-6 [S]	SMS notifications (gateway) added to notification service	3
S5-7 [S/RT]	Realtime waiting-room status via Supabase Realtime	3
S5-8 [QA]	Telemedicine + payments regression	3

Acceptance Criteria

- bullet Patient joins a scheduled video consult via a waiting room.
- bullet Pre-consult form data attached to the appointment.
- bullet Apple login works on iOS + web; Ompay completes a payment and reconciles like Thawani.
- bullet SMS reminder delivered for booked appointments.
- bullet Waiting-room status updates in realtime without refresh.

Risks

- bullet Video provider complexity / device permissions. **Mitigation:** early spike, real-device tests, audio fallback.
- bullet Apple Sign-In App Store review requirements. **Mitigation:** implement per Apple HIG, allow review lead time.

Deliverables

Telemedicine (video + waiting room + pre-consult), Apple login, Ompay, SMS - both platforms.

Sprint 6 — AI Features, Analytics, Hardening -> GA

Weeks: Weeks 12-13 | **Story Points:** 38

Objective: Layer AI differentiators on the stable revenue platform, add analytics/audit/dark mode, harden, and go GA. If a hard 12-week cap is required, defer S6-3 (AI scheduling assistant) and S6-7 (offline mode).

User Stories

ID	Story	Pts
S6-1 [S]	AI symptom checker (Groq) API + safety guardrails/disclaimer	5
S6-2 [S]	AI doctor suggestion (symptoms -> specialty -> ranked doctors)	5
S6-3 [S]	AI scheduling assistant (suggest optimal slots) [deferrable]	5
S6-4 [W/M]	AI features UI (symptom checker + suggestions)	5
S6-5 [W/M]	Dark mode (both platforms)	3
S6-6 [S]	Analytics events + audit logs	3
S6-7 [M/W]	Offline mode (cached read + queued actions) [deferrable]	5

ID	Story	Pts
S6-8 [QA]	Full regression, performance, security review, GA launch checklist	7

Acceptance Criteria

- bullet Symptom checker returns guidance with a clear medical disclaimer and routes to 'find a doctor'; never diagnoses definitively.
- bullet Doctor suggestions return relevant specialists for given symptoms.
- bullet Audit logs capture key patient actions; analytics receives events.
- bullet Dark mode persists per user; offline mode (if included) serves cached appointments and queues actions.
- bullet Full regression green; performance + security review signed off.

Risks

- bullet AI hallucination / medical-safety liability. **Mitigation:** guardrails, disclaimers, no diagnosis, human-in-loop routing.
- bullet Scope creep at the finish. **Mitigation:** deferrable stories flagged; protect GA checklist time (S6-8).

Deliverables

AI symptom checker + doctor suggestions (+ scheduling assistant if in scope), dark mode, analytics, audit logs, GA release.

Release Readiness Checklist

Engineering

- All migrations applied to prod; RLS verified on every table
- Concurrency / double-booking test passes under load
- Payment webhooks idempotent + signature-verified (Thawani + Ompay)
- Error monitoring (Sentry) + alerting live on both apps
- Performance: web Lighthouse ≥ 90 (perf/SEO/a11y); mobile cold start $< 3s$
- Secrets in secret manager; no keys in client bundles

Product / QA

- All MVP + in-scope acceptance criteria pass
- EN + AR (RTL) verified on every screen
- Cross-device: iOS, Android, Chrome, Safari, mobile web
- UAT sign-off

Compliance / Healthcare

- PHI access controls audited (Storage signed URLs, RLS)
- AI disclaimers present; no definitive diagnosis
- Audit logging active; privacy policy + consent flows in place

Launch

- App Store + Play Store listings approved (Apple Sign-In compliant)
- Vercel prod domain + SSL; sitemap submitted
- Rollback plan + DB backup verified
- On-call + support runbook ready

Team Responsibilities (RACI)

Activity	Tech Lead	Web Eng	Flutter Eng	QA	PM/SM
Architecture & schema	A/R	C	C	I	I
Shared BFF / Route Handlers	A	R	C	C	I
Web app	C	R	I	C	I
Mobile app	C	I	R	C	I
Payments integration	A	R	C	C	I
Concurrency / RLS testing	A	C	C	R	I
i18n / RTL	C	R	R	C	A
UAT & sign-off	C	C	C	R	A
Backlog, ceremonies, releases	C	I	I	C	R/A

Detailed Jira Epic Structure

MEDI - MediLink Patient Platform

EPIC-0	Foundation & DevOps	(Sprint 0)
EPIC-1	Authentication & Identity	(Sprint 1)
EPIC-2	Patient Profile & Account	(Sprint 1, 4)
EPIC-3	Doctor & Facility Discovery	(Sprint 2)
EPIC-4	Appointment Booking	(Sprint 2, 4)
EPIC-5	Payments & Billing	(Sprint 3, 5)
EPIC-6	Notifications & Messaging	(Sprint 3, 5)
EPIC-7	Patient Records	(Sprint 4)
EPIC-8	Family & Multi-Patient	(Sprint 4)
EPIC-9	Telemedicine	(Sprint 5)
EPIC-10	AI Services	(Sprint 6)
EPIC-11	Internationalization (EN/AR)	(all sprints)
EPIC-12	SEO & Web Performance	(Sprint 2, 6)
EPIC-13	Analytics, Audit & System	(Sprint 6)

Detailed Jira Story Breakdown (sample)

EPIC-1 Authentication & Identity

ID	Story [component]	Pts	Acceptance (summary)
MEDI-101	Email signup endpoint [api]	5	Creates auth user + profile row; validation; rate-limited
MEDI-102	OTP generate + verify [api]	5	6-digit, expiry, max attempts
MEDI-103	Login/Register screens (RTL) [web]	5	Bilingual, validated forms
MEDI-104	Login/Register screens [mobile]	5	Parity with web
MEDI-105	Google OAuth [web/mobile]	5	Links/creates profile
MEDI-106	Forgot/reset password [web/mobile]	3	Email reset flow works
MEDI-107	Apple Sign-In [mobile/web] (S5)	5	iOS + web, HIG-compliant

EPIC-4 Appointment Booking

ID	Story [component]	Pts	Acceptance (summary)
MEDI-401	Booking endpoint with slot lock [api]	8	Transactional; no double-book; buffer enforced
MEDI-402	Reschedule [api]	3	Old slot freed atomically
MEDI-403	Cancel + slot release [api]	2	Slot released; status updated
MEDI-404	Slot-picker + confirm UI [web/mobile]	5	< 90s funnel
MEDI-405	Web check-in / status [web/mobile]	3	Correct status shown
MEDI-406	Follow-up rebooking [api] (S4)	3	Rebook same doctor ≤2 taps
MEDI-407	Multi-location booking [api/ui] (S4)	5	Branch selection

EPIC-5 Payments & Billing

ID	Story [component]	Pts	Acceptance (summary)
MEDI-501	Thawani checkout + webhook [api]	8	Reconciles status; idempotent
MEDI-502	Invoice generation [api]	5	PDF + record on success
MEDI-503	Payment UI + confirmation [web/mobile]	5	Post-payment confirm screen
MEDI-504	Payment history [web/mobile]	3	Lists past payments + invoices
MEDI-505	Ompay integration [api] (S5)	5	Reconciles like Thawani
MEDI-506	Slot-hold + payment-timeout release [api]	3	Hold TTL + release worker

EPICs 2,3,6–13 follow the same pattern: *id [component] title — points — AC*. A full CSV can be generated for Jira import on request.

UAT Plan

Timing: mini-UAT after Sprint 3 (MVP); full UAT in Sprint 6. **Participants:** PM, QA, 2–3 representative patients (incl. an Arabic-first user), stakeholder.

UAT scenarios (MVP)

- Register → OTP → login (email + Google) on web and mobile.
- Search doctor → view profile → book slot → pay (Thawani) → confirmation + invoice.
- Reschedule then cancel; verify slot frees and notifications fire.
- Switch to Arabic — verify RTL + translations across the booking journey.
- Concurrency: two users target the same slot — only one succeeds.

Full UAT adds: family booking, document upload, reviews, telemedicine call, Apple/Ompay, AI symptom checker → suggestion → booking, dark mode.

Exit criteria: 100% of critical-path scenarios pass; no open Sev-1/Sev-2 defects; stakeholder sign-off recorded.

Production Rollout Plan

- 1 **Pre-flight:** Release Readiness Checklist green; DB backup + tested rollback; staging = prod parity.
- 2 **Backend first:** apply Supabase migrations (additive/backward-compatible); verify RLS; smoke-test API.
- 3 **Web:** promote Vercel preview → production; canary (10% traffic), monitor 24h, then 100%.
- 4 **Mobile:** TestFlight / Play internal → staged rollout (10% → 50% → 100%); monitor crash-free rate.
- 5 **Payments:** verify live Thawani/Ompay keys with a small real transaction; confirm webhook + invoice in prod.
- 6 **Monitoring window:** 48h heightened on-call; watch payment success, booking errors, crash-free %, reconciliation.
- 7 **Comms:** support runbook + FAQ live; stakeholder go-live notice.
- 8 **Rollback triggers:** payment success < 90%, double-booking detected, crash-free < 99% → roll back web (Vercel instant rollback) / halt mobile staged rollout; additive migrations keep DB forward-compatible.

Dependencies & Risk Register

#	Dependency / Risk	Impact	Likely	Mitigation	Owner
D1	Provider/availability data (portals out of scope)	High	High	Seed + internal admin scripts; data contract S0	Tech Lead
D2	Shared API contract for 2 clients	High	Med	Lock BFF spec S0-6 before features	Tech Lead
R1	Booking race conditions	High	Med	DB lock + unique index + concurrency tests	Web Eng/QA
R2	Payment webhook idempotency	High	Med	Idempotency keys, signatures, reconciliation job	Web Eng
R3	OAuth deep links / Apple review	Med	Med	Early device config; build in review lead time	Flutter Eng
R4	Video provider integration	Med	Med	Early spike; audio fallback	Flutter Eng
R5	AI medical-safety liability	High	Low	Disclaimers, no diagnosis, guardrails	Tech Lead/PM
R6	Calendar slip vs 12-wk cap	Med	Med	Deferrable S6 stories flagged	PM

#	Dependency / Risk	Impact	Likely	Mitigation	Owner
R7	PHI exposure via Storage	High	Low	Signed URLs, RLS, private buckets	Tech Lead