Entra Ma Pau statements Cpass Pau Hatemort in Pothon eventially do nothing. They act au placeholders where a statement is syntactally required but you don't yetwart to implement any code. for in range (5): ·for ( == 3 % pens # Donothing for 1=3 die: print i HOW TO USE IMPEXES IN FORMATTED STRINGS f- strings (formattod string I towns) f-strings privide a clean and readable way to embed expressions directly within strings. you can use curry bracer & ? to insert Variables - or even functions calls at their converponding positions. Indexing works segmently within futnings. "Hice" age = 30,1 greeting = f Hello Emme S. Toware gage Bejean old. print (greeting) # Output: Hello, Hice! for one 30 years old-

The may c'clay, but time will not.

(PICT E)

This built in mother allows you to bornet or himsen wing placeholders (LS) and positional or legenderal and a lower of the conty to use index within the conty have = "Bob"

Parition = 2: Est fam

mensage = "Welcome identified momber number 2: fam

mensage = "Welcome identified momber number 2:

point (mossage) # Octavet: Scare, member number 2: 3 Traditional offing fundthing (Concatenation)

While less Common nowaday's, you can concatenate thing with lands of uning (t) exerction. Indexing can be achieved by Converting the tradex to a whing own Concatenating it fruits = fruits [index] # accessing the elements of inclosing thous readable Approach.

chasen-truit = You picked the "totr (index) of the form print (haren-fruit) Houtput: four pick and the sa Ist Success has a simple formular du your back, and plus, de naighbach

h (wind firming for concerte rection)

" at picked the findex +1 1-th

fourt : & fourt 3! # Add I for human -recelable inc el the 2 rd fruits barona the furthings upportion - are displayed. igntage discount. Places.
The original price is & price: 2-f.3. rice iu \$ 19.99 places and a percentage is your Sale tax rate : 2:2% I form Eter-roll 0 7.50 %