

One Model, Many Jobs

Station cards for the LLM toolkit laboratory — print one card per table, A4 portrait

HOW THE HOUR RUNS

15:45

Briefing & setup

Open the notebook in Colab, add GEMINI_API_KEY and GROQ_API_KEY as secrets, run section 0.

15:55

Station 1 • 20 min

Deliverable saved by 16:13. Rotate at the signal.

16:15

Station 2 • 20 min

Deliverable saved by 16:33.

16:35

Gallery walk • 10 min

Show one output to someone from another country. Explain how you verified it. Hand in the exit ticket.

CHOOSE YOUR PAIR BY OFFICE PROFILE

A + G

IT & data processing

B + D

Methodology & analysis

C + F

Dissemination

E + C

Communication

THE SEVEN STATIONS

A

Code

C

Presentations

E

Visual identity & logos

G

Multimodal work with Gemini

B

Reports & methodological notes

D

Charts & graphics

F

Documents & audio briefings

THREE RULES AT EVERY STATION

1

One recipe

Role • Context • Task • Format
• Check

2

Numbers from code

Computers compute,
language models narrate

3

Public data only

When in doubt, it is red

Code

Groq API • notebook section A

A

YOUR MISSION

Use an LLM as a pair programmer: write a tested function, translate legacy code, and diagnose an error — without ever running code you have not read.

STEPS

- 1 **A1** • Generate `weighted_mean()` with three tests. Read it, then run it in the sandbox cell.
- 2 **A1** • Compare with the independent reference value. A mismatch means: do not use.
- 3 **A2** • Translate the Stata snippet to pandas and read the list of behavioural differences.
- 4 **A3** • Send the real traceback. Ask for the **diagnosis first**, then the fix.

PROMPT STARTER • R • C • T • F • C

ROLE: senior data engineer at an NSO
 CONTEXT: DataFrame columns [...]
 TASK: write `weighted_mean(df, value, weight, group)`
 FORMAT: one code block + 3 pytest tests
 CHECK: state assumptions in a comment

NO KEY? WEB ALTERNATIVE

Claude or ChatGPT (free): paste code, ask for explanation and tests

VERIFY BEFORE YOU SAVE

Model-written tests pass **and** the result equals the reference value computed independently.

WATCH OUT

Code that runs is not code that is right.
 Generated code can also delete files or call the network.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ A_function.py (reviewed and tested)
- ☐ A_debug_log.md (error, diagnosis, human check)
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

Where in your office's code base would tests-first generation save the most time?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Reports & methodological notes

Gemini API • notebook section B

B

YOUR MISSION

Draft a commentary and a methodological note in seconds — and prove automatically that every figure in the text exists in the source.

STEPS

- 1 **B1** • Compute every figure in pandas. The model never calculates.
- 2 **B2** • Draft 200 words from the table **only**, with headings Context / Key findings / Caveats.
- 3 **B3** • Run the fact-check. Find and correct any figure marked NOT FOUND.
- 4 **B4** • Draft a methodological note using your office's headings; complete the [TO BE COMPLETED] gaps.

PROMPT STARTER • R • C • T • F • C

ROLE: senior price statistician
 CONTEXT: ONLY this table + computed facts
 TASK: 200-word regional inflation note
 FORMAT: Markdown, 3 headings, 1 decimal, 'pp'
 CHECK: write [MISSING] if a figure is absent

NO KEY? WEB ALTERNATIVE

NotebookLM or Gemini app with your table pasted in

VERIFY BEFORE YOU SAVE

Automatic check: each number is traceable.
 Then read every sentence: is the figure attached to the right region and year?

WATCH OUT

A number can exist in the table and still be wrong in the sentence (right value, wrong region).

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ B_commentary.md with its fact-check report
- ☐ B_method_note.md (draft for the methodologist)
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

Which of your regular publications could use a compute → draft → fact-check pipeline?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Presentations

Gemini API + python-pptx • section C

C

YOUR MISSION

Separate content from design: the LLM structures the story as JSON, Python applies the house style and inserts verified data as a native chart.

STEPS

- 1 **C1** • Turn the brief into a JSON outline: kicker, title, 3–4 bullets, speaker notes.
- 2 **C2** • Validate: required fields, bullet count, **no figures in bullets**.
- 3 **C3** • Render the .pptx. The data slide is built from pandas, never from the model.
- 4 **YOU** • Rewrite BRIEF for a real, public release of your office and rerun.

PROMPT STARTER • R • C • T • F • C

```
ROLE: communication officer at an NSO
CONTEXT: <brief: audience, purpose, messages>
TASK: design a 5-slide briefing
FORMAT: JSON {deck_title, subtitle, slides[...] }
CHECK: no numbers; flag unclear points [CONFIRM]
```

NO KEY? WEB ALTERNATIVE

Gemini app or ChatGPT: ask for an outline, then build slides yourself

VERIFY BEFORE YOU SAVE

Validator passes; you open the deck and check every claim against the release before presenting.

WATCH OUT

A tidy deck is not a true deck. Resolve every [CONFIRM] and add sources.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ C_deck.pptx in house colours
- ☐ List of [CONFIRM] items resolved
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

What would your office's slide template need so that every AI-drafted deck looks official?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Charts & graphics

Gemini API + matplotlib • section D



D

YOUR MISSION

Let the model propose what to plot as a small specification; Python draws it in house style; the model then writes alt text and critiques the image.

STEPS

- 1 **D0** • Compare the truncated-axis chart with the zero-baseline chart.
- 2 **D1** • Ask for a JSON chart spec: type, x, y, finding-style title.
- 3 **D2** • Validate the spec (columns exist, allowed type) and render. `r` is computed in pandas.
- 4 **D3** • Send the image: get 40–60 word alt text and a checklist review.

PROMPT STARTER • R • C • T • F • C

ROLE: data-visualisation specialist
 CONTEXT: column names, types, summary stats
 TASK: propose ONE chart for <message>
 FORMAT: JSON {chart_type, x, y, title, ...}
 CHECK: use only the listed columns

NO KEY? WEB ALTERNATIVE

Gemini app: upload a chart and ask for a critique and alt text

VERIFY BEFORE YOU SAVE

Checklist: zero baseline • finding-style title • ordering • source and units • not colour-only • alt text.

WATCH OUT

Truncated axes, 3-D effects, and statistics (like `r`) quoted by the model instead of computed.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ D_chart.png (publication-ready)
- ☐ D_chart_card.md (spec, alt text, review)
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

Which chart rule is most often broken in your office's publications — and who would catch it?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Visual identity & logos

Groq / Gemini → SVG • section E

E

YOUR MISSION

Create three editable SVG logo concepts and a colour palette for a fictional unit — and compute, not assume, its accessibility.

STEPS

- 1 **E1** • Send the brief; receive three concepts as SVG code with a short rationale.
- 2 **E2** • Sanitise each SVG (no scripts, no external links), then display and save.
- 3 **E3** • Get a 5-colour palette; compute WCAG contrast ($\geq 4.5 : 1$ for text).
- 4 **YOU** • Rewrite the brief for a real product: dashboard, census campaign, data portal.

VERIFY BEFORE YOU SAVE

Every SVG passes the sanitiser; palette table shows which colours are safe for text on white or dark.

PROMPT STARTER • R • C • T • F • C

ROLE: brand designer for public institutions
 CONTEXT: <unit, personality, constraints>
 TASK: three distinct logo concepts
 FORMAT: JSON {concepts:[{name, rationale, svg}]}
 CHECK: basic shapes only; no emblems

NO KEY? WEB ALTERNATIVE

Gemini app (free) for mood-board images; same IP rules apply

WATCH OUT

Concepts only. No flags, national emblems or other organisations' marks. Designer and approval required.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ E_logo_1..3.svg
- ☐ E_palette.png with contrast table
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

Who must approve a new visual identity in your office, and what would they need to see?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Documents & audio briefings

NotebookLM (web) + Gemini + gTTS • section F



YOUR MISSION

Ask questions of a set of documents, get answers with citations you can check, and turn the result into a short audio briefing.

STEPS

- 1 **WEB** • NotebookLM: add **public** sources (e.g. HLG-MOS 2023 white paper, your yearbook).
- 2 **WEB** • Ask 3 questions, open every citation, then generate a customised Audio Overview.
- 3 **F1-F2** • In the notebook: retrieve passages, get a cited answer, run the citation check.
- 4 **F3** • Generate a two-voice script and MP3. Listen against the sources.

PROMPT STARTER • R • C • T • F • C

ROLE: information officer at an NSO
 CONTEXT: passages [CPI-1] ... [REV-2] only
 TASK: answer the user's question
 FORMAT: 4-6 sentences, each ending [ID]
 CHECK: say what the passages do not cover

NO KEY? WEB ALTERNATIVE

This station is web-first: NotebookLM at notebooklm.google.com

VERIFY BEFORE YOU SAVE

Every citation exists, was retrieved, and supports its sentence. Coverage = 100 % of sentences.

WATCH OUT

Audio simplifies nuance. Label AI-generated audio. Public documents only.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ F_grounded_answer.md with citation check
- ☐ F_briefing.mp3 (or NotebookLM audio)
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

Which public documents would make the most useful NotebookLM notebook for your users?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Multimodal work with Gemini

Gemini API (vision) • section G



YOUR MISSION

Read a chart image and a scanned form with a multimodal model — and measure the accuracy of every extraction against known values.

STEPS

- 1 **G1** • Create a chart image whose true values are known.
- 2 **G2** • Ask Gemini for the values as JSON; score exact matches and mean absolute error.
- 3 **G3–G4** • Transcribe a tilted, noisy synthetic form; score field by field.
- 4 **YOU** • Try a public chart from your office; type 5 true values yourself and score.

PROMPT STARTER • R • C • T • F • C

ROLE: careful data-entry clerk
 CONTEXT: <attached image>
 TASK: transcribe the form / read every bar
 FORMAT: JSON with exactly these keys: [...]
 CHECK: unreadable -> null; do not guess

NO KEY? WEB ALTERNATIVE

Gemini app: upload a public chart and ask for its values as a table

VERIFY BEFORE YOU SAVE

Accuracy table: exact values, mean absolute error, missing fields. Write your production verdict.

WATCH OUT

One wrong digit in an ID breaks a merge. One clean image is not an evaluation set.

DELIVERABLES • TICK BEFORE YOU ROTATE

- ☐ G_extraction_report.md with scores
- ☐ Your verdict: usable in production? under which controls?
- ☐ One line in my verification note (notebook Wrap-up W2)

DISCUSS AT THE GALLERY WALK

What accuracy would you require before using AI to digitise legacy paper tables?

MY NOTES

DATA RULE Free tools = public or synthetic data only. No microdata, identifiers, embargoed figures or keys.

Exit tickets

Cut along the dotted lines — two tickets per page

EXIT TICKET • ONE MODEL, MANY JOBS

Country: _____ Office / unit: _____

Stations completed: ☐ A ☐ B ☐ C ☐ D ☐ E ☐ F ☐ G

One use case I will try within a month:

Tool: _____ Data (public / synthetic): _____

The check I will apply before using the output:

Confidence using LLMs for office work (1 = low, 5 = high): before ☐ ☐ ☐ ☐ ☐ after ☐ ☐ ☐ ☐ ☐

EXIT TICKET • ONE MODEL, MANY JOBS

Country: _____ Office / unit: _____

Stations completed: ☐ A ☐ B ☐ C ☐ D ☐ E ☐ F ☐ G

One use case I will try within a month:

Tool: _____ Data (public / synthetic): _____

The check I will apply before using the output:

Confidence using LLMs for office work (1 = low, 5 = high): before ☐ ☐ ☐ ☐ ☐ after ☐ ☐ ☐ ☐ ☐