

## Neuroscience studies using DataJoint

[1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53]

## Other studies using DataJoint

[54]

## Publications describing DataJoint

[55, 56, 57, 58]

## Data infrastructure papers involving DataJoint

[59]

## Other papers mentioning DataJoint

[60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74]

## References

- [1] V. Aguillon-Rodriguez, D. E. Angelaki, H. M. Bayer, N. Bonacchi, M. Carandini, F. Cazettes, G. A. Chapuis, A. K. Churchland, Y. Dan, E. E. Dewitt, *et al.*, “A standardized and reproducible method to measure decision-making in mice,” *BioRxiv*, 2020.
- [2] D. E. Angelaki, J. Ng, A. M. Abrego, H. X. Cham, E. K. Asproдини, J. D. Dickman, and J. Laurens, “A gravity-based three-dimensional compass in the mouse brain,” *Nature communications*, vol. 11, no. 1, pp. 1–13, 2020.
- [3] T. Baden, P. Berens, K. Franke, M. R. Rosón, M. Bethge, and T. Euler, “The functional diversity of retinal ganglion cells in the mouse,” *Nature*, vol. 529, no. 7586, pp. 345–350, 2016.
- [4] J. A. Bae, M. Baptiste, A. L. Bodor, D. Brittain, J. Buchanan, D. J. Bumbarger, M. A. Castro, B. Celii, E. Cobos, F. Collman, *et al.*, “Functional connectomics spanning multiple areas of mouse visual cortex,” *bioRxiv*, 2021.
- [5] G. Born, F. A. Schneider-Soupiadis, S. Eriskien, A. Vaiceliunaite, C. L. Lao, M. H. Mobarhan, M. A. Spacek, G. T. Einevoll, and L. Busse, “Corticothalamic feedback sculpts visual spatial integration in mouse thalamus,” *Nature neuroscience*, vol. 24, no. 12, pp. 1711–1720, 2021.
- [6] M. F. Burg, S. A. Cadena, G. H. Denfield, E. Y. Walker, A. S. Tolias, M. Bethge, and A. S. Ecker, “Learning divisive normalization in primary visual cortex,” *PLOS Computational Biology*, vol. 17, no. 6, p. e1009028, 2021.
- [7] S. A. Cadena, G. H. Denfield, E. Y. Walker, L. A. Gatys, A. S. Tolias, M. Bethge, and A. S. Ecker, “Deep convolutional models improve predictions of macaque v1 responses to natural images,” *PLoS computational biology*, vol. 15, no. 4, p. e1006897, 2019.
- [8] C. R. Cadwell, A. Palasantza, X. Jiang, P. Berens, Q. Deng, M. Yilmaz, J. Reimer, S. Shen, M. Bethge, K. F. Tolias, *et al.*, “Electrophysiological, transcriptomic and morphologic profiling of single neurons using patch-seq,” *Nature biotechnology*, vol. 34, no. 2, pp. 199–203, 2016.
- [9] S. N. Chettih and C. D. Harvey, “Single-neuron perturbations reveal feature-specific competition in v1,” *Nature*, vol. 567, no. 7748, pp. 334–340, 2019.

- [10] F. Claudi, D. Campagner, and T. Branco, "Innate heuristics and fast learning support escape route selection in mice," *bioRxiv*, 2021.
- [11] K.-H. Cohrs, "Investigation of feedback mechanisms in visual cortex using deep learning models," Master's thesis, University of Göttingen, June 2021.
- [12] R. J. Cotton, E. Froudarakis, P. Storer, P. Saggau, and A. S. Tolias, "Three-dimensional mapping of microcircuit correlation structure," *Frontiers in neural circuits*, vol. 7, p. 151, 2013.
- [13] R. J. Cotton, F. H. Sinz, and A. S. Tolias, "Factorized neural processes for neural processes:  $k$ -shot prediction of neural responses," *arXiv preprint arXiv:2010.11810*, 2020.
- [14] R. J. Cotton, E. McClerklin, A. Cimorelli, and A. Patel, "Spatiotemporal characterization of gait from monocular videos with transformers," 2022.
- [15] G. H. Denfield, A. S. Ecker, T. J. Shinn, M. Bethge, and A. S. Tolias, "Attentional fluctuations induce shared variability in macaque primary visual cortex," *Nature communications*, vol. 9, no. 1, p. 2654, 2018.
- [16] A. S. Ecker, P. Berens, R. J. Cotton, M. Subramaniyan, G. H. Denfield, C. R. Cadwell, S. M. Smirnakis, M. Bethge, and A. S. Tolias, "State dependence of noise correlations in macaque primary visual cortex," *Neuron*, vol. 82, no. 1, pp. 235–248, 2014.
- [17] A. S. Ecker, F. H. Sinz, E. Froudarakis, P. G. Fahey, S. A. Cadena, E. Y. Walker, E. Cobos, J. Reimer, A. S. Tolias, and M. Bethge, "A rotation-equivariant convolutional neural network model of primary visual cortex," *arXiv preprint arXiv:1809.10504*, 2018.
- [18] S. Erisken, A. Vailiunaite, O. Jurjut, M. Fiorini, S. Katzner, and L. Busse, "Effects of locomotion extend throughout the mouse early visual system," *Current Biology*, vol. 24, no. 24, pp. 2899–2907, 2014.
- [19] S. Erisken, A. Vailiunaite, O. Jurjut, M. Fiorini, S. Katzner, and L. Busse, "Effects of locomotion extend throughout the mouse early visual system," *Current Biology*, vol. 24, no. 24, pp. 2899–2907, 2014.
- [20] P. G. Fahey, T. Muhammad, C. Smith, E. Froudarakis, E. Cobos, J. Fu, E. Y. Walker, D. Yatsenko, F. H. Sinz, J. Reimer, *et al.*, "A global map of orientation tuning in mouse visual cortex," *bioRxiv*, p. 745323, 2019.
- [21] K. Franke, P. Berens, T. Schubert, M. Bethge, T. Euler, and T. Baden, "Inhibition decorrelates visual feature representations in the inner retina," *Nature*, vol. 542, no. 7642, p. 439, 2017.
- [22] K. Franke, K. F. Willeke, K. Ponder, M. Galdamez, T. Muhammad, S. Patel, E. Froudarakis, J. Reimer, F. Sinz, and A. Tolias, "Behavioral state tunes mouse vision to ethological features through pupil dilation," *bioRxiv*, 2021.
- [23] E. Froudarakis, P. Berens, A. S. Ecker, R. J. Cotton, F. H. Sinz, D. Yatsenko, P. Saggau, M. Bethge, and A. S. Tolias, "Population code in mouse V1 facilitates readout of natural scenes through increased sparseness," *Nat Neurosci*, vol. 17, pp. 851–857, June 2014.
- [24] S. L. Heath, M. P. Christenson, E. Oriol, M. Saavedra-Weisenhaus, J. R. Kohn, and R. Behnia, "Circuit mechanisms underlying chromatic encoding in drosophila photoreceptors," *Current Biology*, 2020.
- [25] R. I. Jacobsen, R. R. Nair, H. A. Obenhaus, F. Donato, T. Slettmoen, M.-B. Moser, and E. I. Moser, "All-viral tracing of monosynaptic inputs to single birthdate-defined neurons in the intact brain," *bioRxiv*, 2021.
- [26] X. Jiang, S. Shen, C. R. Cadwell, P. Berens, F. Sinz, A. S. Ecker, S. Patel, and A. S. Tolias, "Principles of connectivity among morphologically defined cell types in adult neocortex," *Science*, vol. 350, p. aac9462, Nov. 2015.
- [27] O. Jurjut, P. Georgieva, L. Busse, and S. Katzner, "Learning enhances sensory processing in mouse v1 before improving behavior," *Journal of Neuroscience*, vol. 37, no. 27, pp. 6460–6474, 2017.
- [28] Z. Khastkhodaei, O. Jurjut, S. Katzner, and L. Busse, "Mice can use second-order, contrast-modulated stimuli to guide visual perception," *Journal of Neuroscience*, vol. 36, no. 16, pp. 4457–4469, 2016.

- [29] T. I. B. Laboratory, V. Aguilon-Rodriguez, D. Angelaki, H. Bayer, N. Bonacchi, M. Carandini, F. Cazes, G. Chappuis, A. K. Churchland, Y. Dan, *et al.*, “Standardized and reproducible measurement of decision-making in mice,” *eLife*, vol. 10, 2021.
- [30] S. Lathunus, D. Kobak, and P. Berens, “A systematic evaluation of interneuron morphology representations for cell type discrimination,” *Neuroinformatics*, vol. 18, no. 4, pp. 591–609, 2020.
- [31] J. Laurens, A. Abrego, H. Cham, B. Popeney, Y. Yu, N. Rotem, J. Aarse, E. K. Asproдини, J. D. Dickman, and D. E. Angelaki, “Multiplexed code of navigation variables in anterior limbic areas,” *bioRxiv*, p. 684464, 2019.
- [32] G. Liu, E. Froudarakis, J. M. Patel, M. Y. Kochukov, B. Pekarek, P. J. Hunt, M. Patel, K. Ung, C.-H. Fu, J. Jo, *et al.*, “Target specific functions of epl interneurons in olfactory circuits,” *Nature communications*, vol. 10, no. 1, pp. 1–14, 2019.
- [33] H. A. Obenhaus, W. Zong, R. I. Jacobsen, T. Rose, F. Donato, L. Chen, H. Cheng, T. Bonhoeffer, M.-B. Moser, and E. I. Moser, “Functional network topography of the medial entorhinal cortex,” *BioRxiv*, 2021.
- [34] J. Reimer, M. J. McGinley, Y. Liu, C. Rodenkirch, Q. Wang, D. A. McCormick, and A. S. Tolias, “Pupil fluctuations track rapid changes in adrenergic and cholinergic activity in cortex,” *Nature communications*, vol. 7, p. 13289, 2016.
- [35] J. Reimer, E. Froudarakis, C. R. Cadwell, D. Yatsenko, G. H. Denfield, and A. S. Tolias, “Pupil fluctuations track fast switching of cortical states during quiet wakefulness,” *Neuron*, vol. 84, pp. 355–362, Oct. 2014.
- [36] M. R. Rosón, Y. Bauer, A. H. Kotkat, P. Berens, T. Euler, and L. Busse, “Mouse dlgn receives functional input from a diverse population of retinal ganglion cells with limited convergence,” *Neuron*, vol. 102, no. 2, pp. 462–476, 2019.
- [37] K. Q. Shan, E. V. Lubenov, M. Papadopolou, and A. G. Siapas, “Spatial tuning and brain state account for dorsal hippocampal CA1 activity in a non-spatial learning task,” *eLife*, vol. 5, p. e14321, 2016.
- [38] K. Q. Shan, E. V. Lubenov, and A. G. Siapas, “Model-based spike sorting with a mixture of drifting t-distributions,” *Journal of neuroscience methods*, vol. 288, pp. 82–98, 2017.
- [39] F. Sinz, A. S. Ecker, P. Fahey, E. Walker, E. Cobos, E. Froudarakis, D. Yatsenko, Z. Pitkow, J. Reimer, and A. Tolias, “Stimulus domain transfer in recurrent models for large scale cortical population prediction on video,” in *Advances in Neural Information Processing Systems*, pp. 7199–7210, 2018.
- [40] F. H. Sinz, C. Sachgau, J. Henninger, J. Benda, and J. Grewe, “Simultaneous spike-time locking to multiple frequencies,” *Journal of neurophysiology*, vol. 123, no. 6, pp. 2355–2372, 2020.
- [41] M. A. Spacek, G. Born, D. Crombie, S. Katzner, and L. Busse, “Robust effects of cortical feedback on thalamic firing mode during naturalistic stimulation,” *BioRxiv*, p. 776237, 2019.
- [42] S. Strauss, M. M. Korympidou, Y. Ran, K. Franke, T. Schubert, T. Baden, P. Berens, T. Euler, and A. L. Vlasits, “Center-surround interactions underlie bipolar cell motion sensing in the mouse retina,” *bioRxiv*, 2021.
- [43] M. Subramaniyan, S. Manivannan, V. Chelur, T. Tsetsenis, E. Jiang, and J. A. Dani, “Fear conditioning potentiates the hippocampal ca1 commissural pathway in vivo and increases awake phase sleep,” *Hippocampus*, vol. 31, no. 10, pp. 1154–1175, 2021.
- [44] A. E. Urai, V. Aguilon-Rodriguez, I. C. Laranjeira, F. Cazes, T. I. B. Laboratory, Z. F. Mainen, and A. K. Churchland, “Citric acid water as an alternative to water restriction for high-yield mouse behavior,” *Eneuro*, vol. 8, no. 1, 2021.
- [45] A. Vaiceliunaite, S. Eriskens, F. Franzen, S. Katzner, and L. Busse, “Spatial integration in mouse primary visual cortex,” *Journal of neurophysiology*, vol. 110, no. 4, pp. 964–972, 2013.
- [46] A. Vaiceliunaite, S. Eriskens, F. Franzen, S. Katzner, and L. Busse, “Spatial integration in mouse primary visual cortex,” *Journal of neurophysiology*, vol. 110, no. 4, pp. 964–972, 2013.

- [47] A. Wal, F. J. Klein, G. Born, L. Busse, and S. Katzner, "Evaluating visual cues modulates their representation in mouse visual and cingulate cortex," *Journal of Neuroscience*, vol. 41, no. 15, pp. 3531–3544, 2021.
- [48] E. Y. Walker, F. H. Sinz, E. Froudarakis, P. G. Fahey, T. Muhammad, A. S. Ecker, E. Cobos, J. Reimer, X. Pitkow, and A. S. Tolias, "Inception in visual cortex: in vivo-silico loops reveal most exciting images," *bioRxiv*, p. 506956, 2018.
- [49] E. Y. Walker, F. H. Sinz, E. Cobos, T. Muhammad, E. Froudarakis, P. G. Fahey, A. S. Ecker, J. Reimer, X. Pitkow, and A. S. Tolias, "Inception loops discover what excites neurons most using deep predictive models," *Nature neuroscience*, vol. 22, no. 12, pp. 2060–2065, 2019.
- [50] Y. Wang, S. Chiola, G. Yang, C. Russell, C. J. Armstrong, Y. Wu, J. Spanpanato, P. Tarboton, A. N. Chang, D. A. Harmin, *et al.*, "Modeling autism-associated shank3 deficiency using human cortico-striatal organoids generated from single neural rosettes," *bioRxiv*, 2021.
- [51] D. Yatsenko, K. Josić, A. S. Ecker, E. Froudarakis, R. J. Cotton, and A. S. Tolias, "Improved estimation and interpretation of correlations in neural circuits," *PLoS Comput Biol*, vol. 11, no. 3, p. e1004083, 2015.
- [52] D. Yatsenko, L. C. Moreaux, J. Choi, A. Tolias, K. L. Shepard, and M. L. Roukes, "Signal separability in integrated neurophotronics," *bioRxiv*, 2020.
- [53] Z. Zhao, D. A. Klindt, A. M. Chagas, K. P. Szatko, L. Rogerson, D. A. Protti, C. Behrens, D. Dalkara, T. Schubert, M. Bethge, *et al.*, "The temporal structure of the inner retina at a single glance," *Scientific reports*, vol. 10, no. 1, pp. 1–17, 2020.
- [54] L. Hartmann, P. Drewe-Boß, T. Wießner, G. Wagner, S. Geue, H.-C. Lee, D. M. Obermüller, A. Kahles, J. Behr, F. H. Sinz, *et al.*, "Alternative splicing substantially diversifies the transcriptome during early photomorphogenesis and correlates with the energy availability in arabidopsis," *The Plant Cell*, vol. 28, no. 11, pp. 2715–2734, 2016.
- [55] E. Singer, "The data sharing problem in neuroscience." <https://www.simonsfoundation.org/2019/10/04/the-data-sharing-problem-in-neuroscience>, 2019. Accessed: 2019-10-20.
- [56] D. Yatsenko, J. Reimer, A. S. Ecker, E. Y. Walker, F. Sinz, P. Berens, A. Hoenselaar, R. J. Cotton, A. S. Siapas, and A. S. Tolias, "DataJoint: managing big scientific data using MATLAB or Python," *bioRxiv*, p. 031658, Nov. 2015.
- [57] D. Yatsenko, E. Y. Walker, and A. S. Tolias, "Datajoint: A simpler relational data model," *arXiv preprint arXiv:1807.11104*, 2018.
- [58] D. Yatsenko, T. Nguyen, S. Shen, K. Gunalan, C. A. Turner, R. Guzman, M. Sasaki, D. Sironic, J. Reimer, E. Y. Walker, *et al.*, "Datajoint elements: Data workflows for neurophysiology," *bioRxiv*, 2021.
- [59] N. Bonacchi, G. Chapuis, A. Churchland, K. D. Harris, C. Rossant, M. Sasaki, S. Shen, N. A. Steinmetz, E. Y. Walker, O. Winter, *et al.*, "Data architecture and visualization for a large-scale neuroscience collaboration," *BioRxiv*, p. 827873, 2019.
- [60] T. Abe, I. Kinsella, S. Saxena, E. K. Buchanan, J. Couto, J. Briggs, S. L. Kitt, R. Glassman, J. Zhou, L. Paninski, *et al.*, "Neuroscience cloud analysis as a service," *bioRxiv*, pp. 2020–06, 2021.
- [61] A. S. Charles, B. Falk, N. Turner, T. D. Pereira, D. Tward, B. D. Pedigo, J. Chung, R. Burns, S. S. Ghosh, J. M. Kebschull, *et al.*, "Toward community-driven big open brain science: open big data and tools for structure, function, and genetics," *Annual review of neuroscience*, vol. 43, pp. 441–464, 2020.
- [62] E. J. Dennis, A. El Hady, A. Michael, A. Clemens, D. R. G. Tervo, J. Voigts, and S. R. Datta, "Systems neuroscience of natural behaviors in rodents," *Journal of Neuroscience*, vol. 41, no. 5, pp. 911–919, 2021.
- [63] J. G. Hering, "From slide rule to big data: How data science is changing water science and engineering," *Journal of Environmental Engineering*, vol. 145, no. 8, p. 02519001, 2019.

- [64] P. Ježek, J. L. Teeters, and F. T. Sommer, “Nwb query engines: Tools to search data stored in neurodata without borders format,” *Frontiers in neuroinformatics*, vol. 14, p. 27, 2020.
- [65] E. C. Johnson, M. Wilt, L. M. Rodriguez, R. Norman-Tenazas, C. Rivera, N. Drenkow, D. Kleissas, T. J. LaGrow, H. Cowley, J. Downs, *et al.*, “Toward a reproducible, scalable framework for processing large neuroimaging datasets,” *BioRxiv*, p. 615161, 2019.
- [66] J. R. Kohn, J. P. Portes, M. P. Christenson, L. Abbott, and R. Behnia, “Flexible filtering by neural inputs supports motion computation across states and stimuli,” *Current Biology*, vol. 31, no. 23, pp. 5249–5260, 2021.
- [67] M. E. Lepperød, S.-A. Dragly, A. P. Buccino, M. H. Mobarhan, A. Malthe-Sørenssen, T. Hafting, and M. Fyhn, “Experimental pipeline (expipe): A lightweight data management platform to simplify the steps from experiment to data analysis,” *Frontiers in Neuroinformatics*, vol. 14, p. 30, 2020.
- [68] J. K. Matelsky, L. M. Rodriguez, D. Xenos, T. Gion, R. Hider, B. A. Wester, and W. Gray-Roncal, “An integrated toolkit for extensible and reproducible neuroscience,” in *2021 43rd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC)*, pp. 2413–2418, IEEE, 2021.
- [69] D. G. Murillo, O. Rogovin, Y. Zhao, S. Chen, Z. Wang, Z. C. Keeley, D. I. Shin, V. M. S. Casanova, Y. Zhu, L. Martin, *et al.*, “Ndi: A platform-independent data interface and database for neuroscience physiology and imaging experiments,” *bioRxiv*, pp. 2020–05, 2021.
- [70] S. Narayanan *et al.*, “Engineering a multi-electrode patch clamp system: A novel tool to quantify retinal circuits,” Master’s thesis, Aalto University, Jan. 2018.
- [71] L. Paninski and J. P. Cunningham, “Neural data science: accelerating the experiment-analysis-theory cycle in large-scale neuroscience,” *Current opinion in neurobiology*, vol. 50, pp. 232–241, 2018.
- [72] M. R. Rosón, *Functional characterization of the retinogeniculate pathway*. PhD thesis, Eberhard-Karls-Universität Tübingen, 2018.
- [73] J. Sprenger, L. Zehl, J. Pick, M. Sonntag, J. Grewe, T. Wachtler, S. Grün, and M. Denker, “odmltables: a user-friendly approach for managing metadata of neurophysiological experiments,” *Frontiers in neuroinformatics*, vol. 13, p. 62, 2019.
- [74] L. E. Wool and T. I. B. Laboratory, “Knowledge across networks: how to build a global neuroscience collaboration,” *Current Opinion in Neurobiology*, vol. 65, pp. 100–107, 2020.