

SciLex

RE Systematic Literature Review

ANNOTATION GUIDELINE

Version 6

Author: Célian RINGWALD

01/07/2025

ANNOTATION GUIDELINES V6

I. Basic Description	3
1. Task [S,D,M]	3
2. Archi [S,D,M]	4
3. Dataset_created [M]	5
4. Dataset [S,M]	5
5. PreTrainedModel (PTM) [D,S,M]	5
6. Lang [D,S,M]	6
II. New annotations	6
1. Binary dimensions	6
1. UseNegativeExample_Bin [DM]	6
2. ObjectProperties_Bin [DM]	6
3. LossUpdate_Bin [M]	6
4. DecodingMethod_Bin [M]	7
5. CostEval_Bin [MDS]	7
6. Linearized_graph_Bin [MDS]	7
8. Survey_Methodo_Bin [S]	7
9. SemanticWebTechno [S]	7
2. CATEGORICAL	8
1. MANUALANNOTATION_BIN [DM]	8
2. DatatypeProp: [D]	8
3. BenchmarkType [S]	8
4. Input [D,S,M]	8
5. LEARNING [S,M]	8
6. GRANULARITY [D,S,M]	9
7. SOURCE [D]	9
8. DOMAIN [SDM]	9
9. DATASET SPLIT [MD]	10
10. USE_NER [D]	10
4. STATS	10
1. NbDoc [D,M]	10
2. NbSent [D,M]	10
3. NbDataset [D,M]	10
4. NbModel [SM]	10
5. NbTypeEntity [D,M]	11
6. NbEntity [D,M]	11
7. NbTypeRel [D,M]	11
8. NbTriples [D,M]	11
III. Using Zotero for the annotation process	12
IV. ANNOTATION SUMMARY:	15
V. MODEL CHECKLIST	16
VI. DATASET CHECKLIST	17
VII. SURVEY CHECKLIST	17
VIII. VALUES DICTIONNARY	18

I. Basic Description

These fields are coming from annotations imported from <https://linkedpaperswithcode.com/>

1. Task [S,D,M]

Induced from Linked Paper With Code : <https://paperswithcode.com/sota>

Detail :Which task is considered by the resource? Please give here all the subtask the paper is talking about

Where to find the information: Directly explained since the introduction

Borderline examples :

- **Relation Classification / Relation Extraction / EndToEndRE**

must be clearly defined and differentiated

To do it please consider the division of the Relation extraction task defined in [What Do You Mean by Relation Extraction? A Survey on Datasets and Study on Scientific Relation Classification](<https://aclanthology.org/2022.acl-srw.7/>) (Bassignana & Plank, ACL 2022)




Figure 2: Relation Extraction pipeline. NER: Named Entity Recognition; MD: Mention Detection; RI: Relation Identification; RC: Relation Classification.

Possible values :

Could be extended if new Task found

Task:RelIdentification

Task:NER (named entity recognition)

Task:RelClassif (Relation classification)

Task:EndToEndRE (do everything in one model without dividing the process into substeps)

Task:EntityLinking (entity linking)

Task:Coref (Coreference resolution)

Task:EntityTypeing (Type entity)

Task:NLU (use a model filter step as in rebel)

Task:SlotFilling (try to guess only the object)

2. Archi [S,D,M]

Induced partially from Linked Paper With Code: <https://paperswithcode.com/methods>

Details: **Which architectural layer is considered in the proposed work?**

We exclude here the pretrained models that are annotated into PTM, pretrained models are instances of architectures. But we also keep Embeddings fields: that could in our case integrate Positional Embeddings as well as Relation or Entity based embeddings.

Where to find the information: Generally found in the model presentation part

Could be extended if new Archi found

Potential problem: could be difficult to list if many

Could be extended if new found

Possible values :

Archi:CNN

Archi:LSTM

Archi:GCN

Archi:BILSTM

Archi:RNN

Archi:RuleSystem

Archi:CRF

Archi:GRU

Archi:SVM

Archi:Encoder

Archi:GAN

Archi:PointerNet

Archi:Decoder

Archi:BIRNN

Archi:Encoder-Decoder

Archi:MarkovNet

Archi:KNN

Archi:CharacterEmbed (Character Embedding)

Archi:EntittyEmbed

...

3. Dataset_created [M]

Here we add the dataset created for the experiments

Induced partially from Linked Paper With Code

<https://paperswithcode.com/datasets>

A dataset here is supposed to be unique and never used before.

Details: Which datasets were created ?

Where to find the information: Generally found in the Dataset part.

4. Dataset [S,M]

Induced partially from Linked Paper With Code

<https://paperswithcode.com/datasets>

Could be extended if new found

Details: Which datasets are used in the paper?

A dataset related to a scientific publication KB used is here excluded and must be given as a source

Where to find the information: Generally found in the Evaluation part of the Training process one.

Borderline Examples :

- could be difficult to list if many

Existing values :

Dataset:ACE2005, Dataset:Docrd, Dataset:CDR, Dataset:TACRED, Dataset:ADE, Dataset:FewRel, Dataset:ScieRC, Dataset:NYT, Dataset:Wiki-ZSL, Dataset:WebNLG, Dataset:ReTaCRED, Dataset:SemEval, Dataset:GenIA, Dataset:Atis, Dataset:SNIPS, Dataset:COLA, Dataset:MRPC, Dataset:CONLL, Dataset:Rebel, Dataset:RAMS, Dataset:Wiki-Events, Dataset:Maven, Dataset:FB15k-237, Dataset:Atomic, Dataset:WikiMovies, Dataset:Penn-100, Dataset:Web-500, Dataset:DDI, Dataset:PERLEX, Dataset:KBP

5. PreTrainedModel (PTM) [D,S,M]

Induced partially from Linked Paper With Code

Details : Which pretrained model is used/described in the paper?

Where to find the information : Generally found in the model presentation part

If transformer from scratch > we precise if this one is decoder/encoder/encoder-decoder

Nb identified values :77 values

Could be extended if new PTM found

Existing values :

PTM:XLNET, PTM:XLM, PTM:Word2Vec, PTM:VICUNA, PTM:TransformerXL, PTM:T5, PTM:T0, PTM:SpanBERT, PTM:SciBERT, PTM:Roberta, PTM:Rebel, PTM:PubMedBERT, PTM:OpenIE, PTM:OllIE, PTM:MT5, PTM:MBERT, PTM:MBART, PTM:LUKE, PTM:Longformer, PTM:LLAMA, PTM:LamDA, PTM:KGBART, PTM:KEPLER, PTM:KBERT, PTM:GPT4, PTM:GPT3, PTM:GPT2, PTM:GPT, PTM:Gopher, PTM:GLM, PTM:FlanT5, PTM:ERNIE, PTM:ELMO, PTM:Electra, PTM:DistillBERT, PTM:DeBERTa, PTM:COMET, PTM:CokeBERT, PTM:ClausIE, PTM:CharacterBERT, PTM:BioBERT, PTM:BERT, PTM:BART,

PTM:BARD, PTM:ALPACA, PTM:AIBERT

6. Lang [D,S,M]

Which language is targeting the paper?

Induced partially from Linked Paper With Code

Where to find the information: Since introduction or in the title if other than english. In other case in the dataset presentation

Could be extended if new Lang found

Existing values :

Lang:Chinese, Lang:Multi, Lang:Arabic, Lang:German, Lang:French, Lang:Spanish,
Lang:Italian, Lang:Russian, Lang:Dutch, Lang:Portuguese, Lang:Sloven, Lang:Polish,
Lang:Finish, Lang:Turkish, Lang:Persian, Lang:Danish, Lang:Greek

II. New annotations

1. Binary dimensions

1. UseNegativeExample_Bin [DM]

Are the resources containing or using negative examples?

Where to find the information: In the dataset paragraph

TRUE > UseNegativeExample_Bin:1

FALSE - Default > Default UseNegativeExample_Bin:0

2. ObjectProperties_Bin [DM]

Are the objects of triples URIs?

Where to find the information: In the dataset paragraph

TRUE > ObjectProperties_Bin:1

FALSE - Default > ObjectProperties_Bin:0

Borderline Examples : In the fact this is sometimes hard to decide because models and datasets generally rely on label of the object rather than an ID

3. LossUpdate_Bin [M]

Is the proposed model using a custom Loss function during the training? (which is by default the Cross-Entropy)

Where to find the information: In the experimental set-up description part

TRUE > LossUpdate_Bin:1

FALSE - Default > LossUpdate_Bin:0

4. DecodingMethod_Bin [M]

Is the model explicitly updating the method used to generate the output? , this is only related to generative models. (could be for example Beam Search / Grammar constrained / Constraint sampling)

Where to find the information: In the experimental set-up description part

Borderline Examples : is encoder classifier a decoding method ? No > we prefer to dedicate this dimension to encoder-decoder model

TRUE > DecodingMethod_Bin:1

FALSE - Default > DecodingMethod_Bin:0

5. CostEval_Bin [MDS]

Is the model evaluating the cost of the training process?

Where to find the information: In the experimental set-up description part

> Time Based / Carbon based

TRUE > CostEval_Bin:1

FALSE - Default > CostEval_Bin:0

6. Linearized_graph_Bin [MDS]

Is the model explicitly defining a linearisation to represent graph as text?

Where to find the information: In the experimental set-up description part

TRUE > Linearized_graph_Bin:1

FALSE - Default > Linearized_graph_Bin:0

7. SynthGeneration_Bin [MD]

Is the paper using/creating synthetic data?

Where to find the information: Depends to the paper content and structuration

TRUE > SynthGeneration_Bin:1

FALSE - Default > SynthGeneration_Bin:0

8. Survey_Methodo_Bin [S]

Is the survey following a systematic review process?

Where to find the information: Depends to the paper content and structuration, but generally in the methodology part

TRUE > Survey_Methodo_Bin:1

FALSE - Default > Survey_Methodo_Bin:0

9. SemanticWebTechno [S]

Is the survey introducing the semantic web technologies in the context of RE?

Where to find the information: Depends to the paper content and structuration, but since the introduction

TRUE > SemanticWebTechno_Bin:1

FALSE - Default > SemanticWebTechno_Bin:0

2. CATEGORICAL

1. MANUALANNOTATION_BIN [DM]

Did the conducted research involve manual annotation?

Where to find the information: In the dataset description part

Possible values : 0/1 and partial

2. DatatypeProp: [D]

Which datatype are explicitly used in the object of triples? (String/Values/Dates...)

<https://www.w3.org/TR/owl-ref/#Datatype>

Where to find the information: in the dataset presentation

Borderline example : hard to answer if not explicitly told in the paper, dates for examples are considered as object in WD

CUSTOM > (LIST of datatype used)

DatatypeProp:String / DatatypeProp:Date / DatatypeProp:Number

3. BenchmarkType [S]

Qualify the type of survey: qualitative or quantitative

CUSTOM > (quanti or quali)

Where to find the information: in the benchmark part

Details : A paper containing a table with quantitative or/and qualitative comparison of models

BenchmarkType:Quanti OR BenchmarkType:Quali

4. Input [D,S,M]

Which content is taken in the proposed model as input?

(Text/Graph/Images...)

Could be extended if new Input found

Possible values : Input:IndexedSpan / Input:EntityLink / Input:DependancyParsing /

Input:POSTAG / Input:Embedding

5. LEARNING [S,M]

Which method is used to train the proposed model?

Where to find the information: In the methodological part

Could be extended if new Learning method found

Possible values :

LearningMethod:PromptBased:
 LearningMethod:Distant
 LearningMethod:Active
 LearningMethod:FewShot
 LearningMethod:Finetuning
 LearningMethod:Contrastive
 LearningMethod:Continual
 LearningMethod:Reinforcement
 LearningMethod:ZeroShot
 LearningMethod:UnsupervisedPTM
 LearningMethod:PromptTuning
 LearningMethod:Instruct
 LearningMethod:NO
 LearningMethod:PromptTuning
 LearningMethod:Unsupervised

6. GRANULARITY [D,S,M]

Are the discussed, proposed or used resources given at the document level or paragraph/sentence level?

Where to find the information: Generally since the introduction, or could be inferred in regards of the dataset used

Values :

Granularity:Document OR Granularity:Sentence

7. SOURCE [D]

From which source is derived the paper?

Details : Which is the original source of the dataset ?

Where to find the information: In the methodological part

Could be internet corpora / a KB, an other Dataset...

Could be extended if new Source found

Example of values :

Source:Wikidata, Source:Dbpedia, Source:Web, Source:Freebase, Source:PubMed, Source:NYT, Source:NCBI, Source:NLM-Gene, Source:GnormPlus, Source:C4, Source:Twitter, Source:WebDataCommon, Source:GoogleNews, Source:MLNLeague, Source:WikiNews, Source:Reuters, Source:DeutscheWelle, Source:TextBook, Source:Umls, Source:WordNet, Source:ConceptNet, Source:Atomic

8. DOMAIN [SDM]

Is the article focused on a limited domain? (Finance, news, encyclopedic...)

Focused domain of application of the dataset/survey/model

Where to find the information: In the dataset presentation, the introduction or the other works

CUSTOM

Could be extended if new Domain found

Example of values :

Domain:Encyclo, Domain:Science, Domain:BioMedical, Domain:Politic, Domain:News,
Domain:Litterature, Domain:General, Domain:Multi, Domain:Bio, Domain:Medical, Domain:Web,
Domain:Finance, Domain:Sport, Domain:weather, Domain:Military, Domain:Music,
Domain:Humanities, Domain:Economy, Domain:Legal, Domain:ScienceLitt

9. DATASET SPLIT [MD]

Which datatype are explicitly used in the object of triples?
(String/Values/Dates...)

Where to find the information: In the dataset presentation

Could be extended if new split method found

Example of values :

**SelectionMethod:BalancedSampling / SelectionMethod:Random /
SelectionMethod:ChallengingEx**

10. USE_NER [D]

Is the proposed process integrating tools to solve NER?

Could be extended if new tool found

Example of values :

USE_NER:**Spacy** / USE_NER:**DbpediaSpotlight**

4. STATS

> OPTIONNAL FOR MODEL > MANDATORY FOR DATASET

All the stats are reduced to Scale Base Notation 10^n

1. NbDoc [D,M]

Details: How many documents are considered in the corpus? (if granularity=doc)

2. NbSent [D,M]

Details: How many sentences are considered in the corpus? (if granularity=sent)

3. NbDataset [D,M]

Details: **Number of datasets considered in the paper**

4. NbModel [SM]

Details : **Number of models considered in the paper ?**

Where to find the information: in methodological part/benchmark part or evaluation part

5. NbTypeEntity [D,M]

Details: How many classes/types of entities are covered?

6. NbEntity [D,M]

Details: How many entities are covered?

7. NbTypeRel [D,M]

Details :How many types of relation are covered?

Where to find the information: Generally related to the paper structure

8. NbTriples [D,M]

Details : How many triples in total are considered in the paper?

Where to find the information: in the dataset or methodological part

III. Using Zotero for the annotation process

1. Acces to the library

From the website

zotero

Web Library Groups Documentation Forums Get Involved cringwald

Q Title, Creator, Year Upgrade Storage

378 Items in this view

or from the app :

models

Open Knowledge Enrichm... X REDS*(vm FM)S: a Filter... X The CACAPO Dataset: A... X Joint Type Inference on En... X Sentence Embedding Alig... X

Item Type Conference Paper

Title Prompt for Extraction? PAIE: Prompting Argument Interaction for Event Argument Extraction

Author Ma, Yubo

Author Wang, Zehao

Author Cao, Yion

Author Li, Mukai

Author Chen, Meigi

Author Wang, Kun

Author Shao, Jing

(...) Abstract In this paper, we propose an effect...

Date 2022

Proceedings Title Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)

Conference Name Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)

Place Dublin, Ireland

Publisher Association for Computational Linguistics

Volume

Pages 6759-6774

Series

Language en

DOI 10.18653/v1/2022.acl-long.466

ISBN

Short Title PAIE

URL https://aclanthology.org/2022.acl-long.466

Accessed 2/28/2023, 5:06:35 PM

Loc. in Archive

Library Catalog DOI.org (Crossref)

Call Number

Rights

Extra

Date Added 10/30/2023, 5:40:49 PM


Modified 11/23/2023, 3:13:47 PM

I advice to download and use the local app

> it synchronize the content and allows to work without internet

> allows to download and annotate with PDF in the same windows

2. Content of the lib :




SURVEY_RE_collabSTEP

- datasets** (Contains 63 datasets)
 - datasets_subset
 - CF
 - CR
 - FG
 - FM
 - HA
- models** (Contains 154 models)
 - models_subset
 - CF
 - CR
 - FG
 - FM
 - HA
- surveys** (Contains 72 surveys)

Subset to annotate (originals)
> Shared by annotators (copy of originals)

3. Usage

Reminder : the pdf could be downloaded and watched via the local app



PAPER SELECTION

Title	Publ.	Publication	Re	Date Add.	Date Modified	An	Loc. in Archive	Ed	Shor...	Extra
2022 Association ...	Proceedings of L...	P...	11/04/2022...	11/04/2023...					FILE	
2022 Springer Int...	Natural Language...	P...	11/04/2022...	11/04/2023...					BART...	Editing: [L...]
2020 ACL	Proceedings of...	P...	11/04/2022...	11/04/2023...					https://github.co...	Editing: [T...]
2020 Association ...	Proceedings of L...	P...	11/04/2022...	11/04/2023...					https://github.co...	Editing: [T...]
2019 ACL	NA	NA	11/04/2022...	11/04/2023...					https://github.co...	Editing: [T...]
2019 ACL	NA	NA	11/04/2022...	11/04/2023...					https://github.co...	Editing: [T...]
2019 ACL	NA	NA	11/04/2022...	11/04/2023...					na	Editing: [T...]

ACCES TO PERSONNAL LIB

RESEARCH BY TAG

TAG EDITION

ACCES TO PERSONNAL LIB :

each paper is checked by 3 annotators, and each of them receives the same copy of the paper to annotate.

RESEARCH BY TAG :

- Researching only “?” filter the papers by the fields still blank
- Filtering by only giving the annotation dim name allows to check the values already given in the subset

!! Using the research on the entire set (ex: “modele” lib) allows us to get the values already given at the corpora level - > could be also useful to use

TAG EDITION :

- > A missing tag must be completed or deleted
- > That is possible to add multiple values by dimension
- > A tag could be deleted or edited

ComplementaryValues :

NSP

DONE

EXCLUDED

IV. ANNOTATION SUMMARY:

tag	nb	datasets	surveys	models	type	new for models	detail
LearningMethod	168			X	quali		TO EXTRACT
Granularity	123	X	X	X	quali		TO EXTRACT
Source	84	X			quali		TO EXTRACT
DATASETSplit	63	X		X	quali		TO EXTRACT
Domain	61	X	X		quali		TO EXTRACT
Survey_Methodo_Bin	51		X		Bin		TO EXTRACT
Input	42			X	Quali		TO EXTRACT
BenchmarkType	28		X		Quali		TO EXTRACT
UseNegativeExample_Bin	12			X	Bin		TO EXTRACT
DatatypeProp	9	X		X	Quali		TO EXTRACT
SynthGeneration_Bin	8	X		X	Bin		TO EXTRACT
LinearizedGraph_Bin	4			X	Bin		TO EXTRACT
DecodingMethod_Bin	4			X	Bin		TO EXTRACT
LossUpdate_Bin	4			X	Bin		TO EXTRACT
CostEval_Bin	3			X	Bin		TO EXTRACT
ObjectProperties_Bin	0			X	Bin	1	TO EXTRACT
Task	362	X	X	X	quali		TO CHECK
PTM	139		X	X	quali		TO CHECK
Archi	119		X	X	quali		TO CHECK
Lang	118	X	X	X	quali		TO CHECK
Dataset	78		X	X	quali		TO CHECK
NbTypeRel	47	X		X	Scaled		OPTIONAL
NbTriples	32	X			Scaled		OPTIONAL
NbDoc	29	X			Scaled		OPTIONAL
NbModel	27		X		Scaled		OPTIONAL
NbTypeEntity	23	X			Scaled		OPTIONAL
NbEntity	21	X			Scaled		OPTIONAL
NbDataset	21		X	X	Scaled		OPTIONAL
NbSent	20	X			Scaled		OPTIONAL

V. MODEL CHECKLIST

tag	nb	type	detail	Model1	Model2	Model3	Model4	Model5	Model6
Task	362	quali	TO CHECK						
LearningMethod	168	quali	TO EXTRACT						
PTM	139	quali	TO CHECK						
Granularity	123	quali	TO EXTRACT						
Archi	119	quali	TO CHECK						
Lang	118	quali	TO CHECK						
Dataset	78	quali	TO CHECK						
DATASETSPLIT	63	quali	TO EXTRACT						
NbTypeRel	47	Scaled	OPTIONAL						
Input	42	Quali	TO EXTRACT						
NbDataset	21	Scaled	OPTIONAL						
UseNegativeExample_Bin	12	Bin	TO EXTRACT						
DatatypeProp	9	Quali	TO EXTRACT						
SynthGeneration_Bin	8	Bin	TO EXTRACT						
LinearizedGraph_Bin	4	Bin	TO EXTRACT						
DecodingMethod_Bin	4	Bin	TO EXTRACT						
LossUpdate_Bin	4	Bin	TO EXTRACT						
CostEval_Bin	3	Bin	TO EXTRACT						
ObjectProperties_Bin	0	Bin	TO EXTRACT						

VI. DATASET CHECKLIST

tag	nb	datasets	type	detail	Dataset1	Dataset2	Dataset3
Task	362	X	quali	TO CHECK			
Source	84	X	quali	TO EXTRACT			
Domain	61	X	quali	TO EXTRACT			
Granularity	123	X	quali	TO EXTRACT			
Lang	118	X	quali	TO CHECK			
DATASET SPLIT	63	X	quali	TO EXTRACT			
NbTypeRel	47	X	Scaled	OPTIONAL			
DatatypeProp	9	X	Quali	TO EXTRACT			
SynthGenerati on_Bin	8	X	Bin	TO EXTRACT			
NbTriples	32	X	Scaled	OPTIONAL			
NbDoc	29	X	Scaled	OPTIONAL			
NbTypeEntity	23	X	Scaled	OPTIONAL			
NbEntity	21	X	Scaled	OPTIONAL			
NbSent	20	X	Scaled	OPTIONAL			

VII. SURVEY CHECKLIST

tag	nb	detail	Survey1	Survey2	Survey3
Task	362	TO CHECK			
PTM	139	TO CHECK			
Domain	61	TO EXTRACT			
Survey_Methodo_B in	51	TO EXTRACT			
Granularity	123	TO EXTRACT			
BenchmarkType	28	TO EXTRACT			
Archi	119	TO CHECK			
Lang	118	TO CHECK			
Dataset	78	TO CHECK			
NbDataset	21	OPTIONAL			
NbModel	27	OPTIONAL			

VIII. VALUES DICTIONNARY

level1	tag	nb
Archi	Archi:BILSTM	4
Archi	Archi:BILSTM	9
Archi	Archi:BIRNN	1
Archi	Archi:CNN	23
Archi	Archi:CNN	3
Archi	Archi:CRF	3
Archi	Archi:Decoder	2
Archi	Archi:Encoder	2
Archi	Archi:Encoder-Decoder	5
Archi	Archi:Encoder-Decoder	4
Archi	Archi:GAN	2
Archi	Archi:GCN	6
Archi	Archi:GCN	10
Archi	Archi:GraphTransformer	1
Archi	Archi:GRU	1
Archi	Archi:GRU	2
Archi	Archi:KNN	1
Archi	Archi:LSTM	15
Archi	Archi:MarkovNet	1
Archi	Archi:PointerNet	3
Archi	Archi:RNN	9
Archi	Archi:RuleSystem	6
Archi	Archi:SVM	3
Archi	Archi:Unet	1
BenchmarkType	BenchmarkType:?	1
BenchmarkType	BenchmarkType:Quali	12
BenchmarkType	BenchmarkType:Quanti	15
CostEval_Bin	CostEval_Bin:1	3
Dataset	Dataset:ACE2005	8
Dataset	Dataset:ACE2005	4
Dataset	Dataset:ADE	4
Dataset	Dataset:Atis	1
Dataset	Dataset:Atomic	1
Dataset	Dataset:CDR	4
Dataset	Dataset:CDR	1
Dataset	Dataset:CONLL	1
Dataset	Dataset:DDI	1
Dataset	Dataset:Docrd	6

Dataset	Dataset:FB15k-237	1
Dataset	Dataset:FewRel	4
Dataset	Dataset:FewRel	1
Dataset	Dataset:GenIA	1
Dataset	Dataset:KBP	1
Dataset	Dataset:Maven	1
Dataset	Dataset:NYT	2
Dataset	Dataset:NYT	6
Dataset	Dataset:Penn-100	1
Dataset	Dataset:PERLEX	1
Dataset	Dataset:RAMS	1
Dataset	Dataset:Rebel	3
Dataset	Dataset:ReTaCRED	3
Dataset	Dataset:ScieRC	4
Dataset	Dataset:SemEval	3
Dataset	Dataset:SNIPS	1
Dataset	Dataset:TACRED	5
Dataset	Dataset:Web-500	1
Dataset	Dataset:WebNLG	3
Dataset	Dataset:Wiki-Events	1
Dataset	Dataset:Wiki-ZSL	2
Dataset	Dataset:WikiMovies	1
DatatypeProp	DatatypeProp:?	2
DatatypeProp	DatatypeProp:Date	3
DatatypeProp	DatatypeProp:Number	1
DatatypeProp	DatatypeProp:String	3
DecodingMethod_Bin	DecodingMethod_Bin:1	4
Domain	Domain:Bio	3
Domain	Domain:BioMedical	7
Domain	Domain:BioMedical	1
Domain	Domain:Economy	1
Domain	Domain:Encyclo	9
Domain	Domain:Finance	2
Domain	Domain:General	4
Domain	Domain:General	1
Domain	Domain:Humanities	2
Domain	Domain:Legal	2
Domain	Domain:Litterature	2
Domain	Domain:Medical	4
Domain	Domain:Military	1
Domain	Domain:Multi	2
Domain	Domain:Music	1

Domain	Domain:News	3
Domain	Domain:Politic	3
Domain	Domain:Science	7
Domain	Domain:Sport	1
Domain	Domain:weather	1
Domain	Domain:Web	4
FILTER_STEP	FILTER_STEP	1
Granularity	Granularity:Document	59
Granularity	Granularity:Document	9
Granularity	Granularity:Sentences	51
Granularity	Granularity:Sentences	4
Input	Input:?	1
Input	Input:Code	1
Input	Input:DependencyParsing	1
Input	Input:Embedding	1
Input	Input:EntityLink	1
Input	Input:Graph	12
Input	Input:Graph	5
Input	Input:Image	1
Input	Input:IndexedSpan	2
Input	Input:Multimodal	3
Input	Input:POSTAG	1
Input	Input:Text	13
Lang	Lang:Arabic	14
Lang	Lang:Chinese	17
Lang	Lang:Danish	1
Lang	Lang:Dutch	2
Lang	Lang:English	38
Lang	Lang:Finish	1
Lang	Lang:French	6
Lang	Lang:German	8
Lang	Lang:Greek	1
Lang	Lang:Italian	3
Lang	Lang:Multi	8
Lang	Lang:Multi	5
Lang	Lang:Persian	1
Lang	Lang:Polish	1
Lang	Lang:Portuguese	1
Lang	Lang:Russian	2
Lang	Lang:Sloven	1
Lang	Lang:Spanish	6
Lang	Lang:Turkish	2

LearningMethod	LearningMethod:?	80
LearningMethod	LearningMethod:?	38
LearningMethod	LearningMethod:Continual	3
LearningMethod	LearningMethod:Continual	2
LearningMethod	LearningMethod:Contrastive	2
LearningMethod	LearningMethod:Contrastive	1
LearningMethod	LearningMethod:Distant	4
LearningMethod	LearningMethod:FewShot	5
LearningMethod	LearningMethod:FewShot	2
LearningMethod	LearningMethod:Finetuning	11
LearningMethod	LearningMethod:Instruct	1
LearningMethod	LearningMethod:Pretraining	1
LearningMethod	LearningMethod:PromptBased	8
LearningMethod	LearningMethod:PromptTuning	1
LearningMethod	LearningMethod:PromptTuning	1
LearningMethod	LearningMethod:Reinforcement	3
LearningMethod	LearningMethod:Unsupervised	2
LearningMethod	LearningMethod:UnsupervisedPTM	1
LearningMethod	LearningMethod:ZeroShot	2
LinearizedGraph_Bin	LinearizedGraph_Bin:1	4
LossUpdate_Bin	LossUpdate_Bin:1	4
PTM	PTM:AIBERT	3
PTM	PTM:ALPACA	1
PTM	PTM:BARD	1
PTM	PTM:BART	17
PTM	PTM:BERT	37
PTM	PTM:BioBERT	2
PTM	PTM:CharacterBERT	2
PTM	PTM:ClausIE	2
PTM	PTM:CokeBERT	1
PTM	PTM:COMET	2
PTM	PTM:DeBERTa	1
PTM	PTM:DistillBERT	1
PTM	PTM:Electra	1
PTM	PTM:ELMO	3
PTM	PTM:ERNIE	4
PTM	PTM:FlanT5	2
PTM	PTM:GLM	2
PTM	PTM:Gopher	1
PTM	PTM:GPT	5
PTM	PTM:GPT2	3
PTM	PTM:GPT3	3

PTM	PTM:GPT4	1
PTM	PTM:KBERT	1
PTM	PTM:KEPLER	1
PTM	PTM:KGBART	1
PTM	PTM:LamDA	1
PTM	PTM:LLAMA	1
PTM	PTM:Longformer	1
PTM	PTM:LUKE	1
PTM	PTM:MBART	3
PTM	PTM:MBERT	1
PTM	PTM:MT5	1
PTM	PTM:OIIIIE	1
PTM	PTM:OpenIE	1
PTM	PTM:PuMedBERT	1
PTM	PTM:Rebel	1
PTM	PTM:Roberta	9
PTM	PTM:SciBERT	2
PTM	PTM:SpanBERT	2
PTM	PTM:T0	1
PTM	PTM:T5	7
PTM	PTM:TransformerXL	2
PTM	PTM:VICUNA	1
PTM	PTM:Word2Vec	1
PTM	PTM:XLM	1
PTM	PTM:XLNET	2
SelectionMethod	SelectionMethod:Automatic	24
SelectionMethod	SelectionMethod:Manual	36
SelectionMethod	SelectionMethod:Random	3
Source	Source:Atomic	1
Source	Source:C4	1
Source	Source:ConceptNet	1
Source	Source:Dbpedia	8
Source	Source:DeutscheWelle	1
Source	Source:Freebase	3
Source	Source:GnormPlus	1
Source	Source:GoogleNews	1
Source	Source:MLNLeague	1
Source	Source:NCBI	1
Source	Source:NLM-Gene	1
Source	Source:NYT	1
Source	Source:PubMed	3
Source	Source:Reuters	1

Source	Source:TextBook	1
Source	Source:Twitter	2
Source	Source:Umls	1
Source	Source:Web	3
Source	Source:WebDataCommon	1
Source	Source:Wikidata	23
Source	Source:WikiNews	1
Source	Source:Wikipedia	25
Source	Source:Wikipedia	1
Source	Source:WordNet	1
Survey_Methodo_Bin	Survey_Methodo_Bin:0	43
Survey_Methodo_Bin	Survey_Methodo_Bin:1	8
SynthGeneration_Bin	SynthGeneration_Bin:1	8
Task	Task:Coref	15
Task	Task:EndToEndRE	26
Task	Task:EntityLinking	16
Task	Task:EntityLinking	1
Task	Task:EntityTyping	7
Task	Task:NER	51
Task	Task:NER	5
Task	Task:NLU	9
Task	Task:NLU	1
Task	Task:RelClassif	36
Task	Task:RelExtract	121
Task	Task:RelExtract	68
Task	Task:SlotFilling	6
UseNegativeExample_Bin	UseNegativeExample_Bin:0	5
UseNegativeExample_Bin	UseNegativeExample_Bin:1	7