

2005 DOCUMENTATION INITIAL RELEASE  
Mortality Multiple Cause-of-Death Public Use Record

A new vital statistics data access policy excluding geographic identifiers goes into effect with the 2005 data year information included on this CD-ROM. See:

[http://www.cdc.gov/nchs/about/major/dvs/NCHS\\_DataRelease.htm](http://www.cdc.gov/nchs/about/major/dvs/NCHS_DataRelease.htm). The file layout is separate for US and territories data. See Deaths: Final data for 2005 at [http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56\\_10.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_10.pdf) for other notes about the file.

Data File Characteristics:

Record length: 488

U.S. DATA SET:

1. Record count:	
2. Data counts: ALL DEATHS:	
a. By occurrence:	2,452,506
b. By residence:	2,448,017
c. To foreign residents:	4,489

PUERTO RICO, VIRGIN ISLANDS, GUAM, AMERICAN SAMOA, AND NORTHERN MARIANAS DATA SET

1. Record count: 31,532

PUERTO RICO:

2. Data counts: ALL DEATHS:	
a. By occurrence:	29,702
b. By residence:	29,531

VIRGIN ISLANDS:

1. Record count:	
2. Data counts: ALL DEATHS:	
a. By occurrence:	669
b. By residence:	640

GUAM:

1. Record count:	
2. Data counts: ALL DEATHS:	
a. By occurrence:	691
b. By residence:	678

AMERICAN SAMOA:

1. Record count:	
2. Data counts: ALL DEATHS:	
a. By occurrence:	279
b. By residence:	272

NORTHERN MARIANAS:

1. Record count:	
2. Data counts: ALL DEATHS:	
a. By occurrence:	191
b. By residence:	184

2005  
Mortality Multiple Cause-of-Death Public Use Record

**VI. List of File Data Elements and Tape Locations**

Data Items	Tape Locations
1. General	
a. Resident status	20
b. Place of death and decedent's status	83
c. Day of week of death	85
d. Date of data receipt	94-101
e. Data year	102-105
2. The Decedent	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. Hispanic origin	484-488
h. Education	61-64
3. Underlying Cause	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161
4. Multiple Conditions	
a. Entity-Axis conditions	
1. Number of	163-164
2. The conditions	165-304
b. Record-Axis conditions	
1. Number of	341-342
2. The conditions	344-443
5. Other medical items	
a. Place of injury	145
b. Injury at work	106
c. Method of disposition	108
d. Autopsy	109
e. Activity code	144

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-19	19	<u>Reserved Positions</u> These positions are blank.
20	1	<u>Resident Status</u>
		United States Occurrence
	1	... <b>RESIDENTS</b> State and County of Occurrence and Residence are the same.
	2	... <b>INTRASTATE NONRESIDENTS</b> State of Occurrence and Residence are the same, but County is different.
	3	... <b>INTERSTATE NONRESIDENTS</b> State of Occurrence and Residence are different, but both are in the U.S.
	4	... <b>FOREIGN RESIDENTS</b> State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.
		Puerto Rico Occurrence
	1	... <b>RESIDENTS</b> Territory and County-equivalent of Occurrence and Residence are the same.
	2	... <b>INTRASTATE NONRESIDENTS</b> Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... <b>INTERTERRITORY NONRESIDENTS</b> : Territory of occurrence and residence are different, but both are a Territory.
	4	... <b>FOREIGN RESIDENTS</b> Occurred in Puerto Rico to a resident of any other place.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
20	1	<u>Resident Status- Con.</u> Virgin Islands Occurrence
	1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.
		Guam Occurrence
	1	RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
	3	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
		American Samoa Occurrence
	1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place.
		Northern Marianas Occurrence
	1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
21-60	40	<u>Reserved Positions</u> These positions are blank.
61-64	4	<u>EDUCATION</u>
61-62	2	<u>Education (1989 revision)</u>
		00 ... No formal education 01-08 ... Years of elementary school 09 ... 1 year of high school 10 ... 2 years of high school 11 ... 3 years of high school 12 ... 4 years of high school 13 ... 1 year of college 14 ... 2 years of college 15 ... 3 years of college 16 ... 4 years of college 17 ... 5 or more years of college 99 ... Not stated
63	1	<u>Education (2003 revision)</u>
		Field is blank for registration areas that are using the 1989 revision format of the item.
		1 ... 8th grade or less 2 ... 9 - 12th grade, no diploma 3 ... high school graduate or GED completed 4 ... some college credit, but no degree 5 ... Associate degree 6 ... Bachelor's degree 7 ... Master's degree 8 ... Doctorate or professional degree 9 ... Unknown
64	1	<u>Education reporting flag</u>
		0 ... 1989 revision of education item on certificate 1 ... 2003 revision of education item on certificate 2 ... no education item on certificate

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
65-66	2	<u>Month of Death</u>
		01 ... January 02 ... February 03 ... March 04 ... April 05 ... May 06 ... June 07 ... July 08 ... August 09 ... September 10 ... October 11 ... November 12 ... December
67-68	2	<u>Reserved Positions</u>
69	1	<u>Sex</u>
		M ... Male F ... Female
70-82	13	<u>REPORTED AGE</u>
70-73	4	<u>Detail Age</u>
		Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.
		1 001-135,999 ... Years 2 001-011,999 ... Months 4 001-027,999 ... Days 5 001-023,999 ... Hours 6 001-059,999 ... Minutes 9 999 ... Age not stated
74	1	<u>Age Substitution Flag</u>
		If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.
		Blank                      Calculated age is not substituted for reported age 1                            ...                      Calculated age is substituted for reported age

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years
		29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years
		48 ... 110 - 114 years
		49 ... 115 - 119 years

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52- Con.</u>
		50 ... 120 - 124 years
		51 ... 125 years and over
		52 ... Age not stated
77-78	2	<u>Age Recode 27</u>
		01 ... Under 1 month (includes not stated weeks, days, hours, and minutes)
		02 ... 1 month - 11 months (includes not stated months)
		03 ... 1 years
		04 ... 2 years
		05 ... 3 years
		06 ... 4 years
		07 ... 5 - 9 years
		08 ... 10 - 14 years
		09 ... 15 - 19 years
		10 ... 20 - 24 years
		11 ... 25 - 29 years
		12 ... 30 - 34 years
		13 ... 35 - 39 years
		14 ... 40 - 44 years
		15 ... 45 - 49 years
		16 ... 50 - 54 years
		17 ... 55 - 59 years
		18 ... 60 - 64 years
		19 ... 65 - 69 years
		20 ... 70 - 74 years
		21 ... 75 - 79 years
		22 ... 80 - 84 years
		23 ... 85 - 89 years
		24 ... 90 - 94 years
		25 ... 95 - 99 years
		26 ... 100 years and over
		27 ... Age not stated
79-80	2	<u>Age Recode 12</u>
		01 ... Under 1 year (includes not stated infant ages)
		02 ... 1 - 4 years
		03 ... 5 - 14 years
		04 ... 15 - 24 years
		05 ... 25 - 34 years
		06 ... 35 - 44 years
		07 ... 45 - 54 years
		08 ... 55 - 64 years
		09 ... 65 - 74 years
		10 ... 75 - 84 years
		11 ... 85 years and over
		12 ... Age not stated

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u>
		Blank ... Age 1 year and over or not stated
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7-13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u>
		1 ... Hospital, clinic or Medical Center - Inpatient
		2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
		3 ... Hospital, Clinic or Medical Center - Dead on Arrival
		4 ... Decedent's home
		5 ... Hospice facility
		6 ... Nursing home/long term care
		7 ... Other
		9 ... Place of death unknown
84	1	<u>Marital Status</u>
		S ... Never married, single
		M ... Married
		W ... Widowed
		D ... Divorced
		U ... Marital Status unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<u>Day of Week of Death</u>
		1 ... Sunday
		2 ... Monday
		3 ... Tuesday
		4 ... Wednesday
		5 ... Thursday
		6 ... Friday
		7 ... Saturday
		9 ... Unknown
86-101	13	Reserved Positions
102-105	4	<u>Current Data Year</u>
		2005 ...2005
106	1	<u>Injury at Work</u>
		Y ... Yes
		N ... No
		U ... Unknown
107	1	<u>Manner of Death</u>
		1 ... Accident
		2 ... Suicide
		3 ... Homicide
		4 ... Pending investigation
		5 ... Could not determine
		6 ... Self-Inflicted
		7 ... Natural
		blank ... Not specified
108	1	<u>Method of Disposition</u>
		B ... Burial
		C ... Cremation
		O ... Other
		U ... Unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
109	1	<u>Autopsy</u>
		Y ... Yes N ... No U ... Unknown
110-143	34	<u>Reserved Positions</u>
144	1	<u>Activity Code</u>
		0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u>
		0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
146-162	18	<u>UNDERLYING CAUSE OF DEATH</u>
146-149	4	<u>ICD Code (10<sup>th</sup> Revision)</u>
		See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1.
150-152	3	<u>358 Cause Recode</u>
		A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.
		001-456 ... Code range (not inclusive)
153	1	<u>Reserved Positions</u>

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
154-156	3	<u>113 Cause Recode</u>
		A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.
		001-135 ... Code range (not inclusive)
157-159	3	<u>130 Infant Cause Recode</u>
		A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.
		001-158 ... Code range (not inclusive)
160-161	2	<u>39 Cause Recode</u>
		A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.
		01-42 ... Code range (not inclusive)
162	1	Reserved Position
163-443	281	<u>MULTIPLE CONDITIONS</u>
163-164	2	<u>Number of Entity-Axis Conditions</u>
		00-20 ... Code range
165-304	140	<u>ENTITY - AXIS CONDITIONS</u>
		Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.
		Position 1: Part/line number on certificate
		1 ... Part I, line 1 (a) 2 ... Part I, line 2 (b) 3 ... Part I, line 3 (c) 4 ... Part I, line 4 (d) 5 ... Part I, line 5 (e) 6 ... Part II
		Position 2: Sequence of condition within part/line
		1-7 ... Code range

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS- Con.</u>

Position 3 - 6: Condition code

See Table 1 for a complete list of codes

165-171	7	1 <sup>st</sup> Condition
172-178	7	2 <sup>nd</sup> Condition
179-185	7	3 <sup>rd</sup> Condition
186-192	7	4 <sup>th</sup> Condition
193-199	7	5 <sup>th</sup> Condition
200-206	7	6 <sup>th</sup> Condition
207-213	7	7 <sup>th</sup> Condition
214-220	7	8 <sup>th</sup> Condition
221-227	7	9 <sup>th</sup> Condition
228-234	7	10 <sup>th</sup> Condition
235-241	7	11 <sup>th</sup> Condition
242-248	7	12 <sup>th</sup> Condition
249-255	7	13 <sup>th</sup> Condition
256-262	7	14 <sup>th</sup> Condition
263-269	7	15 <sup>th</sup> Condition
270-276	7	16 <sup>th</sup> Condition
277-283	7	17 <sup>th</sup> Condition
284-290	7	18 <sup>th</sup> Condition

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS – Con.</u>
291-297	7	19 <sup>th</sup> Condition
298-304	7	20 <sup>th</sup> Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u>
		00-20            ... Code range
343	1	<u>Reserved Position</u>
344-443	100	<u>RECORD - AXIS CONDITIONS</u>
		Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.
		Positions 1 - 4: Condition Code
		See Table 1 for a complete list of codes
344-348	5	1 <sup>st</sup> Condition
349-353	5	2 <sup>nd</sup> Condition
354-358	5	3 <sup>rd</sup> Condition
359-363	5	4 <sup>th</sup> Condition
364-368	5	5 <sup>th</sup> Condition
369-373	5	6 <sup>th</sup> Condition
374-378	5	7 <sup>th</sup> Condition
379-383	5	8 <sup>th</sup> Condition
384-388	5	9 <sup>th</sup> Condition
389-393	5	10 <sup>th</sup> Condition
394-398	5	11 <sup>th</sup> Condition
399-403	5	12 <sup>th</sup> Condition

2005  
**Mortality Multiple Cause-of-Death Public Use Record**

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
344-443	100	<b><u>RECORD - AXIS CONDITIONS – Con.</u></b>
404-408	5	13 <sup>th</sup> Condition
409-413	5	14 <sup>th</sup> Condition
414-418	5	15 <sup>th</sup> Condition
419-433	5	16 <sup>th</sup> Condition
424-428	5	17 <sup>th</sup> Condition
429-433	5	18 <sup>th</sup> Condition
434-438	5	19 <sup>th</sup> Condition
439-443	5	20 <sup>th</sup> Condition
444	1	<b><u>Reserved position</u></b>
445-482	38	<b><u>RACE</u></b>
445-446	2	<b><u>Race</u></b>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

- 01 ... White
- 02 ... Black
- 03 ... American Indian (includes Aleuts and Eskimos)
- 04 ... Chinese
- 05 ... Japanese
- 06 ... Hawaiian (includes Part-Hawaiian)
- 07 ... Filipino
- 18 ... Asian Indian
- 28 ... Korean
- 38 ... Samoan
- 48 ... Vietnamese
- 58 ... Guamanian
- 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
- 78 ... Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	<u>Race- Con.</u>
		Puerto Rico Occurrence
	00	... Other races
	01	... White
	02	... Black
		Virgin Islands Occurrence
	01	... White
	02	... Black
	03	... American Indian (includes Aleuts and Eskimos)
	04	... Chinese
	05	... Japanese
	06	... Hawaiian (includes Part-Hawaiian)
	07	... Filipino
	08	... Other Asian or Pacific Islander
		Guam Occurrence
	01	... White
	02	... Black
	03	... American Indian (Includes Aleuts and Eskimos)
	04	... Chinese
	05	... Japanese
	06	... Hawaiian (includes Part-Hawaiian)
	07	... Filipino
	08	... Other Asian or Pacific Islander
	58	... Guamanian
		American Samoa Occurrence
	01	... White
	02	... Black
	03	... American Indian (includes Aleuts and Eskimos)
	04	... Chinese
	05	... Japanese
	06	... Hawaiian (includes Part-Hawaiian)
	07	... Filipino
	08	... Other Asian or Pacific Islander
		Northern Marianas Occurrence
	01	... White
	02	... Black
	03	... American Indian (includes Aleuts and Eskimos)
	04	... Chinese
	05	... Japanese

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	06 ... Hawaiian (includes Part-Hawaiian) <u>Race- Con.</u> <ul style="list-style-type: none"> <li>07 ... Filipino</li> <li>18 ... Asian Indian</li> <li>28 ... Korean</li> <li>38 ... Samoan</li> <li>48 ... Vietnamese</li> <li>58 ... Guamanian</li> <li>68 ... Other Asian or Pacific Islander in areas reporting codes 18-58</li> <li>78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately</li> </ul>
447	1	<u>Bridged Race Flag</u> <ul style="list-style-type: none"> <li>Blank      Race is not bridged</li> <li>1            Race is bridged</li> </ul>
448	1	<u>Race Imputation Flag</u> <ul style="list-style-type: none"> <li>Blank        ...      Race is not imputed</li> <li>1             ...      Unknown race is imputed</li> <li>2             ...      All other races is imputed</li> </ul>
449	1	<u>Race Recode 3</u> <ul style="list-style-type: none"> <li>1        ... White</li> <li>2        ... Races other than White or Black</li> <li>3        ... Black</li> </ul>
450	1	<u>Race Recode 5</u> <ul style="list-style-type: none"> <li>0        ... Other (Puerto Rico only)</li> <li>1        ... White</li> <li>2        ... Black</li> <li>3        ... American Indian</li> <li>4        ... Asian or Pacific Islander</li> </ul>
451-483	33	<u>Reserved</u>

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
484-486	3	<u>Hispanic Origin</u>
		100-199 ... Non – Hispanic
		200-209 ... Spaniard
		210-219 ... Mexican
		260-269 ... Puerto Rican
		270-274 ... Cuban
		275-279 ... Dominican
		220 ... Central and South American
		221-230 ... Central American
		231-249 ... South American
		250-259 ... Latin American
		280-299 ... Other Hispanic
		996-999 ... Unknown
487	1	<u>Reserved</u>
488	1	<u>Hispanic Origin/Race Recode</u>
		1 ... Mexican
		2 ... Puerto Rican
		3 ... Cuban
		4 ... Central or South American
		5 ... Other or unknown Hispanic
		6 ... Non - Hispanic white
		7 ... Non - Hispanic black
		8 ... Non - Hispanic other races
		9 ... Hispanic origin unknown

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
A00.0	-	-	-	A06.0	-	-	-
A00.1	-	-	-	A06.1	-	-	-
A00.9	-	-	-	A06.2	-	-	-
HC	-	-	-	A06.3	-	-	-
A01.0	-	-	-				
Number of resident deaths tabulated by mention of underlying cause, record axis multiple							
Entity axis multiple cause of death by ICD-10 category: United States, 2005							
A01.3	-	-	-	A06.6	-	-	-
A01.4	-	-	-	A06.7	-	-	-
A02.0	6	17	11	A06.8	-	-	-
A02.1	20	23	7	A06.9	-	-	-
Multiple Cause of Death Public Use File							
A02.2	-	-	-	A07.0	-	-	-
A02.8	-	-	-	A07.1	-	1	1
A02.9	4	8	4	A07.2	2	8	6
A03.0	1	2	1	A07.3	2	3	1
A03.1	-	-	-	A07.8	-	-	-
A03.2	-	-	-	A07.9	-	-	-
Control Total, Table 1							
A03.3	1	1	1	A08.0	5	6	1
A03.8	1	1	1	A08.1	4	4	-
A03.9	6	8	2	A08.2	-	-	-
A04.0	-	-	-	A08.3	1	5	4
A04.1	-	1	1	A08.4	96	146	50
A04.2	-	-	-	A08.5	2	2	2
A04.3	-	-	-	A09	132	184	52
A04.4	5	6	1	A16.2	269	379	164
A04.5	2	2	-	A16.3	-	1	1
A04.6	2	3	2	A16.4	-	-	-
A04.7	5,332	8,513	3,181	A16.5	6	11	8
A04.8	69	114	45	A16.7	3	4	1
A04.9	13	25	12	A16.8	-	-	-
A05.0	-	-	-	A16.9	202	614	413
A05.1	5	5	-	A17.0	10	13	4
A05.2	-	-	-	A17.1	-	-	-
A05.3	1	1	-	A17.8	7	11	6
A05.4	-	-	-	A17.9	-	-	-
A05.8	-	-	-	A18.0	70	118	49
A05.9	1	1	-	A18.1	4	8	4
							8

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
A23.8	-	-	-	A32.7	9	19	12	21
A23.9	2	2	-	A32.8	1	3	2	3
A24.0	-	-	-	A32.9	1	8	7	8
UC	-	-	-	A33	-	-	-	-
A24.1	-	-	-	-	-	-	-	-
<b>Number of resident deaths tabulated by mention of an underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
A24.4	-	-	-	A36.0	-	-	-	-
A25.0	-	-	-	A36.1	-	-	-	-
A25.1	-	-	-	A36.2	-	-	-	-
A25.9	-	-	-	A36.3	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>								
A26.0	-	-	-	A36.8	-	-	-	-
A26.7	-	-	-	A36.9	-	2	2	2
A26.8	-	-	-	A37.0	2	2	-	2
A26.9	-	-	-	A37.1	-	-	-	-
A27.0	-	-	-	A37.8	-	-	-	-
A27.8	-	-	-	A37.9	29	31	2	31
Control Total Table 1	4	5	1	A38	1	7	6	7
A28.0	25	32	7	A39.0	27	33	6	34
A28.1	1	2	1	A39.1	17	21	4	21
A28.2	1	1	-	A39.2	2	-	-	-
A28.8	4	6	2	A39.3	-	-	-	-
A28.9	-	-	-	A39.4	73	78	5	79
A30.0	-	-	-	A39.5	-	-	-	-
A30.1	-	-	-	A39.8	1	3	2	3
A30.2	-	-	-	A39.9	3	6	3	6
A30.3	-	-	-	A40.0	28	58	30	59
A30.4	-	-	-	A40.1	28	58	30	58
A30.5	-	1	1	A40.2	132	577	445	600
A30.8	-	-	-	A40.3	166	452	286	471
A30.9	1	6	5	A40.8	17	43	26	44
A31.0	214	433	220	A40.9	125	366	241	376
A31.1	-	-	-	A41.0	801	2,726	1,925	2,774
A31.8	8	10	2	A41.1	34	90	56	91
A31.9	52	100	48	A41.2	575	1,732	1,157	1,771
A32.0	-	-	-	A41.3	6	21	15	21
A32.1	20	27	7	A41.4	115	303	189	304

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
A50.6	-	-	-	A58	-	-	-
A50.7	-	-	-	A59.0	-	-	-
A50.9	1	2	1	A59.8	-	-	-
HC	-	-	-	A59.9	-	1	1
A51.0	-	-	-				1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
A51.3	-	-	-	A60.9	-	-	-
A51.4	-	-	-	A63.0	1	3	2
A51.5	-	-	-	A63.8	-	-	-
A51.9	-	-	-	A64	3	10	7
Multiple Cause of Death	1	Public	1	A64	3	10	7
A52.0	4	6	3	A65	-	-	-
A52.1	9	22	13	A66.0	-	-	-
A52.2	-	-	-	A66.1	-	-	-
A52.3	23	63	40	A66.2	-	-	-
A52.7	1	1	-	A66.3	-	-	-
A52.8	-	1	1	A66.4	-	-	-
Control Total Table 1	6	16	10	A66.5	-	-	-
A52.9	-	-	18	A66.5	-	-	-
A53.0	-	4	4	A66.6	-	-	-
A53.9	2	25	23	A66.7	-	-	-
A54.0	-	-	-	A66.8	-	-	-
A54.1	-	-	-	A66.9	-	-	-
A54.2	-	1	1	A67.0	-	-	-
A54.3	-	-	-	A67.1	-	-	-
A54.4	-	-	-	A67.2	-	-	-
A54.5	-	-	-	A67.3	-	-	-
A54.6	-	-	-	A67.9	-	-	-
A54.8	3	3	-	A68.0	-	-	-
A54.9	-	-	-	A68.1	-	-	-
A55	-	-	-	A68.9	-	-	-
A56.0	-	-	-	A69.0	-	-	-
A56.1	-	-	-	A69.1	1	1	-
A56.2	-	-	-	A69.2	7	37	30
A56.3	-	-	-	A69.8	-	-	-
A56.4	-	-	-	A69.9	-	-	-
A56.8	-	-	-	A70	-	-	-
A57	-	-	-	A71.0	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
							Entity axis
<b>Record count by code field</b>							
A83.1	-	-	-	A93.1	-	-	-
A83.2	2	2	-	A93.2	-	-	-
A83.3	1	3	2	A93.8	-	-	-
A83.4	-	-	-	A94	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>							
<b>A88. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
A83.8	-	-	-	A95.9	-	-	-
A83.9	1	1	-	A96.0	-	-	-
A84.0	-	-	-	A96.1	-	-	-
A84.1	<b>Multiple Cause of Death Public Use File</b>			A96.2	-	-	-
A84.8	-	-	-	A96.8	-	-	-
A84.9	-	-	-	A96.9	-	-	-
A85.0	2	2	-	A98.0	-	-	-
A85.1	-	-	-	A98.1	-	-	-
A85.2	-	-	-	A98.2	-	-	-
A85.8	3	5	2	A98.3	-	-	-
A86	104	Table 125	21	132	A98.4	-	-
A87.0	1	1	-	A98.5	-	-	-
A87.1	-	-	-	A98.8	-	-	-
A87.2	4	6	2	A99	-	-	-
A87.8	-	1	1	B00.0	-	-	-
A87.9	40	55	15	B00.1	-	2	2
A88.0	-	-	-	B00.2	1	4	3
A88.1	-	-	-	B00.3	2	3	1
A88.8	-	1	1	B00.4	115	160	45
A89	9	12	3	B00.5	-	-	-
A90	2	2	-	B00.7	11	15	7
A91	-	-	-	B00.8	12	44	32
A92.0	-	-	-	B00.9	34	116	82
A92.1	-	-	-	B01.0	-	-	-
A92.2	-	-	-	B01.1	5	6	1
A92.3	96	117	21	B01.2	4	6	2
A92.4	-	-	-	B01.8	-	-	-
A92.8	-	-	-	B01.9	4	18	14
A92.9	-	-	-	B02.0	16	26	10
A93.0	-	-	-	B02.1	1	2	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
B18.0	-	-	1	B25.8	24	54	30	91
B18.1	89	229	140	B25.9	38	135	97	188
B18.2	4,698	11,654	6,958	B26.0	-	-	-	-
B18.8	-	2	2	B26.1	-	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
B19.9	63	113	50	B26.8	-	-	-	-
B20.0	112	119	15	B26.9	-	2	2	2
B20.1	1,049	1,115	207	B27.0	18	30	12	30
B20.2	26	26	3	B27.1	-	-	-	-
B20.3	727	613	Public Use File	B27.8	-	-	-	-
B20.4	11	14	7	B27.9	2	5	3	5
B20.5	235	237	14	B30.0	-	-	-	-
B20.6	433	393	10	B30.1	-	-	-	-
B20.7	1,140	1,129	136	B30.2	-	-	-	-
B20.8	1,055	1,094	147	B30.3	-	-	-	-
B20.9	Control Total	20	Table 1 <sup>2</sup>	B30.8	-	-	-	-
B21.0	92	91	6	B30.9	-	-	-	-
B21.1	50	46	1	B33.0	-	-	-	-
B21.2	389	374	11	B33.1	-	-	-	-
B21.3	49	45	2	B33.2	54	67	13	67
B21.7	28	28	5	B33.3	6	19	13	20
B21.8	282	665	401	B33.8	10	16	6	18
B21.9	56	65	13	B34.0	16	31	15	32
B22.0	188	237	65	B34.1	9	10	1	10
B22.1	-	-	-	B34.2	-	-	-	-
B22.2	187	196	20	B34.3	1	5	4	7
B22.7	877	1,094	269	B34.4	-	-	-	-
B23.0	-	-	-	B34.8	50	86	36	86
B23.1	1	1	-	B34.9	278	418	140	472
B23.2	227	211	89	B35.0	-	-	-	-
B23.8	1,843	2,697	1,157	B35.1	-	5	5	5
B24	3,466	4,329	929	B35.2	-	-	-	-
B25.0	36	88	55	B35.3	-	1	1	1
B25.1	1	4	3	B35.4	-	1	1	1
B25.2	-	-	-	B35.5	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
B40.2	8	18	10	18	B46.4	2	7
B40.3	1	2	1	2	B46.5	13	51
B40.7	2	2	-	2	B46.8	1	1
B40.8	-	2	2	2	B46.9	1	6
<b>B40. Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
B41.7	-	-	-	-	B47.9	2	11
B41.8	-	-	-	-	B48.0	-	-
B41.9	-	1	1	1	B48.1	-	-
B42.0	-	-	-	-	B48.2	-	-
<b>B42. Multiple Cause of Death Public Use File</b>							
B42.1	-	-	-	-	B48.3	-	-
B42.7	-	-	-	-	B48.4	-	1
B42.8	-	-	-	-	B48.7	-	6
B42.9	1	2	1	2	B48.8	3	6
B43.0	-	-	-	-	B49	345	1,612
B43.1	-	-	-	-	B50.0	1	1
<b>Control Total Table 1</b>							
B43.2	-	-	-	-	B50.8	-	-
B43.8	-	-	-	-	B50.9	3	3
B43.9	-	-	-	-	B51.0	-	-
B44.0	8	35	27	38	B51.8	-	-
B44.1	108	401	293	349	B51.9	-	-
B44.2	-	-	-	-	B52.0	-	-
B44.7	3	29	26	30	B52.8	-	-
B44.8	1	17	16	17	B52.9	-	-
B44.9	44	247	203	330	B53.0	-	-
B45.0	9	28	19	36	B53.1	-	-
B45.1	73	175	105	393	B53.8	-	-
B45.2	-	-	-	-	B54	2	4
B45.3	-	-	-	-	B55.0	-	-
B45.7	11	35	24	72	B55.1	-	-
B45.8	-	-	-	-	B55.2	-	-
B45.9	7	37	31	61	B55.9	-	1
B46.0	1	9	8	9	B56.0	-	-
B46.1	3	7	4	7	B56.1	-	-
B46.2	-	2	2	2	B56.9	-	-
B46.3	-	1	1	1	B57.0	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
B67.5	-	-	-	B78.1	-	-	-
B67.6	-	-	-	B78.7	5	8	3
B67.7	-	-	-	B78.9	4	13	9
B67.8	-	-	-	B79	-	-	-
<b>Number of resident deaths tabulated by mention of B67.8 on underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
B68.1	-	-	-	B81.1	-	-	-
B68.9	-	-	-	B81.2	-	1	1
B69.0	4	7	3	B81.3	-	-	-
B69.1	-	-	-	B81.4	-	-	-
B69.8	-	-	-	B81.8	-	-	-
B69.9	2	4	2	B82.0	-	-	-
B70.0	-	-	-	B82.9	1	1	-
B70.1	-	-	-	B83.0	-	-	-
B71.0	-	-	-	B83.1	-	-	-
B71.1	-	-	-	B83.2	-	-	-
<b>Control Total Table 1</b>							
B71.8	-	-	-	B83.3	-	-	-
B71.9	-	-	-	B83.4	-	-	-
B72	-	-	-	B83.8	-	-	-
B73	-	-	-	B83.9	-	-	-
B74.0	-	-	-	B85.0	-	-	-
B74.1	-	-	-	B85.1	-	-	-
B74.2	-	-	-	B85.2	-	-	-
B74.3	-	-	-	B85.3	-	-	-
B74.4	-	-	-	B85.4	-	-	-
B74.8	-	-	-	B86	-	6	6
B74.9	-	-	-	B87.0	-	-	-
B75	-	-	-	B87.1	-	-	-
B76.0	-	-	-	B87.2	-	-	-
B76.1	-	-	-	B87.3	-	-	-
B76.8	-	-	-	B87.4	-	-	-
B76.9	-	-	-	B87.8	-	-	-
B77.0	-	-	-	B87.9	1	4	3
B77.8	-	-	-	B88.0	-	-	-
B77.9	-	-	-	B88.1	-	-	-
B78.0	-	-	-	B88.2	-	-	-

ICD-10 code	Record axis				ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis			Record axis	Total mention	Second- ary	Entity axis
						UC			
<b>Record count by code field</b>									
C03.9	40	53	13	53	C11.9	603	680	78	683
C04.0	-	-	-	-	C12	83	94	11	94
C04.1	-	-	-	-	C13.0	3	3	-	3
C04.8	-	-	-	-	C13.1	-	1	1	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
C05.1	50	77	27	77	C13.9	194	239	45	240
C05.2	11	17	6	17	C14.0	1,612	2,174	565	2,196
C05.8	1	1	-	1	C14.2	1	1	-	1
C05.9	68	94	26	94	C14.8	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									
C06.0	22	28	6	28	C15.0	8	8	-	8
C06.1	-	-	-	-	C15.1	5	6	1	6
C06.2	27	33	6	33	C15.2	-	-	-	-
C06.8	-	1	1	1	C15.3	6	6	-	6
C06.9	848	1,066	218	1,132	C15.4	-	-	-	-
C07	517	622	105	622	C15.5	68	74	6	78
<b>Control Total Table 1</b>									
C08.0	33	42	9	42	C15.8	-	-	-	-
C08.1	1	1	-	1	C15.9	13,412	14,590	1,194	14,739
C08.8	-	-	-	-	C16.0	749	803	54	681
C08.9	150	171	21	173	C16.1	3	3	-	3
C09.0	18	23	5	23	C16.2	1	1	-	1
C09.1	5	5	-	5	C16.3	4	6	2	6
C09.8	-	-	-	-	C16.4	2	2	-	2
C09.9	624	747	124	751	C16.5	1	1	-	1
C10.0	6	8	2	8	C16.6	1	1	-	1
C10.1	1	1	-	1	C16.8	-	-	-	-
C10.2	-	-	-	-	C16.9	10,753	11,726	983	11,876
C10.3	-	-	-	-	C17.0	595	660	65	660
C10.4	1	2	1	2	C17.1	35	39	4	39
C10.8	-	-	-	-	C17.2	43	56	13	56
C10.9	647	749	102	751	C17.3	-	-	-	-
C11.0	-	-	-	-	C17.8	-	-	-	-
C11.1	12	15	3	15	C17.9	444	494	50	500
C11.2	-	-	-	-	C18.0	285	362	77	362
C11.3	-	-	-	-	C18.1	311	337	26	338
C11.8	-	-	-	-	C18.2	288	357	69	357

ICD-10 code	Record axis			Entity axis	ICD-10 code	Record count by code field		
	Total	Second- ary	Entity axis			Total	Second- ary	Entity axis
	mention					UC	mention	
<b>Record count by code field</b>								
C26.9	670	574	57	597	C40.8	-	-	-
C30.0	37	45	8	45	C40.9	1	1	-
C30.1	7	10	3	10	C41.0	59	68	9
C31.0	170	186	16	186	C41.1	105	134	29
Number of resident deaths tabulated by mention of underlying cause record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005								
C31.3	10	14	4	14	C41.4	63	75	12
C31.8	-	-	-	-	C41.8	1	1	-
C31.9	232	264	33	264	C41.9	958	1,058	100
C32.0	90	139	40	139	C43.0	2	2	-
Multiple Cause of Death Public Use File								
C32.1	193	246	55	249	C43.1	4	8	4
C32.2	9	12	3	12	C43.2	17	20	3
C32.3	4	6	2	6	C43.3	69	88	19
C32.8	-	-	-	-	C43.4	116	135	20
C32.9	3,501	4,600	1,106	4,633	C43.5	178	195	17
C33	72	94	22	94	C43.6	101	118	18
Control Total Table 1								
C34.0	33	42	9	42	C43.7	126	144	18
C34.1	553	634	82	635	C43.8	2	2	-
C34.2	35	45	10	45	C43.9	7,730	8,525	803
C34.3	227	267	40	267	C44.0	5	9	4
C34.8	3	4	1	4	C44.1	8	18	10
C34.9	158,369	167,866	9,690	168,238	C44.2	110	166	56
C37	193	215	22	216	C44.3	214	343	129
C38.0	74	95	21	95	C44.4	1,035	1,291	260
C38.1	2	3	1	3	C44.5	41	63	22
C38.2	-	-	-	-	C44.6	40	53	13
C38.3	99	116	17	116	C44.7	44	67	24
C38.4	67	86	19	86	C44.8	-	-	-
C38.8	1	1	-	1	C44.9	956	1,547	591
C39.0	2	2	-	2	C45.0	174	186	12
C39.8	-	-	-	-	C45.1	98	107	9
C39.9	11	17	6	18	C45.2	1	1	-
C40.0	21	21	-	21	C45.7	306	325	19
C40.1	-	-	-	-	C45.9	1,974	2,096	125
C40.2	59	71	12	71	C46.0	-	1	1
C40.3	2	3	1	3	C46.1	-	-	-

ICD-10 code	Record axis				ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis			Record axis	Total mention	Second- ary	Entity axis
	11	14	3	14		C63.0	-	-	-
C51.0	11	14	3	14	C63.0	-	-	-	-
C51.1	-	1	1	1	C63.1	2	2	-	2
C51.2	-	1	1	1	C63.2	9	10	1	10
C51.8	-	-	-	-	C63.7	2	3	1	3
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity as cause multiple cause of death by ICD-10 category: United States, 2005</b>									
C52	33	36	4	37	C64	12,367	14,393	2,039	14,409
C53.0	-	-	-	-	C65	150	165	15	165
C53.1	-	-	-	-	C66	347	459	112	459
C53.8	-	-	-	-	C67.0	-	1	1	1
C53.9	3,891	4,915	440	4,347	C67.1	1	1	-	1
<b>Multiple Cause of Death Public Use File</b>									
C54.0	1	1	-	1	C67.2	1	3	2	3
C54.1	3,192	3,654	463	3,655	C67.3	-	-	-	-
C54.2	-	-	-	-	C67.4	-	-	-	-
C54.3	-	-	-	-	C67.5	4	6	2	6
C54.8	-	-	-	-	C67.6	1	1	-	1
C54.9	66	71	5	73	C67.7	21	23	2	23
<b>Control Total Table 1</b>									
C55	3,837	4,587	750	4,662	C67.8	1	1	-	1
C56	14,787	15,813	1,028	15,819	C67.9	13,224	17,312	4,092	17,322
C57.0	163	179	16	179	C68.0	181	208	28	209
C57.1	-	-	-	-	C68.1	-	-	-	-
C57.2	-	-	-	-	C68.8	-	-	-	-
C57.3	-	-	-	-	C68.9	106	66	14	81
C57.4	2	2	-	3	C69.0	1	3	2	3
C57.7	8	9	1	9	C69.1	1	1	-	1
C57.8	3	3	-	3	C69.2	20	32	12	32
C57.9	69	76	8	79	C69.3	11	16	5	16
C58	16	16	-	16	C69.4	1	3	2	3
C60.0	-	-	-	-	C69.5	13	13	-	13
C60.1	-	-	-	-	C69.6	54	71	17	71
C60.2	-	-	-	-	C69.8	-	-	-	-
C60.8	-	-	-	-	C69.9	151	227	76	229
C60.9	217	275	59	278	C70.0	17	23	6	23
C61	28,905	41,586	12,696	41,609	C70.1	1	1	-	1
C62.0	1	1	-	1	C70.9	91	118	27	119
C62.1	-	-	-	-	C71.0	222	239	18	241
C62.9	358	470	114	473					

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
C76.8	1	1	-	1	C82.2	13	16	3	16
C77.0	6	62	56	62	C82.7	3	3	-	3
C77.1	2	53	51	53	C82.9	206	261	55	261
C77.2	2	81	79	81	C83.0	250	344	94	351
Number of resident deaths tabulated by mention of cause underlying death cause of death by ICD-10 category: United States, 2005									
C77.5	-	7	7	7	C83.3	961	1,121	161	1,146
C77.8	-	1	1	1	C83.4	7	9	2	10
C77.9	23	770	747	770	C83.5	76	78	2	80
C78.0	323	15,750	15,427	15,762	C83.6	2	2	-	2
Multiple Cause of Death Public Use File									
C78.1	17	296	279	296	C83.7	256	285	30	355
C78.2	145	2,123	1,978	2,126	C83.8	40	51	11	51
C78.3	3	134	131	134	C83.9	33	37	4	38
C78.4	-	95	95	95	C84.0	85	115	30	115
C78.5	45	1,456	1,411	1,456	C84.1	10	14	4	14
C78.6	400	1,731	1,331	1,731	C84.2	1	1	-	1
Control Total, Table 1, 164									
C78.7	2,219	164	16,951	19,177	C84.3	1	1	-	1
C78.8	46	1,154	1,108	1,155	C84.4	49	59	10	59
C79.0	9	448	439	448	C84.5	755	868	114	880
C79.1	10	509	499	509	C85.0	33	40	7	40
C79.2	14	357	343	357	C85.1	1,544	1,763	219	1,822
C79.3	783	14,990	14,210	15,008	C85.7	9	12	3	12
C79.4	9	739	730	739	C85.9	15,934	19,683	3,754	20,373
C79.5	429	10,265	9,836	10,266	C88.0	349	516	168	517
C79.6	7	251	244	251	C88.1	-	-	-	-
C79.7	-	553	553	553	C88.2	-	-	-	-
C79.8	3,121	9,042	5,929	9,061	C88.3	-	-	-	-
C80	26,371	26,465	2,816	55,529	C88.7	-	-	-	-
C81.0	1	1	-	1	C88.9	-	1	1	1
C81.1	19	23	4	23	C90.0	10,657	12,538	1,881	12,549
C81.2	4	4	-	4	C90.1	93	142	49	142
C81.3	1	1	-	1	C90.2	101	169	68	171
C81.7	1	1	-	1	C91.0	1,460	1,591	131	1,617
C81.9	1,246	1,719	474	1,763	C91.1	4,391	6,638	2,247	6,639
C82.0	8	8	-	8	C91.2	-	-	-	-
C82.1	4	5	1	5	C91.3	73	90	17	90

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
D00.0	-	-	-	D05.0	-	-	-
D00.1	1	5	4	D05.1	1	3	2
D00.2	1	1	-	D05.7	-	-	-
D01.0	-	4	4	D05.9	2	9	7
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
D01.3	-	-	-	D06.7	-	-	-
D01.4	-	-	-	D06.9	-	-	-
D01.5	2	2	-	D07.0	-	-	-
D01.7	-	1	1	D07.1	1	2	1
D01.9	-	-	1	D07.2	-	-	-
D02.0	1	3	2	D07.3	-	1	1
D02.1	-	-	-	D07.4	-	-	-
D02.2	4	6	2	D07.5	-	1	1
D02.3	-	-	-	D07.6	-	-	-
D02.4	-	-	-	D09.0	2	2	-
<b>Control Total Table 1</b>							
D03.0	-	-	-	D09.1	-	-	-
D03.1	-	-	-	D09.2	-	-	-
D03.2	-	-	-	D09.3	-	-	-
D03.3	-	-	-	D09.7	-	-	-
D03.4	-	-	-	D09.9	-	1	1
D03.5	-	-	-	D10.0	-	-	-
D03.6	-	-	-	D10.1	-	-	-
D03.7	-	-	-	D10.2	-	-	-
D03.8	1	3	2	D10.3	1	1	-
D03.9	-	1	1	D10.4	-	-	-
D04.0	-	-	-	D10.5	-	1	1
D04.1	-	-	-	D10.6	1	2	1
D04.2	-	-	-	D10.7	-	-	-
D04.3	-	-	-	D10.9	-	2	2
D04.4	-	-	-	D11.0	1	5	4
D04.5	-	-	-	D11.7	1	1	-
D04.6	-	-	-	D11.9	1	3	2
D04.7	-	-	-	D12.0	2	4	2
D04.8	-	-	-	D12.1	-	-	-
D04.9	1	2	1	D12.2	1	1	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
D17.0	-	1	1	D23.2	-	-	-
D17.1	-	-	-	D23.3	-	-	-
D17.2	-	-	-	D23.4	-	-	-
UC	-	-	-	D23.5	1	1	1
D17.3	-	-	-				
Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2006							
D17.6	-	-	-	D23.9	11	20	9
D17.7	5	17	12	D24	2	4	2
D17.9	9	20	11	D25.0	-	-	-
D18.0	52	98	46	D25.1	-	1	1
Multiple Causes of Death Public Use File	23	63	40	D25.2	-	-	-
D18.1	-	-	63				
D19.0	2	2	-	D25.9	28	72	44
D19.1	-	1	1	D26.0	-	-	-
D19.7	-	-	-	D26.1	-	-	-
D19.9	1	1	-	D26.7	-	-	-
D20.0	-	-	-	D26.9	3	6	3
Control Total, Table 1	1	1	-	D27	10	27	17
D20.1	-	-	1				28
D21.0	-	-	-	D28.0	-	-	-
D21.1	-	-	-	D28.1	-	-	-
D21.2	-	-	-	D28.2	-	-	-
D21.3	-	1	1	D28.7	-	1	1
D21.4	-	-	-	D28.9	-	-	-
D21.5	-	-	-	D29.0	-	-	-
D21.6	-	-	-	D29.1	-	1	1
D21.9	19	40	21	D29.2	-	1	1
D22.0	-	-	-	D29.3	-	-	-
D22.1	-	-	-	D29.4	-	1	1
D22.2	-	-	-	D29.7	-	-	-
D22.3	-	-	-	D29.9	-	-	-
D22.4	-	-	-	D30.0	3	7	4
D22.5	-	1	1	D30.1	-	-	-
D22.6	-	-	-	D30.2	-	1	1
D22.7	-	-	-	D30.3	-	-	-
D22.9	-	4	4	D30.4	-	-	-
D23.0	-	-	-	D30.7	-	-	-
D23.1	-	-	-	D30.9	-	-	-

ICD-10 code	Record axis				ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis	UC		Total mention	Second- ary	Entity axis	
	Record count by code field					Record count by code field			
D37.3	3	12	9	12	D43.4	37	52	15	52
D37.4	102	166	64	174	D43.7	1	1	-	1
D37.5	27	41	14	45	D43.9	34	42	8	46
D37.6	193	261	68	279	D44.0	7	23	16	23
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
D38.0	21	33	12	36	D44.3	84	167	83	169
D38.1	599	831	232	857	D44.4	57	86	29	86
D38.2	2	3	1	3	D44.5	7	13	6	13
D38.3	46	65	19	65	D44.6	3	6	3	6
<b>Multiple Cause of Death Public Use File</b>									
D38.4	1	1	1	1	D44.7	8	14	6	14
D38.5	10	16	6	16	D44.8	1	5	4	5
D38.6	2	3	1	3	D44.9	8	17	9	20
D39.0	31	49	18	49	D45	290	982	692	982
D39.1	46	90	44	95	D46.0	-	-	-	-
D39.2	2	2	-	2	D46.1	3	7	4	7
D39.7	6	7	1	7	D46.2	16	21	5	21
D39.9	3	5	2	5	D46.3	-	2	2	2
D40.0	19	34	15	36	D46.4	107	190	83	190
D40.1	4	8	4	8	D46.7	7	17	10	17
D40.7	-	-	-	-	D46.9	4,680	8,718	4,041	8,858
D40.9	1	1	-	1	D47.0	-	-	-	-
D41.0	68	155	87	161	D47.1	1,354	2,280	926	2,280
D41.1	-	-	-	-	D47.2	77	262	185	262
D41.2	2	5	3	5	D47.3	14	48	34	48
D41.3	2	4	2	5	D47.7	7	10	3	10
D41.4	92	203	111	258	D47.9	101	171	71	206
D41.7	-	-	-	-	D48.0	38	84	46	87
D41.9	1	2	1	2	D48.1	185	242	57	250
D42.0	2	5	3	5	D48.2	8	12	4	12
D42.1	-	-	-	-	D48.3	15	27	12	27
D42.9	12	20	8	21	D48.4	3	9	6	11
D43.0	147	188	41	193	D48.5	7	21	14	21
D43.1	96	113	17	118	D48.6	57	79	22	79
D43.2	2,639	3,136	497	3,776	D48.7	241	381	140	384
D43.3	1	4	3	4	D48.9	235	352	117	910

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
D57.8	-	-	-	D68.0	12	61	49	61
D58.0	3	16	13	D68.1	-	2	2	2
D58.1	-	3	3	D68.2	52	161	109	161
D58.2	5	15	10	D68.3	-	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record as multiple cause death ICD-10 category: United States, 2005</b>								
D59.0	-	-	-	D68.9	993	5,329	4,336	5,472
D59.1	105	295	190	D69.0	4	17	13	17
D59.2	-	3	3	D69.1	3	9	6	9
D59.3	30	69	39	D69.2	3	23	20	25
<b>Multiple Cause of Death Public Use File</b>								
D59.4	8	127	119	D69.3	304	767	463	767
D59.5	12	28	16	D69.4	42	96	54	96
D59.6	-	-	-	D69.5	55	942	887	952
D59.8	-	1	1	D69.6	454	3,729	3,275	3,749
D59.9	17	38	21	D69.8	1	1	-	1
D60.0	-	-	-	D69.9	31	139	108	145
<b>Control Total Table 1</b>								
D60.1	-	-	-	D70	323	2,560	2,237	2,564
D60.8	-	-	-	D71	13	24	11	24
D60.9	7	32	25	D72.0	1	1	-	1
D61.0	14	28	14	D72.1	14	36	22	36
D61.1	-	2	2	D72.8	76	476	400	476
D61.2	-	3	3	D72.9	1	5	4	5
D61.3	4	4	-	D73.0	2	9	7	9
D61.8	-	2	2	D73.1	30	178	148	178
D61.9	901	4,190	3,289	D73.2	1	18	17	18
D62	30	180	150	D73.3	7	27	20	27
D64.0	-	-	-	D73.4	-	2	2	2
D64.1	1	1	-	D73.5	45	204	159	205
D64.2	-	-	-	D73.8	5	42	37	42
D64.3	38	109	71	D73.9	41	146	105	149
D64.4	-	-	-	D74.0	-	-	-	-
D64.8	47	90	44	D74.8	-	-	-	-
D64.9	2,434	39,929	37,495	D74.9	-	2	2	2
D65	531	3,319	2,788	D75.0	1	2	1	2
D66	85	183	98	D75.1	4	58	54	58
D67	4	15	11	D75.2	31	159	128	159

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
D83.8	-	-	-	E04.2	11	57	46	60
D83.9	11	26	15	E04.8	-	-	-	-
D84.0	-	-	-	E04.9	46	271	225	279
D84.1	15	23	8	E05.0	46	192	146	187
Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity as one multiple cause death using ICD-10 category: United States, 2005								
D86.0	138	184	46	E05.3	-	-	-	-
D86.1	-	-	-	E05.4	-	-	-	-
D86.2	-	-	-	E05.5	28	35	7	35
D86.3	1	1	1	E05.8	1	2	1	2
D86.8	77	94	Public Use File 21	E05.9	228	1,250	1,022	1,287
D86.9	703	1,241	538	E06.0	-	1	1	1
D89.0	5	20	15	E06.1	-	1	1	1
D89.1	28	76	48	E06.2	-	-	-	-
D89.2	5	33	28	E06.3	7	48	41	48
D89.8	1	1	-	E06.4	-	-	-	-
D89.9	13	30	17	E06.5	1	21	20	21
Control Total				E06.9	2	29	27	29
E00.0	-	-	-	E07.0	-	-	-	-
E00.1	-	-	-	E07.1	-	-	-	-
E00.2	-	-	-	E07.8	-	9	9	9
E00.9	-	3	3	E07.9	38	247	209	264
E01.0	-	-	-	E10.0	43	56	14	1
E01.1	1	1	-	E10.1	175	211	37	1
E01.2	-	-	-	E10.2	143	222	80	2
E01.8	-	-	-	E10.3	15	18	4	1
E02	-	1	1	E10.4	52	92	40	-
E03.0	-	-	-	E10.5	567	1,055	494	-
E03.1	6	16	10	E10.6	25	40	15	2
E03.2	1	2	1	E10.7	87	143	57	1
E03.3	-	-	-	E10.8	-	-	-	-
E03.4	1	47	46	E10.9	4,382	11,313	6,940	13,144
E03.5	22	10	1	E11.0	75	111	38	3
E03.8	-	1	1	E11.1	114	260	146	1
E03.9	1,528	19,966	18,437	E11.2	397	736	341	-
E04.0	-	-	-	E11.3	9	33	24	-
E04.1	3	29	26					

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
E15	19	28	14	85	E25.0	11	22	11	22
E16.0	5	14	9	14	E25.8	-	-	-	-
E16.1	2	12	10	12	E25.9	-	1	1	1
E16.2	249	1,602	1,353	1,605	E26.0	4	10	6	10
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
E16.8	-	-	-	-	E26.9	3	12	9	13
E16.9	-	-	-	-	E27.0	1	1	-	1
E20.0	-	1	1	1	E27.1	98	358	260	358
E20.1	-	-	-	-	E27.2	12	41	29	41
E20.8	-	1	1	1	E27.3	-	-	-	-
E20.9	8	72	64	72	E27.4	114	872	758	882
E21.0	5	16	11	16	E27.5	-	1	1	1
E21.1	-	7	7	7	E27.8	3	18	15	18
E21.2	-	-	-	-	E27.9	16	97	81	105
E21.3	87	463	376	463	E28.0	-	-	-	-
E21.4	Control Total, Table 1	1	-	1	E28.1	-	-	-	-
E21.5	3	12	9	12	E28.2	2	9	7	9
E22.0	7	44	37	44	E28.3	-	3	3	3
E22.1	-	-	-	-	E28.8	-	-	-	-
E22.2	57	341	284	341	E28.9	-	-	-	-
E22.8	-	-	-	-	E29.0	-	1	1	1
E22.9	-	1	1	1	E29.1	1	28	27	28
E23.0	92	420	328	420	E29.8	-	-	-	-
E23.1	-	-	-	-	E29.9	-	-	-	-
E23.2	50	195	145	195	E30.0	-	-	-	-
E23.3	1	11	10	11	E30.1	-	-	-	-
E23.6	8	19	11	19	E30.8	-	-	-	-
E23.7	15	26	11	28	E30.9	-	-	-	-
E24.0	-	-	-	-	E31.0	3	8	5	8
E24.1	-	-	-	-	E31.1	-	-	-	-
E24.2	1	12	11	12	E31.8	-	-	-	-
E24.3	-	2	2	2	E31.9	-	1	1	1
E24.4	-	-	-	-	E32.0	1	6	5	6
E24.8	-	-	-	-	E32.1	-	-	-	-
E24.9	18	97	79	99	E32.8	-	1	1	1

Record count by code field							
ICD-10 code	Record axis	ICD-10 code	Record axis	Record count by code field			
	Total mention	Second- ary	Entity axis	UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>							
E54	-	7	7	7	E67.0	-	-
E55.0	1	9	8	9	E67.1	-	-
E55.9	3	9	6	9	E67.2	-	-
E56	-	-	-	-	E67.3	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>							
<b>E66 Entity axis multiple cause of death by ICD-10 Category: United States, 2005</b>							
E66.9	-	9	9	9	E70.0	-	-
E58	-	-	-	-	E70.1	3	5
E59	-	-	-	-	E70.2	2	4
E60	-	-	-	-	E70.3	2	7
<b>Multiple Cause of Death Public Use File</b>							
E61.0	-	-	-	-	E70.8	-	-
E61.1	8	148	140	148	E70.9	-	-
E61.2	-	-	-	-	E71.0	-	-
E61.3	-	-	-	-	E71.1	13	14
E61.4	-	-	-	-	E71.2	-	-
E61.5	1	1	-	1	E71.3	42	55
<b>Control Total Table 1</b>							
E61.6	-	-	-	-	E72.0	8	19
E61.7	-	-	-	-	E72.1	12	40
E61.8	-	2	2	2	E72.2	39	74
E61.9	-	-	-	-	E72.3	6	7
E63.0	1	1	-	1	E72.4	6	14
E63.1	-	-	-	-	E72.5	3	9
E63.8	-	2	2	2	E72.8	1	1
E63.9	125	795	671	812	E72.9	2	3
E64.0	1	3	2	3	E73.0	1	1
E64.1	-	-	-	-	E73.1	-	-
E64.2	-	-	-	-	E73.8	-	-
E64.3	-	-	-	-	E73.9	-	6
E64.8	1	1	-	1	E74.0	13	29
E64.9	-	-	-	-	E74.1	-	1
E65	1	3	2	3	E74.2	1	2
E66.0	35	250	215	250	E74.3	18	181
E66.1	-	-	-	-	E74.4	8	13
E66.2	119	218	99	218	E74.8	14	48
E66.8	2,891	9,191	6,300	9,191	E74.9	-	1
E66.9	1,604	11,555	9,951	11,729	E75.0	17	18

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		Record axis		Record count by code field	
	UC	mention	Entity axis		Total	Second- ary	Entity axis	
<b>Record count by code field</b>								
E80.7	1	3	2	3	E89.1	...	4	4
E83.0	28	47	19	47	E89.2	...	-	-
E83.1	199	617	418	617	E89.3	...	4	4
HC	-	-	-	-	E89.4	...	-	-
Number of resident deaths tabulated by mention of E80-85 underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005								
E83.5	222	2,385	2,163	2,385	E89.8	...	83	83
E83.8	1	1	-	1	E89.9	...	6	6
E83.9	-	-	-	-	F01.0	4	4	-
E84.0	244	284	40	4	F01.1	1,948	5,401	3,453
Multiple Cause of Death Public Use File				4	F01.2	-	-	5,401
E84.1	11	18	7	4	F01.3	6	10	4
E84.8	27	-	-	-	F01.8	5	12	7
E84.9	132	146	18	440	F01.9	2,262	6,476	4,215
E85.0	1	6	5	6	F03	51,926	146,377	94,455
E85.1	6	2	-	2	F04	-	1	1
E85.2	14	16	2	16	F05.0	-	1	1
Control Total Table 1				2	F05.1	96	260	164
E85.3	-	-	-	-	F05.8	2	3	1
E85.4	429	497	158	391	F05.9	190	742	559
E85.8	1	11	10	11	F06.0	-	-	-
E85.9	505	893	389	1,014	F06.1	-	-	-
E86	4,030	24,470	20,440	24,537	F06.2	-	-	-
E87.0	453	2,093	1,641	2,096	F06.3	1	20	19
E87.1	270	2,021	1,751	2,027	F06.4	-	-	-
E87.2	1,024	6,675	5,653	7,831	F06.5	-	-	-
E87.3	6	51	45	51	F06.6	-	-	-
E87.4	2	6	4	6	F06.7	-	2	2
E87.5	485	5,062	4,577	5,081	F06.8	1	2	1
E87.6	140	982	842	984	F06.9	1,391	4,708	3,317
E87.7	69	573	504	576	F07.0	3	9	6
E87.8	376	3,452	3,076	3,516	F07.1	1	1	-
E88.0	244	1,021	777	1,021	F07.2	5	26	21
E88.1	1	5	4	5	F07.8	-	-	-
E88.2	-	2	2	2	F07.9	-	-	-
E88.8	21	217	196	223	F09	9	893	884
E88.9	599	2,235	1,637	2,635				1,271
E89.0	...	6	6	6				

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
F13.6	-	-	-	F17.2	31	2,226	2,195
F13.7	-	-	-	F17.3	-	-	-
F13.8	-	-	-	F17.4	-	-	-
F13.9	4	89	85	F17.5	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity as multiple causes of death ICD-10 category: United States, 2005</b>							
F14.2	68	161	93	F17.8	-	-	-
F14.3	1	1	-	F17.9	1,096	153,057	151,961
F14.4	-	-	-	F18.0	-	-	-
F14.5	-	2	2	F18.1	2	4	2
<b>Multiple Cause of Death Public Use File</b>							
F14.6	-	-	-	F18.2	-	-	-
F14.7	-	-	-	F18.3	-	-	-
F14.8	-	1	1	F18.4	-	-	-
F14.9	211	1,477	1,266	F18.5	-	-	-
F15.0	3	4	1	F18.6	-	-	-
F15.1	57	240	183	F18.7	-	-	-
F15.2	Control Total	Table 19	60	F18.8	-	-	-
F15.3	-	-	-	F18.9	-	2	2
F15.4	1	1	-	F19.0	-	9	9
F15.5	-	-	-	F19.1	1,173	7,091	5,918
F15.6	-	-	-	F19.2	203	451	248
F15.7	-	-	-	F19.3	5	13	8
F15.8	-	-	-	F19.4	-	-	-
F15.9	32	220	188	F19.5	1	1	-
F16.0	1	1	-	F19.6	-	-	-
F16.1	1	4	3	F19.7	-	-	-
F16.2	-	-	-	F19.8	-	-	-
F16.3	1	2	1	F19.9	150	2,611	2,461
F16.4	-	-	-	F20.0	53	335	283
F16.5	-	-	-	F20.1	-	-	-
F16.6	-	-	-	F20.2	11	31	20
F16.7	-	-	-	F20.3	1	6	5
F16.8	-	-	-	F20.4	1	-	-
F16.9	1	6	5	F20.5	47	289	242
F17.0	2	18	16	F20.6	-	-	-
F17.1	137	7,893	7,756	F20.8	-	1	1

ICD-10 code	Record axis				ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis	UC		Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
F32.2	76	477	401	477	F43.1	28	333	305	333
F32.3	5	32	28	32	F43.2	10	61	51	61
F32.8	1	17	16	17	F43.8	-	-	-	-
F32.9	580	13,169	12,589	13,175	F43.9	58	300	242	301
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
F33.2	3	20	17	20	F44.2	1	2	1	2
F33.3	-	-	-	-	F44.3	-	-	-	-
F33.4	-	-	-	-	F44.4	2	3	1	3
F33.8	-	-	-	-	F44.5	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									
F33.9	4	42	38	42	F44.6	-	-	-	-
F34.0	-	26	26	26	F44.7	-	-	-	-
F34.1	1	13	12	13	F44.8	5	16	11	16
F34.8	-	-	-	-	F44.9	-	3	3	3
F34.9	-	-	-	-	F45.0	-	-	-	-
F38.0	-	-	-	-	F45.1	-	1	1	1
<b>Control Total Table 1</b>									
F38.1	-	-	-	-	F45.2	-	1	1	1
F38.8	-	-	-	-	F45.3	3	47	44	47
F39	3	66	63	79	F45.4	-	-	-	-
F40.0	-	10	10	10	F45.8	1	9	8	9
F40.1	-	2	2	2	F45.9	-	3	3	3
F40.2	-	1	1	1	F48.0	5	11	6	11
F40.8	-	1	1	1	F48.1	-	-	-	-
F40.9	-	-	-	-	F48.8	2	6	4	6
F41.0	2	59	57	59	F48.9	4	31	27	38
F41.1	5	83	78	83	F50.0	39	69	30	69
F41.2	10	49	49	49	F50.1	-	-	-	-
F41.3	-	-	-	-	F50.2	11	35	24	35
F41.8	-	5	5	5	F50.3	-	-	-	-
F41.9	30	1,739	1,709	1,760	F50.4	-	-	-	-
F42.0	-	-	-	-	F50.5	1	1	-	1
F42.1	-	-	-	-	F50.8	70	182	112	182
F42.2	-	-	-	-	F50.9	5	32	27	33
F42.8	-	-	-	-	F51.0	-	-	-	-
F42.9	4	60	56	60	F51.1	-	-	-	-
F43.0	-	3	3	3	F51.2	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
F62.9	-	-	-	F80.0	-	-	-
F63.0	-	-	-	F80.1	-	1	1
F63.1	-	-	-	F80.2	-	-	-
HC	-	-	-	F80.3	-	-	-
F63.2	-	-	-				
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple Entity axis multiple cause of death by ICD-10 Category: United States, 2005</b>							
F63.9	1	6	5	F81.0	-	-	-
F64.0	-	-	-	F81.1	-	-	-
F64.1	-	-	-	F81.2	1	1	-
F64.2	-	-	-	F81.3	-	-	-
F64.8	Multiple Cause of Death Public Use File			F81.8	-	-	-
F64.9	-	-	-	F81.9	1	8	7
F65.0	-	-	-	F82	6	35	29
F65.1	-	-	-	F83	-	-	-
F65.2	-	-	-	F84.0	6	71	65
F65.3	-	-	-	F84.1	-	-	-
F65.4	Control Total Table 1			F84.2	22	38	16
F65.5	-	-	-	F84.3	-	-	-
F65.6	-	-	-	F84.4	-	-	-
F65.8	-	1	1	F84.5	-	6	6
F65.9	-	-	-	F84.8	-	-	-
F66.0	-	-	-	F84.9	2	2	-
F66.1	-	-	-	F88	-	2	2
F66.2	-	-	-	F89	2	26	24
F66.8	-	-	-	F90.0	-	18	18
F66.9	-	-	-	F90.1	-	-	-
F68.0	-	-	-	F90.8	-	-	-
F68.1	1	5	4	F90.9	-	4	4
F68.8	-	-	-	F91.0	-	-	-
F69	-	16	16	F91.1	-	-	-
F70	4	39	35	F91.2	-	-	-
F71	4	17	13	F91.3	-	-	-
F72	74	259	185	F91.8	-	5	5
F73	51	195	144	F91.9	6	77	71
F78	-	1	1	F92.0	-	-	-
F79	363	2,037	1,674	F92.8	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
	Record count by code field							
G03.8	-	2	2	G23.9	131	174	43	178
G03.9	295	918	623	G24.0	-	1	1	1
G04.0	9	10	1	G24.1	5	9	4	9
IC	-	-	-	G24.2	-	-	-	-
G04.1	3	3	-	-	-	-	-	-
Number of resident deaths tabulated by mention of an underlying cause, record axes multiple entity axis cause of death by ICD-10 category: United States, 2005								
G04.8	55	75						
G04.9	261	612	351	G24.5	-	2	2	2
G06.0	132	305	173	G24.8	1	6	5	6
G06.1	28	64	36	G24.9	20	72	52	72
G06.2	118	223	105	G25.0	3	102	99	102
G08	22	62	40	G25.1	-	-	-	-
G09	82	147	65	G25.2	-	7	7	7
G10	822	1,006	184	G25.3	2	30	28	30
G11.0	-	-	-	G25.4	-	-	-	-
G11.1	81	114	33	G25.5	18	44	26	44
G11.2	1	1	-	G25.6	-	-	-	-
G11.3	8	15	8	G25.8	11	72	61	72
G11.4	6	15	9	G25.9	28	57	29	60
G11.8	2	2	-	G30.0	12	40	28	40
G11.9	70	131	61	G30.1	2,123	4,223	2,100	2,788
G12.0	21	21	-	G30.8	27	35	8	35
G12.1	7	17	10	G30.9	69,437	103,256	34,644	104,681
G12.2	5,872	6,495	619	G31.0	235	303	68	303
G12.8	-	-	-	G31.1	21	32	16	32
G12.9	120	137	17	G31.2	96	142	57	126
G20	19,427	35,930	16,483	G31.8	224	364	140	364
G21.0	30	41	11	G31.9	1,247	2,090	843	2,226
G21.1	2	5	3	G35	3,487	5,245	1,756	5,243
G21.2	-	-	-	G36.0	4	7	3	7
G21.3	-	-	-	G36.1	1	1	-	1
G21.8	43	37	8	G36.8	-	-	-	-
G21.9	42	271	229	G36.9	-	-	-	-
G23.0	8	8	-	G37.0	-	2	2	2
G23.1	4	6	2	G37.1	2	2	-	2
G23.2	9	10	1	G37.2	25	32	7	32
G23.8	90	104	14	G37.3	68	129	61	129

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
G45.8	-	15	15	15	G54.9	-	1
G45.9	179	2,486	2,307	2,490	G56.0	-	17
G47.0	3	74	71	74	G56.1	-	-
G47.1	-	4	4	4	G56.2	-	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
G47.4	6	68	62	68	G56.8	-	-
G47.8	-	1	1	1	G56.9	-	1
G47.9	2	21	19	21	G57.0	-	1
G50.0	8	103	95	103	G57.1	-	-
<b>Multiple Cause of Death Public Use File</b>							
G50.1	-	-	-	-	G57.2	-	-
G50.8	-	-	-	-	G57.3	-	-
G50.9	-	1	1	1	G57.4	-	-
G51.0	4	69	65	69	G57.5	-	-
G51.1	-	-	-	-	G57.6	-	-
G51.2	-	-	-	-	G57.8	-	-
<b>Control Total Table 1</b>							
G51.3	-	-	-	-	G57.9	1	1
G51.4	-	-	-	-	G58.0	-	-
G51.8	-	2	2	2	G58.7	1	3
G51.9	-	2	2	2	G58.8	4	20
G52.0	-	-	-	-	G58.9	25	58
G52.1	1	2	1	2	G60.0	63	157
G52.2	1	3	2	3	G60.1	1	1
G52.3	1	1	-	1	G60.2	2	3
G52.7	-	1	1	1	G60.3	5	8
G52.8	1	1	-	1	G60.8	2	7
G52.9	4	8	4	8	G60.9	19	45
G54.0	-	5	5	5	G61.0	211	403
G54.1	-	-	-	-	G61.1	-	-
G54.2	1	3	2	3	G61.8	4	10
G54.3	-	-	-	-	G61.9	3	5
G54.4	-	-	-	-	G62.0	1	2
G54.5	1	2	1	2	G62.1	4	6
G54.6	-	1	1	1	G62.2	-	1
G54.7	-	-	-	-	G62.8	88	149
G54.8	-	-	-	-	G62.9	254	1,365
						1,113	2,355

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
G83.1	3	42	39	42	G96.8	11	54	43	54
G83.2	-	6	6	6	G96.9	24	81	57	100
G83.3	-	5	5	5	G97.0	...	1	1	1
G83.4	7	38	31	38	G97.1	...	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause death ICD-10 category: United States, 2005</b>									157
G90.0	3	4	1	4	G97.9	...	4	4	4
G90.1	19	26	7	26	G98	81	148	67	227
G90.2	-	3	3	3	H00.0	-	1	1	1
G90.3	179	310	134	281	H00.1	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									-
G90.8	55	132	77	133	H01.0	-	3	3	3
G90.9	10	31	21	69	H01.1	-	1	1	1
G91.0	11	32	21	32	H01.8	-	-	-	-
G91.1	41	130	89	131	H01.9	-	-	-	-
G91.2	331	846	516	847	H02.0	-	-	-	-
G91.3	-	5	5	5	H02.1	-	1	1	1
G91.8	13	32	19	32	H02.2	-	-	-	-
G91.9	377	1,301	924	1,322	H02.3	-	1	1	1
G92	64	111	47	111	H02.4	-	3	3	3
G93.0	42	64	22	64	H02.5	-	-	-	-
G93.1	4,484	20,795	16,333	20,894	H02.6	-	-	-	-
G93.2	49	797	748	803	H02.7	-	-	-	-
G93.3	2	12	10	12	H02.8	-	-	-	-
G93.4	880	4,824	3,945	4,985	H02.9	-	1	1	1
G93.5	178	3,202	3,024	3,247	H04.0	-	-	-	-
G93.6	197	2,124	1,927	2,157	H04.1	-	-	-	-
G93.7	5	6	1	6	H04.2	-	-	-	-
G93.8	189	961	772	965	H04.3	-	-	-	-
G93.9	294	778	485	1,271	H04.4	-	-	-	-
G95.0	35	67	32	67	H04.5	-	1	1	1
G95.1	45	135	90	135	H04.6	-	-	-	-
G95.2	55	512	457	513	H04.8	-	-	-	-
G95.8	18	40	22	40	H04.9	-	1	1	1
G95.9	106	325	219	359	H05.0	9	29	20	29
G96.0	6	20	14	20	H05.1	-	1	1	1
G96.1	9	12	3	12	H05.2	1	4	3	4

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
H18.1	-	1	1	H27.8	-	-	-
H18.2	-	1	1	H27.9	-	-	-
H18.3	-	-	-	H30.0	-	-	-
H18.4	-	1	1	H30.1	-	-	-
<b>H18 Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
H18.7	-	-	-	H30.9	-	10	10
H18.8	-	-	-	H31.0	-	-	-
H18.9	-	4	4	H31.1	-	-	-
H20.0	<b>Multiple Cause of Death Public Use File</b>			H31.2	-	-	-
H20.1	-	-	-	H31.3	-	2	2
H20.2	-	-	-	H31.4	-	-	-
H20.8	-	-	-	H31.8	-	-	-
H20.9	-	4	4	H31.9	-	-	-
H21.0	-	-	-	H33.0	-	-	-
H21.1	-	-	-	H33.1	-	-	-
<b>Control Total Table 1</b>							
H21.2	-	-	-	H33.2	1	13	12
H21.3	-	-	-	H33.3	-	-	-
H21.4	-	-	-	H33.4	-	-	-
H21.5	-	-	-	H33.5	-	-	-
H21.8	-	-	-	H34.0	-	-	-
H21.9	-	1	1	H34.1	-	-	-
H25.0	-	-	-	H34.2	1	3	2
H25.1	-	-	-	H34.8	-	2	2
H25.2	-	-	-	H34.9	-	-	-
H25.8	-	-	-	H35.0	-	18	18
H25.9	-	1	1	H35.1	-	8	8
H26.0	-	1	1	H35.2	-	1	1
H26.1	-	-	-	H35.3	5	570	565
H26.2	-	1	1	H35.4	-	4	4
H26.3	-	-	-	H35.5	1	22	21
H26.4	-	-	-	H35.6	-	4	4
H26.8	-	-	-	H35.7	-	-	-
H26.9	1	84	83	104	H35.8	-	-
H27.0	-	-	-	-	H35.9	-	4
H27.1	-	-	-	-	H40.0	-	3

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
H49.3	-	-	-	H54.1	-	-	-
H49.4	-	-	-	H54.2	-	1	1
H49.8	1	5	4	H54.3	-	-	-
H49.9	3	4	1	H54.4	-	33	33
<b>H50 Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
H50.2	-	-	-	H54.7	-	20	20
H50.3	-	-	-	H55	-	1	1
H50.4	-	-	-	H57.0	-	2	2
H50.5	<b>Multiple Cause of Death Public Use File</b>			H57.1	-	1	1
H50.6	-	-	-	H57.8	-	3	3
H50.8	-	-	-	H57.9	-	6	6
H50.9	-	1	1	H59.0	...	-	-
H51.0	-	-	-	H59.8	...	-	-
H51.1	-	-	-	H59.9	...	-	-
H51.2	-	-	-	H60.0	-	-	-
<b>Control Total Table 1</b>							
H51.8	-	-	-	H60.1	1	4	3
H51.9	-	-	-	H60.2	1	3	2
H52.0	-	-	-	H60.3	-	-	-
H52.1	1	4	3	H60.4	-	-	-
H52.2	-	4	4	H60.5	-	-	-
H52.3	-	-	-	H60.8	-	2	2
H52.4	-	2	2	H60.9	-	6	6
H52.5	-	-	-	H61.0	-	-	-
H52.6	-	-	-	H61.1	-	-	-
H52.7	-	-	-	H61.2	-	-	-
H53.0	-	3	3	H61.3	-	-	-
H53.1	-	18	18	H61.8	-	-	-
H53.2	-	2	2	H61.9	-	-	-
H53.3	-	-	-	H65.0	-	-	-
H53.4	-	1	1	H65.1	-	-	-
H53.5	-	-	-	H65.2	-	-	-
H53.6	-	-	-	H65.3	-	-	-
H53.8	-	-	-	H65.4	-	-	-
H53.9	-	1	1	H65.9	-	-	-
H54.0	5	834	829	H66.0	-	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
	Record count by code field							
H80.9	-	1	1	H93.8	-	1	1	1
H81.0	1	34	33	H93.9	-	1	1	1
H81.1	-	3	3	H95.0	...	-	-	-
H81.2	-	-	-	H95.1	...	-	-	-
<b>Number of resident deaths tabulated by mention of H80-8 underlyng cause, record axis multiple</b>								
<b>Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
H81.8	-	-	-	I00	6	53	47	53
H81.9	-	-	-	I01.0	-	1	1	2
H83.0	1	9	8	I01.1	13	17	4	23
H83.1	<b>Multiple Cause of Death Public Use File</b>			I01.2	-	1	1	4
H83.2	-	-	-	I01.8	8	9	1	-
H83.3	-	1	1	I01.9	2	2	-	9
H83.8	-	2	2	I02.0	-	-	-	-
H83.9	-	-	-	I02.9	-	-	-	-
H90.0	-	1	1	I05.0	462	749	289	948
H90.1	-	-	-	I05.1	52	89	38	913
<b>Control Total Table 1</b>								
H90.2	-	-	-	I05.2	18	23	5	-
H90.3	-	2	2	I05.8	10	19	9	21
H90.4	-	-	-	I05.9	1,009	2,236	1,229	2,804
H90.5	1	21	20	I06.0	63	94	33	764
H90.6	-	-	-	I06.1	6	14	8	299
H90.7	-	-	-	I06.2	6	6	-	-
H90.8	-	-	-	I06.8	-	-	-	1
H91.0	-	-	-	I06.9	21	51	31	484
H91.1	-	17	17	I07.0	4	6	2	6
H91.2	-	-	-	I07.1	193	455	262	607
H91.3	-	17	17	I07.2	-	-	-	-
H91.8	-	1	1	I07.8	21	31	10	39
H91.9	-	349	349	I07.9	19	39	20	137
H92.0	-	2	2	I08.0	767	1,268	502	10
H92.1	-	-	-	I08.1	83	156	73	1
H92.2	-	-	-	I08.2	11	20	10	1
H93.0	-	-	-	I08.3	47	78	31	-
H93.1	-	4	4	I08.8	10	7	-	-
H93.2	-	-	-	I08.9	2	3	1	3
H93.3	-	-	-	I09.0	30	49	19	85

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
I25.6	-	1	1	I36.0	-	1	1	1
I25.8	1,588	3,672	2,084	I36.1	15	88	73	88
I25.9	12,772	19,834	7,070	I36.2	-	-	-	-
I26.0	19	51	32	I36.8	3	7	4	7
<b>Number of cases</b> tabulated by mention of underlying cause, record axis multiple entity axis cause of death ICD-10 category: United States, 2005								
I27.1	55	143	90	I37.1	2	8	6	8
I27.2	3,594	11,364	7,772	I37.2	-	-	-	-
I27.8	1	4	3	I37.8	2	6	4	6
I27.9	1,204	5,176	3,975	I37.9	9	19	10	19
Multiple Cause of Death Public Use File				I38	5,109	10,413	5,313	11,518
I28.0	1	8	7					
I28.1	8	13	5	I40.0	208	310	102	311
I28.8	18	89	71	I40.1	13	15	2	15
I28.9	38	106	68	I40.8	-	2	2	2
I30.0	1	1	-	I40.9	67	89	22	92
I30.1	29	61	33	I42.0	5,600	9,886	4,295	10,317
Control Total Table 1	6	29	23	I42.1	185	304	118	305
I30.9	17	74	57	I42.2	1,087	1,894	810	1,972
I31.0	5	21	16	I42.3	7	10	3	10
I31.1	55	136	81	I42.4	64	90	26	90
I31.2	40	786	746	I42.5	165	203	38	203
I31.3	190	1,209	1,019	I42.6	414	417	85	365
I31.8	-	5	5	I42.7	13	57	44	57
I31.9	233	1,830	1,598	I42.8	39	59	20	59
I33.0	1,169	2,485	1,318	I42.9	17,931	38,228	20,294	38,460
I33.9	40	88	48	I44.0	2	22	20	22
I34.0	2,138	5,107	2,969	I44.1	9	59	50	59
I34.1	276	625	349	I44.2	315	1,607	1,293	1,608
I34.2	21	79	58	I44.3	21	183	162	183
I34.8	91	233	142	I44.4	-	3	3	3
I34.9	79	256	177	I44.5	-	-	-	-
I35.0	10,945	21,762	10,820	I44.6	-	1	1	1
I35.1	499	1,322	823	I44.7	8	162	154	164
I35.2	73	157	84	I45.0	-	-	-	-
I35.8	221	411	190	I45.1	1	73	72	73
I35.9	1,399	3,810	2,413	I45.2	1	13	12	13

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		Record axis		Total mention	Second- ary
	1	1	-		19	26	7	26
<b>Record count by code field</b>								
I60.1	1	1	-	I67.5	19	26	7	26
I60.2	3	3	-	I67.6	1	1	-	1
I60.3	-	-	-	I67.7	62	97	35	99
I60.4	-	3	3	I67.8	978	2,820	1,842	2,821
Number of resident deaths tabulated by mention of cause of death by ICD-10 category: United States, 2005								
I60.7	476	485	8	I69.1	182	305	123	305
I60.8	202	225	25	I69.2	156	435	279	440
I60.9	5,267	6,870	1,279	I69.3	739	1,259	520	1,259
I61.0	202	283	81	I69.4	10,056	19,376	9,325	19,491
Multiple Cause of Death Public Use File								
I61.1	205	291	86	I69.8	8,008	10,030	2,024	10,583
I61.2	34	44	10	I70.0	49	506	457	510
I61.3	709	970	261	I70.1	65	475	412	480
I61.4	582	814	233	I70.2	352	1,792	1,440	1,259
I61.5	744	1,195	453	I70.8	6	25	19	25
I61.6	-	-	-	I70.9	11,369	51,626	40,261	52,308
I61.8	72	119	48	I71.0	3,502	3,904	403	3,905
I61.9	15,835	21,996	6,172	I71.1	877	923	48	957
I62.0	2,020	3,782	1,765	I71.2	744	1,509	766	1,596
I62.1	17	46	29	I71.3	4,209	4,414	205	4,354
I62.9	7,365	10,142	2,781	I71.4	2,049	5,715	3,667	5,848
I63.0	150	208	58	I71.5	122	133	11	130
I63.1	22	42	20	I71.6	177	261	84	275
I63.2	676	1,704	1,028	I71.8	1,356	1,413	68	1,649
I63.3	1,209	1,964	755	I71.9	807	2,143	1,336	2,143
I63.4	546	1,717	1,172	I72.0	20	44	24	73
I63.5	244	403	159	I72.1	-	1	1	1
I63.6	-	-	-	I72.2	41	69	28	69
I63.8	152	156	66	I72.3	148	257	109	257
I63.9	4,564	8,299	3,740	I72.4	46	94	48	94
I64	74,416	138,563	64,181	I72.8	92	122	30	122
I67.0	17	26	9	I72.9	357	553	197	713
I67.1	377	655	281	I73.0	10	101	91	101
I67.2	1,134	3,195	2,080	I73.1	15	41	26	41
I67.3	20	40	20	I73.8	26	52	26	52
I67.4	62	72	28	I73.9	7,297	26,342	19,110	37,182

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
I83.2	5	11	6	I95.8	10	81	71	82
I83.9	300	519	219	I95.9	210	12,499	12,289	12,506
I84.0	-	-	-	I97.0	...	11	11	11
I84.1	-	1	1	I97.1	...	41	41	41
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
I84.4	-	-	-	I97.9	...	12	12	12
I84.5	-	-	-	I99	263	4,971	4,708	5,532
I84.6	-	-	-	J00	1	6	5	6
I84.7	-	-	-	J01.0	2	5	3	5
I84.8	2	14	12	J01.1	-	-	-	-
I84.9	6	37	31	J01.2	-	-	-	-
I85.0	148	1,585	1,437	J01.3	-	-	-	-
I85.9	43	817	774	J01.4	-	-	-	-
I86.0	-	-	-	J01.8	-	-	-	-
I86.1	-	-	-	J01.9	2	7	5	7
I86.2	1	1	1	J02.0	8	15	7	15
I86.3	-	-	-	J02.8	1	3	2	3
I86.4	36	232	196	J02.9	9	25	16	25
I86.8	5	27	22	J03.0	-	-	-	-
I87.0	-	-	-	J03.8	-	-	-	-
I87.1	31	489	458	J03.9	3	8	5	8
I87.2	54	412	358	J04.0	5	13	8	17
I87.8	61	337	276	J04.1	14	46	32	51
I87.9	14	50	36	J04.2	6	14	8	10
I88.0	2	4	2	J05.0	2	5	3	6
I88.1	-	-	-	J05.1	21	36	16	39
I88.8	-	1	1	J06.0	1	6	5	6
I88.9	3	9	6	J06.8	-	-	-	-
I89.0	60	333	273	J06.9	131	578	447	589
I89.1	2	34	32	J10.0	170	172	10	7
I89.8	32	109	77	J10.1	222	298	77	466
I89.9	5	34	29	J10.8	6	4	1	1
I95.0	3	3	-	J11.0	719	823	125	175
I95.1	18	209	191	J11.1	668	978	317	1,653
I95.2	1	2	1	J11.8	27	27	9	7

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total	Second- mention	Entity axis		Record axis		Record count by code field		
					UC	Total	Second- mention	Entity axis	
<b>Record count by code field</b>									
J21.9	44	112	68	130	J38.1	4	8	4	8
J22	121	276	155	330	J38.2	1	1	-	1
J30.0	-	-	-	-	J38.3	5	14	9	14
J30.1	-	6	6	6	J38.4	16	56	40	56
<b>J30 Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>									
<b>J30 Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
J30.4	5	66	61	74	J38.7	28	91	63	94
J31.0	1	21	20	21	J39.0	11	23	12	23
J31.1	-	-	-	-	J39.1	4	13	9	13
J31.2	-	1	1	1	J39.2	59	173	114	174
J32.0	Multiple Cause of Death	Public Use File	1	1	J39.3	1	1	-	1
	7	11	4	11					
J32.1	-	-	-	-	J39.8	139	537	398	538
J32.2	2	5	3	5	J39.9	5	12	7	12
J32.3	2	4	2	6	J40	478	1,322	910	1,953
J32.4	6	18	12	18	J41.0	-	8	8	9
J32.8	-	-	-	-	J41.1	13	25	12	42
J32.9	Control Total	Table 1	65	239	J41.8	-	-	-	1
				174					
J33.0	-	-	-	-	J42	375	1,125	756	1,823
J33.1	-	-	-	-	J43.0	-	-	-	1
J33.8	-	1	1	1	J43.1	8	23	16	27
J33.9	1	5	4	5	J43.2	12	70	58	73
J34.0	-	2	2	2	J43.8	5	8	3	8
J34.1	-	-	-	-	J43.9	13,977	25,453	12,532	29,525
J34.2	-	-	-	-	J44.0	318	412	95	2
J34.3	-	-	-	-	J44.1	87	136	49	136
J34.8	5	18	13	18	J44.8	3,528	8,109	4,607	699
J35.0	-	2	2	2	J44.9	107,276	221,272	114,051	228,779
J35.1	3	6	3	9	J45.0	159	237	84	236
J35.2	-	2	2	5	J45.1	2	5	4	8
J35.3	-	3	3	-	J45.8	1	-	-	1
J35.8	2	7	5	7	J45.9	3,429	8,867	6,012	11,296
J35.9	3	24	21	25	J46	293	327	38	359
J36	3	8	5	8	J47	972	2,069	1,098	2,080
J37.0	3	7	4	7	J60	271	653	382	654
J37.1	-	-	-	-	J61	532	1,416	884	1,423
J38.0	54	195	141	195	J62.0	-	2	2	2

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
J70.2	-	-	-	J95.8	...	2,400	2,400
J70.3	1	1	-	J95.9	...	22	22
J70.4	-	1	1	J96.0	289	19,342	19,053
J70.8	1	1	-	J96.1	436	4,459	4,023
J Number of resident deaths tabulated by mention of one or more underlying cause(s) of death in ICD-10 category: United States, 2005							
J80	541	10,565	10,024	J98.1	164	1,080	916
J82	160	390	230	J98.2	27	56	29
J84.0	146	199	56	J98.3	-	1	1
J84.1	11,789	18,230	6,435	J98.4	2,830	8,959	6,148
J84.8	29	50	21	J98.5	134	405	271
J84.9	2,412	3,867	1,450	J98.6	35	131	96
J85.0	110	261	151	J98.8	430	1,712	1,283
J85.1	54	190	137	J98.9	204	661	459
J85.2	111	420	311	K00.0	-	-	-
J85.3	5	18	13	K00.1	-	-	-
J86.0	74	445	372	K00.2	-	-	-
J86.9	341	1,155	814	K00.3	-	-	-
J90	1,016	9,066	8,050	K00.4	-	-	-
J92.0	3	9	6	K00.5	-	-	-
J92.9	3	16	13	K00.6	-	-	-
J93.0	36	239	203	K00.7	-	5	5
J93.1	33	238	205	K00.8	-	-	-
J93.8	6	52	46	K00.9	-	-	-
J93.9	242	2,000	1,758	K01.0	-	-	-
J94.0	4	15	11	K01.1	-	-	-
J94.1	16	62	46	K02.0	-	-	-
J94.2	88	507	419	K02.1	-	-	-
J94.8	20	175	155	K02.2	-	-	-
J94.9	7	48	41	K02.3	-	-	-
J95.0	...	84	84	K02.4	-	-	-
J95.1	...	-	-	K02.8	-	-	-
J95.2	...	7	7	K02.9	5	18	13
J95.3	...	-	-	K03.0	-	-	-
J95.4	...	3	3	K03.1	-	-	-
J95.5	...	2	2	K03.2	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
K07.8	-	-	-	K13.4	-	-	-
K07.9	-	1	1	K13.5	-	-	-
K08.0	-	-	-	K13.6	-	-	-
K08.1	-	1	1	K13.7	11	38	27
<b>K08 Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause of death by ICD-10 category: United States, 2005</b>							
K08.8	65	177	112	K14.2	-	-	-
K08.9	2	9	7	K14.3	-	-	-
K09.0	-	-	-	K14.4	-	-	-
K09.1	<b>Multiple Cause of Death Public Use File</b>			K14.5	-	-	-
K09.2	-	-	-	K14.6	-	-	-
K09.8	-	-	-	K14.8	-	13	13
K09.9	-	-	-	K14.9	-	18	18
K10.0	-	-	-	K20	158	798	641
K10.1	-	-	-	K21.0	37	190	153
K10.2	3	15	12	K21.9	555	5,996	5,441
<b>Control Total Table 1</b>							
K10.3	-	-	-	K22.0	119	252	133
K10.8	-	-	-	K22.1	97	454	357
K10.9	-	6	6	K22.2	269	926	657
K11.0	-	-	-	K22.3	198	342	144
K11.1	-	1	1	K22.4	200	437	237
K11.2	76	209	133	K22.5	73	128	55
K11.3	3	17	14	K22.6	60	143	83
K11.4	-	-	-	K22.8	144	667	523
K11.5	-	-	-	K22.9	64	149	88
K11.6	-	-	-	K25.0	11	22	11
K11.7	3	8	5	K25.1	-	1	1
K11.8	-	2	2	K25.2	1	1	-
K11.9	-	19	19	K25.3	2	10	8
K12.0	1	4	3	K25.4	481	787	307
K12.1	8	44	36	K25.5	376	577	201
K12.2	10	25	15	K25.6	29	38	9
K13.0	1	2	1	K25.7	2	23	21
K13.1	-	-	-	K25.9	139	591	457
K13.2	-	3	3	K26.0	5	9	4
K13.3	-	-	-	K26.1	4	6	2
							5

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
K31.0	2	8	6	K43.0	218	294	76	224
K31.1	70	394	324	K43.1	26	27	1	2
K31.2	-	-	-	K43.9	111	285	175	388
K31.3	-	-	-	K44.0	75	100	27	60
Number of resident deaths tabulated by mention of underlying cause, Record axis multiple entity axis multiplex cause of death by ICD-10 category: United States, 2005								
K31.6	21	106	85	K45.0	8	10	2	8
K31.7	5	19	14	K45.1	-	-	-	-
K31.8	276	998	722	K45.8	4	10	7	12
K31.9	159	493	335	K46.0	309	479	170	424
Multiple Cause of Death Public Use File								
K35.0	283	481	198	K46.1	44	44	-	1
K35.1	16	38	22	K46.9	129	339	211	480
K35.9	58	107	49	K50.0	9	20	11	22
K36	-	-	-	K50.1	24	64	40	66
K37	76	178	102	K50.8	-	2	2	-
K38.0	-	-	-	K50.9	559	1,555	997	1,557
Control Total Table 1								
K38.1	-	-	-	K51.0	1	1	-	1
K38.2	-	-	-	K51.1	1	-	-	-
K38.3	-	-	-	K51.2	1	3	2	3
K38.8	2	4	2	K51.3	-	-	-	-
K38.9	4	10	6	K51.4	-	-	-	-
K40.0	4	5	1	K51.5	2	5	3	5
K40.1	1	1	-	K51.8	2	4	2	4
K40.2	-	3	3	K51.9	298	956	658	958
K40.3	168	229	61	K52.0	19	125	106	125
K40.4	22	22	-	K52.1	12	45	33	45
K40.9	44	156	112	K52.2	-	1	1	1
K41.0	-	-	-	K52.8	4	11	7	11
K41.1	-	-	-	K52.9	2,193	5,532	3,339	5,827
K41.2	-	-	-	K55.0	2,510	4,830	2,297	4,887
K41.3	36	51	15	K55.1	148	234	86	234
K41.4	3	3	-	K55.2	51	130	79	130
K41.9	2	7	5	K55.8	3	6	3	6
K42.0	47	75	28	K55.9	6,057	11,512	5,460	12,271
K42.1	3	3	-	K56.0	44	211	167	213
K42.9	20	63	43	K56.1	18	27	9	28

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
K62.2	-	1	1	K71.7	-	-	-
K62.3	30	79	49	K71.8	2	3	1
K62.4	7	35	28	K71.9	4	9	5
K62.5	135	545	410	K72.0	306	1,444	1,133
							1,445
<b>Number of resident deaths tabulated by mention of underlying cause record axis multiple</b>							
<b>K62. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
K62.8	18	56	38	K73.0	-	2	2
K62.9	59	158	99	K73.1	-	-	-
K63.0	32	144	112	K73.2	15	63	48
K63.1	1,729	4,853	3,133	K73.8	2	3	1
<b>Multiple cause of death Public Use File</b>							
K63.2	223	808	585	K73.9	82	280	198
K63.3	30	86	56	K74.0	18	102	84
K63.4	1	6	5	K74.1	12	29	17
K63.5	36	240	204	K74.2	-	-	-
K63.8	72	218	146	K74.3	381	498	118
K63.9	430	1,115	689	K74.4	2	17	15
<b>Control Total Table 1</b>							
K65.0	580	2,577	1,997	K74.5	104	163	59
K65.8	39	147	108	K74.6	13,986	31,059	17,076
K65.9	885	3,794	2,913	K75.0	134	327	193
K66.0	82	291	210	K75.1	-	2	2
K66.1	165	534	369	K75.2	-	-	-
K66.8	45	159	114	K75.3	3	9	6
K66.9	33	94	61	K75.4	353	534	181
K70.0	184	71	15	K75.8	11	23	12
K70.1	754	916	205	K75.9	342	1,141	799
K70.2	8	4	-	K76.0	539	2,283	1,744
K70.3	8,730	8,791	922	K76.1	31	169	138
K70.4	1,369	508	54	K76.2	-	-	-
K70.9	1,883	2,284	876	K76.3	8	43	35
K71.0	-	-	-	K76.4	3	4	1
K71.1	7	11	4	K76.5	4	19	15
K71.2	-	-	-	K76.6	106	1,012	906
K71.3	-	-	-	K76.7	447	4,022	3,575
K71.4	-	-	-	K76.8	118	768	650
K71.5	-	-	-	K76.9	3,099	5,673	2,595
K71.6	7	17	10	K80.0	94	120	27

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
K90.4	17	56	39	56	L04.8	1	1	-
K90.8	3	19	16	19	L04.9	-	3	3
K90.9	66	221	155	236	L05.0	3	4	1
K91.0	...	3	3	3	L05.9	2	4	2
<b>Number of resident deaths tabulated by mention of one underlying cause, record axis is multiple entity axis multiplex cause of death by ICD-10 category: United States, 2005</b>								
K91.3	...	186	186	186	L08.8	3	7	4
K91.4	...	54	54	54	L08.9	451	1,794	1,343
K91.5	...	1	1	1	L10.0	9	28	19
K91.8	595	595	595	595	L10.1	-	-	-
<b>Multiple Cause of Death Public Use File</b>								
K91.9	...	33	33	34	L10.2	-	1	1
K92.0	47	214	167	240	L10.3	-	-	-
K92.1	15	77	62	78	L10.4	-	1	1
K92.2	7,545	29,171	21,644	32,834	L10.5	-	1	1
K92.8	44	95	51	95	L10.8	4	7	3
K92.9	63	133	74	196	L10.9	33	117	84
<b>Control Total Table 1</b>								
L00	5	8	3	8	L11.0	-	-	-
L01.0	-	3	3	3	L11.1	-	1	1
L01.1	-	-	-	-	L11.8	-	-	-
L02.0	4	10	6	10	L11.9	-	-	-
L02.1	14	49	35	50	L12.0	49	209	160
L02.2	52	178	126	178	L12.1	5	9	4
L02.3	11	47	36	47	L12.2	-	-	-
L02.4	60	250	190	250	L12.3	-	-	-
L02.8	8	25	17	25	L12.8	1	1	-
L02.9	55	286	232	293	L12.9	15	47	32
L03.0	6	23	17	23	L13.0	-	4	4
L03.1	415	1,608	1,193	1,613	L13.1	-	-	-
L03.2	5	41	36	42	L13.8	-	-	-
L03.3	44	147	103	147	L13.9	2	9	7
L03.8	12	48	36	48	L20.0	-	-	-
L03.9	549	2,262	1,713	2,273	L20.8	-	1	1
L04.0	-	-	-	-	L20.9	1	9	8
L04.1	2	2	-	2	L21.0	-	-	-
L04.2	-	2	2	2	L21.1	-	-	-
L04.3	-	-	-	-	L21.8	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
L28.0	1	7	6	L43.2	-	-	-
L28.1	-	-	-	L43.3	-	-	-
L28.2	-	-	-	L43.8	-	-	-
L29.0	-	-	-	L43.9	-	6	6
<b>L43.9</b> Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause of death by ICD-10 category: United States, 2005							
L29.3	-	-	-	L44.2	-	-	-
L29.8	-	1	1	L44.3	-	-	-
L29.9	1	3	2	L44.4	-	-	-
L30.0	-	-	-	L44.8	-	-	-
L30.1	-	-	-	L44.9	-	-	-
L30.2	-	1	1	L50.0	-	1	1
L30.3	-	-	-	L50.1	-	-	-
L30.4	-	-	-	L50.2	-	-	-
L30.5	-	-	-	L50.3	-	-	-
L30.8	2	5	3	L50.4	-	-	-
L30.9	11	97	86	L50.5	-	-	-
<b>Control Total</b> Table 1							
L40.0	-	-	-	L50.6	-	-	-
L40.1	1	4	3	L50.8	-	1	1
L40.2	-	-	-	L50.9	1	6	5
L40.3	2	2	-	L51.0	-	-	-
L40.4	-	-	-	L51.1	45	122	77
L40.5	11	92	81	L51.2	56	106	50
L40.8	3	9	6	L51.8	-	-	-
L40.9	34	270	236	L51.9	2	11	9
L41.0	-	1	1	L52	-	2	2
L41.1	-	-	-	L53.0	-	-	-
L41.2	-	1	1	L53.1	-	1	1
L41.3	-	-	-	L53.2	-	-	-
L41.4	-	-	-	L53.3	-	-	-
L41.5	-	-	-	L53.8	1	2	1
L41.8	-	1	1	L53.9	14	150	136
L41.9	-	2	2	L55.0	-	-	-
L42	-	2	2	L55.1	-	1	1
L43.0	-	-	-	L55.2	-	-	-
L43.1	-	-	-	L55.8	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
L64.8	-	-	-	L72.0	-	2	2
L64.9	-	-	-	L72.1	-	4	4
L65.0	-	-	-	L72.2	-	-	-
L65.1	-	-	-	L72.8	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
L65.9	-	-	-	L73.1	-	-	-
L66.0	-	-	-	L73.2	4	29	25
L66.1	-	-	-	L73.8	-	-	-
L66.2	-	-	-	L73.9	1	4	3
L66.3	<b>Multiple Cause of Death Public Use File</b>			L74.0	-	2	2
L66.4	-	-	-	L74.1	-	-	-
L66.8	-	-	-	L74.2	-	-	-
L66.9	-	-	-	L74.3	-	-	-
L67.0	-	-	-	L74.4	-	1	1
L67.1	-	-	-	L74.8	-	-	-
<b>Control Total Table 1</b>							
L67.8	-	-	-	L74.9	-	-	-
L67.9	-	-	-	L75.0	-	-	-
L68.0	2	2	2	L75.1	-	-	-
L68.1	-	-	-	L75.2	-	-	-
L68.2	-	-	-	L75.8	-	-	-
L68.3	-	-	-	L75.9	-	-	-
L68.8	-	-	-	L80	1	3	2
L68.9	-	-	-	L81.0	-	-	-
L70.0	-	-	-	L81.1	-	-	-
L70.1	-	-	-	L81.2	-	-	-
L70.2	-	-	-	L81.3	-	-	-
L70.3	-	-	-	L81.4	-	4	4
L70.4	-	-	-	L81.5	-	1	1
L70.5	-	-	-	L81.6	-	-	-
L70.8	-	-	-	L81.7	-	-	-
L70.9	-	-	-	L81.8	-	1	1
L71.0	-	-	-	L81.9	1	2	1
L71.1	-	-	-	L82	-	-	-
L71.8	-	-	-	L83	-	-	-
L71.9	-	4	4	L84	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
L94.2	-	5	5	M05.8	-	-	-
L94.3	-	3	3	M05.9	1	1	-
L94.4	-	-	-	M06.0	1	5	4
L94.5	-	-	-	M06.1	1	1	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>							
<b>L94. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
L94.9	-	2	2	M06.4	9	38	29
L95.0	-	-	-	M06.8	-	2	2
L95.1	-	-	-	M06.9	2,238	8,765	6,529
L95.8	<b>Multiple Cause of Death Public Use File</b>			M08.0	15	41	26
L95.9	-	1	1	M08.1	-	-	-
L97	161	994	834	M08.2	3	9	6
L98.0	-	-	-	M08.3	-	-	-
L98.1	-	-	-	M08.4	-	-	-
L98.2	1	10	9	M08.8	-	-	-
L98.3	-	-	-	M08.9	-	2	2
L98.4	152	1,000	848	M10.0	18	126	108
L98.5	3	5	2	M10.1	-	-	-
L98.6	-	-	-	M10.2	-	-	-
L98.8	12	143	131	M10.3	1	5	4
L98.9	22	101	79	M10.4	-	1	1
M00.0	4	6	2	M10.9	71	1,752	1,681
M00.1	-	-	-	M11.0	-	-	-
M00.2	-	-	-	M11.1	-	-	-
M00.8	-	1	1	M11.2	1	17	16
M00.9	277	488	211	M11.8	-	-	-
M02.0	-	-	-	M11.9	-	2	2
M02.1	-	-	-	M12.0	-	-	-
M02.2	-	-	-	M12.1	1	1	-
M02.3	2	7	5	M12.2	2	3	1
M02.8	-	-	-	M12.3	-	1	1
M02.9	-	-	-	M12.4	-	-	-
M05.0	24	61	37	M12.5	-	3	3
M05.1	162	188	59	M12.8	-	-	-
M05.2	32	14	7	M13.0	6	52	46
M05.3	52	50	27	M13.1	1	1	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
M19.9	860	14,666	13,804	14,680	M24.2	-	-
M20.0	-	-	-	-	M24.3	1	15
M20.1	-	2	2	2	M24.4	-	16
M20.2	-	-	-	-	M24.5	4	68
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause of death by ICD-10 category: United States, 2005</b>							
M20.5	-	-	-	-	M24.8	-	1
M20.6	-	-	-	-	M24.9	-	-
M21.0	-	1	1	1	M25.0	-	9
M21.1	Multiple Cause of Death Public Use File	-	-	-	M25.1	-	1
M21.2	-	-	-	-	M25.2	-	2
M21.3	-	5	5	5	M25.3	-	2
M21.4	-	1	1	1	M25.4	-	4
M21.5	-	-	-	-	M25.5	3	77
M21.6	-	1	1	1	M25.6	-	2
M21.7	-	-	-	-	M25.7	-	6
M21.8	Control Total Table 1	-	-	-	M25.8	1	25
M21.9	-	8	8	8	M25.9	44	1,029
M22.0	-	-	-	-	M30.0	43	76
M22.1	-	-	-	-	M30.1	35	55
M22.2	-	-	-	-	M30.2	-	-
M22.3	-	-	-	-	M30.3	7	11
M22.4	-	1	1	1	M30.8	-	-
M22.8	-	-	-	-	M31.0	48	74
M22.9	-	-	-	-	M31.1	287	384
M23.0	-	-	-	-	M31.2	-	1
M23.1	-	-	-	-	M31.3	358	550
M23.2	-	-	-	-	M31.4	11	24
M23.3	-	-	-	-	M31.5	-	-
M23.4	-	-	-	-	M31.6	101	493
M23.5	-	-	-	-	M31.8	10	11
M23.6	-	-	-	-	M31.9	17	29
M23.8	-	-	-	-	M32.0	-	-
M23.9	-	6	6	6	M32.1	1,203	2,067
M24.0	-	-	-	-	M32.8	1	1
M24.1	-	-	-	-	M32.9	188	233
						67	1,796

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		Record axis		Record count by code field	
	UC	mention	Entity axis		Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>								
M43.0	2	13	11	M50.9	5	9	4	9
M43.1	5	24	19	M51.0	1	1	-	-
M43.2	11	63	52	M51.1	2	3	1	-
M43.3	-	-	-	M51.2	11	74	63	74
<b>Number of resident deaths tabulated by mention of underlying cause record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
M43.6	-	17	17	M51.8	-	2	2	2
M43.8	-	-	-	M51.9	15	85	70	86
M43.9	4	17	13	M53.0	-	-	-	-
M45	35	171	136	M53.1	-	2	2	2
<b>Multiple Cause of Death Public Use File</b>								
M46.0	-	-	-	M53.2	-	9	9	9
M46.1	-	2	2	M53.3	-	2	2	2
M46.2	132	255	123	M53.8	3	19	16	19
M46.3	4	4	-	M53.9	-	15	15	17
M46.4	63	154	91	M54.0	-	-	-	-
M46.5	-	2	2	M54.1	10	102	92	103
<b>Control Total Table 1</b>								
M46.8	-	-	-	M54.2	1	47	46	47
M46.9	12	81	69	M54.3	1	33	32	35
M47.0	-	-	-	M54.4	-	-	-	-
M47.1	5	7	3	M54.5	14	228	214	228
M47.2	-	-	-	M54.6	-	2	2	2
M47.8	30	136	106	M54.8	2	8	6	8
M47.9	33	240	207	M54.9	58	931	873	931
M48.0	184	2,036	1,852	M60.0	31	94	63	94
M48.1	-	5	5	M60.1	-	-	-	-
M48.2	-	-	-	M60.2	-	6	6	6
M48.3	-	1	1	M60.8	8	17	9	17
M48.4	-	-	-	M60.9	65	200	135	201
M48.5	5	10	5	M61.0	-	-	-	-
M48.8	3	4	1	M61.1	6	6	-	6
M48.9	55	180	125	M61.2	-	-	-	-
M50.0	2	4	2	M61.3	-	-	-	-
M50.1	-	-	-	M61.4	-	-	-	-
M50.2	1	4	3	M61.5	1	1	-	1
M50.3	9	47	38	M61.9	-	-	-	-
M50.8	-	-	-	M62.0	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
M70.8	-	-	-	M77.1	-	-	-
M70.9	-	-	-	M77.2	-	-	-
M71.0	-	-	-	M77.3	-	-	-
M71.1	1	6	5	M77.4	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
M71.4	-	-	-	M77.9	-	6	6
M71.5	-	3	3	M79.0	15	274	259
M71.8	-	-	-	M79.1	-	16	16
M71.9	7	14	7	M79.2	1	28	27
<b>Multiple Cause of Death Public Use File</b>				M79.3	18	50	32
M72.0	-	1	1	M79.4	-	-	-
M72.1	-	-	-	M79.5	-	-	-
M72.2	-	-	-	M79.6	5	70	65
M72.4	1	1	-	M79.8	7	31	24
M72.6	434	825	392	M79.9	1	5	4
M72.8	2	9	7	M80.0	1	2	1
<b>Control Total Table 1</b>				M80.1	-	-	-
M72.9	26	80	54	M80.2	-	-	-
M75.0	-	2	2	M80.3	-	-	-
M75.1	-	13	13	M80.4	-	2	2
M75.2	-	-	-	M80.5	-	1	1
M75.3	-	-	-	M80.8	3	4	1
M75.4	-	2	2	M80.9	755	2,321	1,566
M75.5	1	1	-	M81.0	-	6	6
M75.8	1	14	13	M81.1	-	-	-
M75.9	-	-	-	M81.2	-	-	-
M76.0	-	-	-	M81.3	-	-	-
M76.1	-	-	-	M81.4	-	6	6
M76.2	-	-	-	M81.5	-	-	1
M76.3	-	-	-	M81.6	-	-	-
M76.4	-	-	-	M81.8	13	22	18
M76.5	-	-	-	M81.9	923	11,540	10,622
M76.6	-	1	1	M83.0	-	-	-
M76.7	-	-	-	M83.1	-	-	-
M76.8	-	2	2	M83.2	-	-	-
M76.9	-	-	-				
M77.0	-	-	-				

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
	Record count by code field							
M88.0	-	-	-	M94.3	1	2	1	2
M88.8	-	-	-	M94.8	5	11	6	11
M88.9	52	382	330	M94.9	-	4	4	4
M89.0	9	46	37	M95.0	-	-	-	-
<b>M89 Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
M89.3	-	-	-	M95.3	-	3	3	3
M89.4	-	1	1	M95.4	4	24	20	24
M89.5	2	7	5	M95.5	-	1	1	1
M89.6	-	1	1	M95.8	-	-	-	-
<b>M89.8 Multiple Cause of Death Public Use File</b>								
M89.8	22	320	298	M95.9	-	4	4	4
M89.9	18	73	56	M96.0	...	-	-	-
M91.0	-	-	-	M96.1	...	2	2	2
M91.1	-	3	3	M96.2	...	-	-	-
M91.2	-	-	-	M96.3	...	-	-	-
M91.3	-	-	-	M96.4	...	-	-	-
<b>Control Total Table 1</b>								
M91.8	-	-	-	M96.5	...	-	-	-
M91.9	2	5	3	M96.6	...	3	3	3
M92.0	1	1	-	M96.8	...	9	9	9
M92.1	1	1	-	M96.9	...	1	1	1
M92.2	-	-	-	M99.0	-	-	-	-
M92.3	-	-	-	M99.1	-	1	1	1
M92.4	-	-	-	M99.2	-	-	-	-
M92.5	-	-	-	M99.3	-	-	-	-
M92.6	-	-	-	M99.4	-	-	-	-
M92.7	-	-	-	M99.5	-	-	-	-
M92.8	-	-	-	M99.6	-	-	-	-
M92.9	-	-	-	M99.7	-	-	-	-
M93.0	-	-	-	M99.8	-	1	1	1
M93.1	-	-	-	M99.9	-	-	-	-
M93.2	-	2	2	N00.0	-	-	-	-
M93.8	-	-	-	N00.1	-	-	-	-
M93.9	-	1	1	N00.2	-	-	-	-
M94.0	1	1	-	N00.3	-	-	-	-
M94.1	2	6	4	N00.4	-	-	-	-
M94.2	-	4	4	N00.5	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
N04.2	-	-	-	N07.8	-	-	-
N04.3	-	-	-	N07.9	-	-	-
N04.4	-	-	-	N10	136	267	132
HC	-	-	-	N11.0	1	1	268
N04.5	-	-	-				-
<b>Number of resident deaths tabulated by mention of underlying cause, 2 record axis multiple</b>							
<b>N04 Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
N04.8	-	-	-	N11.9	47	129	82
N04.9	120	345	231	N12	539	1,170	633
N05.0	-	-	-	N13.0	2	2	-
N05.1	8	16	8	N13.1	1	1	-
Multiple Causes of Death Public Use File	30	67	37	N13.2	13	30	17
N05.2	-	-	-	N13.3	90	584	494
N05.3	1	1	-	N13.4	1	16	15
N05.4	-	-	-	N13.5	68	335	267
N05.5	9	17	8	N13.6	5	18	13
N05.6	-	-	-	N13.7	9	13	4
N05.7	7	12	5	N13.8	6	54	48
Control Total Table 1	15	28	13	N13.9	248	1,117	869
N05.8	-	-	-	N14.0	1	5	4
N06.0	-	-	-	N14.1	4	15	11
N06.1	-	-	-	N14.2	3	11	8
N06.2	-	-	-	N14.3	1	1	-
N06.3	-	-	-	N14.4	2	3	1
N06.4	-	-	-	N15.0	-	-	-
N06.5	-	-	-	N15.1	30	103	73
N06.6	-	-	-	N15.8	-	-	-
N06.7	-	-	-	N15.9	24	82	58
N06.8	-	-	-	N17.0	209	790	582
N06.9	-	-	-	N17.1	2	8	6
N07.0	-	-	-	N17.2	1	4	3
N07.1	-	-	-	N17.8	1	6	5
N07.2	-	-	-	N17.9	7,273	45,186	37,916
N07.3	-	-	-	N18.0	10,238	31,094	20,878
N07.4	-	-	-	N18.8	238	15	12
N07.5	-	-	-	N18.9	7,590	44,147	36,561
N07.6	-	-	-	N19	17,316	102,721	85,409
N07.7	-	-	-				106,961

ICD-10 code	Record axis			Entity axis	ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis			UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>									
N32.3	-	7	7	7	N42.9	51	189	138	232
N32.4	16	66	50	66	N43.0	-	-	-	-
N32.8	9	116	107	116	N43.1	-	-	-	-
N32.9	26	115	89	158	N43.2	-	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axes multiple entity axis multiple cause of death by ICD-10 category: United States, 2005									
N34.2	-	4	4	4	N44	1	1	-	1
N34.3	-	-	-	-	N45.0	-	3	3	3
N35.0	-	-	-	-	N45.9	6	15	9	15
N35.1	Multiple Cause of Death Public Use File			-	N46	-	-	-	-
N35.8	-	-	-	-	N47	-	5	5	5
N35.9	16	54	38	54	N48.0	-	-	-	-
N36.0	4	31	27	31	N48.1	1	2	1	3
N36.1	-	-	-	-	N48.2	7	18	11	18
N36.2	-	-	-	-	N48.3	1	2	1	2
N36.3	1	1	1	1	N48.4	-	-	-	-
Control Total	1	31	25	31	N48.5	2	4	2	4
N36.8	6	31	25	31	N48.6	-	-	-	-
N36.9	-	5	5	6	N48.8	1	4	3	4
N39.0	14,962	38,051	23,095	38,320	N48.9	-	1	1	2
N39.1	-	-	-	-	N49.0	1	1	-	1
N39.2	-	-	-	-	N49.1	1	1	-	1
N39.3	2	10	8	10	N49.2	26	58	32	59
N39.4	1	9	8	9	N49.8	59	124	65	124
N39.8	1	1	-	1	N49.9	2	2	-	2
N39.9	13	38	25	62	N50.0	-	-	-	-
N40	525	3,027	2,502	3,027	N50.1	7	15	8	15
N41.0	3	12	9	12	N50.8	5	12	7	12
N41.1	7	16	9	17	N50.9	2	24	22	44
N41.2	2	7	5	7	N60.0	-	3	3	3
N41.3	-	2	2	-	N60.1	-	7	7	7
N41.8	1	2	1	2	N60.2	-	-	-	-
N41.9	16	58	42	59	N60.3	-	-	-	-
N42.0	-	13	13	13	N60.4	-	-	-	-
N42.1	1	17	16	17	N60.8	-	-	-	-
N42.2	-	-	-	-	N60.9	-	1	1	1
N42.8	2	10	8	10					

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
N76.5	-	-	-	N83.7	-	-	-
N76.6	-	1	1	N83.8	1	7	6
N76.8	9	13	4	N83.9	37	183	146
N80.0	2	4	2	N84.0	1	10	9
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
N80.3	-	-	-	N84.3	-	-	-
N80.4	-	-	-	N84.8	-	-	-
N80.5	-	-	-	N84.9	-	-	-
N80.6	<b>Multiple Cause of Death Public Use File</b>			N85.0	4	5	1
N80.8	-	-	-	N85.1	1	1	-
N80.9	-	9	9	N85.2	1	4	3
N81.0	-	-	-	N85.3	-	-	-
N81.1	9	31	22	N85.4	-	-	-
N81.2	-	-	-	N85.5	-	-	-
N81.3	1	2	1	N85.6	-	-	-
N81.4	10	24	14	N85.7	1	1	-
<b>Control Total Table 1</b>			-	N85.8	2	10	8
N81.5	-	-	-	N85.9	18	203	185
N81.6	1	10	9	N86	-	2	2
N81.8	-	1	1	N87.0	-	-	-
N81.9	-	1	1	N87.1	-	-	-
N82.0	6	22	16	N87.2	-	-	-
N82.1	1	1	-	N87.9	-	1	1
N82.2	1	1	-	N88.0	-	-	-
N82.3	45	186	141	N88.1	-	-	-
N82.4	5	25	20	N88.2	7	43	36
N82.5	-	-	-	N88.3	1	1	-
N82.8	-	1	1	N88.4	-	-	-
N82.9	1	37	36	N88.8	1	12	11
N83.0	1	1	-	N88.9	1	6	5
N83.1	2	2	-	N89.0	-	-	7
N83.2	12	35	23	N89.1	-	-	-
N83.3	-	1	1	N89.2	-	-	-
N83.4	-	-	-	N89.3	-	-	-
N83.5	-	-	-	N89.4	-	-	-
N83.6	-	-	-	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
N94.5	-	-	-	000.9	14	16	2	16
N94.6	-	2	2	001.0	-	1	1	1
N94.8	14	40	26	001.1	-	-	-	-
HC	-	-	-	001.9	-	-	-	-
N94.9	2	14	12	001.9	-	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
N95.2	1	2	1	002.8	-	-	-	-
N95.3	-	2	2	002.9	1	1	-	1
N95.8	-	-	-	003.0	-	-	-	-
N95.9	<b>Multiple Cause of Death Public Use File</b>			003.1	-	-	-	-
N96	-	-	-	003.2	-	-	-	-
N97.0	-	-	-	003.3	-	-	-	-
N97.1	-	-	-	003.4	-	-	-	-
N97.2	-	-	-	003.5	-	1	1	-
N97.3	-	-	-	003.6	2	-	-	-
N97.4	-	-	-	003.7	-	1	1	-
<b>Control Total Table 1</b>								
N97.8	-	-	-	003.8	1	1	-	-
N97.9	-	-	-	003.9	1	2	1	5
N98.0	-	-	-	004.0	-	-	-	-
N98.1	-	1	1	004.1	-	-	-	-
N98.2	-	-	-	004.2	-	-	-	-
N98.3	-	-	-	004.3	-	-	-	-
N98.8	-	-	-	004.4	-	-	-	-
N98.9	-	-	-	004.5	1	1	-	-
N99.0	...	369	369	004.6	-	1	1	-
N99.1	...	-	-	004.7	-	-	-	-
N99.2	...	-	-	004.8	3	2	-	1
N99.3	...	-	-	004.9	-	-	-	3
N99.4	...	-	-	005.0	-	-	-	-
N99.5	...	1	1	005.1	-	-	-	-
N99.8	...	54	54	005.2	-	-	-	-
N99.9	...	3	3	005.3	-	-	-	-
000.0	-	-	-	005.4	-	-	-	-
000.1	4	4	-	005.5	-	-	-	-
000.2	-	-	-	005.6	-	-	-	-
000.8	-	-	-	005.7	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
010.4	1	1	-	1	023.5	1	2	1	2
010.9	-	-	-	-	023.9	-	-	-	-
011	-	1	1	-	024.0	1	1	-	1
012.0	-	1	1	1	024.1	-	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
013	1	2	1	3	024.4	-	2	2	2
014.0	-	-	-	-	024.9	11	20	9	20
014.1	6	9	3	13	025	3	4	1	4
014.9	19	23	4	26	026.0	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									
015.0	1	1	-	1	026.1	-	-	-	-
015.1	-	-	-	-	026.2	-	-	-	-
015.2	1	2	1	2	026.3	-	-	-	-
015.9	14	17	3	17	026.4	1	1	-	1
016	8	18	10	18	026.5	-	-	-	-
020.0	-	-	-	-	026.6	11	20	9	20
Control Total Table 1	-	-	-	-	026.7	-	-	-	-
020.9	-	-	-	-	026.8	78	110	32	110
021.0	1	-	-	1	026.9	2	2	-	2
021.1	-	1	1	-	028.0	-	-	-	-
021.2	-	-	-	-	028.1	-	-	-	-
021.8	-	-	-	-	028.2	-	-	-	-
021.9	-	1	1	1	028.3	-	-	-	-
022.0	-	-	-	-	028.4	-	-	-	-
022.1	-	-	-	-	028.5	-	-	-	-
022.2	-	-	-	-	028.8	-	-	-	-
022.3	4	7	3	7	028.9	-	-	-	-
022.4	-	-	-	-	029.0	-	-	-	-
022.5	-	-	-	-	029.1	2	2	-	2
022.8	-	-	-	-	029.2	-	-	-	-
022.9	6	8	2	9	029.3	-	-	-	-
023.0	2	3	1	3	029.4	-	-	-	-
023.1	-	-	-	-	029.5	-	-	-	-
023.2	-	-	-	-	029.6	-	-	-	-
023.3	-	-	-	-	029.8	-	-	-	-
023.4	-	1	1	1	029.9	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
034.8	-	-	-	044.1	3	5	2
034.9	-	-	-	045.0	-	-	-
035.0	-	-	-	045.8	-	-	-
035.1	-	-	-	045.9	6	10	4
<b>Number of resident deaths tabulated by mention of underlying cause, Record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
035.4	-	-	-	046.9	8	12	4
035.5	-	-	-	047.0	-	-	-
035.6	-	-	-	047.1	-	-	-
035.7	-	-	-	047.9	-	-	-
035.8	<b>Multiple Cause of Death Public Use File</b>			048	-	-	-
035.9	-	1	1	060	-	-	-
036.0	-	-	-	061.0	-	-	-
036.1	-	-	-	061.1	-	-	-
036.2	-	-	-	061.8	-	-	-
036.3	-	1	1	061.9	-	-	-
Control Total, Table 1	1	4	3	062.0	-	-	-
036.4	-	-	4	062.1	-	-	-
036.5	-	1	1	062.2	-	1	1
036.6	-	-	-	062.3	-	-	-
036.7	-	-	-	062.4	-	-	-
036.8	-	-	-	062.8	-	-	-
036.9	-	-	-	062.9	-	-	-
040	-	-	-	063.0	-	-	-
041.0	-	-	-	063.1	-	-	-
041.1	2	5	3	063.2	-	-	-
041.8	-	-	-	063.9	-	-	-
041.9	-	-	-	064.0	-	-	-
042.0	-	-	-	064.1	-	-	-
042.1	-	-	-	064.2	-	-	-
042.2	-	-	-	064.3	-	-	-
042.9	1	2	1	064.4	-	-	-
043.0	-	-	-	064.5	-	-	-
043.1	-	-	-	064.8	-	-	-
043.8	-	-	-	064.9	-	-	-
043.9	-	1	1	065.0	-	-	-
044.0	-	-	-	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
070.9	-	-	-	075.9	9	13	6	57
071.0	-	-	-	085	9	16	7	16
071.1	4	5	1	086.0	1	1	-	1
071.2	-	-	-	086.1	-	1	1	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
071.5	-	-	-	086.4	1	1	-	1
071.6	-	-	-	086.8	1	1	-	1
071.7	-	-	-	087.0	-	-	-	-
071.8	<b>Multiple Cause of Death Public Use File</b>			087.1	-	-	-	-
071.9	-	-	-	087.2	-	-	-	-
072.0	5	6	1	087.3	-	-	-	-
072.1	4	11	7	087.8	-	-	-	-
072.2	-	-	-	087.9	2	3	1	3
072.3	6	9	3	088.0	2	2	-	2
073.0	-	-	-	088.1	31	40	9	40
<b>Control Total Table 1</b>								
073.1	-	-	-	088.2	23	38	15	38
074.0	-	-	-	088.3	-	-	-	-
074.1	-	-	-	088.8	-	-	-	-
074.2	-	-	-	089.0	-	-	-	-
074.3	-	-	-	089.1	-	1	1	1
074.4	-	-	-	089.2	-	-	-	-
074.5	-	-	-	089.3	-	-	-	-
074.6	-	-	-	089.4	-	-	-	-
074.7	-	-	-	089.5	-	-	-	-
074.8	-	-	-	089.6	-	-	-	-
074.9	-	-	-	089.8	-	-	-	-
075.0	-	-	-	089.9	-	-	-	-
075.1	-	3	3	090.0	-	-	-	-
075.2	-	-	-	090.1	-	1	1	1
075.3	1	1	-	090.2	-	-	-	-
075.4	14	19	5	090.3	50	59	9	59
075.5	-	-	-	090.4	-	-	-	-
075.6	-	-	-	090.5	-	-	-	-
075.7	-	-	-	090.8	2	8	6	8
075.8	2	4	2	090.9	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
P00.4	1	3	2	3	P04.1	2	4
P00.5	29	40	11	40	P04.2	9	42
P00.6	-	-	-	-	P04.3	-	1
P00.7	-	1	1	1	P04.4	41	106
P00 Number of resident deaths tabulated by mention of one underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005							
P01.0	496	546	50	546	P04.8	-	1
P01.1	837	1,112	275	1,112	P04.9	-	-
P01.2	106	235	129	235	P05.0	1	4
P01.3	10	23	13	23	P05.1	7	19
P01.4	Multiple Cause of Death Public Use File	-	-	-	P05.2	1	1
P01.5	255	482	227	482	P05.9	74	195
P01.6	12	17	5	17	P07.0	74	93
P01.7	1	1	-	1	P07.1	4	9
P01.8	60	74	14	74	P07.2	3,574	4,387
P01.9	-	-	-	-	P07.3	1,077	1,852
P02.0	Control Total Table 1	15	24	24	P08.0	-	-
P02.1	451	598	147	598	P08.1	-	-
P02.2	22	34	12	36	P08.2	1	2
P02.3	101	158	57	158	P10.0	-	-
P02.4	23	45	22	45	P10.1	2	2
P02.5	24	29	5	29	P10.2	-	-
P02.6	5	7	2	8	P10.3	-	-
P02.7	472	689	217	689	P10.4	-	-
P02.8	2	3	1	3	P10.8	-	-
P02.9	2	2	-	2	P10.9	-	-
P03.0	10	21	11	21	P11.0	1	1
P03.1	5	10	5	10	P11.1	-	1
P03.2	-	2	2	2	P11.2	14	17
P03.3	1	1	-	1	P11.3	-	-
P03.4	1	4	3	4	P11.4	-	-
P03.5	3	3	-	3	P11.5	-	-
P03.6	14	18	4	18	P11.9	2	3
P03.8	59	81	22	81	P12.0	-	-
P03.9	43	96	53	100	P12.1	-	-
P04.0	-	-	-	-	P12.2	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
P23.0	6	8	2	P29.0	349	1,224	875	1,224
P23.1	-	-	-	P29.1	519	1,540	1,021	1,540
P23.2	3	10	7	P29.2	6	33	27	33
P23.3	1	1	-	P29.3	81	400	319	400
P28.6 Number of resident deaths tabulated by mention of underlying cause, Record axis multiple cause of death by ICD-10 category: United States, 2005								
P28.6 Entity axis multiple cause of death by ICD-10 category: United States, 2005	46	61						
P23.6	3	4	1	P29.9	1	2	1	2
P23.8	2	2	-	P35.0	8	10	2	10
P23.9	81	178	98	P35.1	30	45	15	45
P24.0	28	59	31	P35.2	34	39	5	39
Multiple Cause of Death Public Use File								
P24.1	7	8	1	P35.3	-	-	-	-
P24.2	1	1	-	P35.8	2	4	2	4
P24.3	-	-	-	P35.9	5	8	3	8
P24.8	1	2	1	P36.0	24	39	15	39
P24.9	10	19	9	P36.1	7	12	5	12
P25.0	48	144	96	P36.2	27	42	15	42
Control Total Table 1								
P25.1	69	300	231	P36.3	12	28	16	28
P25.2	2	10	8	P36.4	47	79	32	79
P25.3	2	20	18	P36.5	-	-	-	-
P25.8	1	3	2	P36.8	62	98	36	98
P26.0	-	-	-	P36.9	656	1,308	652	1,336
P26.1	8	13	5	P37.0	-	-	-	-
P26.8	1	1	-	P37.1	7	8	1	8
P26.9	172	517	345	P37.2	-	-	-	-
P27.0	1	1	-	P37.3	-	-	-	-
P27.1	247	360	113	P37.4	-	-	-	-
P27.8	-	1	1	P37.5	39	51	12	51
P27.9	47	68	21	P37.8	26	45	19	45
P28.0	375	625	250	P37.9	-	-	-	-
P28.1	2	8	6	P38	6	7	1	7
P28.2	-	-	-	P39.0	-	-	-	-
P28.3	-	-	-	P39.1	-	-	-	-
P28.4	17	106	89	P39.2	2	5	3	5
P28.5	21	2,124	2,103	P39.3	5	9	4	9
P28.8	11	53	42	P39.4	-	-	-	-
P28.9	14	31	17	P39.8	14	22	8	22

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
P56.9	-	-	-	P71.1	-	5	5
P57.0	-	-	-	P71.2	-	-	-
P57.8	-	-	-	P71.3	-	-	-
P57.9	3	4	1	P71.4	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, Record axis multiple cause of death by ICD-10 category: United States, 2005</b>							
P58.2	-	2	2	P72.0	-	1	1
P58.3	-	-	-	P72.1	-	1	1
P58.4	-	-	-	P72.2	-	1	1
P58.5	-	-	-	P72.8	-	-	-
P58.8	3	5	2	P72.9	-	-	-
P58.9	-	-	-	P74.0	-	1	1
P59.0	-	7	7	P74.1	-	23	23
P59.1	-	1	1	P74.2	-	-	-
P59.2	1	2	1	P74.3	-	3	3
P59.3	-	-	-	P74.4	-	2	2
P59.8	2	2	2	P74.5	-	1	1
P59.9	-	2	2	P74.8	-	4	4
P60	52	233	181	P74.9	-	-	-
P61.0	1	3	2	P76.0	-	2	2
P61.1	1	2	1	P76.1	-	-	-
P61.2	7	124	117	P76.2	-	-	-
P61.3	4	5	2	P76.8	-	1	1
P61.4	31	47	33	P76.9	3	7	4
P61.5	2	4	2	P77	546	683	137
P61.6	3	8	5	P78.0	67	143	76
P61.8	-	1	1	P78.1	6	29	23
P61.9	-	-	-	P78.2	-	-	-
P70.0	3	7	4	P78.3	5	8	3
P70.1	6	25	19	P78.8	1	2	1
P70.2	10	20	10	P78.9	-	-	1
P70.3	-	1	1	P80.0	2	2	-
P70.4	-	11	11	P80.8	1	1	-
P70.8	-	1	1	P80.9	7	19	12
P70.9	-	-	-	P81.0	-	-	-
P71.0	-	-	-	P81.8	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
P96.3	-	-	-	Q05.9	127	282	156
P96.4	45	66	21	Q06.0	-	-	-
P96.5	-	1	1	Q06.1	2	3	1
P96.8	45	123	78	Q06.2	1	1	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death for ICD-10 category: United States, 2005							
Q00.1	-	-	-	Q06.8	1	2	1
Q00.2	-	-	-	Q06.9	3	6	3
Q01.0	-	-	-	Q07.0	46	88	42
Q01.1	Multiple Cause of Death Public Use File		-	Q07.8	1	3	2
Q01.2	1	1	1	Q07.9	35	54	19
Q01.8	1	2	1	Q10.0	-	-	-
Q01.9	41	59	18	Q10.1	-	-	-
Q02	83	150	67	Q10.2	-	-	-
Q03.0	7	8	1	Q10.3	1	1	-
Q03.1	36	58	22	Q10.4	-	-	-
Control Total, Table 1	1	2	1	Q10.5	-	-	-
Q03.9	164	276	112	Q10.6	-	-	-
Q04.0	19	34	15	Q10.7	-	-	-
Q04.1	-	-	-	Q11.0	-	-	-
Q04.2	123	163	40	Q11.1	-	3	3
Q04.3	129	171	42	Q11.2	-	5	5
Q04.4	5	9	4	Q11.3	-	-	-
Q04.5	3	3	-	Q12.0	-	1	1
Q04.6	27	43	16	Q12.1	-	-	-
Q04.8	19	41	22	Q12.2	-	-	-
Q04.9	100	154	54	Q12.3	-	-	-
Q05.0	-	-	-	Q12.4	-	-	-
Q05.1	1	1	-	Q12.8	-	1	1
Q05.2	-	-	-	Q12.9	-	-	-
Q05.3	-	-	-	Q13.0	-	1	1
Q05.4	33	52	19	Q13.1	-	1	1
Q05.5	1	2	1	Q13.2	-	-	-
Q05.6	-	2	2	Q13.3	-	-	-
Q05.7	-	-	-	Q13.4	-	1	1
Q05.8	-	-	-	Q13.5	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
Q20.0	52	68	16	68	Q24.4	22	50	28	50
Q20.1	26	42	16	42	Q24.5	172	259	87	259
Q20.2	3	3	-	3	Q24.6	19	24	5	24
Q20.3	109	133	24	133	Q24.8	112	181	69	181
<b>Number of resident deaths tabulated by mention of underlying cause of death record 430s multiple cause of death by ICD-10 category: United States, 2005</b>									
Q20.6	-	-	-	-	Q25.1	49	132	83	132
Q20.8	26	38	12	38	Q25.2	-	1	1	1
Q20.9	-	-	-	-	Q25.3	24	44	20	44
Q21.0	133	357	224	357	Q25.4	25	56	31	56
<b>Multiple Cause of Death Public Use File</b>									
Q21.1	196	403	207	403	Q25.5	40	111	71	111
Q21.2	58	125	67	125	Q25.6	30	79	50	79
Q21.3	175	264	89	264	Q25.7	15	32	17	32
Q21.4	2	3	1	3	Q25.8	2	3	1	3
Q21.8	71	106	35	106	Q25.9	1	2	1	2
Q21.9	6	13	7	13	Q26.0	-	-	-	-
<b>Control Total Table 1</b>									
Q22.0	1	1	1	1	Q26.1	-	-	-	-
Q22.1	1	2	1	2	Q26.2	3	12	9	12
Q22.2	-	1	1	1	Q26.3	5	9	4	9
Q22.3	1	7	6	7	Q26.4	29	47	18	47
Q22.4	23	32	9	32	Q26.5	1	1	-	1
Q22.5	47	60	13	60	Q26.6	-	-	-	-
Q22.6	11	16	5	16	Q26.8	8	18	10	18
Q22.8	4	9	5	9	Q26.9	11	17	6	19
Q22.9	1	2	1	2	Q27.0	-	1	1	1
Q23.0	49	71	22	71	Q27.1	-	-	-	-
Q23.1	72	180	108	180	Q27.2	-	2	2	2
Q23.2	9	16	7	16	Q27.3	219	391	172	391
Q23.3	2	10	8	10	Q27.4	-	-	-	-
Q23.4	366	439	73	439	Q27.8	2	9	7	12
Q23.8	-	3	3	3	Q27.9	43	64	21	65
Q23.9	24	34	10	36	Q28.0	2	2	-	2
Q24.0	4	20	16	20	Q28.1	1	1	-	1
Q24.1	1	1	-	1	Q28.2	51	73	24	260
Q24.2	1	1	-	1	Q28.3	39	55	17	58
Q24.3	-	1	1	1	Q28.8	3	6	3	6

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
Q35.9	4	30	26	63	Q41.0	5	14	9	14
Q36.0	-	-	-	-	Q41.1	4	9	5	9
Q36.1	-	1	1	1	Q41.2	3	8	5	8
Q36.9	1	7	6	40	Q41.8	-	1	1	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
Q37.2	-	-	-	-	Q42.1	-	1	1	1
Q37.3	-	-	-	-	Q42.2	-	-	-	-
Q37.4	-	-	-	-	Q42.3	1	35	34	35
Q37.5	-	-	-	-	Q42.8	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									
Q37.8	-	1	1	1	Q42.9	1	2	1	2
Q37.9	2	41	39	8	Q43.0	13	18	5	18
Q38.0	-	-	-	-	Q43.1	21	36	15	36
Q38.1	-	-	-	-	Q43.2	1	2	1	2
Q38.2	-	4	4	4	Q43.3	28	46	18	46
Q38.3	-	-	-	-	Q43.4	-	1	1	1
<b>Control Total Table 1</b>									
Q38.4	-	-	-	-	Q43.5	-	-	-	-
Q38.5	-	-	-	-	Q43.6	-	-	-	-
Q38.6	4	6	2	6	Q43.7	-	2	2	2
Q38.7	-	1	1	1	Q43.8	25	40	15	40
Q38.8	1	4	3	5	Q43.9	11	32	21	34
Q39.0	8	22	14	27	Q44.0	-	-	-	-
Q39.1	2	8	6	3	Q44.1	-	1	1	1
Q39.2	9	20	11	25	Q44.2	17	26	9	26
Q39.3	-	-	-	-	Q44.3	1	1	-	1
Q39.4	2	3	1	3	Q44.4	4	4	-	4
Q39.5	-	1	1	1	Q44.5	11	15	4	15
Q39.6	30	42	12	42	Q44.6	10	34	24	34
Q39.8	-	2	2	2	Q44.7	9	20	11	20
Q39.9	4	8	4	8	Q45.0	-	-	-	-
Q40.0	3	3	-	3	Q45.1	-	1	1	1
Q40.1	3	4	1	4	Q45.2	-	-	-	-
Q40.2	-	1	1	1	Q45.3	4	7	3	7
Q40.3	1	4	3	4	Q45.8	-	1	1	1
Q40.8	1	1	-	1	Q45.9	7	18	11	19
Q40.9	-	-	-	1	Q50.0	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
Q54.9	1	4	3	4	Q62.6	-	-
Q55.0	-	-	-	-	Q62.7	-	1
Q55.1	-	-	-	-	Q62.8	1	2
Q55.2	-	-	-	-	Q63.0	-	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>							
<b>Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
Q55.5	-	-	-	-	Q63.3	1	1
Q55.6	-	2	2	2	Q63.8	-	3
Q55.8	-	5	5	5	Q63.9	12	23
Q55.9	3	4	1	5	Q64.0	-	-
Q56.0	<b>Multiple Cause of Death Public Use File</b>			-	Q64.1	2	8
Q56.1	-	-	-	-	Q64.2	8	24
Q56.2	-	-	-	-	Q64.3	6	16
Q56.3	-	-	-	-	Q64.4	1	2
Q56.4	1	15	14	15	Q64.5	1	12
Q60.0	6	25	19	25	Q64.6	-	-
Q60.1	21	27	6	27	Q64.7	2	5
Q60.2	108	169	61	169	Q64.8	-	-
Q60.3	-	-	-	-	Q64.9	3	4
Q60.4	-	-	-	-	Q65.0	-	-
Q60.5	22	45	23	45	Q65.1	-	1
Q60.6	96	136	40	136	Q65.2	-	6
Q61.0	16	49	33	49	Q65.3	-	-
Q61.1	11	23	12	23	Q65.4	-	-
Q61.2	17	39	22	39	Q65.5	-	1
Q61.3	358	747	389	748	Q65.6	-	-
Q61.4	32	108	76	108	Q65.8	1	6
Q61.5	5	5	1	5	Q65.9	-	1
Q61.8	-	-	-	-	Q66.0	-	2
Q61.9	15	33	18	35	Q66.1	-	-
Q62.0	4	16	12	16	Q66.2	-	-
Q62.1	1	3	2	3	Q66.3	-	-
Q62.2	-	-	-	-	Q66.4	-	-
Q62.3	2	6	4	6	Q66.5	-	-
Q62.4	-	-	-	-	Q66.6	-	-
Q62.5	-	-	-	-	Q66.7	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
Q71.9	1	3	2	3	Q76.8	-	-
Q72.0	-	-	-	-	Q76.9	-	-
Q72.1	-	-	-	-	Q77.0	2	4
Q72.2	-	-	-	-	Q77.1	41	63
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple cause of death by ICD-10 category: United States, 2005</b>							
Q72.5	-	-	-	-	Q77.4	6	24
Q72.6	-	-	-	-	Q77.5	-	-
Q72.7	-	-	-	-	Q77.6	2	10
Q72.8	-	-	-	-	Q77.7	1	5
<b>Multiple Cause of Death Public Use File</b>							
Q72.9	-	1	1	1	Q77.8	1	1
Q73.0	1	2	1	2	Q77.9	-	-
Q73.1	-	1	1	1	Q78.0	61	104
Q73.8	-	1	1	1	Q78.1	2	3
Q74.0	2	9	7	9	Q78.2	8	27
Q74.1	-	-	-	-	Q78.3	2	2
Q74.2	1	5	4	5	Q78.4	2	4
Q74.3	1	5	4	5	Q78.5	-	1
Q74.8	2	3	1	3	Q78.6	-	-
Q74.9	4	13	9	13	Q78.8	2	3
Q75.0	5	10	5	10	Q78.9	33	67
Q75.1	4	7	3	7	Q79.0	264	335
Q75.2	-	2	2	2	Q79.1	6	17
Q75.3	1	7	6	7	Q79.2	24	90
Q75.4	5	9	4	9	Q79.3	47	92
Q75.5	-	-	-	-	Q79.4	9	27
Q75.8	3	12	9	12	Q79.5	10	17
Q75.9	5	13	8	13	Q79.6	16	37
Q76.0	1	1	-	1	Q79.8	13	25
Q76.1	3	7	4	7	Q79.9	11	22
Q76.2	-	-	-	-	Q80.0	-	-
Q76.3	-	-	-	-	Q80.1	-	-
Q76.4	8	25	17	25	Q80.2	-	-
Q76.5	-	1	1	1	Q80.3	-	-
Q76.6	-	3	3	3	Q80.4	3	3
Q76.7	-	-	-	-	Q80.8	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
Q86.8	5	11	6	11	Q92.8	24	34	10	34
Q87.0	28	48	20	48	Q92.9	24	32	8	32
Q87.1	58	139	81	139	Q93.0	-	-	-	-
Q87.2	24	54	30	54	Q93.1	-	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axes multiple cause of death ICD-10 category: United States, 2005</b>									
Q87.5	-	-	-	-	Q93.4	4	6	2	6
Q87.8	43	84	41	84	Q93.5	21	41	20	41
Q89.0	17	55	38	55	Q93.6	-	-	-	-
Q89.1	4	6	2	6	Q93.7	-	-	-	-
<b>Multiple Cause of Death Public Use File</b>									
Q89.2	6	15	9	15	Q93.8	11	16	5	17
Q89.3	18	48	30	48	Q93.9	4	9	5	9
Q89.4	14	14	-	14	Q95.0	-	-	-	-
Q89.7	281	325	48	664	Q95.1	-	2	2	2
Q89.8	72	149	77	149	Q95.2	-	-	-	-
Q89.9	245	408	164	612	Q95.3	-	-	-	-
<b>Control Total Table 1</b>									
Q90.0	-	-	-	-	Q95.4	-	-	-	-
Q90.1	-	-	-	-	Q95.5	1	1	-	1
Q90.2	-	2	2	2	Q95.8	-	1	1	1
Q90.9	981	2,054	1,073	2,055	Q95.9	-	-	-	-
Q91.0	-	-	-	-	Q96.0	-	-	-	-
Q91.1	1	2	1	2	Q96.1	-	-	-	-
Q91.2	-	-	-	-	Q96.2	-	-	-	-
Q91.3	419	465	46	465	Q96.3	-	-	-	-
Q91.4	-	-	-	-	Q96.4	-	-	-	-
Q91.5	1	3	2	3	Q96.8	2	3	1	3
Q91.6	-	1	1	1	Q96.9	8	51	43	51
Q91.7	323	344	21	344	Q97.0	1	1	-	1
Q92.0	-	1	1	1	Q97.1	1	2	1	2
Q92.1	-	-	-	-	Q97.2	-	-	-	-
Q92.2	-	-	-	-	Q97.3	-	-	-	-
Q92.3	-	-	-	-	Q97.8	2	2	-	2
Q92.4	-	-	-	-	Q97.9	-	-	-	-
Q92.5	1	1	-	1	Q98.0	-	-	-	-
Q92.6	-	-	-	-	Q98.1	-	-	-	-
Q92.7	23	25	2	25	Q98.2	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
R06.8	121	7,504	7,383	7,504	R20.2	-	1	1
R07.0	-	-	-	-	R20.3	-	-	-
R07.1	-	-	-	-	R20.8	-	4	4
R07.2	-	3	3	3	R21	-	21	21
<b>Number of resident deaths tabulated by mention of underlying cause, second axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005130</b>								
R09.0	233	18,301	18,068	18,301	R22.2	7	91	84
R09.1	4	60	56	60	R22.3	-	7	7
R09.2	2,073	64,189	62,116	64,189	R22.4	-	3	3
R09.3	-	-	-	-	R22.7	-	-	-
R09.8	20	926	906	926	R22.9	-	8	8
<b>Multiple Cause of Death Public Use File</b>								
R10.0	22	498	476	498	R23.0	-	23	23
R10.1	-	12	12	12	R23.1	-	1	1
R10.2	-	15	15	15	R23.2	-	-	-
R10.3	-	2	2	2	R23.3	-	30	30
R10.4	40	786	746	786	R23.4	-	5	5
R11	5	1,295	1,290	1,295	R23.8	-	16	16
R12	-	7	7	7	R25.0	-	-	-
R13	97	20,250	20,153	20,250	R25.1	-	110	110
R14	1	111	110	111	R25.2	-	49	49
R15	-	31	31	31	R25.3	-	1	1
R16.0	-	178	178	178	R25.8	-	7	7
R16.1	1	204	203	204	R26.0	-	25	25
R16.2	1	95	94	95	R26.1	-	-	-
R17	3	633	630	633	R26.2	-	3	3
R18	9	3,801	3,792	3,801	R26.8	-	308	308
R19.0	38	767	729	767	R27.0	3	174	171
R19.1	-	1	1	1	R27.8	5	51	46
R19.2	-	2	2	2	R29.0	-	-	-
R19.3	-	1	1	1	R29.1	-	1	1
R19.4	-	1	1	1	R29.2	-	10	10
R19.5	-	-	-	-	R29.3	-	1	1
R19.6	-	-	-	-	R29.4	-	-	-
R19.8	117	1,922	1,805	1,922	R29.8	36	721	685
R20.0	-	7	7	7	R30.0	-	3	3
R20.1	-	-	-	-	R30.1	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
R45.7	-	-	-	R57.1	27	1,549	1,522	1,549
R45.8	-	21	21	R57.8	47	1,784	1,737	1,784
R46.0	-	2	2	R57.9	241	11,281	11,040	11,281
R46.1	-	-	-	R58	240	4,669	4,426	4,657
<b>R46.8 Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
R46.8	-	-	-	R59.9	1	74	73	74
R46.5	-	-	-	R60.0	4	392	388	392
R46.6	-	-	-	R60.1	5	1,088	1,083	1,088
R46.7	-	-	-	R60.9	2	920	918	920
<b>Multiple Cause of Death Public Use File</b>								
R46.8	-	11	11	R61.0	-	-	-	-
R47.0	11	1,222	1,211	R61.1	-	-	-	-
R47.1	1	45	44	R61.9	-	5	5	5
R47.8	-	14	14	R62.0	-	-	-	-
R48.0	-	3	3	R62.8	3,137	39,179	36,042	39,462
R48.1	-	2	2	R62.9	4	232	228	232
R48.2	1	21	20	R63.0	71	4,988	4,917	4,988
R48.8	-	9	9	R63.1	-	15	15	15
R49.0	-	8	8	R63.2	-	13	13	13
R49.1	-	4	4	R63.3	1	130	129	130
R49.2	-	-	-	R63.4	13	1,446	1,433	1,446
R49.8	-	-	-	R63.5	-	7	7	7
R50.0	-	-	-	R63.8	21	1,973	1,952	1,973
R50.1	-	7	7	R64	301	10,748	10,447	11,656
R50.9	34	1,062	1,028	R68.0	3	210	207	210
R51	1	97	96	R68.1	-	-	-	-
R52.0	-	8	8	R68.2	-	-	-	-
R52.1	-	1	1	R68.3	-	-	-	-
R52.2	7	1,432	1,425	R68.8	69	2,557	2,488	2,557
R52.9	1	527	526	R70.0	-	2	2	2
R53	1,108	13,166	12,058	R70.1	-	30	30	30
R54	4,721	21,400	16,679	R71	-	1	1	1
R55	28	1,536	1,508	R72	-	6	6	6
R56.0	2	8	6	R73.0	-	112	112	112
R56.8	1,069	19,434	18,365	R73.9	14	816	802	816
R57.0	341	13,874	13,533	R74.0	-	5	5	5

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
R82.8	-	2	2	R86.4	-	-	-
R82.9	-	1	1	R86.5	-	-	-
R83.0	-	-	-	R86.6	-	-	-
HC	-	-	-	R86.7	-	-	-
R83.1	-	-	-				
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
R83.4	-	-	-	R87.0	-	-	-
R83.5	-	-	-	R87.1	-	-	-
R83.6	-	-	-	R87.2	-	-	-
R83.7	-	-	-	R87.3	-	-	-
R83.8	<b>Multiple Cause of Death Public Use File</b>			R87.4	-	-	-
R83.9	-	-	-	R87.5	-	-	-
R84.0	-	-	-	R87.6	-	-	-
R84.1	-	-	-	R87.7	-	-	-
R84.2	-	1	1	R87.8	-	-	-
R84.3	-	-	-	R87.9	-	-	-
<b>Control Total Table 1</b>							
R84.4	-	-	-	R89.0	-	-	-
R84.5	-	2	2	R89.1	-	-	-
R84.6	-	-	-	R89.2	-	-	-
R84.7	-	-	-	R89.3	-	1	1
R84.8	-	-	-	R89.4	-	-	-
R84.9	-	-	-	R89.5	-	-	-
R85.0	-	-	-	R89.6	-	-	-
R85.1	-	-	-	R89.7	-	1	1
R85.2	-	-	-	R89.8	-	2	2
R85.3	-	-	-	R89.9	-	-	-
R85.4	-	-	-	R90.0	4	58	54
R85.5	-	-	-	R90.8	-	-	-
R85.6	-	-	-	R91	159	3,348	3,189
R85.7	-	-	-	R92	-	-	-
R85.8	-	-	-	R93.0	-	-	-
R85.9	-	-	-	R93.1	-	2	2
R86.0	-	-	-	R93.2	-	2	2
R86.1	-	-	-	R93.3	-	-	-
R86.2	-	-	-	R93.4	-	-	-
R86.3	-	-	-	R93.5	-	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
S02.1	...	733	733	S06.1	...	340	340
S02.2	...	41	41	S06.2	...	2,583	2,583
S02.3	...	1	1	S06.3	...	49	49
S02.4	...	24	24	S06.4	...	113	113
<b>Number of resident deaths tabulated by mention of underlying cause record, axis multiplicity</b>							
<b>S02. Entity axis multiplicity cause of death by ICD-10 category: United States, 2005</b>							
S02.7	...	28	28	S06.7	...	-	-
S02.8	...	32	32	S06.8	...	2,183	2,183
S02.9	...	2,564	2,564	S06.9	...	5,831	5,831
S03.0	Multiple Cause of Death Public Use File	4	4	S07.0	...	7	7
S03.1	...	-	-	S07.1	...	36	36
S03.2	...	-	-	S07.8	...	1	1
S03.3	...	4	4	S07.9	...	195	195
S03.4	...	-	-	S08.0	...	4	4
S03.5	...	-	-	S08.1	...	-	-
S04.0	Control Total Table 1	2	2	S08.8	...	-	-
S04.1	...	-	-	S08.9	...	3	3
S04.2	...	-	-	S09.0	...	7	7
S04.3	...	-	-	S09.1	...	-	-
S04.4	...	-	-	S09.2	...	-	-
S04.5	...	-	-	S09.7	...	797	797
S04.6	...	-	-	S09.8	...	5	5
S04.7	...	-	-	S09.9	...	26,326	26,326
S04.8	...	-	-	S10.0	...	1	1
S04.9	...	5	5	S10.1	...	1	1
S05.0	...	-	-	S10.7	...	-	-
S05.1	...	5	5	S10.8	...	19	19
S05.2	...	-	-	S10.9	...	16	16
S05.3	...	8	8	S11.0	...	26	26
S05.4	...	1	1	S11.1	...	-	-
S05.5	...	-	-	S11.2	...	5	5
S05.6	...	2	2	S11.7	...	85	85
S05.7	...	12	12	S11.8	...	83	83
S05.8	...	9	9	S11.9	...	1,539	1,539
S05.9	...	48	48	S12.0	...	118	118
S06.0	...	137	137	S12.1	...	177	177

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
S20.3	...	4	4	S25.5	...	6	6
S20.4	...	-	-	S25.7	...	1	1
S20.7	...	1	1	S25.8	...	8	8
S20.8	...	12	12	S25.9	...	17	17
<b>Number of resident deaths tabulated by mention of underlying cause record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
S21.2	...	820	820	S26.9	...	701	701
S21.7	...	210	210	S27.0	...	339	339
S21.8	...	11	11	S27.1	...	698	698
S21.9	5,990	5,990	5,991	S27.2	...	86	86
<b>Multiple Cause of Death Public Use File</b>							
S22.0	...	212	212	S27.3	...	1,532	1,532
S22.1	...	13	13	S27.4	...	8	8
S22.2	...	143	143	S27.5	...	1	1
S22.3	...	1,395	1,395	S27.6	...	26	26
S22.4	...	528	528	S27.7	...	5	5
S22.5	170	170	170	S27.8	...	147	147
<b>Control Total Table 1</b>							
S22.8	...	-	-	S27.9	...	132	132
S22.9	...	95	95	S28.0	...	379	379
S23.0	...	-	-	S28.1	...	-	-
S23.1	...	7	7	S29.0	...	-	-
S23.2	...	1	1	S29.7	...	331	331
S23.3	...	-	-	S29.8	...	60	60
S23.4	...	2	2	S29.9	...	6,755	6,755
S23.5	...	-	-	S30.0	...	8	8
S24.0	...	-	-	S30.1	...	4	4
S24.1	...	10	10	S30.2	...	-	-
S24.2	...	2	2	S30.7	...	1	1
S24.3	...	1	1	S30.8	...	19	19
S24.4	...	-	-	S30.9	...	27	27
S24.5	...	-	-	S31.0	...	153	153
S24.6	...	-	-	S31.1	...	79	79
S25.0	...	1,288	1,288	S31.2	...	1	1
S25.1	...	42	42	S31.3	...	2	2
S25.2	...	43	43	S31.4	...	4	4
S25.3	...	28	28	S31.5	...	-	-
S25.4	...	58	58	S31.7	...	17	17

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total	Second- ary	Entity axis		Record axis		Record count by code field	
	mention				UC	mention	Secondary	Entity axis
<b>Record count by code field</b>								
S36.2	...	39	39	S42.1	...	23	23	23
S36.3	...	96	96	S42.2	...	27	27	27
S36.4	...	54	54	S42.3	...	760	760	760
S36.5	...	50	50	S42.4	...	7	7	7
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
S36.8	...	911	911	S42.9	...	167	167	167
S36.9	...	207	207	S43.0	...	25	25	25
S37.0	...	180	180	S43.1	...	2	2	2
S37.1	Multiple Cause of Death Public Use File	2	2	S43.2	...	-	-	-
S37.2	...	32	32	S43.3	...	-	-	-
S37.3	...	1	1	S43.4	...	2	2	2
S37.4	...	-	-	S43.5	...	-	-	-
S37.5	...	-	-	S43.6	...	-	-	-
S37.6	...	4	4	S43.7	...	-	-	-
S37.7	Control Total Table 1	-	-	S44.0	...	-	-	-
S37.8	...	13	13	S44.1	...	-	-	-
S37.9	...	17	17	S44.2	...	-	-	-
S38.0	...	-	-	S44.3	...	-	-	-
S38.1	...	84	84	S44.4	...	-	-	-
S38.2	...	-	-	S44.5	...	-	-	-
S38.3	...	-	-	S44.7	...	-	-	-
S39.0	...	1	1	S44.8	...	-	-	-
S39.6	...	5	5	S44.9	...	-	-	-
S39.7	...	49	49	S45.0	...	10	10	10
S39.8	...	4	4	S45.1	...	22	22	22
S39.9	...	2,390	2,390	S45.2	...	6	6	6
S40.0	...	6	6	S45.3	...	1	1	1
S40.7	...	1	1	S45.7	...	-	-	-
S40.8	...	-	-	S45.8	...	-	-	-
S40.9	...	2	2	S45.9	...	4	4	4
S41.0	...	124	124	S46.0	...	6	6	6
S41.1	...	33	33	S46.1	...	-	-	-
S41.7	...	1	1	S46.2	...	-	-	-
S41.8	...	12	12	S46.3	...	-	-	-
S42.0	...	146	146	S46.7	...	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
S54.3	...	-	-	S61.8	...	6	6
S54.7	...	-	-	S61.9	...	372	372
S54.8	...	-	-	S62.0	...	-	-
<sup>UC</sup> S54.9	...	-	-	S62.1	...	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
S55.2	...	1	1	S62.4	...	-	-
S55.7	...	-	-	S62.5	...	-	-
S55.8	...	-	-	S62.6	...	1	1
S55.9	...	1	1	S62.7	...	-	-
<b>Multiple Cause of Death Public Use File</b>				S62.8	...	144	144
S56.0	...	-	-	S63.0	...	-	-
S56.1	...	-	-	S63.1	...	1	1
S56.2	...	-	-	S63.2	...	-	-
S56.3	...	-	-	S63.3	...	-	-
S56.4	...	-	-	S63.4	...	-	-
S56.5	...	-	-	S63.5	...	-	-
<b>Control Total Table 1</b>				S63.6	...	-	-
S56.7	...	-	-	S63.7	...	-	-
S56.8	...	-	-	S64.0	...	-	-
S57.0	...	-	-	S64.1	...	-	-
S57.8	...	-	-	S64.2	...	-	-
S57.9	...	-	-	S64.3	...	-	-
S58.0	...	-	-	S64.4	...	-	-
S58.1	...	-	-	S64.7	...	-	-
S58.9	...	-	-	S64.8	...	-	-
S59.7	...	-	-	S64.9	...	-	-
S59.8	...	-	-	S65.0	...	2	2
S59.9	...	22	22	S65.1	...	1	1
S60.0	...	1	1	S65.2	...	-	-
S60.1	...	-	-	S65.3	...	-	-
S60.2	...	2	2	S65.4	...	-	-
S60.7	...	-	-	S65.5	...	-	-
S60.8	...	2	2	S65.7	...	-	-
S60.9	...	2	2	S65.8	...	-	-
S61.0	...	4	4	S65.9	...	1	1
S61.1	...	-	-			-	-
S61.7	...	9	9			-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
S72.7	...	6	6	S81.0	...	12	12	12
S72.8	...	2	2	S81.7	...	3	3	3
S72.9	...	2,148	2,148	S81.8	...	3	3	3
S73.0	...	67	67	S81.9	...	19	19	19
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>								
<b>S74. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
S74.1	...	-	-	S82.2	...	377	377	377
S74.2	...	-	-	S82.3	...	5	5	5
S74.7	...	-	-	S82.4	...	233	233	233
S74.8	...	-	-	S82.5	...	3	3	3
<b>Multiple Cause of Death Public Use File</b>								
S74.9	...	-	-	S82.6	...	1	1	1
S75.0	...	41	41	S82.7	...	1	1	1
S75.1	...	16	16	S82.8	...	308	308	308
S75.2	...	-	-	S82.9	...	28	28	28
S75.7	...	-	-	S83.0	...	-	-	-
S75.8	...	-	-	S83.1	...	5	5	5
<b>Control Total Table 1</b>								
S75.9	...	11	11	S83.2	...	7	7	7
S76.0	...	-	-	S83.3	...	-	-	-
S76.1	...	3	3	S83.4	...	-	-	-
S76.2	...	-	-	S83.5	...	1	1	1
S76.3	...	-	-	S83.6	...	6	6	6
S76.4	...	-	-	S83.7	...	-	-	-
S76.7	...	-	-	S84.0	...	-	-	-
S77.0	...	-	-	S84.1	...	-	-	-
S77.1	...	3	3	S84.2	...	-	-	-
S78.0	...	-	-	S84.7	...	-	-	-
S78.1	...	-	-	S84.8	...	-	-	-
S78.9	...	-	-	S84.9	...	-	-	-
S79.7	...	-	-	S85.0	...	9	9	9
S79.8	...	2	2	S85.1	...	6	6	6
S79.9	...	276	276	S85.2	...	-	-	-
S80.0	...	10	10	S85.3	...	1	1	1
S80.1	...	1	1	S85.4	...	-	-	-
S80.7	...	-	-	S85.5	...	3	3	3
S80.8	...	-	-	S85.7	...	-	-	-
S80.9	...	9	9	S85.8	...	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		Record axis		Record count by code field	
	UC	Total mention	Second- ary		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
S93.0	...	-	-	S99.9	...	43	43	43
S93.1	...	-	-	T00.2	...	1	1	1
S93.2	...	-	-	T00.3	...	-	-	-
S93.3	...	-	-	T00.8	...	-	-	-
<b>Number of resident deaths tabulated by mention of one underlying cause, 5 record axis multiple</b>								
<b>S98.5 Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
S93.6	...	1	1	T01.3	...	11	11	11
S94.0	...	-	-	T01.9	...	3,914	3,914	3,914
S94.1	...	-	-	T02.1	...	31	31	31
S94.2	Multiple Cause of Death Public Use File			T02.2	...	11	11	11
S94.3	...	-	-	T02.3	...	15	15	15
S94.7	...	-	-	T02.4	...	18	18	18
S94.8	...	-	-	T02.5	...	190	190	190
S94.9	...	-	-	T02.8	...	-	-	-
S95.0	...	-	-	T02.9	...	521	521	521
S95.1	Control Total Table 1			T03.1	...	-	-	-
S95.2	...	-	-	T03.2	...	-	-	-
S95.7	...	-	-	T03.3	...	-	-	-
S95.8	...	1	1	T03.8	...	-	-	-
S95.9	...	2	2	T03.9	...	-	-	-
S96.0	...	-	-	T04.1	...	46	46	46
S96.1	...	-	-	T04.2	...	2	2	2
S96.2	...	-	-	T04.3	...	22	22	22
S96.7	...	-	-	T04.8	...	-	-	-
S96.8	...	-	-	T04.9	...	62	62	62
S96.9	...	-	-	T05.0	...	-	-	-
S97.0	...	-	-	T05.2	...	1	1	1
S97.1	...	-	-	T05.3	...	-	-	-
S97.8	...	-	-	T05.5	...	5	5	5
S98.0	...	1	1	T05.8	...	11	11	11
S98.1	...	1	1	T05.9	...	1	1	1
S98.2	...	-	-	T06.2	...	1	1	1
S98.3	...	-	-	T06.3	...	11	11	11
S98.4	...	2	2	T06.4	...	-	-	-
S99.7	...	-	-	T06.5	...	461	461	461
S99.8	...	-	-	T07	...	17,415	17,415	17,416

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
T14.6	...	21	21	T20.5	...	-	-
T14.7	...	395	395	T20.6	...	-	-
T14.8	...	1,180	1,180	T20.7	...	-	-
T14.9	...	13,323	13,323	T21.0	...	150	150
UC							150
T14.9	...	13,323	13,324				
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>							
<b>T08. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
T15.8	...	-	-	T21.3	...	22	22
T15.9	...	1	1	T21.4	...	-	-
T16	...	-	-	T21.5	...	-	-
T17.0	Multiple Cause of Death Public Use File	-	-	T21.6	...	-	-
T17.1	...	1	1	T21.7	...	-	-
T17.2	...	17	17	T22.0	...	21	21
T17.3	...	12	12	T22.1	...	-	-
T17.4	...	31	31	T22.2	...	1	1
T17.5	...	29	29	T22.3	...	3	3
T17.8	336	336	336	T22.4	...	-	-
Control Total	16,074	16,074	16,090	T22.5	...	-	-
T17.9	...	-	-				
T18.0	...	2	2	T22.6	...	-	-
T18.1	...	7	7	T22.7	...	-	-
T18.2	...	5	5	T23.0	...	6	6
T18.3	...	5	5	T23.1	...	-	-
T18.4	...	4	4	T23.2	...	3	3
T18.5	...	2	2	T23.3	...	1	1
T18.8	...	1	1	T23.4	...	-	-
T18.9	...	25	25	T23.5	...	-	-
T19.0	...	-	-	T23.6	...	-	-
T19.1	...	-	-	T23.7	...	-	-
T19.2	...	-	-	T24.0	...	31	31
T19.3	...	-	-	T24.1	...	-	-
T19.8	...	-	-	T24.2	...	2	2
T19.9	...	1	1	T24.3	...	8	8
T20.0	...	52	52	T24.4	...	-	-
T20.1	...	1	1	T24.5	...	-	-
T20.2	...	6	6	T24.6	...	-	-
T20.3	...	5	5	T24.7	...	1	1
T20.4	...	-	-	T25.0	...	11	11

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
T30.1	...	3	3	T33.9	...	-	-
T30.2	...	19	19	T34.0	...	-	-
T30.3	...	88	88	T34.1	...	-	-
U6	...	8	8	T34.2	...	-	-
T30.4	...	8	8				
Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005							
T30.7	...	-	-	T34.5	...	-	-
T31.0	...	14	14	T34.6	...	-	-
T31.1	...	45	45	T34.7	...	-	-
T31.2	...	40	40	T34.8	...	-	-
Multiple Cause of Death Public Use File							
T31.3	...	43	43	T34.9	...	-	-
T31.4	...	50	50	T35.0	...	-	-
T31.5	...	37	37	T35.1	...	-	-
T31.6	...	36	36	T35.2	...	-	-
T31.7	...	36	36	T35.3	...	-	-
T31.8	...	46	46	T35.4	...	-	-
Control Total	...	263	263	T35.5	...	2	2
Table 1	...	263	263				
T32.0	...	-	-	T35.6	...	-	-
T32.1	...	-	-	T35.7	...	5	5
T32.2	...	-	-	T36.0	...	2	2
T32.3	...	-	-	T36.1	...	-	-
T32.4	...	-	-	T36.2	...	-	-
T32.5	...	-	-	T36.3	...	-	-
T32.6	...	-	-	T36.4	...	-	-
T32.7	...	-	-	T36.5	...	6	6
T32.8	...	-	-	T36.6	...	3	3
T32.9	...	1	1	T36.7	...	1	1
T33.0	...	-	-	T36.8	...	8	8
T33.1	...	-	-	T36.9	...	5	5
T33.2	...	-	-	T37.0	...	-	-
T33.3	...	-	-	T37.1	...	3	3
T33.4	...	-	-	T37.2	...	10	10
T33.5	...	-	-	T37.3	...	-	-
T33.6	...	-	-	T37.4	...	2	2
T33.7	...	-	-	T37.5	...	2	2
T33.8	...	-	-	T37.8	...	10	10

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
<b>Record count by code field</b>								
T42.2	...	-	-	T46.0	...	200	200	200
T42.3	...	290	290	T46.1	...	122	122	122
T42.4	...	3,224	3,224	T46.2	...	119	119	119
UC	...	5	5	T46.3	...	2	2	2
<b>Number of resident deaths tabulated by mention of underlying cause, Record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
T42.8	...	515	515	T46.6	...	2	2	2
T43.0	...	1,440	1,440	T46.7	...	3	3	3
T43.1	...	8	8	T46.8	...	-	-	-
T43.2	1,851	1,851	1,851	T46.9	...	-	-	-
Multiple Cause of Death Public Use File	234	234	234	T47.0	...	-	-	-
T43.3	...	234	234	T47.1	...	5	5	5
T43.4	...	11	11	T47.2	...	-	-	-
T43.5	...	715	715	T47.3	...	1	1	1
T43.6	...	2,023	2,023	T47.4	...	3	3	3
T43.8	...	25	25	T47.5	...	3	3	3
T43.9	14	14	14	T47.6	...	3	3	3
Control Total Table 1	2	2	2	T47.7	...	-	-	-
T44.1	...	1	1	T47.8	...	-	-	-
T44.2	...	1	1	T47.9	...	-	-	-
T44.3	...	30	30	T48.0	...	-	-	-
T44.4	...	2	2	T48.1	...	35	35	35
T44.5	...	4	4	T48.2	...	1	1	1
T44.6	...	-	-	T48.3	...	119	119	119
T44.7	...	56	56	T48.4	...	13	13	13
T44.8	...	1	1	T48.5	...	5	5	5
T44.9	...	92	92	T48.6	...	25	25	25
T45.0	...	858	858	T48.7	...	80	80	80
T45.1	...	106	106	T49.0	...	2	2	2
T45.2	...	2	2	T49.1	...	2	2	2
T45.3	...	-	-	T49.2	...	3	3	3
T45.4	...	1	1	T49.3	...	-	-	-
T45.5	...	204	204	T49.4	...	14	14	14
T45.6	...	1	1	T49.5	...	1	1	1
T45.7	...	2	2	T49.6	...	-	-	-
T45.8	...	2	2	T49.7	...	-	-	-
T45.9	...	-	-					

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary		
							Entity axis		
<b>Record count by code field</b>									
T54.2	...	18	18	18	T60.8	...	3	3	3
T54.3	...	17	17	17	T60.9	...	9	9	9
T54.9	...	19	19	19	T61.0	...	-	-	-
T55	...	3	3	3	T61.1	...	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
T56.2	...	-	-	-	T61.9	...	-	-	-
T56.3	...	-	-	-	T62.0	...	3	3	3
T56.4	...	1	1	1	T62.1	...	-	-	-
T56.5	Multiple Cause of Death Public Use File	-	-	-	T62.2	...	2	2	2
T56.6	...	-	-	-	T62.8	...	2	2	2
T56.7	...	2	2	2	T62.9	...	2	2	2
T56.8	...	74	74	74	T63.0	...	7	7	7
T56.9	...	-	-	-	T63.1	...	-	-	-
T57.0	...	1	1	1	T63.2	...	-	-	-
T57.1	...	3	3	3	T63.3	...	15	15	15
T57.2	Control Total Table 1	2	2	2	T63.4	...	89	89	89
T57.3	...	-	-	-	T63.5	...	-	-	-
T57.8	...	6	6	6	T63.6	...	1	1	1
T57.9	...	-	-	-	T63.8	...	-	-	-
T58	...	2,595	2,595	2,596	T63.9	...	2	2	2
T59.0	...	3	3	3	T64	...	-	-	-
T59.1	...	1	1	1	T65.0	...	36	36	36
T59.2	...	1	1	1	T65.1	...	2	2	2
T59.3	...	-	-	-	T65.2	...	2	2	2
T59.4	...	9	9	9	T65.3	...	-	-	-
T59.5	...	-	-	-	T65.4	...	-	-	-
T59.6	...	2	2	2	T65.5	...	-	-	-
T59.7	...	10	10	10	T65.6	...	9	9	9
T59.8	...	2,709	2,709	2,709	T65.8	...	14	14	14
T59.9	...	487	487	487	T65.9	...	286	286	286
T60.0	...	7	7	7	T66	...	53	53	53
T60.1	...	-	-	-	T67.0	...	506	506	506
T60.2	...	2	2	2	T67.1	...	2	2	2
T60.3	...	11	11	11	T67.2	...	-	-	-
T60.4	...	4	4	4	T67.3	...	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
T75.8	...	338	338	339	T81.9	...	408
T78.0	...	11	11	11	T82.0	...	60
T78.1	...	7	7	7	T82.1	...	91
T78.2	...	146	146	146	T82.2	...	21
T78.8	...	1	1	1	T82.5	...	26
T78.9	...	1	1	1	T82.6	...	198
T79.0	...	43	43	43	T82.7	...	1,358
T79.1	127	127	127	127	T82.8	...	3,578
<b>Multiple Cause of Death Public Use File</b>							
T79.2	...	-	-	-	T82.9	...	189
T79.3	...	25	25	25	T83.0	...	2
T79.4	...	816	816	816	T83.1	...	3
T79.5	...	4	4	4	T83.2	...	1
T79.6	...	93	93	93	T83.3	...	-
T79.7	144	144	144	144	T83.4	...	1
T79.8	Control Total Table 1	20	20	20	T83.5	...	292
T79.9	...	6	6	6	T83.6	...	7
T80.0	...	3	3	3	T83.8	...	43
T80.1	...	-	-	-	T83.9	...	15
T80.2	...	47	47	47	T84.0	...	26
T80.3	...	1	1	1	T84.1	...	2
T80.4	...	-	-	-	T84.2	...	3
T80.5	...	1	1	1	T84.3	...	1
T80.6	...	-	-	-	T84.4	...	3
T80.8	...	93	93	93	T84.5	...	151
T80.9	...	55	55	55	T84.6	...	20
T81.0	...	809	809	809	T84.7	...	16
T81.1	...	223	223	223	T84.8	...	239
T81.2	...	485	485	485	T84.9	...	19
T81.3	...	245	245	245	T85.0	...	30
T81.4	...	1,609	1,609	1,610	T85.1	...	-
T81.5	...	5	5	5	T85.2	...	-
T81.6	...	11	11	11	T85.3	...	-
T81.7	...	1,275	1,275	1,275	T85.4	...	2
T81.8	...	2,429	2,429	2,429	T85.5	...	39

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total	Second- ary	Entity axis		Record axis	Total	Second- ary
	mention				UC	mention	axis
<b>Record count by code field</b>							
T91.0	...	112	112	112	T97	...	57
T91.1	...	163	163	163	T98.0	...	11
T91.2	...	46	46	46	T98.1	...	129
T91.3	...	709	709	709	T98.2	...	12
Number of resident deaths tabulated by mention of underlying cause record 882s multiple cause of death by ICD-10 category: United States, 2005							
T92.0	...	7	7	7	U01.1	-	-
T92.1	...	24	24	24	U01.2	-	-
T92.2	...	2	2	2	U01.3	-	-
T92.3	...	1	1	1	U01.4	-	-
T92.4	...	1	1	1	U01.5	-	-
T92.5	...	1	1	1	U01.6	-	-
T92.6	...	-	-	-	U01.7	-	-
T92.7	...	3	3	3	U01.8	-	-
T92.8	...	3	3	3	U01.9	-	-
T92.9	...	2	2	2	U02	-	-
Control Total Table 1							
T93.0	...	22	22	22	U03.0	-	-
T93.1	...	388	388	388	V01.0	2	2
T93.2	...	28	28	28	V01.1	5	5
T93.3	...	7	7	7	V01.9	-	-
T93.4	...	-	-	-	V02.0	6	6
T93.5	...	1	1	1	V02.1	39	39
T93.6	...	1	1	1	V02.9	4	4
T93.7	...	4	4	4	V03.0	241	247
T93.8	...	20	20	20	V03.1	2,728	2,744
T93.9	...	102	102	102	V03.9	17	17
T94.0	...	587	587	587	V04.0	48	48
T94.1	...	1	1	1	V04.1	280	281
T95.0	...	-	-	-	V04.9	14	14
T95.1	...	-	-	-	V05.0	120	120
T95.2	...	-	-	-	V05.1	73	74
T95.3	...	1	1	1	V05.9	213	214
T95.4	...	-	-	-	V06.0	4	4
T95.5	...	3	3	3	V06.1	2	2
T95.6	...	23	23	23	V06.9	3	4
T96	...	101	101	101	V06.9	1	4

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		Record axis		Record count by code field	
	UC				Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>								
V14.3	-	-	-	V19.4	105	105	-	105
V14.4	25	25	-	V19.5	6	6	-	6
V14.5	1	1	-	V19.6	87	87	-	87
V14.9	30	31	1	V19.8	2	3	1	3
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple</b>								
<b>Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>								
V15.2	-	-	-	V20.1	1	1	-	1
V15.3	-	-	-	V20.2	1	1	-	1
V15.4	4	4	-	V20.3	-	-	-	-
V15.5	-	-	-	V20.4	45	45	-	45
Multiple Cause of Death Public Use File	8	8	-	V20.5	6	6	-	6
V15.9	8	8	8	V20.9	14	14	-	14
V16.0	-	-	-	V21.0	-	-	-	-
V16.1	-	-	-	V21.1	-	-	-	-
V16.2	-	-	-	V21.2	-	-	-	-
V16.3	-	-	-	V21.3	-	-	-	-
V16.4	-	-	-	V21.4	-	-	-	-
Control Total Table 1	-	-	-	V21.5	-	-	-	-
V16.5	-	-	-	V21.9	-	-	-	-
V16.9	2	2	-	V22.0	3	3	-	3
V17.0	3	3	-	V22.1	1	1	-	1
V17.1	-	-	-	V22.2	2	2	-	2
V17.2	2	2	-	V22.3	-	-	-	-
V17.3	-	-	-	V22.4	30	30	-	30
V17.4	8	9	1	V22.5	4	4	-	4
V17.5	-	-	-	V22.9	11	11	-	11
V17.9	6	6	-	V23.0	2	2	-	2
V18.0	4	5	1	V23.1	-	-	-	-
V18.1	-	-	-	V23.2	1	1	-	1
V18.2	12	12	-	V23.3	-	-	-	-
V18.3	-	-	-	V23.4	1,028	1,030	3	1,030
V18.4	18	19	1	V23.5	95	96	1	96
V18.5	-	-	-	V23.9	120	121	1	121
V18.9	51	51	-	V24.0	-	-	-	-
V19.0	1	1	-	V24.1	-	-	-	-
V19.1	2	2	-	V24.2	-	-	-	-
V19.2	2	2	-	-	-	-	-	-
V19.3	5	6	1	-	-	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
V29.4	465	465	-	465	V33.4	-	-
V29.5	41	42	1	42	V33.5	-	-
V29.6	62	63	1	63	V33.6	-	-
V29.8	10	10	-	10	V33.7	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
V30.1	-	-	-	-	V34.1	-	-
V30.2	-	-	-	-	V34.2	-	-
V30.3	-	-	-	-	V34.3	-	-
V30.4	Multiple Cause of Death Public Use File			-	V34.4	-	-
V30.5	-	-	-	-	V34.5	-	-
V30.6	-	-	-	-	V34.6	-	-
V30.7	-	-	-	-	V34.7	-	-
V30.9	-	-	-	-	V34.9	-	-
V31.0	-	-	-	-	V35.0	-	-
V31.1	-	-	-	-	V35.1	-	-
<b>Control Total Table 1</b>							
V31.2	-	-	-	-	V35.2	-	-
V31.3	-	-	-	-	V35.3	-	-
V31.4	-	-	-	-	V35.4	-	-
V31.5	-	-	-	-	V35.5	-	-
V31.6	-	-	-	-	V35.6	-	-
V31.7	-	-	-	-	V35.7	-	-
V31.9	-	-	-	-	V35.9	-	-
V32.0	-	-	-	-	V36.0	-	-
V32.1	-	-	-	-	V36.1	-	-
V32.2	-	-	-	-	V36.2	-	-
V32.3	-	-	-	-	V36.3	-	-
V32.4	-	-	-	-	V36.4	-	-
V32.5	-	-	-	-	V36.5	-	-
V32.6	-	-	-	-	V36.6	-	-
V32.7	-	-	-	-	V36.7	-	-
V32.9	-	-	-	-	V36.9	-	-
V33.0	-	-	-	-	V37.0	-	-
V33.1	-	-	-	-	V37.1	-	-
V33.2	-	-	-	-	V37.2	-	-
V33.3	-	-	-	-	V37.3	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
V41.4	-	-	-	V45.4	-	-	-
V41.5	-	-	-	V45.5	63	61	-
V41.6	-	-	-	V45.6	19	19	-
V41.7	-	-	-	V45.7	-	-	-
Number of resident deaths tabulated by mention of underlying cause, record axis multiple							
V42. Entity axis multiple cause of death by ICD-10 category: United States, 2005							
V42.1	-	-	-	V46.1	-	-	-
V42.2	-	-	-	V46.2	-	-	-
V42.3	-	-	-	V46.3	1	1	-
V42.4	Multiple Cause of Death Public Use File			V46.4	-	-	-
V42.5	15	16	1	V46.5	6	6	-
V42.6	4	4	-	V46.6	1	1	-
V42.7	1	1	1	V46.7	1	1	-
V42.9	8	8	-	V46.9	-	-	-
V43.0	1	2	1	V47.0	20	21	1
V43.1	2	2	-	V47.1	9	9	-
Control Total, Table 1							
V43.2	1	1	-	V47.2	2	2	-
V43.3	2	2	-	V47.3	7	7	-
V43.4	3	3	-	V47.4	2	3	1
V43.5	2,839	2,873	34	V47.5	2,147	2,183	36
V43.6	1,398	1,411	13	V47.6	822	828	6
V43.7	1	1	-	V47.7	1	1	-
V43.9	349	359	10	V47.9	258	260	2
V44.0	-	-	-	V48.0	19	19	-
V44.1	1	1	-	V48.1	6	6	-
V44.2	-	-	-	V48.2	-	-	-
V44.3	-	-	-	V48.3	8	8	-
V44.4	2	2	-	V48.4	16	18	2
V44.5	742	749	7	V48.5	1,541	1,550	9
V44.6	261	266	5	V48.6	789	792	3
V44.7	-	-	-	V48.7	7	7	-
V44.9	82	83	1	V48.9	304	309	5
V45.0	2	2	-	V49.0	3	3	-
V45.1	3	3	-	V49.1	3	3	-
V45.2	-	-	-	V49.2	3	4	1
V45.3	-	-	-	V49.3	13	13	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
V53.4	2	2	-	V57.4	-	-	-
V53.5	609	617	8	V57.5	681	689	8
V53.6	241	243	2	V57.6	181	182	1
V53.7	-	-	-	V57.7	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
V54.1	-	-	-	V58.1	16	16	-
V54.2	-	-	-	V58.2	4	4	-
V54.3	-	-	-	V58.3	10	11	1
V54.4	-	-	-	V58.4	1	1	-
V54.5	295	298	3	V58.5	659	665	6
<b>Multiple Causes of Death Public Use File</b>							
V54.6	116	116	-	V58.6	299	303	4
V54.7	-	-	-	V58.7	3	3	-
V54.9	27	27	-	V58.9	133	134	1
V55.0	6	6	-	V59.0	1	1	-
V55.1	1	1	-	V59.1	-	-	-
<b>Control Total Table 1</b>							
V55.2	-	-	-	V59.2	-	-	-
V55.3	2	2	-	V59.3	5	5	-
V55.4	-	-	-	V59.4	101	104	3
V55.5	21	21	-	V59.5	76	77	1
V55.6	16	16	-	V59.6	21	21	-
V55.7	-	-	-	V59.8	13	13	-
V55.9	4	4	-	V59.9	133	137	4
V56.0	-	-	-	V60.0	-	-	-
V56.1	-	-	-	V60.1	1	1	-
V56.2	-	-	-	V60.2	-	-	-
V56.3	-	-	-	V60.3	-	-	-
V56.4	-	-	-	V60.4	1	1	-
V56.5	1	1	-	V60.5	1	1	-
V56.6	-	-	-	V60.6	1	1	-
V56.7	-	-	-	V60.7	-	-	-
V56.9	1	-	-	V60.9	1	1	-
V57.0	8	8	-	V61.0	-	-	-
V57.1	7	7	-	V61.1	-	-	-
V57.2	-	-	-	V61.2	-	-	-
V57.3	-	-	-	V61.3	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
V65.4	-	-	-	V69.4	20	20	-
V65.5	17	18	1	V69.5	5	5	-
V65.6	3	3	-	V69.6	4	5	1
HC	-	-	-	V69.8	5	5	-
V65.7	-	-	-				5
Number of resident deaths tabulated by mention of underlying cause, 3 record axis multiple							
Entity axis multiple cause of death by ICD-10 category: United States, 2005							
V66.1	-	-	-	V70.1	-	-	-
V66.2	-	-	-	V70.2	-	-	-
V66.3	-	-	-	V70.3	-	-	-
V66.4	-	-	-	V70.4	-	-	-
Multiple Cause of Death Public Use File				V70.5	-	-	-
V66.5	-	-	-	V70.6	-	-	-
V66.6	-	-	-	V70.7	-	-	-
V66.7	-	-	-	V70.9	-	-	-
V66.8	-	-	-	V71.0	-	-	-
V67.0	1	1	-	V71.1	-	-	-
V67.1	-	-	-	V71.2	-	-	-
Control Total Table 1				V71.3	-	-	-
V67.2	-	-	-	V71.4	-	-	-
V67.3	-	-	-	V71.5	-	-	-
V67.4	-	-	-	V71.6	-	-	-
V67.5	64	64	-	V71.7	-	-	-
V67.6	4	4	-	V71.8	-	-	-
V67.7	-	-	-	V71.9	-	-	-
V67.8	6	7	1	V72.0	-	-	-
V68.0	3	3	-	V72.1	-	-	-
V68.1	-	-	-	V72.2	-	-	-
V68.2	1	1	-	V72.3	-	-	-
V68.3	1	1	-	V72.4	-	-	-
V68.4	2	2	-	V72.5	-	-	-
V68.5	115	116	1	V72.6	-	-	-
V68.6	12	12	-	V72.7	-	-	-
V68.7	-	-	-	V72.8	-	-	-
V68.8	23	24	1	V72.9	-	-	-
V69.0	-	-	-	V73.0	-	-	-
V69.1	-	-	-	V73.1	-	-	-
V69.2	1	2	1	V73.2	-	-	-
V69.3	3	3	-	V73.3	-	-	-

ICD-10 code	Record axis			ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis
	Record count by code field							
V77.4	-	-	-	V81.3	-	-	-	-
V77.5	2	2	-	V81.4	2	2	-	2
V77.6	-	-	-	V81.5	3	3	-	3
V77.7	-	-	-	V81.6	4	4	-	4
Number of resident deaths tabulated by mention of an underlying cause, record axis multiple								
Entity axis multiple cause of death by ICD-10 category: United States, 2005								
V78.1	-	-	-	V81.9	16	16	-	16
V78.2	1	1	-	V82.0	-	-	-	-
V78.3	1	2	1	V82.1	-	-	-	-
V78.4	2	2	2	V82.2	-	-	-	-
Multiple Cause of Death Public Use File								
V78.5	-	-	-	V82.3	-	-	-	-
V78.6	7	7	-	V82.4	-	-	-	-
V78.7	-	-	-	V82.5	-	-	-	-
V78.9	-	-	-	V82.6	-	-	-	-
V79.0	-	-	-	V82.7	-	-	-	-
V79.1	-	-	-	V82.8	-	-	-	-
V79.2	-	-	-	V82.9	-	-	-	-
V79.3	-	-	-	V83.0	3	3	-	3
V79.4	-	-	-	V83.1	2	2	-	2
V79.5	1	1	-	V83.2	-	-	-	-
V79.6	-	-	-	V83.3	-	-	-	-
V79.8	25	26	1	V83.4	1	1	-	1
V79.9	3	4	1	V83.5	5	5	-	5
V80.0	90	91	1	V83.6	1	1	-	1
V80.1	1	1	-	V83.7	-	-	-	-
V80.2	-	-	-	V83.9	7	7	-	7
V80.3	-	-	-	V84.0	26	28	2	28
V80.4	4	4	-	V84.1	-	-	-	-
V80.5	3	3	-	V84.2	-	-	-	-
V80.6	-	-	-	V84.3	12	12	-	12
V80.7	-	-	-	V84.4	-	-	-	-
V80.8	1	1	-	V84.5	19	20	1	20
V80.9	21	21	-	V84.6	1	1	-	1
V81.0	1	1	-	V84.7	8	8	-	8
V81.1	5	5	-	V84.9	88	92	4	92
V81.2	-	-	-	V85.0	12	16	4	16

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
V88.9	1	1	-	1	V93.0	-	-
V89.0	86	87	1	87	V93.1	3	3
V89.1	2	2	-	2	V93.2	-	-
V89.2	10,289	10,618	330	10,618	V93.3	1	1
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis cause of death by ICD-10 category: United States, 2005</b>							
V90.0	-	-	-	-	V93.6	-	-
V90.1	21	21	-	21	V93.7	-	-
V90.2	9	9	-	9	V93.8	1	1
V90.3	13	13	Public Use File	13	V93.9	14	14
V90.4	2	2	-	2	V94.0	-	-
V90.5	31	31	-	31	V94.1	1	1
V90.6	8	8	-	8	V94.2	-	-
V90.7	-	-	-	-	V94.3	2	2
V90.8	3	3	-	3	V94.4	-	-
V90.9	126	126	-	126	V94.5	1	1
<b>Control Total Table 1</b>							
V91.0	-	-	-	-	V94.6	1	1
V91.1	-	-	-	-	V94.7	1	1
V91.2	-	-	-	-	V94.8	-	1
V91.3	15	15	-	15	V94.9	38	38
V91.4	-	-	-	-	V95.0	42	42
V91.5	-	-	-	-	V95.1	25	25
V91.6	1	1	-	1	V95.2	34	34
V91.7	-	-	-	-	V95.3	-	-
V91.8	1	1	-	1	V95.4	-	-
V91.9	49	49	-	49	V95.8	21	21
V92.0	-	-	-	-	V95.9	436	438
V92.1	-	-	-	-	V96.0	3	3
V92.2	11	11	-	11	V96.1	1	1
V92.3	12	12	-	12	V96.2	6	6
V92.4	2	2	-	2	V96.8	-	-
V92.5	11	11	-	11	V96.9	-	-
V92.6	7	7	-	7	V97.0	-	-
V92.7	-	-	-	-	V97.1	1	1
V92.8	1	1	-	1	V97.2	20	20
V92.9	137	137	-	137	V97.3	1	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
W33	104	106	2	106	W77	50	50	-	50
W34	578	621	43	621	W78	333	1,207	874	1,207
W35	3	4	1	4	W79	864	1,425	561	1,425
W36	7	7	-	7	W80	3,189	19,338	16,149	19,338
<b>Number of resident deaths tabulated by mention of an underlying cause, record axis multiple</b>									
<b>W08 entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
W39	4	4	-	4	W84	368	413	46	413
W40	147	153	6	153	W85	105	105	-	105
W41	-	-	-	-	W86	118	119	1	119
W42	<b>Multiple Cause of Death Public Use File</b>			-	W87	175	179	4	179
W43	-	-	-	-	W88	-	-	-	-
W44	32	39	7	39	W89	-	-	-	-
W45	5	6	1	6	W90	-	-	-	-
W49	45	56	11	56	W91	-	-	-	-
W50	16	17	1	17	W92	11	13	2	13
W51	10	11	1	11	W93	2	2	-	2
<b>Control Total Table 1</b>									
W52	-	-	-	-	W94	9	16	7	16
W53	-	1	1	1	W99	-	-	-	-
W54	33	35	2	35	X00	2,617	2,661	44	2,661
W55	80	84	4	84	X01	52	54	2	54
W56	2	2	-	2	X02	28	30	2	30
W57	9	16	7	16	X03	33	35	2	35
W58	1	1	-	1	X04	63	67	4	67
W59	-	-	-	-	X05	6	6	-	6
W60	1	1	-	1	X06	97	99	2	99
W64	9	10	1	10	X08	44	52	8	52
W65	315	359	44	359	X09	257	345	88	345
W66	29	33	4	33	X10	6	8	2	8
W67	511	522	11	522	X11	43	47	4	47
W68	96	99	3	99	X12	19	19	-	19
W69	1,324	1,349	25	1,349	X13	-	-	-	-
W70	279	287	8	287	X14	2	3	1	3
W73	199	203	4	203	X15	5	8	3	8
W74	829	879	51	879	X16	14	21	7	21
W75	573	604	31	604	X17	3	3	-	3
W76	274	277	3	277	X18	1	1	-	1

ICD-10 code	Record axis			ICD-10 code	Record count by code field				
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary	Entity axis	
<b>Record count by code field</b>									
X57	2	3	1	3	X93	1,074	1,076	2	1,076
X58	53	64	11	64	X94	765	769	4	769
X59	6,551	16,032	9,481	16,032	X95	10,513	10,546	33	10,546
X60	243	253	10	253	X96	8	8	-	8
X61 Number of resident deaths tabulated by mention of an underlying cause record axis multiple entity axis multiple cause death ICD-10 category: United States, 2005									
X63	16	17	1	17	X99	2,097	2,163	66	2,163
X64	2,438	2,556	118	2,556	Y00	152	157	5	157
X65	35	296	261	296	Y01	18	19	1	19
X66	101	104	3	104	Y02	6	6	-	6
X67	Multiple Cause of Death Public Use File 1,265	1,284	19	1,284	Y03	38	40	2	40
X68	10	12	2	12	Y04	57	68	11	68
X69	93	96	3	96	Y05	4	6	2	6
X70	7,248	7,286	38	7,286	Y06.0	-	-	-	-
X71	375	389	14	389	Y06.1	1	1	-	1
X72	3,654	3,666	12	3,666	Y06.2	-	-	-	-
X73	Control Total 2,915	Table 1 2,919	4	2,919	Y06.8	1	2	1	2
X74	10,433	10,461	28	10,461	Y06.9	32	51	19	51
X75	4	4	-	4	Y07.0	1	1	-	1
X76	160	167	7	167	Y07.1	6	6	-	6
X77	-	-	-	-	Y07.2	-	-	-	-
X78	590	625	35	625	Y07.3	1	1	-	1
X79	-	-	-	-	Y07.8	3	3	-	3
X80	683	692	9	692	Y07.9	157	166	9	166
X81	324	326	2	326	Y08	311	363	52	363
X82	113	115	2	115	Y09	1,714	1,817	103	1,817
X83	150	169	19	169	Y10	71	72	1	72
X84	166	205	39	205	Y11	290	326	36	326
X85	57	90	33	90	Y12	1,411	1,511	100	1,511
X86	-	2	2	2	Y13	5	7	2	7
X87	-	-	-	-	Y14	1,291	1,375	84	1,375
X88	28	28	-	28	Y15	31	158	127	158
X89	-	-	-	-	Y16	13	13	-	13
X90	4	5	1	5	Y17	92	98	6	98
X91	633	689	56	689	Y18	-	1	1	1
X92	49	50	1	50	Y19	36	46	10	46

ICD-10 code	Record axis			Entity axis	ICD-10 code	Record count by code field			
	Total mention	Second- ary	Entity axis			Record axis		Total mention	Second- ary
						UC			Entity axis
Y40.3	-	-	-	-	Y44.2	29	1,541	1,512	1,541
Y40.4	-	1	1	1	Y44.3	4	43	39	43
Y40.5	-	5	5	5	Y44.4	-	3	3	3
Y40.6	-	1	1	1	Y44.5	3	91	88	91
<b>Y40. Number of resident deaths tabulated by mention of an underlying cause, record axis multiple</b>									
<b>Y40. Entity axis multiple cause of death by ICD-10 category: United States, 2005</b>									
Y40.9	5	154	149	154	Y44.9	-	1	1	1
Y41.0	-	2	2	2	Y45.0	19	61	42	61
Y41.1	-	-	-	-	Y45.1	2	21	19	21
Y41.2	1	1	1	1	Y45.2	1	7	6	7
Y41.3	-	-	-	-	Y45.3	4	53	49	53
Y41.4	1	1	-	1	Y45.4	-	3	3	3
Y41.5	-	2	2	2	Y45.5	-	8	8	8
Y41.8	-	7	7	7	Y45.8	2	17	15	17
Y41.9	1	1	-	1	Y45.9	-	10	10	10
Y42.0	2	34	32	34	Y46.0	-	-	-	-
<b>Control Total Table 1</b>									
Y42.1	-	-	-	-	Y46.1	-	-	-	-
Y42.2	-	15	15	15	Y46.2	5	14	9	14
Y42.3	6	36	30	36	Y46.3	-	-	-	-
Y42.4	-	2	2	2	Y46.4	-	-	-	-
Y42.5	-	-	-	-	Y46.5	-	1	1	1
Y42.6	-	1	1	1	Y46.6	-	-	-	-
Y42.7	11	296	285	296	Y46.7	-	3	3	3
Y42.8	1	7	6	7	Y46.8	-	-	-	-
Y42.9	-	-	-	-	Y47.0	1	1	-	1
Y43.0	-	2	2	2	Y47.1	1	6	5	6
Y43.1	-	37	37	37	Y47.2	-	-	-	-
Y43.2	-	1	1	1	Y47.3	-	-	-	-
Y43.3	15	1,321	1,307	1,321	Y47.4	-	-	-	-
Y43.4	16	617	601	617	Y47.5	-	-	-	-
Y43.5	-	1	1	1	Y47.8	-	-	-	-
Y43.6	1	1	-	1	Y47.9	-	3	3	3
Y43.8	-	-	-	-	Y48.0	-	1	1	1
Y43.9	1	2	1	2	Y48.1	-	2	2	2
Y44.0	-	2	2	2	Y48.2	1	7	6	7
Y44.1	-	1	1	1	Y48.3	5	14	9	14

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
Y52.9	-	3	3	Y56.7	-	-	-
Y53.0	-	-	-	Y56.8	-	-	-
Y53.1	-	1	1	Y56.9	-	-	-
Y53.2	-	-	-	Y57.0	-	-	-
<b>Number of resident deaths tabulated by mention of underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
Y53.5	-	-	-	Y57.3	-	-	-
Y53.6	-	-	-	Y57.4	-	-	-
Y53.7	-	-	-	Y57.5	13	55	42
Y53.8	<b>Multiple Cause of Death Public Use File</b>			Y57.6	-	1	1
Y53.9				Y57.7	-	-	-
Y54.0	-	-	-	Y57.8	-	18	18
Y54.1	-	1	1	Y57.9	141	401	260
Y54.2	-	-	-	Y58.0	-	1	1
Y54.3	-	1	1	Y58.1	-	-	-
Y54.4	-	-	-	Y58.2	-	-	-
Y54.5	1	8	7	Y58.3	-	-	-
Y54.6	-	2	2	Y58.4	-	-	-
Y54.7	-	-	-	Y58.5	-	-	-
Y54.8	2	6	4	Y58.6	-	-	-
Y54.9	-	-	-	Y58.8	-	-	-
Y55.0	-	-	-	Y58.9	-	-	-
Y55.1	1	1	-	Y59.0	2	4	2
Y55.2	-	2	2	Y59.1	-	-	-
Y55.3	-	-	-	Y59.2	-	-	-
Y55.4	-	1	1	Y59.3	-	1	1
Y55.5	-	-	-	Y59.8	-	-	-
Y55.6	-	2	2	Y59.9	-	1	1
Y55.7	-	-	-	Y60.0	28	220	192
Y56.0	2	4	2	Y60.1	1	8	7
Y56.1	-	-	-	Y60.2	3	21	18
Y56.2	-	-	-	Y60.3	1	2	1
Y56.3	-	-	-	Y60.4	16	53	37
Y56.4	1	3	2	Y60.5	6	25	19
Y56.5	-	-	-	Y60.6	11	45	34
Y56.6	-	-	-	Y60.7	1	2	1
							2

ICD-10 code	Record axis			ICD-10 code	Record count by code field		
	Total mention	Second- ary	Entity axis		UC	Total mention	Second- ary
<b>Record count by code field</b>							
Y65.2	-	-	-	Y75.8	-	-	-
Y65.3	-	4	4	Y76.0	-	-	-
Y65.4	1	2	1	Y76.1	-	-	-
Y65.5	-	-	-	Y76.2	-	-	-
<b>Number of resident deaths tabulated by mention of Y65.3 underlying cause, record axis multiple entity axis multiple cause of death by ICD-10 category: United States, 2005</b>							
Y69	5	11	6	Y77.0	-	-	-
Y70.0	-	1	1	Y77.1	-	-	-
Y70.1	-	-	-	Y77.2	-	-	-
Y70.2	<b>Multiple Cause of Death Public Use File</b>			Y77.3	-	-	-
Y70.3	-	-	-	Y77.8	-	-	-
Y70.8	-	-	-	Y78.0	-	-	-
Y71.0	-	-	-	Y78.1	-	-	-
Y71.1	-	-	-	Y78.2	-	-	-
Y71.2	1	1	-	Y78.3	-	-	-
Y71.3	-	-	-	Y78.8	-	-	-
Control Total Table 1	-	-	-	Y79.0	-	-	-
Y72.0	-	-	-	Y79.1	-	-	-
Y72.1	-	-	-	Y79.2	-	-	-
Y72.2	-	-	-	Y79.3	-	-	-
Y72.3	-	-	-	Y79.8	-	-	-
Y72.8	-	-	-	Y80.0	-	-	-
Y73.0	-	-	-	Y80.1	1	1	-
Y73.1	-	-	-	Y80.2	-	-	-
Y73.2	-	-	-	Y80.3	-	-	-
Y73.3	-	-	-	Y80.8	-	-	-
Y73.8	-	1	1	Y81.0	-	-	-
Y74.0	-	-	-	Y81.1	-	-	-
Y74.1	-	-	-	Y81.2	-	-	-
Y74.2	-	-	-	Y81.3	-	-	-
Y74.3	-	-	-	Y81.8	1	4	3
Y74.8	-	-	-	Y82.0	1	1	-
Y75.0	-	-	-	Y82.1	-	-	-
Y75.1	-	-	-	Y82.2	-	-	-
Y75.2	-	-	-	Y82.3	1	1	-
Y75.3	-	-	-	Y82.8	1	5	4
							5

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated		
	47	2	-	-	1	2	-	1	-	2	3	4	8	4	14
<b>Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005</b>															
A01-A02.....	47	2	-	-	1	2	-	1	-	2	3	4	8	4	14
A03,A06.....	14	-	1	2	-	-	1	-	2	3	-	2	2	-	-
<b>Aggregates based on 119,008 cause lists, supplemented by relevant nature of injury category groupings]</b>															
A16-A19.....	1,256	2	4	2	21	33	73	161	180	228	333	9,538	1	-	-
A16.....	1,008	2	2	1	12	24	58	132	140	177	278	-	-	-	-
A17-A19.....	257	-	2	1	9	11	15	30	43	54	55	219	-	-	-
A37.....	33	29	-	1	-	-	-	-	-	-	1	1	182	-	-
A38-A46.....	12	-	1	-	-	-	-	-	2	-	2	3	37	-	-
Multipled Causes of Death Public Use File	136	17	14	7	30	9	9	19	12	6	7	-	-	-	-
A47-A50 Total Table 2.....	152,706	837	331	315	784	1,497	4,274	11,424	19,302	28,573	46,884	1	48,478	7	-
A50-A53.....	143	-	-	1	-	4	15	17	23	20	43	-	6	-	-
A80.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A00-A80 Total Table 2.....	8	-	1	1	-	1	1	-	2	1	1	1	20	-	-
B05.....	3	-	1	-	-	-	-	-	-	1	1	-	-	-	-
B15-B19.....	13,219	2	1	3	28	159	1,325	5,461	3,364	1,500	1,065	2	1	-	-
B20-B24.....	14,132	5	2	13	166	1,389	4,736	5,143	1,950	572	135	-	1	-	-
B50-B54.....	8	-	-	-	2	1	1	1	-	1	2	310	-	-	-
A00-A99.....	22,262	316	145	157	248	414	1,103	3,035	3,584	4,086	5,538	20	2	-	-
C00-C97.....	616,646	81	393	1,039	1,777	3,729	14,973	52,236	104,319	149,319	187,338	906,431	11	-	-
C00-C14.....	9,422	-	1	2	24	57	276	1,286	2,287	2,259	2,135	-	-	-	-
C15.....	14,684	-	-	1	3	36	323	1,570	3,298	4,030	3,989	1,095	-	-	-
C16.....	12,543	-	-	-	20	119	456	1,141	1,871	2,851	3,845	1,434	-	-	-
C18-C21.....	63,103	1	-	4	48	311	1,319	4,491	8,790	13,465	19,963	2,240	2	-	-
C22.....	17,242	9	22	17	35	93	385	2,664	3,677	4,055	4,500	14,709	1	-	-
C25.....	34,030	-	-	2	4	65	575	2,803	6,140	8,594	10,636	1,784	1	-	-
C32.....	5,002	-	-	-	-	3	68	486	1,113	1,498	1,341	5,210	1	-	-
C33-C34.....	168,927	-	3	2	18	142	2,340	12,896	32,632	51,368	52,792	182,731	3	-	-
C43.....	9,227	-	1	3	42	220	536	1,243	1,660	1,886	2,352	-	-	-	-
C50.....	50,659	1	-	-	14	368	2,581	6,554	9,387	9,594	12,413	1,284	-	-	-
C53.....	4,351	-	-	-	14	171	632	999	863	666	643	9,747	-	-	-
C54-C55.....	8,313	-	-	-	4	24	161	616	1,612	1,997	2,383	-	-	-	-
C56.....	15,813	-	-	3	19	87	434	1,759	3,200	3,790	4,383	968,16	-	-	-
C61.....	41,586	-	1	1	1	4	24	448	2,591	7,559	17,049	2,138	2	-	-
C64-C65.....	14,558	9	16	36	18	51	316	1,362	2,743	3,624	4,244	13,906	-	-	-
C67.....	17,348	-	-	1	1	15	125	564	1,691	3,433	6,536	2,139	-	-	-
												4,982	-	-	-

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
<b>Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005</b>													
C70-C72.....	13,757	19	87	332	246	391	988	2,016	2,950	3,093	2,776	-	-
C81-C96.....	65,397	25	133	363	693	870	1,665	4,135	8,683	14,571	21,903	12,356	-
[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings].....							266		301	422			
C81.....	25,375	1	6	55	137	251	635	1,624	3,463	5,627	8,757	-	-
C82-C85.....	25,979	23	125	300	498	485	741	1,560	3,032	5,493	8,390	14,819	-
C91-C95.....	13,251	-	-	-	1	12	141	762	2,080	3,427	4,674	5,332	-
C88,C90.....	86	1	2	1	-	1	4	4	14	19	23	2,154	-
C96.....	110,625	21	149	307	639	944	3,209	10,359	19,793	26,578	31,827	16,798	1
Multiple Cause of Death Public Use File.....	22,905	102	59	100	120	216	502	1,088	2,083	3,951	8,002	17	-
D00-D48.....	48,588	57	46	86	216	411	977	2,170	3,673	6,679	14,563	6,682	-
E10-E14.....	233,615	5	8	48	320	1,124	4,625	15,185	32,702	51,362	76,512	51,722	2
E40-E64.....	21,225	22	16	14	49	93	367	1,040	1,780	3,076	6,616	51,722	1
E90+E96.Total.Table 2.....	19,761	14	13	13	45	91	351	988	1,686	2,918	6,186	8,151	1
E50-E64.....	1,508	8	3	1	4	3	17	54	99	160	445	7,455	-
G00-G03.....	1,557	114	42	42	47	74	148	272	288	232	200	-	1
G20-G21.....	36,098	1	-	-	3	6	13	127	756	4,244	16,760	714	1
G30.....	107,525	-	-	-	-	2	14	117	894	5,743	35,511	14,187	1
I00-I78.....	1,359,151	1,977	822	1,119	3,462	7,967	27,547	76,852	134,244	214,570	416,745	473,791	55
I00-I09,I11,I13,I20-I51.	1,130,560	1,636	674	906	3,016	6,933	23,805	66,041	115,018	179,743	342,629	390,109	50
I00-I09.....	6,186	3	3	5	19	47	137	327	646	1,182	2,132	-	-
I11.....	42,008	3	-	2	66	560	2,548	6,378	7,514	6,466	8,964	1,685	5
I13.....	3,216	-	-	1	7	44	122	269	373	562	909	9,502	-
I20-I25.....	606,774	60	22	34	282	1,486	9,089	32,652	63,443	101,084	190,869	207,719	34
I21-I22.....	190,516	38	11	19	132	556	3,534	12,646	24,166	34,904	57,987	929	4
I24.....	8,474	7	5	5	15	58	249	847	1,207	1,485	2,182	56,519	1
I25.....	489,364	18	10	13	155	1,078	6,748	24,279	47,927	79,671	155,913	178,821	31
I20,I25.....	86,449	1	-	-	32	302	2,135	7,895	12,468	14,165	23,278	26,153	20
I25.0.....	407,141	17	10	13	125	793	4,697	16,652	35,905	66,167	133,994	148,757	11
I20,I25.1:I25.9.....	781,503	1,590	668	885	2,771	5,484	15,788	40,261	70,984	118,452	238,283	286,316	21
I33.....	2,573	15	-	7	20	75	199	383	441	508	633	-	-
I30-I31,I40.....	4,533	57	23	40	95	166	379	788	928	809	868	-	-
I50.....	292,180	247	88	98	316	578	1,889	6,462	15,940	35,626	92,898	138,032	6
I26-I28,I34-I38.....	589,526	1,359	591	793	2,532	5,025	14,376	35,626	59,975	94,648	177,442	197,140	19
I49,I48;I51.....	276,368	15	2	15	102	628	3,483	12,875	26,338	44,560	87,285	101,059	6

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
	242,346	362	176	230	445	937	3,440	9,885	17,790	34,147	80,695	94,233	6
<b>Number of Resident Deaths Tabulated by Record Axis</b>													
I60-I69.....	54,411	8	2	3	9	51	287	1,362	3,345	7,173	17,752	24,418	7
I70.....	19,584	1	-	6	46	124	369	853	1,780	3,910	7,371	16,303	7
I72-I78.....	32,406	44	9	22	42	98	331	1,017	2,682	5,669	11,080	5,123	7
I80-I99.....	36,849	537	29	42	142	419	1,377	3,437	4,691	6,367	10,344	11,411	7
J10-J18.....	211,869	520	279	345	701	1,211	3,238	8,440	15,169	29,116	67,495	9,464	4
J10-J11.....	2,298	23	22	23	17	19	30	70	98	211	633	85,351	4
J12-J18.....	209,638	499	260	323	685	1,192	3,211	8,376	15,076	28,912	66,875	1,152	4
J19-J22.....	1,043	90	33	9	9	18	35	47	55	102	222	84,225	4
J20-J21.....	767	87	27	9	8	14	31	45	44	75	160	423	4
J22.....	276	3	6	-	1	4	4	2	11	27	62	267	4
<b>Total: Table 2</b>													
J40-J41.....	267,750	59	92	155	256	490	2,039	9,540	28,063	61,174	100,683	65,190	9
J40-J42.....	2,480	39	25	9	17	21	67	128	215	363	644	644	9
J43.....	25,554	6	2	1	3	31	266	1,264	3,348	6,511	9,429	2,4891	2
J45-J46.....	9,429	6	58	132	201	350	694	1,311	1,311	1,349	1,999	2,018	2
J44-J47.....	231,106	8	9	16	41	97	1,041	6,909	23,313	53,132	88,869	57,664	2
J60-J66,J68.....	2,458	-	2	1	3	3	17	59	177	471	1,059	1,059	2
J69.....	57,589	43	35	64	149	259	621	1,687	3,103	6,610	19,788	25,230	2
J00-J06,J30-J39,J67,	232,856	1,321	518	593	1,260	1,966	5,376	14,432	26,359	45,521	75,745	59,757	8
K28-K38.....	7,818	4	1	2	11	36	174	530	822	1,254	2,498	2,498	8
K35-K38.....	777	2	7	14	13	12	31	56	104	147	205	2,485	8
K40-K46.....	3,158	68	5	4	4	13	67	155	312	420	890	890	8
K70,K73-K74.....	44,253	20	7	9	42	405	3,761	12,152	11,176	8,477	6,486	18,220	9
K70.....	12,520	1	-	-	5	189	1,638	4,217	3,658	1,857	841	1,709	9
K73-K74.....	32,087	19	7	9	37	224	2,175	8,067	7,620	6,661	5,662	6,662	9
K80-K82.....	5,818	-	1	4	24	41	105	275	479	889	1,988	11,600	9
N00-N07,N17-N19,N25-N27..	221,771	807	76	140	436	1,308	4,249	12,013	22,974	39,745	72,540	2,012	2
N00-N01,N04.....	419	10	4	5	6	6	20	31	53	72	121	67,481	2
N02-N03,N05-N07,N26.....	3,032	3	2	5	30	50	70	165	274	442	948	1,043	2
N17-N19.....	219,037	792	70	137	415	1,270	4,173	11,860	22,711	39,352	71,699	66,556	2
N25,N27.....	119	4	-	-	1	1	8	13	26	14	26	26	2
N10-N12,N13.6,N15.1.....	1,678	11	6	3	15	27	75	141	161	234	512	512	2
N40.....	3,027	2	-	-	-	-	-	8	117	414	1,100	26,49886	2

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated	
<b>Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005</b>														
N70-N76.....	288	1	1	1	2	307	411	254	61	4	1	1	-	
000-099.....	1,041	...	...	2	307	411	254	61	4	1	1	-	-	
[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]														
000-007.....	1,014	...	...	2	303	400	244	59	4	1	1	-	66	
010-099.....	18,701	18,416	136	62	30	11	14	14	4	3	3	-	4	
Q00-Q99.....	15,107	6,527	667	562	703	664	908	1,347	1,360	785	888	-	1	
R00-R99.....	309,826	5,192	869	973	2,524	3,852	8,599	18,431	26,545	40,948	85,247	116,565	81	
Residual Multiple Cause of Death Public Use File	746,741	2,598	1,153	1,648	5,456	9,359	25,154	60,804	87,500	120,928	208,250	223,851	40	
V01-X59,Y85-Y86.....	155,174	1,184	1,728	2,510	16,066	14,556	18,263	20,794	13,357	12,719	24,607	29,325	65	
X00-X99,Y85.....	49,345	155	647	1,549	11,321	7,688	7,391	7,259	5,052	3,489	3,377	-	11	
V02--V89.2.....	46,081	154	618	1,449	10,932	7,280	6,811	6,518	4,555	3,228	3,177	1,406	6	
V01--V89.9.....	1,264	1	27	50	194	165	214	271	142	84	87	1,353	4	
Control Total Table 2.....	2,001	-	2	50	195	243	366	470	355	177	114	-	1	
V90-V99,Y85.....	W00-X59,Y86.....	106,263	1,029	1,082	962	4,810	6,943	10,956	13,612	8,351	9,256	21,261	25,947	54
W00-W19.....	25,080	21	35	37	245	314	657	1,331	1,688	2,858	7,638	20,254	-	2
W32-W34.....	838	3	22	52	206	134	120	115	73	52	45	-	-	-
W65-W74.....	3,722	65	496	256	659	404	522	518	286	203	193	-	18	-
X00-X09.....	3,349	34	204	222	169	231	344	512	432	421	504	16	4	-
X40-X49.....	26,885	26	23	58	2,636	4,728	7,532	8,067	2,402	591	499	272	-	7
W20-W31,W35-W64,W75-W99,.....	47,466	886	304	343	982	1,273	1,994	3,318	3,559	5,187	12,478	316	17,119	23
*X00,X00,X04,X59,Y86:....	32,746	...	...	272	4,217	5,000	6,574	7,015	4,226	2,352	2,214	-	8	-
X72-X74.....	17,020	...	...	84	1,962	2,272	2,858	3,475	2,474	1,671	1,650	-	1	-
*U03,X60-X71,X75-X84,.....	15,775	...	...	188	2,264	2,734	3,730	3,546	1,758	687	564	573	-	7
*Y07.-Y02,X85-Y09,Y87:1..	18,283	313	382	346	5,474	4,768	3,125	2,089	876	458	304	-	21	-
*U01.4,X93-X95.....	12,378	6	38	187	4,501	3,789	2,016	1,099	406	202	99	297	-	9
*U01.0-*U01.3,*U01.5-												127	-	-
*U01.9,*U02,X85-X92, Y88,Y89,Y90,Y97:1.....	5,966	307	344	159	988	994	1,128	998	472	256	207	-	12	-
Y10-Y34,Y87.2,Y89.9.....	434	-	-	1	85	114	132	61	31	7	3	-	-	-
Y22-Y24.....	5,038	124	72	66	494	761	1,263	1,388	461	175	129	101	-	10
Y10-Y21,Y25-Y34,Y87.2... Y36,Y89.1.....	226	-	3	12	77	36	30	28	23	12	3	-	-	-
Y10-Y21,Y25-Y34,Y87.2... Y36,Y89.1.....	4,815	124	69	54	418	726	1,233	1,361	438	163	126	95	-	10
	62	-	-	-	3	3	4	2	11	5	21	2	93	13

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
<b>Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, and Age: United States, 2005</b>													
Y40-Y84, Y88.....	28,132	187	137	228	416	473	1,107	2,547	4,529	6,142	8,190	-	-
S00-T98.....	220,898	1,708	2,256	3,332	26,495	25,342	29,850	32,666	21,420	18,634	29,786	4,176	100
<i>[Cause categories based on 118 cause list supplemented by relevant nature of injury category groupings]</i>													
S12,S22,S32,T08.....	7,330	19	26	68	527	420	447	596	560	631	1,641	1	-
S72.....	16,156	-	5	4	60	51	61	121	333	1,117	4,663	21894	-
S42,S52,S62,S82,S92,T10, T12.....	2,687	4	3	13	79	66	91	164	205	291	665	-	-
T00-T11, T12-T13, T14-T15, T16-T17, T18-T19, T20-T21, T22-T23, T24-T25, T26-T27, T28-T29, T30-T31, T32-T33, T34-T35, T36-T37, T38-T39, T40-T41, T42-T43, T44-T45, T46-T47, T48-T49, T50-T51, T52-T53, T54-T55, T56-T57, T58-T59, T60-T61, T62-T63, T64-T65, T66-T67, T68-T69, T70-T71, T72-T73, T74-T75, T76-T77, T78-T79, T80-T81, T82-T83, T84-T85, T86-T87, T88-T89, T90-T91, T92-T93, T94-T95, T96-T97, T98-T99.....	775	2	5	7	85	69	84	75	67	75	126	1,106	1
<b>Multiple Causes of Death Public Use File</b>													
Ages.....	627	1	9	24	112	89	74	77	50	32	76	179	-
S63,S73,S83,S93,T03... S05.....	83	5	1	-	7	6	7	6	6	6	14	-	-
S06.....	16,925	135	206	282	1,915	1,420	1,498	1,830	1,529	1,760	3,417	83	5
S20-T21, S26-T27, S37-T38, T01-T20.....	5,366	22	64	76	1,085	841	826	735	493	391	475	25928	2
S07---T05.....	830	-	20	25	128	107	137	152	114	75	54	-	1
S00---T14.....	98,219	423	989	1,908	18,788	15,150	14,136	14,236	9,757	7,422	9,261	356	39
T15-T19.....	16,472	103	113	101	254	324	577	1,046	1,391	2,175	4,922	67110	1
T20-T32.....	3,005	21	105	106	323	285	359	452	363	346	405	5,465	6
T36-T50.....	33,530	41	35	53	3,126	5,748	9,453	10,165	3,226	767	583	-	5
T51-T65.....	8,638	51	230	294	674	1,104	1,811	2,126	967	548	529	234	6
T74.....	178	74	52	7	3	1	1	4	6	5	11	328	2
T33-T35, T66-T73, T75-T78.....	19,988	904	705	685	3,136	2,891	3,424	3,215	1,882	1,156	1,179	298	48
T79-T88.....	18,026	152	93	164	417	481	858	1,813	2,892	3,747	5,013	12	-
T90-T98.....	4,366	1	23	52	193	242	505	704	653	529	766	26896	-

698

^Quantity zero.

...Category not applicable.



Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
<b>Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005</b>													
C70-C72.....	13,770	19	87	332	246	393	990	2,023	2,951	3,093	2,776	-	-
C81-C96.....	66,127	25	133	363	704	934	1,939	4,396	8,773	14,595	21,907	160,358	-
[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]										301	423		
C81.....	26,019	1	6	55	147	308	877	1,860	3,536	5,648	8,760	-	-
C82-C85.....	26,014	23	125	300	499	487	753	1,571	3,039	5,495	8,390	14,821	-
C91-C95.....	13,265	-	-	-	1	12	143	767	2,085	3,428	4,675	5,332	-
C88,C90.....	103	1	2	2	-	1	6	7	14	26	26	2,154	-
C96.....	136,223	23	151	323	666	1,095	3,940	12,728	24,333	32,952	39,501	20,509	2
Multiple Cause of Death Public Use File	24,219	105	72	150	145	240	578	1,247	2,337	4,254	8,291	18	-
D00-D48.....	48,712	57	46	86	217	423	1,017	2,211	3,690	6,683	14,566	6,800	-
E10-E14.....	233,619	5	8	48	320	1,124	4,625	15,186	32,703	51,362	76,513	51,723	2
E40-E64.....	21,300	22	16	14	49	98	387	1,072	1,786	3,079	6,621	51,723	1
<b>Total.</b> .....	<b>19,832</b>	<b>14</b>	<b>13</b>	<b>13</b>	<b>45</b>	<b>96</b>	<b>370</b>	<b>1,019</b>	<b>1,692</b>	<b>2,921</b>	<b>6,190</b>	<b>8,155</b>	<b>1</b>
E50-E64.....	1,525	8	3	1	5	3	18	55	99	161	450	7,458	-
G00-G03.....	1,651	114	43	42	53	87	180	295	299	237	203	-	1
G20-G21.....	36,131	1	-	-	3	6	13	127	756	4,249	16,777	722	1
G30.....	107,527	-	-	-	-	2	14	117	894	5,743	35,513	14,198	1
I00-I78.....	1,361,996	1,993	825	1,125	3,491	8,068	27,792	77,229	134,622	215,068	417,466	474,262	55
I00-I09,I11,I13,I20-I51.	1,131,596	1,652	677	911	3,042	7,023	24,003	66,304	115,176	179,863	342,728	390,167	50
I00-I09.....	6,188	3	3	5	19	48	138	327	646	1,182	2,132	-	-
I00-I09.....	44,618	3	-	3	72	596	2,649	6,598	7,819	6,927	9,720	1,685	5
I11.....	149	-	-	-	-	-	1	1	8	28	52	-	-
I13.....	606,999	60	22	34	283	1,499	9,125	32,722	63,488	101,112	190,892	207,728	34
I20-I25.....	190,744	38	11	19	133	566	3,580	12,718	24,208	34,936	58,002	58,529	4
I21-I22.....	8,483	7	5	5	15	59	250	849	1,210	1,486	2,183	-	1
I24.....	489,438	18	10	13	155	1,080	6,752	24,299	47,947	79,682	155,927	178,924	31
I20,I25.....	86,466	1	-	-	32	302	2,135	7,899	12,472	14,165	23,285	26,155	20
I25.0.....	407,426	17	10	13	125	797	4,710	16,687	35,953	66,199	134,056	148,848	11
I20,I85.1:I25.9.....	786,319	1,607	671	891	2,802	5,590	16,075	40,746	71,495	119,026	239,359	288,036	21
I25.0.....	2,593	15	-	8	20	76	207	391	441	509	634	-	-
I33.....	4,553	57	23	40	97	173	382	793	929	810	868	-	-
I30-I31,I40.....	297,872	250	88	101	324	628	2,074	6,823	16,452	36,308	94,313	140,505	6
I50.....	592,177	1,379	595	803	2,567	5,109	14,574	35,917	60,305	95,019	178,039	197,851	19
I49,I48;I51.....	276,971	15	2	15	106	641	3,518	12,947	26,422	44,657	87,418	101,224	6

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
<b>Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005</b>													
I60-I69.....	242,604	362	176	234	450	952	3,488	9,964	17,823	34,173	80,724	94,252	6
I70.....	54,466	8	2	3	9	51	287	1,366	3,345	7,176	17,777	24,441	1
I71.....	19,591	1	-	6	46	125	370	854	1,781	3,911	7,373	-	1
I72-I78.....	43,903	45	9	22	50	119	463	1,609	4,289	8,510	15,036	5,123	1
I80-I99.....	37,561	537	29	43	142	426	1,401	3,505	4,782	6,533	10,585	-	-
J10-J18.....	214,377	521	280	357	764	1,404	3,867	9,189	15,524	29,347	67,674	9,578	4
J10-J11.....	2,301	23	22	23	17	19	30	71	98	212	634	85,446	-
J12-J18.....	212,913	504	263	339	750	1,390	3,846	9,140	15,461	29,202	67,251	1,152	4
J19-J22.....	1,470	90	35	10	11	18	39	68	102	189	374	-	-
J20-J21.....	1,140	87	29	10	9	14	35	64	85	159	286	-	-
J22.....	330	3	6	-	2	4	4	4	17	30	88	534	-
J40-J41 Total: Table 3.....	267,947	59	93	155	260	500	2,052	9,557	28,090	61,215	100,747	362	9
J40-J42.....	3,815	40	25	9	17	24	76	201	367	687	1,083	652	10
J43.....	29,632	6	2	1	3	32	294	1,430	3,898	7,671	10,934	1,285	4
J45-J46.....	11,791	6	58	132	204	356	757	1,525	1,646	1,746	2,732	5,357	-
J44,J47.....	230,904	7	10	16	45	104	1,045	6,891	23,278	53,078	88,799	2,629	6
J60-J66,J68.....	2,463	-	2	1	3	3	17	59	178	473	1,061	-	1
J69.....	57,818	44	35	66	150	268	643	1,727	3,129	6,642	19,841	665	273
J00-J06,J30-J39,J67,.....	236,071	1,361	528	621	1,336	2,048	5,558	14,694	26,767	46,130	76,674	60,346	8
K280-K288.....	7,826	4	1	2	11	37	175	533	824	1,254	2,499	-	1
K35-K38.....	777	2	7	14	13	12	31	56	104	147	205	2,485	-
K40-K46.....	3,159	68	5	4	4	13	67	155	312	421	890	-	-
K70,K73-K74.....	43,485	20	7	10	41	387	3,632	11,863	10,951	8,400	6,460	18820	9
K70.....	7,820	1	-	-	3	122	986	2,537	2,312	1,205	572	1,705	2
K73-K74.....	36,337	19	7	10	39	276	2,730	9,565	8,834	7,282	5,937	-	7
K80-K82.....	5,822	-	1	4	24	43	106	276	479	889	1,988	10631	-
N00-N07,N17-N19,N25-N27..	236,650	807	76	143	481	1,512	4,970	13,556	25,136	42,990	76,825	2,012	2
N00-N01,N04.....	585	10	4	5	6	8	29	65	92	113	151	-	-
N02-N03,N05-N07,N26.....	4,185	3	2	6	33	63	88	228	424	717	1,345	-	-
N17-N19, N25,N27.....	232,966	793	70	141	461	1,470	4,880	13,337	24,730	42,355	75,682	10876	2
N10-N12,N13.6,N15.1.....	1,680	11	6	3	15	27	75	143	161	233	512	-	-
N40.....	3,027	2	-	-	-	-	-	8	117	414	1,100	26	49486

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated	
<b>Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005</b>														
N70-N76.....	291	1	1	1	2	307	411	254	61	4	1	1	-	
000-099.....	1,041	...	...	2	307	411	254	61	4	1	1	-	-	
[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]														
000-007.....	1,020	...	...	2	303	403	247	59	4	1	1	-	66	
010-099.....	18,705	18,420	136	62	30	11	14	14	4	3	3	-	4	
Q00-Q99.....	15,297	6,527	668	567	719	678	929	1,376	1,402	820	910	-	1	
R00-R99.....	314,275	5,192	870	973	2,536	3,898	8,783	18,744	26,948	41,498	86,376	118,376	81	
Residual Multiple Cause of Death Public Use File	759,474	2,608	1,163	1,667	5,499	9,611	26,249	63,321	89,860	123,051	210,788	299,616	41	
V01-X59,Y85-Y86.....	155,174	1,184	1,728	2,510	16,066	14,556	18,263	20,794	13,357	12,719	24,607	29,325	65	
X98-V99,Y85.....	49,345	155	647	1,549	11,321	7,688	7,391	7,259	5,052	3,489	3,377	-	11	
V02---V89.2.....	46,081	154	618	1,449	10,932	7,280	6,811	6,518	4,555	3,228	3,177	1,406	6	
V01---V89.9.....	1,264	1	27	50	194	165	214	271	142	84	87	1,353	4	
Control Total Table 3.....	2,001	-	2	50	195	243	366	470	355	177	114	-	1	
V90-V99,Y85.....	W00-X59,Y86.....	106,263	1,029	1,082	962	4,810	6,943	10,956	13,612	8,351	9,256	21,261	25,947	54
W00-W19.....	25,080	21	35	37	245	314	657	1,331	1,688	2,858	7,638	20,254	-	2
W32-W34.....	838	3	22	52	206	134	120	115	73	52	45	-	-	-
W65-W74.....	3,722	65	496	256	659	404	522	518	286	203	193	-	18	-
X00-X09.....	3,349	34	204	222	169	231	344	512	432	421	504	16	4	-
X40-X49.....	26,885	26	23	58	2,636	4,728	7,532	8,067	2,402	591	499	272	-	7
W20-W31,W35-W64,W75-W99,.....	47,466	886	304	343	982	1,273	1,994	3,318	3,559	5,187	12,478	316	17,119	23
*X00,X00,X80,X89,X86,.....	32,746	...	...	272	4,217	5,000	6,574	7,015	4,226	2,352	2,214	-	8	-
X72-X74.....	17,020	...	...	84	1,962	2,272	2,858	3,475	2,474	1,671	1,650	-	1	-
*U03,X60-X71,X75-X84,.....	15,775	...	...	188	2,264	2,734	3,730	3,546	1,758	687	564	573	-	7
*Y87-Y802,X85-Y09,Y87:1..	18,283	313	382	346	5,474	4,768	3,125	2,089	876	458	304	-	21	-
*U01.4,X93-X95.....	12,378	6	38	187	4,501	3,789	2,016	1,099	406	202	99	297	-	9
*U01.0-*U01.3,*U01.5-												127	-	-
*U01.9,*U02,X85-X92, Y88,Y89,Y89,Y87:1.....	5,966	307	344	159	988	994	1,128	998	472	256	207	-	12	-
Y10-Y34,Y87.2,Y89.9.....	434	-	-	1	85	114	132	61	31	7	3	-	-	-
Y22-Y24.....	5,038	124	72	66	494	761	1,263	1,388	461	175	129	101	-	10
Y10-Y21,Y25-Y34,Y87.2... Y36,Y89.1.....	226	-	3	12	77	36	30	28	23	12	3	-	-	-
Y10-Y21,Y25-Y34,Y87.2... Y36,Y89.1.....	4,815	124	69	54	418	726	1,233	1,361	438	163	126	95	-	10
	62	-	-	-	3	3	4	2	11	5	21	2	93	13

## Page

Cause of death	All	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years & over	Not stated
<b>Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, and Age: United States, 2005</b>													
Y40-Y84, Y88.....	28,132	187	137	228	416	473	1,107	2,547	4,529	6,142	8,190	-	-
S00-T98.....	220,935	1,708	2,256	3,332	26,497	25,347	29,853	32,672	21,423	18,636	29,789	4,176	100
<i>[Cause categories based on 118 cause list supplemented by relevant nature of injury category groupings]</i>													
S12,S22,S32,T08.....	7,330	19	26	68	527	420	447	596	560	631	1,641	1	-
S72.....	16,156	-	5	4	60	51	61	121	333	1,117	4,663	21894	-
S42,S52,S62,S82,S92,T10, T12.....	2,687	4	3	13	79	66	91	164	205	291	665	-	-
T00-T11.....	775	2	5	7	85	69	84	75	67	75	126	1,106	1
<b>Multiple Causes of Death Public Use File</b>													
Ages.....	627	1	9	24	112	89	74	77	50	32	76	179	-
S63,S73,S83,S93,T03... S05.....	83	5	1	-	7	6	7	6	6	6	14	-	-
S06.....	16,928	135	206	282	1,915	1,420	1,499	1,830	1,529	1,760	3,418	83	5
S07.....	5,366	22	64	76	1,085	841	826	735	493	391	475	25929	2
S07---T05.....	831	-	20	25	128	107	137	153	114	75	54	-	1
S00---T14.....	98,227	423	989	1,908	18,788	15,152	14,136	14,240	9,758	7,422	9,261	356	39
T15-T19.....	16,488	103	113	101	254	325	577	1,046	1,392	2,177	4,925	67111	1
T20-T32.....	3,008	21	105	106	323	286	360	453	363	346	405	5,474	6
T36-T50.....	33,535	41	35	53	3,127	5,748	9,455	10,166	3,227	767	583	-	5
T51-T65.....	8,639	51	230	294	674	1,104	1,812	2,126	967	548	529	234	6
T74.....	178	74	52	7	3	1	1	4	6	5	11	328	2
T33-T35,T66-T73,T75-T78.	19,992	904	705	685	3,137	2,892	3,424	3,217	1,882	1,156	1,179	298	48
T79-T88.....	18,030	152	93	164	417	481	858	1,813	2,892	3,747	5,014	12	-
T90-T98.....	4,366	1	23	52	193	242	505	704	653	529	766	26899	-

698

<sup>a</sup>Quantity zero.  
<sup>b</sup>Category not applicable.

## Number of Resident Deaths Tabulated by Record Axis Multiple Causes

[Cause categories based on 113 cause list supplemented by 1]

Cause of death	All Races			White		
	Total	Male	Female	Total	Male	Female
A01-A02.....	47	18	29	39	16	23
A03,A06.....	14	4	10	14	4	10
A04,A07-A09.....	9,008	3,663	5,345	8,350	3,389	4,961
A16-A19.....	1,256	773	483	766	477	289
A16.....	1,008	631	377	612	385	227
A17-A19.....	257	146	111	160	96	64
A37.....	33	21	12	25	15	10
Multinplié 'Causé 'ot 'Déath' Public Use File	12	7	5	12	7	5
A38,A46.....	136	77	59	112	60	52
A40-A41.....	152,706	71,762	80,944	123,057	57,953	65,104
A50-A53.....	143	93	50	58	33	25
A@ontrol.Total.Table.4.....	2	2	-	2	2	-
A83-A84,A85.2.....	8	5	3	8	5	3
B05.....	3	3	-	3	3	-
B15-B19.....	13,219	9,256	3,963	9,975	7,061	2,914
B20-B24.....	14,132	10,419	3,713	6,198	5,094	1,104
B50-B54.....	8	6	2	4	3	1
A00---B99.....	22,262	11,990	10,272	18,214	9,874	8,340
C00-C97.....	616,646	322,782	293,864	532,825	279,058	253,767
C00-C14.....	9,422	6,396	3,026	7,818	5,212	2,606
C15.....	14,684	11,512	3,172	12,826	10,171	2,655
C16.....	12,543	7,362	5,181	9,500	5,580	3,920
C18-C21.....	63,103	32,047	31,056	53,732	27,384	26,348
C22.....	17,242	11,357	5,885	13,689	8,954	4,735
C25.....	34,030	16,804	17,226	29,189	14,519	14,670
C32.....	5,002	3,911	1,091	4,091	3,181	910
C33-C34.....	168,927	95,777	73,150	148,137	83,406	64,731
C43.....	9,227	5,816	3,411	9,007	5,709	3,298
C50.....	50,659	495	50,164	42,820	416	42,404
C53.....	4,351	...	4,351	3,310	...	3,310
C54-C55.....	8,313	...	8,313	6,793	...	6,793
C56.....	15,813	...	15,813	14,111	...	14,111
C61.....	41,586	41,586	...	34,398	34,398	...
C64-C65.....	14,558	9,093	5,465	12,921	8,072	4,849

## Number of Resident Deaths Tabulated by Record Axis Multiple Causes

[Cause categories based on 113 cause list supplemented by 1]

Cause of death	All Races			White		
	Total	Male	Female	Total	Male	Female
C67.....	17,348	12,292	5,056	15,947	11,466	4,481
C70-C72.....	13,757	7,654	6,103	12,630	7,027	5,603
C81-C96.....	65,397	35,927	29,470	58,011	32,006	26,005
C81.....	1,749	950	799	1,533	824	709
C82-C85.....	25,375	13,660	11,715	23,116	12,444	10,672
C91-C95.....	25,979	14,756	11,223	23,415	13,351	10,064
Other Cause of Death Public Use File.....	13,251	7,143	6,108	10,818	5,913	4,905
C96.....	86	54	32	77	48	29
C17-C97.....	110,625	56,308	54,317	95,995	49,012	46,983
D00-D48.....	22,905	11,565	11,340	20,535	10,492	10,043
D50-D64.....	48,588	20,654	27,934	40,126	16,889	23,237
General Total Table 4.....	233,615	115,897	117,718	189,948	96,075	93,873
E40-E64.....	21,225	8,660	12,565	17,960	7,164	10,796
E40-E46.....	19,761	8,083	11,678	16,659	6,663	9,996
E50-E64.....	1,508	592	916	1,333	511	822
G00-G03.....	1,557	801	756	1,176	605	571
G20-G21.....	36,098	20,526	15,572	33,960	19,324	14,636
G30.....	107,525	32,958	74,567	98,938	30,335	68,603
I00-I78.....	1,359,151	648,918	710,233	1,164,827	555,284	609,543
I00-I09,I11,I13,I20-I51.	1,130,560	555,494	575,066	972,390	477,763	494,627
I00-I09.....	6,186	2,176	4,010	5,552	1,945	3,607
I11.....	42,008	22,959	19,049	30,872	16,780	14,092
I13.....	3,216	1,567	1,649	2,010	948	1,062
I20-I25.....	606,774	320,431	286,343	532,871	282,620	250,251
I21-I22.....	190,516	101,106	89,410	165,808	88,756	77,052
I24.....	8,474	4,610	3,864	7,147	3,895	3,252
I20,I25.....	489,364	260,008	229,356	432,063	230,411	201,652
I25.0.....	86,449	47,824	38,625	72,222	39,784	32,438
I20,I85.1-I25.9.....	407,141	214,565	192,576	363,610	192,749	170,861
I25.0.....	781,503	365,686	415,817	672,031	313,924	358,107
I33.....	2,573	1,473	1,100	2,009	1,168	841
I30-I31,I40.....	4,533	2,502	2,031	3,614	2,008	1,606
I50.....	292,180	126,146	166,034	261,100	112,536	148,564
I26-I28,I34-I38,						

## Number of Resident Deaths Tabulated by Record Axis Multiple Causes

[Cause categories based on 113 cause list supplemented by 1]

Cause of death	All Races			White		
	Total	Male	Female	Total	Male	Female
I10, I12.....	589,526	282,051	307,475	499,972	239,025	260,947
I120-I489,I51.....	276,368	115,988	160,380	225,835	93,694	132,141
I420-I489,I51.....	242,346	99,892	142,454	204,860	83,433	121,427
I70.....	54,411	23,411	31,000	48,798	20,993	27,805
I71-I78.....	51,099	26,496	24,603	44,344	23,241	21,103
I71.....	19,584	11,694	7,890	17,369	10,433	6,936
I71.....	32,406	15,386	17,020	27,777	13,336	14,441
I80-I99.....	36,849	17,509	19,340	30,603	14,502	16,101
All 113 cause of death Public Use File.....						
J10-J18.....	211,869	102,105	109,764	187,299	89,562	97,737
J10-J11.....	2,298	888	1,410	2,160	825	1,335
J12-J18.....	209,638	101,255	108,383	185,201	88,772	96,429
J20-J29 Total Table 4.....	1,043	452	591	920	393	527
J20-J21.....	767	336	431	666	285	381
J22.....	276	116	160	254	108	146
J40-J47.....	267,750	136,018	131,732	245,522	123,680	121,842
J40-J42.....	2,480	1,058	1,422	2,231	936	1,295
J43.....	25,554	14,304	11,250	23,505	12,973	10,532
J45-J46.....	9,429	3,258	6,171	6,998	2,320	4,678
J44,J47.....	231,106	117,748	113,358	213,514	107,757	105,757
J60-J66,J68.....	2,458	2,355	103	2,317	2,223	94
J69.....	57,589	30,064	27,525	50,942	26,536	24,406
J00-J06,J30-J39,J67,	232,856	112,524	120,332	200,781	96,859	103,922
Kd50-Kd89.....	7,818	3,893	3,925	6,776	3,345	3,431
K35-K38.....	777	435	342	665	365	300
K40-K46.....	3,158	1,286	1,872	2,848	1,154	1,694
K70,K73-K74.....	44,253	29,061	15,192	38,033	25,051	12,982
K70.....	12,520	9,198	3,322	10,873	8,058	2,815
K73-K74.....	32,087	20,113	11,974	27,476	17,216	10,260
K80-K82.....	5,818	2,639	3,179	5,029	2,314	2,715
N00-N07,N17-N19,N25-N27..	221,771	113,626	108,145	179,933	93,333	86,600
N00-N01,N04.....	419	220	199	336	177	159
N02-N03,N05-N07,N26.....	3,032	1,623	1,409	2,402	1,309	1,093
N17-N19.....	219,037	112,166	106,871	177,800	92,169	85,631

## Number of Resident Deaths Tabulated by Record Axis Multiple Causes

[Cause categories based on 113 cause list supplemented by 1]

Cause of death	All Races			White		
	Total	Male	Female	Total	Male	Female
N25, N27	119	43	76	94	38	56
N10-N12, N13-6, N15-1.....	1,678	609	1,069	1,435	513	922
N40.....	3,027	3,027	...	2,726	2,726	...
N70-N76.....	288	...	288	247	...	247
000-099.....	1,041	...	1,041	667	...	667
000-007.....	38	...	38	19	...	19
010-099 Multiple Cause of Death Public Use File	1,014	...	1,014	655	...	655
P00-P96.....	18,701	10,506	8,195	11,838	6,653	5,185
Q00-Q99.....	15,107	7,940	7,167	12,198	6,398	5,800
R00-R99.....	309,826	136,376	173,450	267,016	115,955	151,061
Residual.....	746,741	351,821	394,920	650,526	304,489	346,037
V00-V59, Y80-Y86 Table 4...	155,174	94,379	60,795	133,697	80,379	53,318
V01-V99, Y85.....	49,345	34,727	14,618	41,430	29,124	12,306
V02--V89.2.....	46,081	32,151	13,930	38,686	26,959	11,727
V01--V89.9.....	1,264	974	290	989	753	236
V90-V99, Y85.....	2,001	1,602	399	1,756	1,412	344
W00-X59, Y86.....	106,263	59,971	46,292	92,646	51,529	41,117
W00-W19.....	25,080	12,380	12,700	23,210	11,327	11,883
W32-W34.....	838	722	116	635	542	93
W65-W74.....	3,722	2,914	808	2,933	2,266	667
X00-X09.....	3,349	1,980	1,369	2,474	1,473	1,001
X40-X49.....	26,885	18,099	8,786	22,660	15,252	7,408
W20-W31, W35-W64, W75-W99,	47,466	24,609	22,857	41,691	21,311	20,380
*U00-U00, X50, Y50, Y86.....	32,746	25,973	6,773	29,631	23,541	6,090
X72-X74.....	17,020	14,928	2,092	15,697	13,741	1,956
*U03, X60-X71, X75-X84,	15,775	11,086	4,689	13,980	9,839	4,141
*U07-U02, X85-Y09, Y87:1..	18,283	14,484	3,799	8,866	6,517	2,349
*U01.4, X93-X95.....	12,378	10,583	1,795	5,276	4,185	1,091
*U01.0-*U01.3, *U01.5-						
*U01.9, *U02, X85-X92, Y86-Y89, Y87, 1.....	5,966	3,945	2,021	3,626	2,355	1,271
	434	420	14	304	291	13

## Number of Resident Deaths Tabulated by Record Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
											Male
Y10-Y34, Y87.2, Y89.9.....	5,038	3,038	2,000	4,154	2,464	1,690	884	574	310	736	248
Y22-Y24.....	226	183	43	179	145	34	47	38	9	37	8
Y10-Y21, Y25-Y34, Y87.2... .	4,815	2,857	1,958	3,978	2,321	1,657	837	536	301	699	488
Y36, Y89.1.....	62	62	-	55	55	-	7	7	-	7	-
Y40-Y84, Y88.....	28,132	14,637	13,495	23,977	12,565	11,412	4,155	2,072	2,083	3,394	1,728
S00-T98.....	220,898	143,286	77,612	183,903	117,269	66,634	36,995	26,017	10,978	30,280	8,648
S02, S12, S22, S32, T08.....	3,440	2,466	974	2,954	2,105	849	486	361	125	345	79
Multiple Causes of Death Public Use File	7,330	3,851	3,479	6,663	3,413	3,250	667	438	229	498	153
S72.....	16,156	5,873	10,283	15,374	5,559	9,815	782	314	468	595	350
S42, S52, S62, S82, S92, T10, T01, Total: Total: Table 4...	2,687	956	1,731	2,472	862	1,610	215	94	121	169	92
T01, Total: Total: Table 4...	775	392	383	690	341	349	85	51	34	67	25
S03, S13, S23, S33, S43, S53, S63, S73, S83, S93, T03, ...	627	366	261	534	305	229	93	61	32	76	24
S06, S15, S25, S35, S45, S55, S65, S75, S85, S95, T05, ...	83	51	32	67	42	25	16	9	7	14	6
S06.....	16,925	11,175	5,750	14,480	9,419	5,061	2,445	1,756	689	1,820	480
S26-S27, S36-S37.....	5,366	3,920	1,446	4,026	2,839	1,187	1,340	1,081	259	1,160	213
S07---T05.....	830	659	171	726	573	153	104	86	18	80	13
S00---T14.....	98,219	72,645	25,574	78,208	56,942	21,266	20,011	15,703	4,308	16,577	3,277
T15-T19.....	16,472	8,619	7,853	14,257	7,429	6,828	2,215	1,190	1,025	1,868	875
T20-T32.....	3,005	1,968	1,037	2,318	1,528	790	687	440	247	564	202
T36-T50.....	33,530	21,231	12,299	28,731	18,106	10,625	4,799	3,125	1,674	4,157	1,409
T51-T65.....	8,638	5,981	2,657	7,106	4,977	2,129	1,532	1,004	528	1,233	422
T74.....	178	84	94	118	45	73	60	39	21	49	19
T33-T35, T66-T73, T75-T78.	19,988	14,846	5,142	16,233	12,178	4,055	3,755	2,668	1,087	2,681	771
T79-T88.....	18,026	9,610	8,416	15,158	8,169	6,989	2,868	1,441	1,427	2,393	1,199
T90-T98.....	4,366	2,823	1,543	3,667	2,321	1,346	699	502	197	558	147

411

Quantity zero.

...Category not applicable.

1/ Includes Black.

## Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
A01-A02.....	52	21	31	41	18	23	11	3	8	9		6
A03,A06.....	14	4	10	14	4	10	-	-	-	-		-
A04,A07-A09.....	9,047	3,691	5,356	8,369	3,405	4,964	678	286	392	573		337
A16-A19.....	1,349	845	504	799	503	296	550	342	208	345	3	129
A16.....	1,095	696	399	645	410	235	450	286	164	278	236	101
A17-A19.....	273	158	115	166	101	65	107	57	50	70	216	30
A37.....	33	21	12	25	15	10	8	6	2	5	177	1
Multiple Cause of Death Public Use File	12	7	5	12	7	5	-	-	-	-	40	-
A38,A46.....	138	79	59	113	61	52	25	18	7	20		6
A40-A41.....	154,503	73,009	81,494	123,782	58,499	65,283	30,721	14,510	16,211	26,417	4	14,144
A50-A53.....	156	100	56	66	39	27	90	61	29	87	12,273	27
A600ntrol Total Table 5.....	2	2	-	2	2	-	-	-	-	-	14	-
A83-A84,A85.2.....	8	5	3	8	5	3	-	-	-	-		-
B05.....	3	3	-	3	3	-	-	-	-	60		-
B15-B19.....	14,079	9,927	4,152	10,431	7,431	3,000	3,648	2,496	1,152	2,906	-	893
B20-B24.....	14,079	10,375	3,704	6,177	5,073	1,104	7,902	5,302	2,600	7,716	2,013	2,558
B50-B54.....	8	6	2	4	3	1	4	3	1	3	5,158	1
A00-A99.....	24,342	13,419	10,923	19,290	10,658	8,632	5,052	2,761	2,291	4,147		1,872
C00-C97.....	618,449	324,246	294,203	533,753	279,878	253,875	84,696	44,368	40,328	69,555	2,275	33,063
C00-C14.....	9,457	6,421	3,036	7,832	5,223	2,609	1,625	1,198	427	1,291	86,492	308
C15.....	14,834	11,633	3,201	12,955	10,276	2,679	1,879	1,357	522	1,604		436
C16.....	12,559	7,377	5,182	9,503	5,583	3,920	3,056	1,794	1,262	2,154	98,68	886
C18-C21.....	63,259	32,187	31,072	53,820	27,467	26,353	9,439	4,720	4,719	7,861	1,268	3,973
C22.....	17,359	11,463	5,896	13,745	9,007	4,738	3,614	2,456	1,158	2,297	3,888	697
C25.....	34,061	16,828	17,233	29,199	14,529	14,670	4,862	2,299	2,563	3,947	1,600	2,101
C32.....	5,027	3,928	1,099	4,100	3,186	914	927	742	185	855	1,846	172
C33-C34.....	169,234	96,004	73,230	148,262	83,511	64,751	20,972	12,493	8,479	17,531		7,055
C43.....	9,391	5,924	3,467	9,169	5,816	3,353	222	108	114	139	183,476	76
C50.....	50,693	495	50,198	42,828	416	42,412	7,865	79	7,786	6,756		6,687
C53.....	4,384	...	4,384	3,317	...	3,317	1,067	...	1,067	896		896
C54-C55.....	8,357	...	8,357	6,829	...	6,829	1,528	...	1,528	1,323	63	1,323
C56.....	15,819	...	15,819	14,113	...	14,113	1,706	...	1,706	1,308	69	1,308
C61.....	41,609	41,609	...	34,410	34,410	...	7,199	7,199	...	6,518	...	...
C64-C65.....	14,574	9,107	5,467	12,927	8,078	4,849	1,647	1,029	618	1,346	6,518	510

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

- Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

- Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

## Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
N25-N27	121	44	77	95	38	57	26	6	20	22		17
N10-N12,N13-N15	1,680	607	1,073	1,437	511	926	243	96	147	192		113
N40	3,027	3,027	...	2,726	2,726	...	301	301	...	218		...
N70-N76	291	...	291	247	...	247	44	...	44	36	5	36
000-099	1,041	...	1,041	667	...	667	374	...	374	318	218	318
000-007	38	...	38	19	...	19	19	...	19	13	...	13
010-099	1,020	...	1,020	655	...	655	365	...	365	311	...	311
Multiple Cause of Death Public Use File	18,705	10,508	8,197	11,839	6,653	5,186	6,866	3,855	3,011	6,077	...	2,665
Q00-Q99	15,297	8,041	7,256	12,349	6,476	5,873	2,948	1,565	1,383	2,362	3,412	1,110
R00-R99	314,275	138,249	176,026	270,494	117,392	153,102	43,781	20,857	22,924	36,152	1,252	19,153
Residual	759,474	359,399	400,075	660,509	310,489	350,020	98,965	48,910	50,055	82,706	16,999	42,250
V00-V59,Y80-Y86	155,174	94,379	60,795	133,697	80,379	53,318	21,477	14,000	7,477	17,094	40,456	5,881
V01-V99,Y85	49,345	34,727	14,618	41,430	29,124	12,306	7,915	5,603	2,312	5,941	11,213	1,632
V02-V89.2	46,081	32,151	13,930	38,686	26,959	11,727	7,395	5,192	2,203	5,568	4,309	1,554
V01-V89.9	1,264	974	290	989	753	236	275	221	54	208	4,014	43
V90-V99,Y85	2,001	1,602	399	1,756	1,412	344	245	190	55	165		35
W00-X59,Y86	106,263	59,971	46,292	92,646	51,529	41,117	13,617	8,442	5,175	11,195	165	4,254
W00-W19	25,080	12,380	12,700	23,210	11,327	11,883	1,870	1,053	817	1,277	6,3041	565
W32-W34	838	722	116	635	542	93	203	180	23	168		18
W65-W74	3,722	2,914	808	2,933	2,266	667	789	648	141	578	712	90
X00-X09	3,349	1,980	1,369	2,474	1,473	1,001	875	507	368	768	150	314
X40-X49	26,885	18,099	8,786	22,660	15,252	7,408	4,225	2,847	1,378	3,696	488	1,193
W20-W31,W35-W64,W75-W99	47,466	24,609	22,857	41,691	21,311	20,380	5,775	3,298	2,477	4,806		2,096
*X00,X00,X80,X89,X86	32,746	25,973	6,773	29,631	23,541	6,090	3,115	2,432	683	1,996	2,710	372
X72-X74	17,020	14,928	2,092	15,697	13,741	1,956	1,323	1,187	136	1,010	1,624	98
*U03,X60-X71,X75-X84	15,775	11,086	4,689	13,980	9,839	4,141	1,795	1,247	548	988	912	274
*Y87-Y002,X85-Y09,Y87:1..	18,283	14,484	3,799	8,866	6,517	2,349	9,417	7,967	1,450	8,726		1,270
*U01.4,X93-X95	12,378	10,583	1,795	5,276	4,185	1,091	7,102	6,398	704	6,718	71456	638
*U01.0-*U01.3,*U01.5-											6,080	
*U01.9,*U02,X85-X92,Y88,Y89,Y87:1..	5,966	3,945	2,021	3,626	2,355	1,271	2,340	1,590	750	2,030		635
	434	420	14	304	291	13	130	129	1	117	1,395	1

## Number of Resident Deaths Tabulated by Entity Axis Multiple Cause of Death, Race, and Sex: United States, 2005

Page

[Cause categories based on 113 cause list supplemented by relevant nature of injury category groupings]

Cause of death	All Races			White			All other 1/			Black	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Female
											Male
Y10-Y34, Y87.2, Y89.9.....	5,038	3,038	2,000	4,154	2,464	1,690	884	574	310	736	248
Y22-Y24.....	226	183	43	179	145	34	47	38	9	37	8
Y10-Y21, Y25-Y34, Y87.2... .	4,815	2,857	1,958	3,978	2,321	1,657	837	536	301	699	488
Y36, Y89.1.....	62	62	-	55	55	-	7	7	-	7	-
Y40-Y84, Y88.....	28,132	14,637	13,495	23,977	12,565	11,412	4,155	2,072	2,083	3,394	29459
S00-T98.....	220,935	143,311	77,624	183,933	117,290	66,643	37,002	26,021	10,981	30,285	1,666
S02, S03, S12, S22, S32, T08.....	3,440	2,466	974	2,954	2,105	849	486	361	125	345	71,635
Multiple Causes of Death Public Use File	7,330	3,851	3,479	6,663	3,413	3,250	667	438	229	498	153
S72.....	16,156	5,873	10,283	15,374	5,559	9,815	782	314	468	595	266
S42, S52, S62, S82, S92, T10, T11.....	2,687	956	1,731	2,472	862	1,610	215	94	121	169	245
Total: Total: Table 5: .....	775	392	383	690	341	349	85	51	34	67	25
S03, S13, S23, S33, S43, S53, S54.....	627	366	261	534	305	229	93	61	32	76	77
S68, S73, S83, S93, T03, T04.....	83	51	32	67	42	25	16	9	7	14	42
S06.....	16,928	11,178	5,750	14,483	9,422	5,061	2,445	1,756	689	1,820	480
S26-S27, S36-S37.....	5,366	3,920	1,446	4,026	2,839	1,187	1,340	1,081	259	1,160	52
S07---T05.....	831	660	171	727	574	153	104	86	18	80	213
S00---T14.....	98,227	72,650	25,577	78,215	56,946	21,269	20,012	15,704	4,308	16,578	947
T15-T19.....	16,488	8,627	7,861	14,269	7,436	6,833	2,219	1,191	1,028	1,871	13,301
T20-T32.....	3,008	1,971	1,037	2,319	1,529	790	689	442	247	565	877
T36-T50.....	33,535	21,235	12,300	28,736	18,110	10,626	4,799	3,125	1,674	4,157	994
T51-T65.....	8,639	5,982	2,657	7,107	4,978	2,129	1,532	1,004	528	1,233	86948
T74.....	178	84	94	118	45	73	60	39	21	49	19
T33-T35, T66-T73, T75-T78.	19,992	14,850	5,142	16,237	12,182	4,055	3,755	2,668	1,087	2,681	811
T79-T88.....	18,030	9,611	8,419	15,162	8,170	6,992	2,868	1,441	1,427	2,393	30910
T90-T98.....	4,366	2,823	1,543	3,667	2,321	1,346	699	502	197	558	1,194

411

^Quantity zero.

...Category not applicable.

1/ Includes black.

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005  
 (Deaths by State of occurrence, include foreign residents)

Page 1

State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
United States.....	2,452,506	226,822	213,660	231,486	205,188	201,211	187,732	191,821	191,183	185,855	198,348	198,943	220,257
Alabama.....	46,556	4,169	3,943	4,314	3,783	3,885	3,648	3,740	3,711	3,550	3,733	3,883	4,197
Alaska.....	3,133	268	240	273	252	261	249	270	295	269	257	232	267
Arizona.....	46,800	4,151	3,649	4,183	4,169	4,111	3,594	3,692	3,623	3,475	3,615	3,780	4,758
Arkansas.....	27,670	2,480	2,394	2,749	2,420	2,174	2,149	2,180	2,151	2,085	2,212	2,241	2,435
California.....	237,526	21,382	19,373	21,150	19,823	19,814	18,094	19,230	18,825	18,250	19,215	19,052	23,318
Colorado.....	29,962	2,640	2,630	2,781	2,474	2,611	2,286	2,396	2,388	2,337	2,411	2,388	2,620
Connecticut.....	29,634	3,025	2,664	2,741	2,412	2,391	2,244	2,200	2,273	2,146	2,377	2,433	2,728
Delaware.....	7,366	644	659	696	609	598	556	567	597	556	615	590	679
District of Columbia..	6,508	614	593	632	515	517	509	508	533	508	513	515	551
Florida.....	172,267	15,588	14,842	16,353	15,030	14,314	13,152	13,620	13,635	13,253	13,544	13,810	15,126
Georgia.....	67,551	6,078	5,772	6,372	5,460	5,477	5,080	5,375	5,453	5,303	5,354	5,709	6,118
Hawaii.....	9,331	838	789	865	779	842	718	732	757	731	756	742	782
Idaho.....	10,385	942	902	945	849	815	817	845	883	813	845	851	878
Month of death													
Illinois.....	101,506	9,276	9,047	9,900	8,377	8,352	7,730	7,886	7,827	7,536	8,408	8,271	8,896
Indiana.....	56,039	5,062	4,923	5,531	4,792	4,667	4,261	4,257	4,247	4,262	4,596	4,495	4,946
Iowa.....	27,582	2,529	2,473	2,647	2,322	2,161	2,111	2,168	2,071	2,064	2,269	2,279	2,488
Kansas.....	24,272	2,186	2,112	2,427	2,019	2,004	1,894	1,830	1,772	1,793	2,019	1,884	2,332
Kentucky.....	40,045	3,475	3,563	3,992	3,367	3,421	3,116	3,089	3,016	2,972	3,182	3,228	3,624
Louisiana.....	43,629	3,919	3,877	3,909	3,481	3,664	3,360	3,466	4,121	3,206	3,449	3,414	3,763

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005  
 (Deaths by State of occurrence, include foreign residents)

Page 2

State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
Maine.....	12,808	1,344	1,142	1,176	1,079	1,003	989	999	989	917	1,090	1,001	1,079
Maryland.....	43,900	4,225	3,980	4,117	3,642	3,536	3,265	3,486	3,460	3,284	3,556	3,561	3,788
Massachusetts.....	54,615	5,700	4,772	5,048	4,537	4,368	4,079	4,090	4,228	4,115	4,410	4,550	4,718
Michigan.....	85,748	8,198	7,479	7,765	7,070	7,133	6,946	6,674	6,653	6,492	7,057	6,975	7,306
Minnesota.....	37,601	3,793	3,311	3,541	3,120	2,845	2,773	2,912	2,878	2,846	3,107	3,126	3,349
Mississippi.....	28,543	2,546	2,464	2,691	2,234	2,368	2,181	2,352	2,393	2,289	2,274	2,294	2,457
Missouri.....	56,091	4,878	4,785	5,649	4,746	4,585	4,256	4,352	4,455	4,342	4,549	4,503	4,991
Montana.....	8,553	764	809	819	697	705	625	731	693	644	656	697	713
Nebraska.....	15,136	1,382	1,391	1,391	1,243	1,244	1,103	1,163	1,217	1,175	1,277	1,241	1,309
Nevada.....	19,691	1,747	1,647	1,793	1,713	1,631	1,594	1,518	1,495	1,477	1,596	1,557	1,923
New Hampshire.....	9,972	1,037	868	901	770	760	733	806	748	802	847	806	894
New Jersey.....	70,621	7,122	6,258	6,757	5,800	5,668	5,387	5,558	5,392	5,088	5,805	5,661	6,125
New Mexico.....	14,766	1,301	1,241	1,434	1,260	1,238	1,060	1,189	1,183	1,117	1,168	1,221	1,354
New York.....	151,790	15,629	13,141	13,699	12,554	12,295	11,723	11,650	11,751	11,203	12,441	12,450	13,254
Month of death North Carolina.....	75,275	6,802	6,464	7,369	6,481	6,179	5,795	5,929	5,652	5,511	6,139	6,236	6,718
North Dakota.....	6,142	570	577	611	524	490	414	507	450	438	517	493	551
Ohio.....	108,921	9,702	9,542	11,202	9,461	8,863	8,513	8,303	8,275	8,088	8,498	8,949	9,525
Oklahoma.....	35,307	3,081	2,998	3,328	2,978	3,039	2,702	2,768	2,709	2,699	2,849	2,921	3,235
Oregon.....	31,144	2,881	2,707	2,894	2,541	2,562	2,415	2,432	2,433	2,402	2,590	2,533	2,754
Pennsylvania.....	130,436	12,302	11,849	12,729	11,008	10,527	9,826	9,871	9,906	9,829	10,620	10,519	11,450

Control Total Table 6. Number of deaths tabulated by State of occurrence and month: United States, 2005  
 (Deaths by State of occurrence, include foreign residents)

Page 3

State of occurrence	Total	January	February	March	April	May	June	July	August	September	October	November	December
Rhode Island.....	10,176	1,091	986	907	827	845	814	771	746	720	754	831	884
South Carolina.....	37,901	3,344	3,381	3,739	3,115	3,015	2,927	2,973	2,886	2,932	3,061	3,077	3,451
South Dakota.....	7,283	684	620	701	597	562	550	582	571	561	606	606	643
Tennessee.....	60,336	5,338	5,165	5,849	4,983	5,011	4,636	4,739	4,740	4,577	4,854	5,030	5,414
Texas.....	158,750	14,323	14,481	14,596	12,996	12,828	12,214	12,380	12,169	12,651	13,005	12,616	14,491
Utah.....	13,748	1,173	1,096	1,214	1,221	1,111	1,053	1,123	1,104	1,098	1,118	1,156	1,281
Vermont.....	5,095	493	429	469	456	435	427	413	398	351	413	393	418
Virginia.....	57,242	5,228	5,186	5,480	4,715	4,664	4,319	4,468	4,511	4,330	4,587	4,656	5,098
Washington.....	46,271	4,300	4,047	4,399	3,865	3,836	3,597	3,576	3,557	3,476	3,730	3,668	4,220
West Virginia.....	20,522	1,771	1,814	2,087	1,840	1,685	1,573	1,557	1,510	1,543	1,620	1,694	1,828
Wisconsin.....	46,476	4,438	4,284	4,294	3,830	3,772	3,384	3,600	3,553	3,470	3,871	3,799	4,181
Wyoming.....	3,884	369	301	377	352	329	291	298	300	279	313	326	349

Source: CDC/NCHS, National Vital Statistics System, Mortality.  
 Month of death

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

39	S Limited			
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
001				Tuberculosis (A16-A19)
002				Syphilis (A50-A53)
003				Human immunodeficiency virus (HIV) disease (B20-B24)
004	1			Malignant neoplasms (C00-C97)
005				Malignant neoplasm of stomach (C16)
006				Malignant neoplasms of colon, rectum and anus (C18-C21)
007				Malignant neoplasm of pancreas (C25)
008				Malignant neoplasms of trachea, bronchus and lung (C33-C34)
009				Malignant neoplasm of breast (C50)
010	2			Malignant neoplasms of cervix uteri, corpus uteri and ovary (C53-C56)
011	1			Malignant neoplasm of prostate (C61)
012				Malignant neoplasms of urinary tract (C64-C68)
013				Non-Hodgkin's lymphoma (C82-C85)
014				Leukemia (C91-C95)
015				Other malignant neoplasms (C00-C15,C17,C22-C24,C26-C32,C37-C49,C51-C52, C57-C60,C62-C63,C69-C81,C88,C90,C96-C97)
016	3			Diabetes mellitus (E10-E14)
017				Alzheimer's disease (G30)
018	1			Major cardiovascular diseases (I00-I78)
019	1			Diseases of heart (I00-I09,I11,I13,I20-I51) Hypertensive heart disease with or without renal disease (I11,I13)
020				Ischemic heart diseases (I20-I25)
021				Other diseases of heart (I00-I09,I26-I51)
022				Essential (primary) hypertension and hypertensive renal disease (I10,I12)
023				Cerebrovascular diseases (I60-I69)
024				Atherosclerosis (I70)
025				Other diseases of circulatory system (I71-I78)
026				Influenza and pneumonia (J10-J18)
027				Chronic lower respiratory diseases (J40-J47)
028				Peptic ulcer (K25-K28)
029				Chronic liver disease and cirrhosis (K70,K73-K74)
030				Nephritis, nephrotic syndrome, and nephrosis (N00-N07,N17-N19,N25-N27)
031				Pregnancy, childbirth and the puerperium (O00-O99)
032	2	7		Certain conditions originating in the perinatal period (P00-P96)
033				Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
034				Sudden infant death syndrome (R95)
035		4		Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (excluding Sudden infant death syndrome) (R00-R94,R96-R99)
036				All other diseases (Residual) (A00-A09,A20-A49,A54-B19,B25-B99,D00-E07, E15-G25,G31-H93,I80-J06,J20-J39,J60-K22,K29-K66,K71-K72, K75-M99,N10-N15,N20-N23,N28-N98)
037				Motor vehicle accidents (V02-V04,V09.0,V12-V14,V19.0-V19.2,V19.4-V19.6, V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)
038				All other and unspecified accidents and adverse effects (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1, V89.3,V89.9,V90-X59,Y40-Y86,Y88)
039				Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)
040		1		Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)
041				All other external causes (Y10-Y36,Y87.2,Y89)
042				

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

113	S Limited	Cause Title and ICD-10 Codes Included
Recode	T Sex Age	
001		Salmonella infections (A01-A02)
002		Shigellosis and amebiasis (A03,A06)
003		Certain other intestinal infections (A04,A07-A09)
004	1	Tuberculosis (A16-A19) Respiratory tuberculosis (A16) Other tuberculosis (A17-A19)
005		Whooping cough (A37)
006		Scarlet fever and erysipelas (A38,A46)
007		Meningococcal infection (A39)
008		Septicemia (A40-A41)
009	3	Syphilis (A50-A53)
010		Acute poliomyelitis (A80)
011		Arthropod-borne viral encephalitis (A83-A84,A85.2)
012		Measles (B05)
013		Viral hepatitis (B15-B19)
014		Human immunodeficiency virus (HIV) disease (B20-B24)
015		Malaria (B50-B54)
016		Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8, A86-B04,B06-B09,B25-B49,B55-B99)
017		
018		Malignant neoplasms (C00-C97)
019	1	Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) Malignant neoplasm of esophagus (C15) Malignant neoplasm of stomach (C16) Malignant neoplasms of colon, rectum and anus (C18-C21) Malignant neoplasms of liver and intrahepatic bile ducts (C22) Malignant neoplasm of pancreas (C25) Malignant neoplasm of larynx (C32) Malignant neoplasms of trachea, bronchus and lung (C33-C34) Malignant melanoma of skin (C43) Malignant neoplasm of breast (C50) Malignant neoplasm of cervix uteri (C53)
020		Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)
021		Malignant neoplasm of ovary (C56)
022		Malignant neoplasm of prostate (C61)
023		Malignant neoplasms of kidney and renal pelvis (C64-C65)
024		Malignant neoplasm of bladder (C67)
025		Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)
026		Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)
027		Hodgkin's disease (C81)
028		Non-Hodgkin's lymphoma (C82-C85)
029		Leukemia (C91-C95)
030	2	Multiple myeloma and immunoproliferative neoplasms (C88,C90)
031	2	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)
032	2	All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41, C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)
033	1	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
034		Anemias (D50-D64)
035		Diseases mellitus (E10-E14)
036		Nutritional deficiencies (E40-E64)
037	1	Malnutrition (E40-E46)
038		Other nutritional deficiencies (E50-E64)
039		Meningitis (G00,G03)
040		Parkinson's disease (G20-G21)
041		Alzheimer's disease (G30)
042		Major cardiovascular diseases (I00-I78)
043	1	Diseases of heart (I00-I09,I11,I13,I20-I51)
044		Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)
045		Hypertensive heart disease (I11)
046		Hypertensive heart and renal disease (I13)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

113	S	Limited		
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
058	1			Ischemic heart diseases (I20-I25) Acute myocardial infarction (I21-I22)
059				Other acute ischemic heart diseases (I24)
060				Other forms of chronic ischemic heart disease (I20,I25)
061	1			Atherosclerotic cardiovascular disease, so described (I25.0)
062				All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)
063				Other heart diseases (I26-I51)
064	1			Acute and subacute endocarditis (I33)
065				Diseases of pericardium and acute myocarditis (I30-I31,I40)
066				Heart failure (I50)
067				All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)
068				Essential (primary) hypertension and hypertensive renal disease (I10,I12)
069				Cerebrovascular diseases (I60-I69)
070				Atherosclerosis (I70)
071				Other diseases of circulatory system (I71-I78)
072	1			Aortic aneurysm and dissection (I71)
073				Other diseases of arteries, arterioles and capillaries (I72-I78)
074				Other disorders of circulatory system (I80-I99)
075				Influenza and pneumonia (J10-J18)
076	1			Influenza (J10-J11)
077				Pneumonia (J12-J18)
078				Other acute lower respiratory infections (J20-J22)
079	1			Acute bronchitis and bronchiolitis (J20-J21)
080				Unspecified acute lower respiratory infection (J22)
081				Chronic lower respiratory diseases (J40-J47)
082	1			Bronchitis, chronic and unspecified (J40-J42)
083				Emphysema (J43)
084				Asthma (J45-J46)
085				Other chronic lower respiratory diseases (J44,J47)
086				Pneumoconioses and chemical effects (J60-J66,J68)
087				Pneumonitis due to solids and liquids (J69)
088				Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)
089				Peptic ulcer (K25-K28)
090				Diseases of appendix (K35-K38)
091				Hernia (K40-K46)
092				Chronic liver disease and cirrhosis (K70,K73-K74)
093	1			Alcoholic liver disease (K70)
094				Other chronic liver disease and cirrhosis (K73-K74)
095				Cholelithiasis and other disorders of gallbladder (K80-K82)
096				Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)
097	1			Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)
098				Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or
099				chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)
100				Renal failure (N17-N19)
101				Other disorders of kidney (N25,N27)
102				Infections of kidney (N10-N12,N13.6,N15.1)
103	1			Hyperplasia of prostate (N40)
104	2			Inflammatory diseases of female pelvic organs (N70-N76)
105	1	2	7	Pregnancy, childbirth and the puerperium (O00-O99)
106	2	7		Pregnancy with abortive outcome (O00-O07)
107	2	7		Other complications of pregnancy, childbirth and the puerperium (O10-O99)
108				Certain conditions originating in the perinatal period (P00-P96)
109				Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
110				Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
				classified (R00-R99)
111				All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93, K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99, N13.0-N13.5,N13.7-N13.9, N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)
112	1			Accidents (unintentional injuries) (V01-X59,Y85-Y86)
113	1			Transport accidents (V01-V99,Y85)
114				Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over;  
7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

113 S Limited  
Recode T Sex Age Cause Title and ICD-10 Codes Included

115		Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9, V10-V11, V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9, V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)
116		Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)
117	1	Nontransport accidents (W00-X59,Y86)
118		Falls (W00-W19)
119		Accidental discharge of firearms (W32-W34)
120		Accidental drowning and submersion (W65-W74)
121		Accidental exposure to smoke, fire and flames (X00-X09)
122		Accidental poisoning and exposure to noxious substances (X40-X49)
123		Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)
124	1	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)
125	1	Intentional self-harm (suicide) by discharge of firearms (X72-X74)
126	1	Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)
127	1	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)
128		Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
129		Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)
130		Legal intervention (Y35,Y89.0)
131	1	Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)
132		Discharge of firearms, undetermined intent (Y22-Y24)
133		Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)
134		Operations of war and their sequelae (Y36,Y89.1)
135		Complications of medical and surgical care (Y40-Y84,Y88)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

130	S Limited	
Recode	T Sex Age Cause Title and ICD-10 Codes Included	
001	1	Certain infectious and parasitic diseases (A00-B99) Certain intestinal infectious diseases (A00-A08)
002		Diarrhea and gastroenteritis of infectious origin (A09)
003		Tuberculosis (A16-A19)
004		Tetanus (A33,A35)
005		Diphtheria (A36)
006		Whooping cough (A37)
007		Meningococcal infection (A39)
008		Septicemia (A40-A41)
009	3	Congenital syphilis (A50)
010		Gonococcal infection (A54)
011		Viral diseases (A80-B34)
012	1	Acute poliomyelitis (A80)
013		Varicella (chickenpox) (B01)
014		Measles (B05)
015		Human immunodeficiency virus (HIV) disease (B20-B24)
016		Mumps (B26)
017		Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34)
018		Candidiasis (B37)
019		Malaria (B50-B54)
020		Pneumocystosis (B59)
021		All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58,B60-B99)
022		Neoplasms (C00-D48)
023	1	Malignant neoplasms (C00-C97)
024	1	Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)
025		Leukemia (C91-C95)
026		Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)
027		In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
028		Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)
029	1	Anemias (D50-D64)
030		Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)
031		Certain disorders involving the immune mechanism (D80-D89)
032		Endocrine, nutritional and metabolic diseases (E00-E88)
033	1	Short stature, not elsewhere classified (E34.3)
034		Nutritional deficiencies (E40-E64)
035		Cystic fibrosis (E84)
036		Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)
037	3	All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)
038		Diseases of the nervous system (G00-G98)
039	1	Meningitis (G00,G03)
040		Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)
041		Infantile cerebral palsy (G80)
042		Anoxic brain damage, not elsewhere classified (G93.1)
043		Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98)
044		Diseases of the ear and mastoid process (H60-H93)
045		Diseases of the circulatory system (I00-I99)
046	1	Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
047		Pericarditis, endocarditis and myocarditis (I30,I33,I40)
048		Cardiomyopathy (I42)
049		Cardiac arrest (I46)
050		Cerebrovascular diseases (I60-I69)
051		All other diseases of circulatory system (I00-I25,I31,I34-I38,I44-I45,I47-I51, I70-I99)
052		Diseases of the respiratory system (J00-J98)
053	1	Acute upper respiratory infections (J00-J06)
054	1	Influenza and pneumonia (J10-J18)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

130      S Limited  
 Recode T Sex Age Cause Title and ICD-10 Codes Included

056		Influenza (J10-J11)
057		Pneumonia (J12-J18)
058		Acute bronchitis and acute bronchiolitis (J20-J21)
059		Bronchitis, chronic and unspecified (J40-J42)
060		Asthma (J45-J46)
061		Pneumonitis due to solids and liquids (J69)
062		Other and unspecified diseases of respiratory system (J22,J30-J39,J43-J44,J47-J68,J70-J98)
063	1	Diseases of the digestive system (K00-K92)
064		Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)
065		Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46,K56)
066		All other and unspecified diseases of digestive system (K00-K28,K30-K38,K57-K92)
067	1	Diseases of the genitourinary system (N00-N95)
068		Renal failure and other disorders of kidney (N17-N19,N25,N27)
069		Other and unspecified diseases of genitourinary system (N00-N15,N20-N23,N26,N28-N95)
070	1	Certain conditions originating in the perinatal period (P00-P96)
071	1	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)
072		Newborn affected by maternal hypertensive disorders (P00.0)
073		Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)
074	1	Newborn affected by maternal complications of pregnancy (P01)
075		Newborn affected by incompetent cervix (P01.0)
076		Newborn affected by premature rupture of membranes (P01.1)
077		Newborn affected by multiple pregnancy (P01.5)
078		Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)
079	1	Newborn affected by complications of placenta, cord and membranes (P02)
080		Newborn affected by complications involving placenta (P02.0-P02.3)
081		Newborn affected by complications involving cord (P02.4-P02.6)
082		Newborn affected by chorioamnionitis (P02.7)
083		Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)
084		Newborn affected by other complications of labor and delivery (P03)
085		Newborn affected by noxious influences transmitted via placenta or breast milk (P04)
086	1	Disorders related to length of gestation and fetal malnutrition (P05-P08)
087		Slow fetal growth and fetal malnutrition (P05)
088	1	Disorders related to short gestation and low birthweight, not elsewhere classified (P07)
089		Extremely low birthweight or extreme immaturity (P07.0,P07.2)
090		Other low birthweight or preterm (P07.1,P07.3)
091		Disorders related to long gestation and high birthweight (P08)
092		Birth trauma (P10-P15)
093	1	Intrauterine hypoxia and birth asphyxia (P20-P21)
094		Intrauterine hypoxia (P20)
095		Birth asphyxia (P21)
096		Respiratory distress of newborn (P22)
097	1	Other respiratory conditions originating in the perinatal period (P23-P28)
098		Congenital pneumonia (P23)
099		Neonatal aspiration syndromes (P24)
100		Interstitial emphysema and related conditions originating in the perinatal period (P25)
101		Pulmonary hemorrhage originating in the perinatal period (P26)
102		Chronic respiratory disease originating in the perinatal period (P27)
103		Atelectasis (P28.0-P28.1)
104		All other respiratory conditions originating in the perinatal period (P28.2-P28.9)
105	1	Infections specific to the perinatal period (P35-P39)
106		Bacterial sepsis of newborn (P36)
107		Omphalitis of newborn with or without mild hemorrhage (P38)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

130      S Limited  
 Recode T Sex Age Cause Title and ICD-10 Codes Included

108		All other infections specific to the perinatal period (P35,P37,P39)
109	1	Hemorrhagic and hematological disorders of newborn (P50-P61) Neonatal hemorrhage (P50-P52,P54)
110		Hemorrhagic disease of newborn (P53)
111		Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)
112		Hematological disorders (P60-P61)
113		Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)
114		Necrotizing enterocolitis of newborn (P77)
115		Hydrops fetalis not due to hemolytic disease (P83.2)
116		Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81,P83.0-P83.1, P83.3-P83.9,P90-P96)
117		Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
118	1	Anencephaly and similar malformations (Q00)
119		Congenital hydrocephalus (Q03)
120		Spina bifida (Q05)
121		Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)
122		Congenital malformations of heart (Q20-Q24)
123		Other congenital malformations of circulatory system (Q25-Q28)
124		Congenital malformations of respiratory system (Q30-Q34)
125		Congenital malformations of digestive system (Q35-Q45)
126		Congenital malformations of genitourinary system (Q50-Q64)
127		Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)
128		Down's syndrome (Q90)
129		Edward's syndrome (Q91.0-Q91.3)
130		Patau's syndrome (Q91.4-Q91.7)
131		Other congenital malformations and deformations (Q10-Q18,Q86-Q89)
132		Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)
133		Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)
134	1	Sudden infant death syndrome (R95)
135		Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)
136		All other diseases (Residual) (F01-F99,H00-H57,L00-M99)
137		External causes of mortality (*U01,V01-Y84)
138	1	Accidents (unintentional injuries) (V01-X59)
139	1	Transport accidents (V01-V99)
140	1	Motor vehicle accidents(V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)
141		Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)
142		Falls (W00-W19)
143		Accidental discharge of firearms (W32-W34)
144		Accidental drowning and submersion (W65-W74)
145		Accidental suffocation and strangulation in bed (W75)
146		Other accidental suffocation and strangulation (W76-W77,W81-W84)
147		Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)
148		Accidents caused by exposure to smoke, fire and flames (X00-X09)
149		Accidental poisoning and exposure to noxious substances (X40-X49)
150		Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39,X50-X59)
151		Assault (homicide) (*U01,X85-Y09)
152	1	Assault (homicide) by hanging, strangulation and suffocation (X91)
153		Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
154		Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
155		Assault (homicide) by other and unspecified means (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
156		Complications of medical and surgical care (Y40-Y84)
157		

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over  
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

130        S Limited  
Recode T Sex Age Cause Title and ICD-10 Codes Included

158              Other external causes (Y10-Y36)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358 Recode	S Limited T Sex Age	Cause Title and ICD-10 Codes Included
001	1	I. Certain infectious and parasitic diseases (A00-B99)
002	1	Intestinal infectious diseases (A00-A09)
003		Cholera (A00)
004	1	Other intestinal infectious diseases (A01-A08)
005		Typhoid fever (A01.0)
006		Paratyphoid fevers and other salmonella infections (A01.1-A01.4,A02)
007		Shigellosis (A03)
008		Other bacterial food-borne intoxications (A05)
009		Amebiasis (A06)
010		Intestinal infections due to other specified organisms (A04,A07-A08)
011		Diarrhea and gastroenteritis of infectious origin (A09)
012	1	Tuberculosis (A16-A19)
013		Respiratory tuberculosis (A16)
014		Other tuberculosis (A17-A19)
015	1	Zoonotic and other bacterial diseases (A20-A49)
016		Plague (A20)
017		Brucellosis (A23)
018		Tetanus (A33-A35)
019		Diphtheria (A36)
020		Whooping cough (A37)
021		Scarlet fever and erysipelas (A38,A46)
022		Meningococcal infection (A39)
023	3	Septicemia (A40-A41)
024		Other zoonotic and bacterial diseases (A21-A22,A24-A32,A42-A44, A48-A49)
025	1	Infections with a predominately sexual mode of transmission (A50-A64)
026	1	Syphilis (A50-A53)
027		Cardiovascular syphilis (A52.0)
028		Neurosyphilis (A52.1-A52.3)
029		Other and unspecified syphilis (A50-A51,A52.7-A52.9,A53)
030		Gonococcal infection (A54)
031		Other infections with a predominately sexual mode of transmission (A55-A64)
032	1	Other infections caused by spirochetes, chlamydia or rickettsia (A65-A79)
033		Lyme disease (A69.2)
034		Typhus fever (A75)
035		All other infections caused by spirochetes, chlamydia or rickettsia (A65-A68,A69.0-A69.1,A69.8-A69.9,A70-A74,A77-A79)
036	1	Viral diseases (A80-B34)
037		Acute poliomyelitis (A80)
038		Rabies (A82)
039		Arthropod-borne viral encephalitis (A83-A84,A85.2)
040		Yellow fever (A95)
041		Other and unspecified arthropod-borne viral and hemorrhagic fevers (A90-A94,A96-A99)
042		Herpesviral (herpes simplex) infections (B00)
043		Zoster (herpes zoster) (B02)
044		Smallpox (B03)
045		Measles (B05)
046		Rubella (German measles) (B06)
047		Viral hepatitis (B15-B19)
048	1	Human immunodeficiency virus (HIV) disease (B20-B24)
049		Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases (B20)
050		Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms (B21)
051		Human immunodeficiency virus (HIV) disease resulting in other specified diseases (B22)
052		Human immunodeficiency virus (HIV) disease resulting in other conditions (B23)
053		Unspecified human immunodeficiency virus (HIV) disease (B24)
054		All other and unspecified viral diseases (A81,A85.0-A85.1,A85.8,

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358	S Limited		
Recode	T Sex	Age	Cause Title and ICD-10 Codes Included
A86-A89,B01,B04,B07-B09,B25-B34)			
055	1		Other and unspecified infectious and parasitic diseases and their sequelae (B35-B99)
056			Mycoses (B35-B49)
057	1		Protozoal diseases (B50-B64)
058			Malaria (B50-B54)
059			Leishmaniasis (B55)
060			Trypanosomiasis (B56-B57)
061			Pneumocystosis (B59)
062			Other and unspecified protozoal diseases (B58,B60-B64)
063	1		Helminthiases (B65-B83)
064			Schistosomiasis (bilharziasis) (B65)
065			Other and unspecified helminthiases (B66-B83)
066	6		Sequelae of tuberculosis (B90)
067	6		Sequelae of poliomyelitis (B91)
068			All other and unspecified infectious and parasitic diseases and their sequelae (B85-B89,B92-B99)
069	1		II. Neoplasms (C00-D48)
070	1		Malignant neoplasms (C00-C97)
071	1		Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)
072			Of lip (C00)
073			Of tongue (C01-C02)
074			Of pharynx (C10-C13,C14.0)
075			Of other and unspecified sites within the lip, oral cavity and pharynx (C03-C09,C14.2-C14.8)
076	1		Malignant neoplasms of digestive organs (C15-C26)
077			Of esophagus (C15)
078			Of stomach (C16)
079			Of small intestine (C17)
080			Of colon, rectum and anus (C18-C21)
081			Colon (C18)
082			Rectosigmoid junction and rectum (C19-C20)
083			Anus and anus canal (C21)
084	1		Of liver and intrahepatic bile ducts (C22)
085			Liver (C22.0,C22.2-C22.9)
086			Intrahepatic bile duct carcinoma (C22.1)
087			Of gallbladder and extrahepatic bile ducts (C23-C24)
088			Of pancreas (C25)
089			Of other and ill-defined digestive organs (C26)
090	1		Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)
091			Of nasal cavity, middle ear and accessory sinuses (C30-C31)
092			Of larynx (C32)
093			Of trachea, bronchus and lung (C33-C34)
094			Of thymus, heart, mediastinum and pleura (C37-C38)
095			Of other and ill-defined sites in respiratory system and intrathoracic organs (C39)
096			Malignant neoplasms of bone and articular cartilage (C40-C41)
097	1		Melanoma and other malignant neoplasms of skin (C43-C44)
098			Malignant melanoma of skin (C43)
099			Other malignant neoplasms of skin (C44)
100	1		Malignant neoplasms of mesothelial and soft tissue (C45-C49)
101			Mesothelioma (C45)
102			Kaposi=s sarcoma (C46)
103			Of other mesothelial and soft tissue (C47-C49)
104			Malignant neoplasm of breast (C50)
105	1	2	Malignant neoplasms of female genital organs (C51-C58)
106	2		Of vulva and vagina (C51-C52)
107	2		Of cervix uteri (C53)
108	2		Of corpus uteri and uterus, part unspecified (C54-C55)
109	2		Of ovary (C56)
110	2		Of other and unspecified female genital organs (C57)
111	2	2	Of placenta (C58)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358 Recode	S Limited T Sex Age	Cause Title and ICD-10 Codes Included
112	1 1	Malignant neoplasms of male genital organs (C60-C63) Of prostate (C61)
113	1	Of testis (C62)
114	1	Of penis and other and unspecified male genital organs (C60,C63)
115	1	Malignant neoplasms of urinary tract (C64-C68) Of kidney and renal pelvis (C64-C65)
116	1	Of bladder (C67) Of other and unspecified sites within the urinary tract (C66,C68)
117		Malignant neoplasm of eye and adnexa (C69)
118		Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72) Of brain (C71)
119		Of other parts of central nervous system (C70,C72)
120		Malignant neoplasms of thyroid and other endocrine glands (C73-C75)
121	1	Other malignant neoplasms of other and unspecified sites (C76-C80,C97)
122	1	Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96) Hodgkin=s disease (C81)
123	1	Of other lymphoid, hematopoietic and related tissue (C82-C85,C96)
124		Non-Hodgkin=s lymphoma (C82-C85)
125		Of other and unspecified lymphoid, hematopoietic and related tissue (C96)
126	1	Malignant immunoproliferative diseases (C88)
127		Multiple myeloma and malignant plasma cell neoplasms (C90)
128	1	Leukemia (C91-C95) Lymphoid leukemia (C91)
129		Myeloid leukemia (C92)
130		Monocytic leukemia (C93)
131		Other and unspecified leukemia (C94-C95)
132		In situ neoplasms (D00-D09) Carcinoma in situ of breast and genitourinary system (D05-D07)
133		Carcinoma in situ of other and unspecified sites (D00-D04,D09)
134	1	Benign neoplasms (D10-D36) Of female genital organs (D25-D28)
135	2	Of eye, brain and other parts of central nervous system (D31-D33)
136		Of other and unspecified sites (D10-D24,D29-D30,D34-D36)
137		Neoplasms of uncertain or unknown behavior of specified sites (D37-D47)
138		Neoplasms of uncertain or unknown behavior of unspecified sites (D48)
139	1	III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)
140		Anemias (D50-D64) Nutritional anemias (D50-D53)
141		Hemolytic anemias (D55-D59)
142		Aplastic anemias (D60-D61)
143		Acute posthemorrhagic and other anemias (D62,D64)
144		Coagulation defects, purpura and other hemorrhagic conditions (D65-D69)
145		Other diseases of blood and blood-forming organs (D70-D76)
146		Certain disorders involving the immune mechanism (D80-D89)
147	1	IV. Endocrine, nutritional and metabolic diseases (E00-E88)
148	1	Endocrine diseases (E00-E34) Disorders of thyroid gland (E00-E07)
149		Diabetes mellitus (E10-E14)
150		Disorders of pituitary gland (E22-E23)
151		Disorders of adrenal glands (E24-E27)
152		Diseases of thymus (E32)
153		Other endocrine diseases (E15-E21,E28-E31,E34)
154	1	Nutritional diseases (E40-E68)
155	1	Malnutrition (E40-E46) Nutritional marasmus (E41)
156		Other and unspecified malnutrition (E40,E42-E46)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358	S Limited	
Recode	T Sex Age	Cause Title and ICD-10 Codes Included
168		Other nutritional deficiencies (E50-E64)
169		Obesity and other hyperalimentation (E65-E68)
170	1	Metabolic disorders (E70-E88)
171		Cystic fibrosis (E84)
172		Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)
173		Other metabolic disorders (E70-E83,E85,E88)
174	1	V. Mental and behavioral disorders (F01-F99)
175		Organic dementia (F01,F03)
176		Other and unspecified organic mental disorders (F04-F09)
177	1	Mental and behavioral disorders due to psychoactive substance use (F10-F19)
178		3 Mental and behavioral disorders due to use of alcohol (F10)
179		3 Mental and behavioral disorders due to other psychoactive substance use (F11-F19)
180		Schizophrenia, schizotypal and delusional disorders (F20-F29)
181		Mood (affective) disorders (F30-F39)
182		Neurotic, stress-related and somatoform disorders (F40-F48)
183		Mental retardation (F70-F79)
184		Other and unspecified mental and behavioral disorders (F50-F69,F80-F99)
185	1	VI. Diseases of the nervous system (G00-G98)
186		Meningitis (G00,G03)
187		Other inflammatory diseases of central nervous system (G04-G09)
188		Parkinson=s disease (G20-G21)
189		Alzheimer=s disease (G30)
190		Multiple sclerosis (G35)
191		Epilepsy (G40-G41)
192		Transient cerebral ischemic attacks and related syndromes (G45)
193		Infantile cerebral palsy (G80)
194		All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)
195		VII. Diseases of the eye and adnexa (H00-H57)
196		VIII. Diseases of the ear and mastoid process (H60-H93)
197	1	IX. Diseases of the circulatory system (I00-I99)
198	1	Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)
199		Acute rheumatic fever (I00-I02)
200	1	Chronic rheumatic heart diseases (I05-I09)
201		Rheumatic mitral valve diseases (I05)
202		Rheumatic aortic valve diseases (I06)
203		Disorders of both mitral and aortic valves (I08.0)
204		Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)
205	1	Hypertensive diseases (I10-I13)
206		Essential (primary) hypertension (I10)
207		Hypertensive heart disease (I11)
208		Hypertensive renal disease (I12)
209		Hypertensive heart and renal disease (I13)
210	1	Ischemic heart diseases (I20-I25)
211		Acute myocardial infarction (I21-I22)
212		Other acute ischemic heart diseases (I24)
213		Other forms of chronic ischemic heart diseases (I20,I25)
214		Atherosclerotic cardiovascular disease, so described (I25.0)
215		All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)
216	1	Other heart diseases (I26-I51)
217	1	Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
218		Pulmonary embolism (I26)
219		Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358	S Limited		
Recode	T Sex	Age	Cause Title and ICD-10 Codes Included
<b>220      1      Other non-pulmonary forms of heart disease (I30-I51)</b>			
221			Acute and subacute endocarditis (I33)
222			Diseases of pericardium and acute myocarditis (I30-I31,I40)
223      1			Other diseases of endocardium (I34-I38)
224			Nonrheumatic mitral valve disorders (I34)
225			Nonrheumatic aortic valve disorders (I35)
226			All other diseases of endocardium (I36-I38)
227			Cardiomyopathy (I42)
228			Conduction disorders and cardiac dysrhythmias (I44-I49)
229      1			Heart failure (I50)
230			Congestive heart failure (I50.0)
231			Other and unspecified heart failure (I50.1-I50.9)
232			Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)
233			All other and ill-defined forms of heart disease (I50.0-I51.3, I51.6-I51.9)
234      1			Cerebrovascular diseases (I60-I69)
235			Subarachnoid hemorrhage (I60)
236      3			Intracerebral and other intracranial hemorrhage (I61-I62)
237			Cerebral infarction (I63)
238			Stroke, not specified as hemorrhage or infarction (I64)
239			Other cerebrovascular diseases and their sequelae (I67,I69)
240      1			Diseases of arteries, arterioles and capillaries (I70-I78)
241			Atherosclerosis (I70)
242			Aortic aneurysm and dissection (I71)
243			Other diseases of arteries, arterioles and capillaries (I70-I78)
244      1			Other disorders of circulatory system (I80-I99)
245			Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)
246			All other and unspecified disorders of circulatory system (I83-I99)
247      1			<b>X. Diseases of the respiratory system (J00-J98)</b>
248      1			Acute upper respiratory infections (J00-J06)
249			Acute pharyngitis and tonsillitis (J02-J03)
250			Acute laryngitis and tracheitis ((J04)
251			Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)
252      1			Other diseases of the respiratory system (J10-J98)
253			Influenza (J10-J11)
254      1			Pneumonia(J12-J18)
255			Viral pneumonia, not elsewhere classified (J12)
256			Bacterial pneumonia (J13-J15)
257			Pneumonia due to other or unspecified organisms (J16,J18)
258      1			Other acute lower respiratory infections (J20-J22)
259			Acute bronchitis and bronchiolitis(J20-J21)
260			Unspecified acute lower respiratory infection (J22)
261			Other diseases of upper respiratory tract (J30-J39)
262      1			Chronic lower respiratory diseases (J40-J47)
263      1			Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)
264			Bronchitis, not specified as acute or chronic (J40)
265			Chronic bronchitis (J41-J42)
266      3			Emphysema (J43)
267			Other chronic obstructive pulmonary disease (J44)
268			Asthma (J45-J46)
269			Bronchiectasis (J47)
270      1			Lung diseases due to external agents (J60-J70)
271			Pneumoconioses and chemical effects (J60-J66,J68)
272      1			Pneumonitis due to solids and liquids (J69)
273			Pneumonitis due to food and vomit (J69.0)
274			Other pneumonitis due to solids and liquids (J69.1-J69.8)
275			Other lung diseases due to external agents (J67,J70)
276			Suppurative and necrotic conditions of lower respiratory tract (J85-J86)
277			Pleural effusion and plaque (J90, J92)
278			All other diseases of respiratory system (J80-J84,J93-J98)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358 Recode	S Limited Recode	T Sex Age	Cause Title and ICD-10 Codes Included
279	1		XI. Diseases of the digestive system (K00-K92)
280			Diseases of oral cavity, salivary glands and jaws (K00-K14)
281	1		Diseases of other parts of digestive system (K20-K92)
282			Diseases of esophagus (K20-K22)
283	1		Peptic ulcer (K25-K28)
284			Gastric ulcer(K25)
285			Duodenal ulcer(K26)
286	3		Peptic ulcer, site unspecified (K27)
287			Gastrojejunal ulcer (K28)
288			Gastritis and duodenitis (K29)
289			Dyspepsia and other diseases of stomach and duodenum (K30-K31)
290			Diseases of appendix (K35-K38)
291			Hernia (K40-K46)
292			Crohn=s disease and ulcerative colitis (K50-K51)
293			Vascular disorders and obstruction of intestine without hernia (K55-K56)
294			Diverticular disease of intestine (K57)
295			Other diseases of intestines and peritoneum (K52,K58-K63)
296			Diseases of peritoneum (K65-K66)
297	1		Diseases of liver (K70-K76)
298			Alcoholic liver disease (K70)
299			Chronic hepatitis, not elsewhere classified (K73)
300			Fibrosis and cirrhosis of liver (K74)
301			Other diseases of liver (K71-K72,K75-K76)
302			Cholelithiasis and other disorders of gallbladder (K80-K82)
303	1		Disorders of biliary tract and pancreas (K83-K86)
304			Pancreatitis (K85,K86.0-K86.1)
305			Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)
306			All other diseases of digestive system (K90-K92)
307	1		XII. Diseases of the skin and subcutaneous tissue (L00-L98)
308			Infections of skin and subcutaneous tissue (L00-L08)
309			Other and unspecified diseases of skin and sub-cutaneous tissue (L10-L98)
310	1		XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)
311			Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)
312			Systemic lupus erythematosus (M32)
313			Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)
314			Dorsopathies (M40-M54)
315			Soft tissue disorders (M60-M79)
316	1		Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)
317			Osteoporosis (M80-M81)
318			Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)
319	1		XIV. Diseases of the genitourinary system (N00-N98)
320	1		Diseases of urinary system (N00-N39)
321	1		Glomerular and renal tubulo-interstitial diseases (N00-N15)
322	1		Glomerular diseases (N00-N07)
323			Acute and rapidly progressive nephritic syndrome (N00-N01)
324			Nephrotic syndrome (N04)
325			Other and unspecified glomerular diseases (N02-N03,N05-N07)
326			Renal tubulo-interstitial diseases (N10-N15)
327			Renal failure (N17-N19)
328			Urolithiasis (N20-N23)
329			Other and unspecified disorders of kidney (N25-N27)
330			Urinary tract infection, site not specified (N39.0)

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
 7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358 Recode	S Limited Recode	T Sex Age	Cause Title and ICD-10 Codes Included
331			Other diseases of urinary system (N28-N36,N39.1-N39.9)
332	1	1	Diseases of male genital organs (N40-N50)
333		1	Hyperplasia of prostate (N40)
334		1	Other diseases of male genital organs (N41-N50)
335			Disorders of breast (N60-N64)
336	1	2	Disorders of female genital organs (N70-N98)
337		2	Inflammatory diseases of female pelvic organs (N70-N76)
338		2	Noninflammatory disorders of female genital tract (N80-N98)
339	1	2 7	XV. Pregnancy, childbirth and the puerperium (O00-O99)
340	1	2 7	Pregnancy with abortive outcome (O00-O07)
341	2	7	Ectopic pregnancy (O00)
342	2	7	Spontaneous abortion (O03)
343	2	7	Medical abortion (O04)
344	2	7	Other abortion (O05)
345	2	7	Other and unspecified pregnancy with abortive outcome (O01-O02,O06-O07)
346	1	2 7	Other direct obstetric deaths (O10-O92)
347	2	7	Eclampsia and pre-eclampsia (O11,O13-O16)
348	2	7	Hemorrhage of pregnancy and childbirth and placenta previa (O20,O44-O46,O67,O72)
349	1	2 7	Complications predominately related to the puerperium (O85-O92)
350	2	7	Obstetric embolism (O88)
351	2	7	Other complications predominately related to the puerperium (O85-O87,O89-O92)
352	2	7	All other direct obstetric causes (O10,O12,O21-O43,O47-O66,O68-O71,O73-O75)
353	2	7	Obstetric death of unspecified cause (O95)
354	2	7	Other deaths related to pregnancy, childbirth and the puerperium (O96-O97)
355	2	7	Indirect obstetric deaths (O98-O99)
356	1		XVI. Certain conditions originating in the perinatal period (P00-P96)
357			Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)
358			Disorders related to short gestation and low birth weight, not elsewhere classified (P07)
359			Birth trauma (P10-P15)
360			Intrauterine hypoxia and birth asphyxia (P20-P21)
361			Respiratory distress of newborn (P22)
362			Other respiratory conditions originating in the perinatal period (P23-P28)
363			Infections specific to the perinatal period (P35-P39)
364			Other and unspecified conditions originating in the perinatal period (P05,P08,P29,P50-P96)
365	1		XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
366			Anencephaly and similar malformations (Q00)
367			Spina bifida (Q05)
368			All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)
369			Congenital malformations of heart (Q20-Q24)
370			Other congenital malformations of circulatory system (Q25-Q28)
371			Congenital malformations of respiratory system (Q30-Q34)
372			Other congenital malformations and deformations (Q10-Q18,Q35-Q89)
373			Down's syndrome (Q90)
374			All other chromosomal abnormalities, not elsewhere classified (Q91-Q99)

Tenth Revision 358 Selected Causes of Death Adapted for use by DVS

Page 8

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358	S Limited	Cause Title and ICD-10 Codes Included
Recode	T Sex Age	
375	1	XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)
376		Senility (R54)
377	1	Ill-defined and unknown causes of mortality (R95-R99)
378	4	Sudden infant death syndrome (R95)
379		Other ill-defined and unknown causes of mortality (R96-R99)
380		All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53, R55-R94)
381	1	XX. External causes of mortality (*U01-*U03, V01-Y89)
382	1	Accidents (unintentional injuries) (V01-X59, Y85-Y86)
383	1	Transport accidents (V01-V99, Y85)
384		Railway accidents (V05, V15, V80.6, V81.2-V81.9, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)
385	1	Motor vehicle accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)
386		Pedestrian involved in collision with motor vehicle (V02-V04)
387		Pedalcyclist involved in collision with motor vehicle (V12-V14, V19.0, V19.2-V19.4-V19.6)
388		Motorcyclist involved in any accident except collision with railway train (V20-V24, V26-V34, V36-V39)
389	1	Motor vehicle accident involving collision with railway train (V25, V35, V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6)
390		Motorcyclist involved in collision with railway train (V25, V35)
391		Other motor vehicle accident involving collision with railway train (V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6)
392		Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77)
393		Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44, V49, V52-V54, V59)
394		Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle (V62-V64, V69, V72-V74, V79)
395		Occupant of motor vehicle involved in non-collision accident (V48, V58, V68, V78)
396		Occupant of special-use motor vehicle involved in any accident (V83-V86)
397		Other and unspecified motor vehicle accidents (V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2)
398		Streetcar accidents (V82.2-V82.9)
399		Other and unspecified land transport accidents (V01, V06, V09.1, V09.3, V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9)
400		Water transport accidents (V90-V94)
401		Air and space transport accidents (V95-V97)
402		Other and unspecified transport accidents and their sequelae (V98-V99, Y85)
403	1	Falls (W00-W19)
404		Fall on same level (W00-W09, W18)
405		Fall from one level to another (W10-W17)
406		Unspecified fall (W19)
407		Accidental discharge of firearms (W32-W34)
408		Accidental explosion (W39-W40)
409		Accidental drowning and submersion (W65-W74)
410		Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)
411		Other accidental and unspecified threats to breathing

ST: 1 = Subtotal      Limited: Sex: 1 = Males; 2 = Females  
                         Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over;  
                         4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over  
                         7 = 10 years and over

\*\*\*\*\* Cause Subtotals are not identified in this file \*\*\*\*\*

358	S Limited	Cause Title and ICD-10 Codes Included
Recode	T Sex Age	
		(W75-W77,W81-W84)
412		Accidental exposure to electrical current (W85-W87)
413		Accidental exposure to radiation (W88-W91)
414		Accidental exposure to smoke, fire and flames (X00-X09)
415		Accidental contact with heat and hot substances (X10-X19)
416		Lightning (X33)
417		Earthquake, volcanic eruption, avalanche, landslide and other earth movements (X34-X36)
418		Cataclysmic storm and flood (X37-X38)
419	1	Accidental poisoning and exposure to noxious substances (X40-X49)
420		Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)
421		Accidental poisoning by and exposure to other and unspecified solid or liquids substances (X45-X46,X48-X49)
422		Accidental poisoning by and exposure to other gases and vapors (X47)
423		All other and unspecified accidents (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)
424	1	1 Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)
425		1 Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)
426		1 Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)
427		1 Intentional self-poisoning (suicide) by and exposure to other gases and vapors (X67)
428		1 Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)
429		1 Intentional self-harm (suicide) by discharge of firearms (X72-X74)
430		1 Intentional self-harm (suicide) by jumping from a high place (X80)
431		1 Intentional self-harm (suicide) by all other and unspecified means and their sequelae (*U03,X71,X75-X79,X81-X84,X87.0)
432	1	Assault (homicide) (*U01-*U02,X85-Y09,X87.1)
433		Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (*U01.6-*U01.7,X85-X90)
434		Assault (homicide) by hanging, strangulation and suffocation (X91)
435		Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
436		Assault (homicide) by sharp object (X99)
437		Assault (homicide) by blunt object (Y00)
438		Assault (homicide) by bodily force (Y04)
439		Sexual assault (homicide) by bodily force (Y05)
440		Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
441		Assault (homicide) by all other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5,*U01.8-*U01.9,*U02,X92,X96-X98, Y01-Y03,Y08-Y09,Y87.1)
442	1	Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)
443		Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)
444		Poisoning by and exposure to other and unspecified solid or liquid substance undetermined intent (Y15-Y16,Y18-Y19)
445		Poisoning by and exposure to other gases and vapors, undetermined intent (Y17)
446		Discharge of firearms, undetermined intent (Y22-Y24)
447		Falling, jumping or pushed from a high place, undetermined intent (Y30)
448		All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)
449	1	Legal intervention (Y35,Y89.0)
450		Legal intervention (Y35.5)
451		Other legal intervention and their sequelae (Y35.0-Y35.4,Y35.6-Y35.7,Y89.0)
452		Operations of war and their sequelae (Y36,Y89.1)
453	1	Complications of medical and surgical care (Y40-Y84,Y88)
454		Drugs, medicaments and biological substances causing adverse effects in therapeutic use and their sequelae (Y40-Y59,Y88.0)
455		Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)
456		Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)

**Mortality Multiple Cause-of-Death Public Use Record for Territories  
2005**

**VI. List of File Data Elements and Tape Locations**

Data Items	Tape Locations
<b>1. General</b>	
a. Record Type	19
b. Resident status	20
c. Place of death and decedent's status	83
d. Day of week of death	85
e. Date of data receipt	94-101
f. Data year	102-105
<b>2. Occurrence</b>	
a. State (FIPS)	21-22
b. County (FIPS)	23-25
c. County Population size	28
<b>3. Residence</b>	
a. State (FIPS)	29-30
b. State/Country Recode	33-34
c. County (FIPS)	35-37
d. County Population size	51
<b>4. The Decedent</b>	
a. Month of Death	65-66
b. Sex	69
c. Race	445-450
d. Age	70-82
e. Marital status	84
f. State of birth	55-60
g. Hispanic origin	484-488
h. Education	61-64
<b>5. Underlying Cause</b>	
a. ICD-10 code	146-149
b. 358 cause recode	150-152
c. 113 cause recode	154-156
d. 130 cause recode	157-159
e. 39 cause recode	160-161

2005  
Mortality Multiple Cause-of-Death Public Use Record

6. Multiple Conditions

- a. Entity-Axis conditions
  - 1. Number of 163-164
  - 2. The conditions 165-304
- b. Record-Axis conditions
  - 1. Number of 341-342
  - 2. The conditions 344-443

7. Other medical items

- a. Place of injury 145
- b. Injury at work 106
- c. Method of disposition 108
- d. Autopsy 109
- e. Activity code 144

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
1-18	18	<u>Reserved Positions</u> These positions are blank.
19	1	<u>Record Type</u>
	1	... RESIDENTS State and County of Occurrence and Residence are the same.
	2	... NONRESIDENTS State and/or County of Occurrence and Residence are different.
20	1	<u>Resident Status</u>
		United States Occurrence
	1	... RESIDENTS State and County of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.
	3	... INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.
	4	... FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.
		Puerto Rico Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County- equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
20	1	<u>Resident Status - Con.</u>
		Virgin Islands Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.
		Guam Occurrence
	1	... RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
		American Samoa Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in American Samoa to a resident of any other place.
		Northern Marianas Occurrence
	1	... RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
	2	... INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
	3	... INTERTERRITORY NONRESIDENTS: Territory of occurrence and residence are different, but both are a Territory.
	4	... FOREIGN RESIDENTS Occurred in Northern Marianas to a resident of any other place.

2005  
Mortality Multiple Cause-of-Death Public Use Record

Tape <u>Location</u>	Field <u>Size</u>	<u>Item and Code Outline</u>
21-54	34	<u>FEDERAL INFORMATION PROCESSING STANDARDS (FIPS) GEOGRAPHIC CODES</u>
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some geographic codes have been changed to reflect the results of the 2000 Census.
21-28	8	<u>PLACE OF OCCURRENCE</u>
21-22	2	<u>State of Occurrence (FIPS)</u>
		Puerto Rico
		PR ... Puerto Rico
		Virgin Islands
		VI ... Virgin Islands
		Guam
		GU ... Guam
		American Samoa
		AS ... American Samoa
		Northern Marianas
		MP ... Northern Marianas
23-25	3	<u>County of Occurrence (FIPS)</u>
		Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
		001-nnn ... Code range
		999 ... County of less than 100,000 population

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
26-27	2	<u>Reserved Positions</u> These positions are blank.
28	1	<u>Population Size of County of Occurrence</u>  Based on the results of the 2000 Census  0        ... County of 1,000,000 or more 1        ... County of 500,000 to 1,000,000 2        ... County of 250,000 to 500,000 3        ... County of 100,000 to 250,000 9        ... County of less than 100,000
29-54	24	<u>PLACE OF RESIDENCE</u>  Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Beginning with 2003 data, some areas started reporting additional codes for foreign residents.
29-30	2	<u>State of Residence (FIPS)</u>  Territories Residents PR       Puerto Rico VI       Virgin Islands GU       Guam AS       American Samoa MP       Northern Marianas  Foreign residents CC       ... Canada MX       ... Mexico CU       ... Cuba YY       ... Remainder of the world  Puerto Rico Occurrence PR       ... Puerto Rico US, ZZ ... Foreign residents  Virgin Islands Occurrence VI       ... Virgin Islands US, ZZ ... Foreign residents

2005  
Mortality Multiple Cause-of-Death Public Use Record

Tape Location      Field Size      Item and Code Outline

29-30      2State of Residence (FIPS) - Con

Guam Occurrence

GU      ... Guam  
US      ... U.S. resident. Also considered a resident of Guam.  
ZZ      ... Foreign residents: refer to U.S. for specific code structure.

American Samoa Occurrence

AS      ... American Samoa  
US, ZZ ... Foreign residents

Northern Marianas Occurrence

MP      ... Northern Marianas  
US, ZZ ... Foreign residents

31-32      2      Reserved Positions  
These positions are blank.

33-34      2      State/Country of Residence Recode

Territorial residents

PR      ... Puerto Rico  
VI      ... Virgin Islands  
GU      ... Guam  
AS      ... American Samoa  
MP      ... Northern Marianas

Foreign residents

CC      ... Canada  
MX      ... Mexico  
CU      ... Cuba  
YY      ... Remainder of the world

Puerto Rico Occurrence

PR      ... Puerto Rico  
US, ZZ ... Foreign residents.

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
33-34	2	<u>State/Country of Residence Recode – Con.</u>
		Virgin Islands Occurrence
		VI     ... Virgin Islands
		US, ZZ ... Foreign residents.
		Guam Occurrence
		GU     ... Guam
		US     ... U.S. resident. Also considered a resident of Guam
		ZZ     ... Foreign residents.
		American Samoa Occurrence
		AS     ... American Samoa
		US, ZZ ... Foreign residents.
		Northern Marianas Occurrence
		MP     ... Northern Marianas
		US, ZZ ... Foreign residents.
35-37	3	<u>County of Residence (FIPS)</u>
		Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 2000. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
		000     ... Foreign residents
		001-nnn ... Code range
		999     ... County of less than 100,000 population
38-50	13	<u>Reserved Positions</u>
		These positions are blank.
51	1	<u>Population Size of County of Residence</u>
		Based on the results of the 2000 Census
		0     ... County of 1,000,000 or more
		1     ... County of 500,000 to 1,000,000
		2     ... County of 250,000 to 500,000
		3     ... County of 100,000 to 250,000
		9     ... County of less than 100,000
		Z     ... Foreign residents

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
52-58	7	<u>Reserved Positions</u> These positions are blank.
59-60	2	<u>State/Country Birth Recode</u>
		Territorial residents
		PR ... Puerto Rico
		VI ... Virgin Islands
		GU ... Guam
		AS ... American Samoa
		MP ... Northern Marianas
		Foreign residents
		US ... United States
		CC ... Canada
		MX ... Mexico
		CU ... Cuba
		YY ... Remainder of the world
		ZZ ... Unknown place of birth
61-64	4	EDUCATION
61-62	2	<u>Education (1989 revision)</u>
		00 ... No formal education
		01-08 ... Years of elementary school
		09 ... 1 year of high school
		10 ... 2 years of high school
		11 ... 3 years of high school
		12 ... 4 years of high school
		13 ... 1 year of college
		14 ... 2 years of college
		15 ... 3 years of college
		16 ... 4 years of college
		17 ... 5 or more years of college
		99 ... Not stated
63	1	<u>Education (2003 revision)</u>
		Field is blank for registration areas that are using the 1989 revision format of the item.
		1 ... 8th grade or less
		2 ... 9 - 12th grade, no diploma
		3 ... high school graduate or GED completed
		4 ... some college credit, but no degree
		5 ... Associate degree
		6 ... Bachelor's degree
		7 ... Master's degree
		8 ... Doctorate or professional degree

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
64	1	<u>9</u> ... Unknown <u>Education reporting flag</u>
		<u>0</u> ... 1989 revision of education item on certificate <u>1</u> ... 2003 revision of education item on certificate <u>2</u> ... no education item on certificate
65-66	2	<u>Month of Death</u>
		<u>01</u> ... January <u>02</u> ... February <u>03</u> ... March <u>04</u> ... April <u>05</u> ... May <u>06</u> ... June <u>07</u> ... July <u>08</u> ... August <u>09</u> ... September <u>10</u> ... October <u>11</u> ... November <u>12</u> ... December
67-68	2	<u>Reserved Positions</u>
69	1	<u>Sex</u>
		<u>M</u> ... Male <u>F</u> ... Female
70-82	13	<u>REPORTED AGE</u>
70-73	4	<u>Detail Age</u>
		Four positions are used to code detail age. Location 70 identifies age in years, months, days, etc. Locations 71-73 are the number of years, months, days, etc.
		<u>1</u> <u>001-135,999</u> ... Years <u>2</u> <u>001-011,999</u> ... Months <u>4</u> <u>001-027,999</u> ... Days <u>5</u> <u>001-023,999</u> ... Hours <u>6</u> <u>001-059,999</u> ... Minutes <u>9</u> <u>999</u> ... Age not stated
74	1	<u>Age Substitution Flag</u>
		If reported age is unknown but a valid age is calculated using dates of birth and death, the calculated age is substituted for the unknown reported age.
		Blank                      Calculated age is not substituted for reported age <u>1</u> ... Calculated age is substituted for reported age

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52</u>
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7 - 13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
		23 ... 1 year
		24 ... 2 years
		25 ... 3 years
		26 ... 4 years
		27 ... 5 - 9 years
		28 ... 10 - 14 years
		29 ... 15 - 19 years
		30 ... 20 - 24 years
		31 ... 25 - 29 years
		32 ... 30 - 34 years
		33 ... 35 - 39 years
		34 ... 40 - 44 years
		35 ... 45 - 49 years
		36 ... 50 - 54 years
		37 ... 55 - 59 years
		38 ... 60 - 64 years
		39 ... 65 - 69 years
		40 ... 70 - 74 years
		41 ... 75 - 79 years
		42 ... 80 - 84 years
		43 ... 85 - 89 years
		44 ... 90 - 94 years
		45 ... 95 - 99 years
		46 ... 100 - 104 years
		47 ... 105 - 109 years
		48 ... 110 - 114 years
		49 ... 115 - 119 years

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
75-76	2	<u>Age Recode 52- Con.</u>
		50 ... 120 - 124 years
		51 ... 125 years and over
		52 ... Age not stated
77-78	2	<u>Age Recode 27</u>
		01 ... Under 1 month (includes not stated weeks, days, hours, and minutes)
		02 ... 1 month - 11 months (includes not stated months)
		03 ... 1 years
		04 ... 2 years
		05 ... 3 years
		06 ... 4 years
		07 ... 5 - 9 years
		08 ... 10 - 14 years
		09 ... 15 - 19 years
		10 ... 20 - 24 years
		11 ... 25 - 29 years
		12 ... 30 - 34 years
		13 ... 35 - 39 years
		14 ... 40 - 44 years
		15 ... 45 - 49 years
		16 ... 50 - 54 years
		17 ... 55 - 59 years
		18 ... 60 - 64 years
		19 ... 65 - 69 years
		20 ... 70 - 74 years
		21 ... 75 - 79 years
		22 ... 80 - 84 years
		23 ... 85 - 89 years
		24 ... 90 - 94 years
		25 ... 95 - 99 years
		26 ... 100 years and over
		27 ... Age not stated
79-80	2	<u>Age Recode 12</u>
		01 ... Under 1 year (includes not stated infant ages)
		02 ... 1 - 4 years
		03 ... 5 - 14 years
		04 ... 15 - 24 years
		05 ... 25 - 34 years
		06 ... 35 - 44 years
		07 ... 45 - 54 years
		08 ... 55 - 64 years
		09 ... 65 - 74 years
		10 ... 75 - 84 years
		11 ... 85 years and over
		12 ... Age not stated

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
81-82	2	<u>Infant Age Recode 22</u>
		Blank ... Age 1 year and over or not stated
		01 ... Under 1 hour (includes not stated hours and minutes)
		02 ... 1 - 23 hours
		03 ... 1 day (includes not stated days)
		04 ... 2 days
		05 ... 3 days
		06 ... 4 days
		07 ... 5 days
		08 ... 6 days
		09 ... 7-13 days (includes not stated weeks)
		10 ... 14 - 20 days
		11 ... 21 - 27 days
		12 ... 1 month (includes not stated months)
		13 ... 2 months
		14 ... 3 months
		15 ... 4 months
		16 ... 5 months
		17 ... 6 months
		18 ... 7 months
		19 ... 8 months
		20 ... 9 months
		21 ... 10 months
		22 ... 11 months
83	1	<u>Place of Death and Decedent's Status</u>
		1 ... Hospital, clinic or Medical Center - Inpatient
		2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
		3 ... Hospital, Clinic or Medical Center - Dead on Arrival
		4 ... Decedent's home
		5 ... Hospice facility
		6 ... Nursing home/long term care
		7 ... Other
		9 ... Place of death unknown
84	1	<u>Marital Status</u>
		S ... Never married, single
		M ... Married
		W ... Widowed
		D ... Divorced
		U ... Marital Status unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
85	1	<u>Day of Week of Death</u>
		1 ... Sunday
		2 ... Monday
		3 ... Tuesday
		4 ... Wednesday
		5 ... Thursday
		6 ... Friday
		7 ... Saturday
		9 ... Unknown
86-101	13	<u>Reserved Position</u> This position is blank.
102-105	4	<u>Current Data Year</u> 2005 ...2005
106	1	<u>Injury at Work</u>
		Y ... Yes
		N ... No
		U ... Unknown
107	1	<u>Manner of Death</u>
		1 ... Accident
		2 ... Suicide
		3 ... Homicide
		4 ... Pending investigation
		5 ... Could not determine
		6 ... Self-Inflicted
		7 ... Natural
		blank ... Not specified
108	1	<u>Method of Disposition</u>
		B ... Burial
		C ... Cremation
		O ... Other
		U ... Unknown

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
109	1	<u>Autopsy</u>
		Y ... Yes N ... No U ... Unknown
110-143	34	<u>Reserved Position</u> This position is blank.
144	1	<u>Activity Code</u>
		0 ... While engaged in sports activity 1 ... While engaged in leisure activity 2 ... While working for income 3 ... While engaged in other types of work 4 ... While resting, sleeping, eating (vital activities) 8 ... While engaged in other specified activities 9 ... During unspecified activity blank ... Not applicable
145	1	<u>Place of Injury for Causes W00-Y34, except Y06.- and Y07.-</u>
		0 ... Home 1 ... Residential institution 2 ... School, other institution and public administrative area 3 ... Sports and athletics area 4 ... Street and highway 5 ... Trade and service area 6 ... Industrial and construction area 7 ... Farm 8 ... Other Specified Places 9 ... Unspecified place Blank ... Causes other than W00-Y34, except Y06.- and Y07.-
146-162	18	<u>UNDERLYING CAUSE OF DEATH</u>
146-149	4	<u>ICD Code (10<sup>th</sup> Revision)</u>
		See the <u>International Classification of Diseases</u> , 1992 Revision, Volume 1.
150-152	3	<u>358 Cause Recode</u>
		A recode of the ICD cause code into 358 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.
		001-456 ... Code range (not inclusive)

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>																		
153	1	<u>Reserved Position</u> This position is blank.																		
154-156	3	<u>113 Cause Recode</u>  A recode of the ICD cause code into 113 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.  001-135 ... Code range (not inclusive)																		
157-159	3	<u>130 Infant Cause Recode</u>  A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included. Beginning in 2002 non-infant records are blank in this field.  001-158 ... Code range (not inclusive)																		
160-161	2	<u>39 Cause Recode</u>  A recode of the ICD cause code into 39 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.  01-42 ... Code range (not inclusive)																		
162	1	<u>Reserved Position</u> This position is blank.																		
163-443	281	<u>MULTIPLE CONDITIONS</u>																		
163-164	2	<u>Number of Entity-Axis Conditions</u>  00-20 ... Code range																		
165-304	140	<u>ENTITY - AXIS CONDITIONS</u>  Space has been provided for maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.  Position 1: Part/line number on certificate																		
		<table border="0"> <tr> <td>1</td><td>...</td><td>Part I, line 1 (a)</td></tr> <tr> <td>2</td><td>...</td><td>Part I, line 2 (b)</td></tr> <tr> <td>3</td><td>...</td><td>Part I, line 3 (c)</td></tr> <tr> <td>4</td><td>...</td><td>Part I, line 4 (d)</td></tr> <tr> <td>5</td><td>...</td><td>Part I, line 5 (e)</td></tr> <tr> <td>6</td><td>...</td><td>Part II</td></tr> </table>	1	...	Part I, line 1 (a)	2	...	Part I, line 2 (b)	3	...	Part I, line 3 (c)	4	...	Part I, line 4 (d)	5	...	Part I, line 5 (e)	6	...	Part II
1	...	Part I, line 1 (a)																		
2	...	Part I, line 2 (b)																		
3	...	Part I, line 3 (c)																		
4	...	Part I, line 4 (d)																		
5	...	Part I, line 5 (e)																		
6	...	Part II																		

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS- Con.</u>

Position 2: Sequence of condition within part/line

1-7                    ...                    Code range

Position 3 - 6: Condition code

See Table 1 for a complete list of codes

165-171	7	1 <sup>st</sup> Condition
172-178	7	2 <sup>nd</sup> Condition
179-185	7	3 <sup>rd</sup> Condition
186-192	7	4 <sup>th</sup> Condition
193-199	7	5 <sup>th</sup> Condition
200-206	7	6 <sup>th</sup> Condition
207-213	7	7 <sup>th</sup> Condition
214-220	7	8 <sup>th</sup> Condition
221-227	7	9 <sup>th</sup> Condition
228-234	7	10 <sup>th</sup> Condition
235-241	7	11 <sup>th</sup> Condition
242-248	7	12 <sup>th</sup> Condition
249-255	7	13 <sup>th</sup> Condition
256-262	7	14 <sup>th</sup> Condition
263-269	7	15 <sup>th</sup> Condition
270-276	7	16 <sup>th</sup> Condition
277-283	7	17 <sup>th</sup> Condition
284-290	7	18 <sup>th</sup> Condition

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
165-304	140	<u>ENTITY - AXIS CONDITIONS – Con.</u>
291-297	7	19 <sup>th</sup> Condition
298-304	7	20 <sup>th</sup> Condition
305-340	36	<u>Reserved Positions</u>
341-342	2	<u>Number of Record-Axis Conditions</u>
		00-20            ... Code range
343	1	<u>Reserved Position</u> This position is blank.
344-443	100	<u>RECORD - AXIS CONDITIONS</u>  Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 <sup>th</sup> position will be blank. Records that do not have 20 conditions are blank in the unused area.  Positions 1 - 4: Condition Code  See Table 1 for a complete list of codes
344-348	5	1 <sup>st</sup> Condition
349-353	5	2 <sup>nd</sup> Condition
354-358	5	3 <sup>rd</sup> Condition
359-363	5	4 <sup>th</sup> Condition
364-368	5	5 <sup>th</sup> Condition
369-373	5	6 <sup>th</sup> Condition
374-378	5	7 <sup>th</sup> Condition
379-383	5	8 <sup>th</sup> Condition
384-388	5	9 <sup>th</sup> Condition
389-393	5	10 <sup>th</sup> Condition
394-398	5	11 <sup>th</sup> Condition
399-403	5	12 <sup>th</sup> Condition

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
344-443	100	<u>RECORD - AXIS CONDITIONS – Con.</u>
404-408	5	13 <sup>th</sup> Condition
409-413	5	14 <sup>th</sup> Condition
414-418	5	15 <sup>th</sup> Condition
419-433	5	16 <sup>th</sup> Condition
424-428	5	17 <sup>th</sup> Condition
429-433	5	18 <sup>th</sup> Condition
434-438	5	19 <sup>th</sup> Condition
439-443	5	20 <sup>th</sup> Condition
444	1	<u>Reserved position</u> This position is blank.
445-482	38	<u>RACE</u>
445-446	2	<u>Race</u>

This item is: a) the reported race for States that are reporting single race or b) the bridged race for States that are reporting multiple race. Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18 - 68 replace old code 08 for these areas. Code 78 replaces old 08 for all other areas. For consistency with Census races, the category all other races has been imputed.

US Occurrence

- 01 ... White
- 02 ... Black
- 03 ... American Indian (includes Aleuts and Eskimos)
- 04 ... Chinese
- 05 ... Japanese
- 06 ... Hawaiian (includes Part-Hawaiian)
- 07 ... Filipino
- 18 ... Asian Indian
- 28 ... Korean
- 38 ... Samoan
- 48 ... Vietnamese
- 58 ... Guamanian
- 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58
- 78 ... Combined other Asian or Pacific Islander, includes codes 18-68

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
		for areas that do not report them separately
445-446	2	<u>Race- Con.</u>
		Puerto Rico Occurrence
		00 ... Other races
		01 ... White
		02 ... Black
		Virgin Islands Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		Guam Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (Includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		58 ... Guamanian
		American Samoa Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)
		07 ... Filipino
		08 ... Other Asian or Pacific Islander
		Northern Marianas Occurrence
		01 ... White
		02 ... Black
		03 ... American Indian (includes Aleuts and Eskimos)
		04 ... Chinese
		05 ... Japanese
		06 ... Hawaiian (includes Part-Hawaiian)

2005  
Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
445-446	2	<u>Race- Con.</u>
		07 ... Filipino 18 ... Asian Indian 28 ... Korean 38 ... Samoan 48 ... Vietnamese 58 ... Guamanian 68 ... Other Asian or Pacific Islander in areas reporting codes 18-58 78 ... Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately
447	1	<u>Bridged Race Flag</u>
		Blank      Race is not bridged 1            Race is bridged
448	1	<u>Race Imputation Flag</u>
		Blank      ...      Race is not imputed 1            ...      Unknown race is imputed 2            ...      All other races is imputed
449	1	<u>Race Recode 3</u>
		1        ... White 2        ... Races other than White or Black 3        ... Black
450	1	<u>Race Recode 5</u>
		0        Other (Puerto Rico only) 1        ... White 2        ... Black 3        ... American Indian 4        ... Asian or Pacific Islander
451-483	33	<u>Reserved Positions</u> These positions are blank.

2005  
 Mortality Multiple Cause-of-Death Public Use Record

<u>Tape Location</u>	<u>Field Size</u>	<u>Item and Code Outline</u>
484-486	3	<u>Hispanic Origin</u>
		100-199 ... Non – Hispanic
		200-209 ... Spaniard
		210-219 ... Mexican
		260-269 ... Puerto Rican
		270-274 ... Cuban
		275-279 ... Dominican
		220 ... Central and South American
		221-230 ... Central American
		231-249 ... South American
		250-259 ... Latin American
		280-299 ... Other Hispanic
		996-999 ... Unknown
487	1	<u>Reserved Position</u> This position is blank.
488	1	<u>Hispanic Origin/Race Recode</u>
		1 ... Mexican
		2 ... Puerto Rican
		3 ... Cuban
		4 ... Central or South American
		5 ... Other or unknown Hispanic
		6 ... Non - Hispanic white
		7 ... Non - Hispanic black
		8 ... Non - Hispanic other races
		9 ... Hispanic origin unknown

Vital Statistics Codes				FIPS Codes				
St	Cnty	P/MSA	M/NM City	Area Names	St	Cnty	P/MSA	Place
PR				Puerto Rico	PR			
001	000	2	999	Adjuntas	001	0000		
002	001	1	999	Aguada	003	0060		
003	001	1	999	Aguadilla	005	0060		
004	006	1	999	Aguas Buenas	007	7440		
005	000	2	999	Aibonito	009	0000		
006	004	1	999	Anasco	011	4840		
007	002	1	999	Arecibo	013	0470		
008	000	2	999	Arroyo	015	0000		
009	006	1	999	Barceloneta	017	7440		
010	000	2	999	Barranquitas	019	0000		
011	006	1	999	Bayamon	021	7440		
012	004	1	999	Cabo Rojo	023	4840		
013	003	1	999	Caguas	025	1310		
014	002	1	999	Camuy	027	0470		
015	006	1	999	Canovanas	029	7440		
016	006	1	999	Carolina	031	7440		
017	006	1	999	Catano	033	7440		
018	003	1	999	Cayey	035	1310		
019	006	1	999	Ceiba	037	7440		
020	000	2	999	Ciales	039	0000		
021	003	1	999	Cidra	041	1310		
022	000	2	999	Coamo	043	0000		
023	006	1	999	Comerio	045	7440		
024	006	1	999	Corozal	047	7440		
025	000	2	999	Culebra	049	0000		
026	006	1	999	Dorado	051	7440		
027	006	1	999	Fajardo	053	7440		
028	006	1	999	Florida	054	7440		
029	000	2	999	Guanica	055	0000		
030	000	2	999	Guayama	057	0000		
031	005	1	999	Guayanilla	059	6360		
032	006	1	999	Guaynabo	061	7440		
033	003	1	999	Gurabo	063	1310		
034	002	1	999	Hatillo	065	0470		
035	004	1	999	Hormigueros	067	4840		
036	006	1	999	Humacao	069	7440		
037	000	2	999	Isabela	071	0000		
038	000	2	999	Jayuya	073	0000		
039	005	1	999	Juana Diaz	075	6360		
040	006	1	999	Juncos	077	7440		

Vital Statistics Geographic Code Outline For Puerto Rico,  
Virgin Islands, Guam, American Samoa and Northern Marianas  
Effective with 2003 Data

Page 4

041	000	2	999	Lajas	079 0000
042	000	2	999	Lares	081 0000
043	000	2	999	Las Marias	083 0000
044	006	1	999	Las Piedras	085 7440
045	006	1	999	Loiza	087 7440
046	006	1	999	Luquillo	089 7440
047	006	1	999	Manati	091 7440
048	000	2	999	Maricao	093 0000
049	000	2	999	Maunabo	095 0000
050	004	1	999	Mayaguez	097 4840
051	001	1	999	Moca	099 0060
052	006	1	999	Morovis	101 7440
053	006	1	999	Naguabo	103 7440
054	006	1	999	Naranjito	105 7440
055	000	2	999	Orocovis	107 0000
056	000	2	999	Patillas	109 0000
057	005	1	999	Penuelas	111 6360
058	005	1	999	Ponce	113 6360
059	000	2	999	Quebradillas	115 0000
060	000	2	999	Rincon	117 0000
061	006	1	999	Rio Grande	119 7440
062	004	1	999	Sabana Grande	121 4840
063	000	2	999	Salinas	123 0000
064	004	1	999	San German	125 4840
065	006	1	999	San Juan	127 7440
066	003	1	999	San Lorenzo	129 1310
067	000	2	999	San Sebastian	131 0000
068	000	2	999	Santa Isabel	133 0000
069	006	1	999	Toa Alta	135 7440
070	006	1	999	Toa Baja	137 7440
071	006	1	999	Trujillo Alto	139 7440
072	000	2	999	Utuado	141 0000
073	006	1	999	Vega Alta	143 7440
074	006	1	999	Vega Baja	145 7440

Vital Statistics Codes						FIPS Codes			
St	Cnty	P/MSA	M/NM	City	Area Names	St	Cnty	P/MSA	Place
PR						PR			
075	000	2	999		Vieques	147	0000		
076	005	1	999		Villalba	149	6360		
077	006	1	999		Yabucoa	151	7440		
078	005	1	999		Yauco	153	6360		
VI						VI			
001	000	2	999		St. Croix	010	0000		
002	000	2	999		St. John	020	0000		
003	000	2			St. Thomas	030	0000		
			001		Charlotte Amalie			99999	
			999		Balance of area			99999	
GU						GU			
000	000	2			Guam	010	0000		
			000		Guam			99999	
CC	ZZZ	ZZZ	Z	ZZZ	Canada	CC	000	0000	00000
CU	ZZZ	ZZZ	Z	ZZZ	Cuba	CU	000	0000	00000
MX	ZZZ	ZZZ	Z	ZZZ	Mexico	MX	000	0000	00000
YY	ZZZ	ZZZ	Z	ZZZ	Remainder of World	YY	000	0000	00000
AS						AS			
000	000	2			American Samoa	000	0000		
			000		American Samoa			99999	
					American Samoa				
MP						MP			
000	000	2			Northern Marianas	000	0000		
			000		Northern Marianas			99999	
					Northern Marianas				