Luiss
Libera Università Internazionale
degli Studi Sociali Guido Carli

Lab on Docker

Data Privacy and Security

Data Science and Management (DASMA)

LUISS

Docker baseline

Docker is a container platform that allows developers to package applications and their dependencies into lightweight, portable environments that can run consistently across different systems.

Main Docker concepts

Main Docker concepts

- **Docker Image**: A read-only template with instructions for creating a container (like a recipe)
- **Docker Container**: A running instance of an image (like the dish)
- **Dockerfile**: A text file with instructions to build an image
- **Docker Hub**: A public registry for sharing images

How Docker Works



How Docker Works



1. A **Dockerfile** describes how to build an image
2. `docker build` creates the image from the Dockerfile
3. `docker push` uploads the image to a **registry** (e.g., Docker Hub)
4. On another machine: `docker pull` downloads the image
5. `docker run` starts a container from the image

Copying Files: `docker cp`

Copying Files: `docker cp`

`docker cp` copies files between the host and a container:

```
# Copy a file FROM the container TO the host
docker cp my-web:/etc/nginx/nginx.conf ./nginx.conf

# Copy a file FROM the host TO the container
docker cp ./index.html my-web:/usr/share/nginx/html/
```

Copying Files: `docker cp`

`docker cp` copies files between the host and a container:

```
# Copy a file FROM the container TO the host
docker cp my-web:/etc/nginx/nginx.conf ./nginx.conf

# Copy a file FROM the host TO the container
docker cp ./index.html my-web:/usr/share/nginx/html/
```

This is useful for:

- Extracting logs, data, or configuration files from a container
- Injecting configuration or data files into a running container
- Debugging: inspecting files inside a container without exec

Docker and VSCode

The official Docker extension for VS Code makes very easy to handle containers



Docker and VSCode

Docker and VSCode

Building and image could be simple as clicking a button



Docker and VSCode

Browsing the container filesystem is also very user friendly.



Project X9A3Q

Docker Challenge 01

Project X9A3Q - Reconnaissance



What can we observe? The challenge...

- let you download a ZIP file;
- require you to build a docker container and take a message;

Project X9A3Q - Hypothesis

Project X9A3Q - Hypothesis

The student can act iin two possible ways:

Project X9A3Q - Hypothesis

The student can act iin two possible ways:

1. Analyze the container data and understand which and where is the message

Project X9A3Q - Hypothesis

The student can act iin two possible ways:

1. Analyze the container data and understand which and where is the message
2. Take the Red pill, go down the rabbit hole and get the message

Project X9A3Q - Hypothesis

The student can act iin two possible ways:

1. Analyze the container data and understand which and where is the message
2. Take the Red pill, go down the rabbit hole and get the message

> The fastest way is probably a combination of both

Project Jarvis

Docker Challenge 02

Project Jarvis - Reconnaissance

What can we observe?

- A system to download the runtime of a local AI.
- You need to obtain the "master" key of the system.

Project Jarvis - Hypothesis

Project Jarvis - Hypothesis

This challenge is about showing the students how easy it is to run a complex infrastructure on your local computer via Docker Compose

Project Jarvis - Hypothesis

This challenge is about showing the students how easy it is to run a complex infrastructure on your local computer via Docker Compose

Read the `docker-compose.yml` file to understand how many containers will be created

Project Jarvis - Hypothesis

This challenge is about showing the students how easy it is to run a complex infrastructure on your local computer via Docker Compose

Read the `docker-compose.yml` file to understand how many containers will be created

> Just run the pipeline