
Pushing Code from R to GitHub

Introduction to R

```
* data/
  * raw data/
  * tidy data/
* code/
  * raw code/
  * final code/
* figures/
  * exploratory figures/
  * explanatory figures/
* products/
  * writing/
```







igitignore	sdkfjsldf	22 hours ago
README.md	new changes	22 seconds ago
project.Rproj	sdkfjsldf	22 hours ago


■ README.md


This is the README file for my_first_project


The folders in this project are:


- data is the folder where you will put all the data you have collected or been given to analyze.
- figures is where you will put plots, data pictures, and other images you have created to show data to other people.
- code is where you will create code files for collecting, cleaning up, or analyzing data.
- products this is the place where you will place any reports, presentations, or products you create for sharing with other people.

























mtcars

Jane Doe 6/4/2018


mtcars data

Let's take a look at the data

Knit the current document (企器K)

```
summary(mtcars)
```

```
mpg
                     cyl
                                     disp
                                                      hp
Min.
     :10.40
                Min. :4.000
                                Min. : 71.1
                                                Min. : 52.0
1st Qu.:15.43
                                1st Qu.:120.8
                1st Qu.:4.000
                                                1st Qu.: 96.5
Median :19.20
                Median :6.000
                                Median :196.3
                                                Median:123.0
Mean :20.09
                      :6.188
                                     :230.7
                                                       :146.7
3rd Qu.:22.80
                                3rd Qu.:326.0
                3rd Qu.:8.000
                                                3rd Qu.:180.0
Max.
      :33.90
                       :8.000
                                Max.
                                     :472.0
                                                       :335.0
                Max.
                                                Max.
     drat
                                     qsec
                                                      VS
      :2.760
                     :1.513
                                     :14.50
                                                      :0.0000
Min.
                Min.
                                Min.
                                                Min.
1st Qu.:3.080
                1st Qu.:2.581
                                1st Qu.:16.89
                                                1st Qu.:0.0000
Median :3.695
                Median :3.325
                                Median :17.71
                                                Median :0.0000
Mean :3.597
                Mean
                     :3.217
                                Mean :17.85
                                                Mean
                                                      :0.4375
3rd Qu.:3.920
                3rd Qu.:3.610
                                3rd Qu.:18.90
                                                3rd Qu.:1.0000
       :4.930
                Max.
                       :5.424
                                       :22.90
                                                Max.
Max.
                                                       :1.0000
      am
                      gear
                                      carb
Min.
      :0.0000
                        :3.000
                                      :1.000
                 Min.
                                 Min.
1st Qu.:0.0000
                 1st Qu.:3.000
                                 1st Qu.:2.000
Median :0.0000
                 Median :4.000
                                 Median :2.000
     :0.4062
Mean
                 Mean
                       :3.688
                                 Mean
                                       :2.812
3rd Qu.:1.0000
                 3rd Qu.:4.000
                                 3rd Qu.:4.000
Max.
       :1.0000
                 Max.
                        :5.000
                                 Max.
                                        :8.000
```



```
rstudio-user@71fc14d693ac:/cloud/project$ git status
On branch master
Your branch is up-to-date with 'origin/master'.
Untracked files:
   (use "git add <file>..." to include in what will be committed)

        code/raw_code/mtcars.Rmd
        code/raw_code/mtcars.html
        code/raw_code/mtcars_code.r
```

nothing added to commit but untracked files present (use "git add" to track)

```
rstudio-user@71fc14d693ac:/cloud/project$ git add .
rstudio-user@71fc14d693ac:/cloud/project$ git commit -m "add mtcars scripts"
[master 882bbb7] add mtcars scripts
  3 files changed, 206 insertions(+)
  create mode 100644 code/raw_code/mtcars.Rmd
  create mode 100644 code/raw_code/mtcars.html
  create mode 100644 code/raw_code/mtcars_code.r
rstudio-user@71fc14d693ac:/cloud/project$ git push
```

```
rstudio-user@db5b44e9b1ab:/cloud/project$ git commit -m "add mtcars scripts"
*** Please tell me who you are.
                                                        git tells you what
Run
                                                        information it needs and
 git config --global user.email "you@example.com"
                                                        how to format it
 git config --global user.name "Your Name"
                                                                               Tell git what email
                                                                               address the GitHub
to set your account's default identity.
                                                                               account uses
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'rstudio-user@db5b44e9b1ab.(none)')
rstudio-user@db5b44e9b1ab:/cloud/project$ git config --global user.email jane.everyday.doe@gmail.co
rstudio-user@db5b44e9b1ab:/cloud/project$ git config --global user.name janeeverydaydoe
    Tell git what GitHub username is on the account
```


```
rstudio-user@db5b44e9b1ab:/cloud/project$ git commit -m "add mtcars scripts"
[master 26b8fcd] add mtcars scripts
  3 files changed, 204 insertions(+)
```

create mode 100644 code/raw_code/mtcars.Rmd
create mode 100644 code/raw_code/mtcars.html

create mode 100644 code/raw_code/mtcars_code.r

```
Username for 'https://github.com'; JaneEverydayDoe
error: cannot run rpostback-askpass: No such file or directory
Password for 'https://JaneEverydayDoe@github.com'
Counting objects: 7, done.
Delta compression using up to 16 threads.
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 234.88 KiB | 0 bytes/s, done.
Total 7 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/JaneEverydayDoe/my_first_project
   611b00d..26b8fcd master -> master
```

Files have been successfully pushed to GitHub!



My first project files

