INSERT

```
83 •
        use mydb
  85 🔀
        INSERT INTO carne disponible VALUES
  87 •
        INSERT INTO carne_disponible VALUES
  88
         ('2', 'cerdo');
  89 •
        INSERT INTO carne_disponible VALUES
  90
         ('3', 'pollo');
        INSERT INTO carne_disponible VALUES
  92
         ('4', 'conejo');
  93 •
        INSERT INTO carne_disponible VALUES
         ('5', 'pescado');
 Output ::
 Action Output
       Time
               Action
                                                          Message
                                                                                                    Duration / Fetch
 474 21:00:19 SELECT * FROM mydb.came disponible LIMIT 0, 1000
                                                                                                   0.000 sec / 0.000
                                                         3 row(s) returned
475 21:01:43 INSERT INTO came_disponible VALUES ('1', 'vaca')
                                                         1 row(s) affected

    476 21:02:06 INSERT INTO came_disponible VALUES ('2', 'cerdo')

                                                         1 row(s) affected
                                                                                                   0.000 sec

    477 21:02:22 INSERT INTO came_disponible VALUES ('3', 'pollo')

                                                                                                   0.000 sec
                                                         1 row(s) affected
                                                         1 row(s) affected


    478 21:02:40 INSERT INTO came_disponible VALUES ('4', 'conejo')


                                                                                                   0.000 sec


    479 21:02:57 INSERT INTO came_disponible VALUES ('5', 'pescado')

                                                         1 row(s) affected
                                                                                                   0.000 sec
96 • INSERT INTO peso VALUES
       ('1', '1 kg');
      INSERT INTO peso VALUES
       ('2', '3 kg');
100 •
      INSERT INTO peso VALUES
101
       ('3', '5 kg');
utput
Action Output
477 21:02:22 INSERT INTO came_disponible VALUES ('3', 'pollo')
                                                         1 row(s) affected
                                                                                                     0.000 sec
478 21:02:40 INSERT INTO came_disponible VALUES ('4', 'conejo')
                                                         1 row(s) affected
                                                                                                     0.000 sec
479 21:02:57 INSERT INTO came_disponible VALUES ('5', 'pescado')
                                                         1 row(s) affected
                                                                                                      0.000 sec
480 21:06:50 INSERT INTO peso VALUES (1', '1 kg')
                                                         1 row(s) affected
                                                                                                     0.000 sec
481 21:07:14 INSERT INTO peso VALUES ('2', '3 kg')
                                                         1 row(s) affected
                                                                                                     0.015 sec
482 21:07:18 INSERT INTO peso VALUES ('3', '5 kg')
                                                         1 row(s) affected
                                                                                                     0.000 sec
 85 🔀
              INSERT INTO carne_disponible VALUES
              ('1', 'vaca');
 87
              INSERT INTO carne_disponible VALUES
             ('2', 'cerdo');
              INSERT INTO carne_disponible VALUES
 89 •
 90
              ('3', 'pollo');
              INSERT INTO carne_disponible VALUES
 91 •
 92
              ('4', 'conejo');
              INSERT INTO carne_disponible VALUES
 93 •
              ('5', 'pescado');
 95
             INSERT INTO peso VALUES
 96 •
              ('1', '1 kg');
 97
              INSERT INTO peso VALUES
 98 •
 99
              ('2', '3 kg');
100 •
              INSERT INTO peso VALUES
101
              ('3', '5 kg');
102
103 •
             INSERT INTO tipologia VALUES
             ('1', 'cruda');
104
              INSERT INTO tipologia VALUES
105 •
              ('2', 'cocinada');
106
107
```


SELECT












SELECT idCarneDisponible, idPeso

120

idCarneDisponible idPeso



Export: Wrap Cell Content: IA

