



CLS

MasterSEO
by BIGSEO

TU CAM

CLS

ÍNDICE

¿Qué es el CLS?

¿Qué es un buen CLS?

Principales problemas

FOUT/FOIT

MasterSEO
by BIGSEO

TU CAM

¿QUÉ ES EL CLS?

What is CLS?

CLS measures the sum total of all individual *layout shift scores* for every *unexpected layout shift* that occurs during the entire lifespan of the page.

A *layout shift* occurs any time a visible element changes its position from one rendered frame to the next. (See below for details on how individual [layout shift scores](#) are calculated.)


CLS
Cumulative Layout Shift




¿QUÉ ES UN BUEN CLS?

What is a good CLS score?

To provide a good user experience, sites should strive to have a CLS score of **0.1** or less. To ensure you're hitting this target for most of your users, a good threshold to measure is the **75th percentile** of page loads, segmented across mobile and desktop devices.



TU CAM



TU CAM

Evolving the CLS metric

Plans for improving the CLS metric to be more fair to long-lived pages.

Apr 7, 2021




Annie Sullivan
[Twitter](#) · [GitHub](#) · [Blog](#)



Hongbo Song
[Twitter](#) · [GitHub](#)

Jun 2, 2021: The update to CLS described in this post is now available across Chrome's web tooling surfaces. See [Evolving Cumulative Layout Shift in web tooling](#) for details.

TU CAM



TU CAM

PRINCIPALES PROBLEMAS

The most common causes of a poor CLS are:

- Images without dimensions
- Ads, embeds, and iframes without dimensions
- Dynamically injected content
- Web Fonts causing FOIT/FOUT
- Actions waiting for a network response before updating DOM

🏠 > Destilados > Whisky > Lagavulin 16 Años > Lagavulin 16 Años



Escocia

Lagavulin 16 Años 70cl

★★★★★  278

68,49€

- 1 +

Comprar

 Tienda:  Drinks&Co Spanien (España) Precios en otras tiendas ▾

 Entrega estimada: 4 - 7 días

 Gastos de er

Envío gratis a pa

work Performance Memory Application Security Lighthouse AdBlock

tps://www.drinksco.es/whisky/lagavulin-16-anos">
6312">

with_video">

;" href="https://media-verticommnetwork1.netdna-ssl.com/wines/lagavulin-16-anos-556312.jpg" class="fancybox" id="fancy_photo">

op="image" src="https://media-verticommnetwork1.netdna-ssl.com/wines/lagavulin-16-anos-556312_e.jpg" alt="Lagavulin 16 Años" width="448" height="448"> == \$0

its-container">...</div>

details">...</div> 


TU CAM

What about responsive images?

When working with [responsive images](#), `srcset` defines the images you allow the browser to select between and what size each image is. To ensure `<img>` width and height attributes can be set, each image should use the same aspect ratio.


```

```



TU CAM


- Statically reserve space for the ad slot.
 - In other words, style the element before the ad tag library loads.
 - If placing ads in the content flow, ensure shifts are eliminated by reserving the slot size. These ads *shouldn't* cause layout shifts if loaded off-screen.
- Take care when placing non-sticky ads near the top of the viewport.
 - In the below example, it's recommended to move the ad to below the "world vision" logo and make sure to reserve enough space for the slot.
- Avoid collapsing the reserved space if there is no ad returned when the ad slot is visible by showing a placeholder.
- Eliminate shifts by reserving the largest possible size for the ad slot.
 - This works, but it risks having a blank space if a smaller ad creative fills the slot.
- Choose the most likely size for the ad slot based on historical data.



TU CAM



TU CAM



Dynamic content


Summary: Avoid inserting new content above existing content, unless in response to a user interaction. This ensures any layout shifts that occur are expected.


FOUT/FOIT

Web fonts causing FOUT/FOIT

Downloading and rendering web fonts can cause layout shifts in two ways:


- The fallback font is swapped with a new font (FOUT - flash of unstyled text)
- "Invisible" text is displayed until a new font is rendered (FOIT - flash of invisible text)





TU CAM

- (rel=preload)



Render tree construction delays web font request. source

If we know that a web font is definitely going to be required to render text on a page, we can make a promise to the browser that it needs to be downloaded as soon as possible. This is a preload hint:

```
<link rel="preload" href="/my-font.woff2" crossorigin="anonymous" as="font" type="font/woff2">
```

HTML



Pre* Party Resource Hints

Por Sam Perrow

Descargar

TU CAM

Add New Resource Hint

? Domain or URL:

? DNS-Prefetch ☐ ? Prefetch ☐ ? Prerender ☐ ? Preconnect ☐ ? Precarga ☒


? Crossorigin? ☒ ? as: ? Mime Type:

Media Attribute ?


><link rel="preload" as="font" crossorigin="crossorigin" type="font/woff2" href="https://static-verticommnetwork1.netdna-ssl.com/fonts9/gotham-300.woff"><

● display:optional

- **block** - hide text for up to three seconds while waiting for the web font, and always swap in the web font when it loads
- **swap** - show text as soon as possible, and always swap in the web font when it loads
- **fallback** - hide text for up to 100ms, then only swap in the web font if it loads within three seconds
- **optional** - hide text for up to 100ms, then only use the web font if it is available - never swapping



```
@font-face {  
  font-family: ExampleFont;  
  src: url(/path/to/fonts/examplefont.woff) format('woff'),  
       url(/path/to/fonts/examplefont.eot) format('eot');  
  font-weight: 400;  
  font-style: normal;  
  font-display: optional;  
}
```



TU CAM

Resultados de la búsqueda

Destacados

Populares

Recomendados

Favoritos

Palabra clave ▼ custom css ✕

6.429 elementos < 1 de 179 >



Simple Custom CSS and JS

Añade fácilmente código personalizado CSS o JS a tu web con un fantástico editor.

Por SilkyPress.com

★★★★★ (74)


300.000+ instalaciones activas

Última actualización: hace 4 meses

✓ Compatible con tu versión de WordPress

Instalar ahora

Más detalles



Custom CSS Pro

Professional real-time CSS editor for those who want to code CSS.

Por WaspThemes

★★★★★ (12)

7.000+ instalaciones activas

Última actualización: hace 4 meses

✓ Compatible con tu versión de WordPress

Instalar ahora

Más detalles



Custom CSS and JavaScript

Easily add custom CSS and JavaScript code to your WordPress site, with draft previewing, revisions...

Por Aspen Grove Studios

★★★★★ (47)

10.000+ instalaciones activas

Última actualización: hace 4 meses

No probado con tu versión de WordPress

Instalar ahora

Más detalles



Simple Custom CSS

Añade CSS personalizado a tu sitio WordPress sin ninguna molestia.

Por John Regan, Danny Van Kooten

★★★★★ (151)

300.000+ instalaciones activas

Última actualización: hace 1 año

No probado con tu versión de WordPress

Instalar ahora

Más detalles



AccessPress Custom CSS

Add your own custom styles to your site.

Por AccessPress Themes

★★★★★ (2)

5.000+ instalaciones activas

Última actualización: hace 3 meses

✓ Compatible con tu versión de WordPress

Instalar ahora

Más detalles



Post/Page specific custom CSS

Post/Page specific custom CSS will allow you to add cascade stylesheet to specific posts/pages. It...

Por Lukasz Nowicki

★★★★★ (28)

10.000+ instalaciones activas

Última actualización: hace 1 mes

✓ Compatible con tu versión de WordPress

Instalar ahora

Más detalles



Modular Custom CSS

WordPress core provides custom CSS functionality in the customizer that's specific to the current theme;...

Por Nick Halsey

★★★★★

Instalar ahora

Más detalles



WP Add Custom CSS


Add custom css to the whole website and to specific posts and pages.

Por Daniele De Santis

★★★★★

Instalar ahora

Más detalles



Simple CSS

Add CSS to your website through an admin editor, the Customizer or a metabox for...

Por Tom Usborne

★★★★★

Instalar ahora

Más detalles

TU CAM

¡MUCHAS GRACIAS!

TU CAM