Axfood × WisdomAI: Agentic BI Demo Brief

Oct 26, 2026 · @Pär Fredander

1. Purpose and the ask

We want WisdomAI to build a working Agentic BI demo for Axfood that rebuilds one typical MicroStrategy report as a conversation, then goes beyond what the report can do.

Axfood is a Swedish grocery group that is leaving MicroStrategy and wants business users and AI agents to share one governed view of the data. The demo has to show this is possible on the Teradata platform Axfood already runs, without a rebuild.

What we need from WisdomAI

- A demo environment that answers Axfood-style business questions in natural language on Teradata data.
- A faithful recreation of the reference report in section 5, so a MicroStrategy user recognises it.
- Three or four agentic moments the old report cannot do: explain a variance, alert proactively, drill across to cost, and act on a finding.
- A short script and a 10-minute live flow the Teradata team can run for Axfood's IT and business leads.

Who sees it: Axfood IT and data leadership, plus business users from supply chain and commercial. They know MicroStrategy well and are under cost pressure, so the demo must feel faster and simpler than what they have, not more complicated.

2. Axfood in brief

Axfood runs about SEK 89 billion in annual grocery sales across several chains, at a 4.0% operating margin. Its stated goal is 4.5%, and every data and AI decision is judged against that gap.

Fact	Value
Net sales 2025	SEK 89,152m
Operating profit 2025	SEK 3,572m (4.0% margin)

Fact	Value
Margin ambition	4.5%, a gap of about SEK 440m a year
Chains in scope of our data	Willys, Hemköp, City Gross
Loyalty base	4M+ Willys Plus members
Food waste	0.9%, target 0.7% by 2030
Willys growth vs market	1.0% vs 4.4%
CEO priorities (Q2 2026)	Cost efficiency in the new logistics structure; new ways of working with technology; scaling data and AI

Source: Axfood Year-End Report 2025 (29 Jan 2026), as cited in Teradata's Axfood proposal of 2 October 2026.

What this means for the demo. Axfood's CEO has said that working cost-effectively is particularly important now. Show business value in plain terms (margin, waste, availability) and keep technical detail light.

3. Why Agentic BI, and why now

Axfood is exiting MicroStrategy and has no complete map of the KPIs and business logic buried in it. The demo should show how that logic survives the exit and becomes something people and agents can both use.

Four pressures shape the story:


- **MicroStrategy exit.** Years of KPIs and logic sit inside reports. Ease of use is a challenge, and many reports go unopened but still carry cost.
- **Agents as users.** Agentic AI is a stated strategic pillar. Agents query around the clock, so people and machines need the same governed access.
- **Cost scrutiny.** Cost is the critical KPI. Anything we show must look cheaper to run, not just smarter.
- **Skills and capacity.** Axfood finds it hard to hire and keep skilled people, and maintenance eats innovation time. Self-service answers take load off the BI team.

How the pieces fit. Teradata offers a Context Engine that holds one governed set of business definitions shared by people and agents. In the demo, WisdomAI is the experience layer on top: conversational answers and automated insights over those governed definitions, in place of a MicroStrategy report.

The next step on Axfood's roadmap is a semantic layer proof of concept that combines Teradata and MicroStrategy logic. Your demo is the visible front end of that idea, so build it so the report logic could plausibly be lifted from the existing reports into a shared semantic layer.

4. Technical landscape

Axfood's demand data already lives in Teradata (AxEDW). SAP BW still waits to be migrated and MicroStrategy still serves the reports. The demo sits on top as the one place where people and agents ask questions.



demo architecture · 4 layers, 2 sources

People reach data through WisdomAI and agents through Enterprise MCP. Both use the Context Engine's shared definitions, and both run on Teradata where the data already sits.

What is in place today

- **AxEDW** holds the demand side: point-of-sale, loyalty, store execution and forecasts. dbt and Airflow pipelines already run in production.
- **MicroStrategy** is served by separate service accounts per chain and function (Willys, Hemköp and others). Its reports are the logic to preserve.
- **SAP BW** holds finance, procurement and inventory data. It is not yet in Teradata, which is why move 3 in section 6 uses illustrative cost data.
- **Query log sample:** 758 queries from 82 users over 18 to 20 May 2026. 226 were flagged as good candidates for agents, and supply chain and replenishment had the most (89).

5. The reference report to recreate

The report to rebuild is **campaign performance and forecast accuracy by chain and week**: for each campaign week and article, how much was planned, what the forecasts said, and how far off they were. It is the most typical pattern in the MicroStrategy workload we sampled, and it touches calendar, campaign and forecast data, which is exactly the logic Axfood must not lose in the exit.

This definition is reconstructed from Axfood's Teradata query log (18 to 20 May 2026, 758 queries), not from the report itself. Treat it as a strong draft and confirm it with Axfood before building (section 9).

Report layout

Element	What it shows
Filters	Chain (Kedja), week (Vecka, Calendar_Week_Id), campaign (Kampanj), tactic type
Rows	One row per week and article; the key is week concatenated with article id ("Nyckel")
Measures	Quantity, sold forecast from the CatBoost model, purchase forecast from the chain's own plan
Derived (to confirm)	Actual sold, forecast error %, bias by tactic type

Element	What it shows
Drill paths	Chain, to campaign, to tactic type, to article

Fields seen in the query log

Field	Meaning	Seen in
Calendar_Week_Id	Week key used on the chain reports	Calendar dimension AA_calender_day
Tactic_Type_Cd / Tactic_Type_Desc	Promotion mechanic, used to group campaigns	Campaign aggregation view
Campaign_Id, Campaign_Name, Concept_Cd	Campaign identity and chain concept	Campaign tables in the replenishment schema
Delivery_From, Delivery_To	Delivery window for a campaign	Campaign tables in the replenishment schema
Article_Id	Article master key	Article dimensions
Quantity	Planned campaign quantity	Forecast query
Såld prognos - CatBoost	Sold forecast from Axfood's ML model	Forecast query
Köpt prognos - KEDJANS PROGNOS	Purchase forecast from the chain's own plan	Forecast query

How MicroStrategy asks for it today. The Hemköp reporting account queries a campaign aggregation view (A_central_kampanj_agg_view) and a calendar view in the schema PRDLSTStoreHEMVOUT. The SQL is the usual MicroStrategy shape: quoted column names, short table aliases (a10, a11), grouped by week. Willys and other chains have their own accounts and schemas of the same kind.

What good looks like. A user types "how did the Willys campaigns in week 42 do against forecast?" and gets the same grid, with the same numbers MicroStrategy would show, in seconds.

6. Demo storyline

The demo runs in five moves, from "it matches MicroStrategy" to "it does things MicroStrategy cannot". Each move reuses the same report, so the audience sees one thread, not five features.

#	Move	Example question	What it proves
1	Recreate	"Show Willys campaign performance by tactic type for week 42."	The familiar grid, same numbers, no report authoring
2	Explain	"Why is forecast error highest on this tactic type?"	The agent breaks down the variance by article, store and week and shows its logic
3	Cross to cost	"What did the over-forecast cost us in margin?"	Value of joining demand data in AxEDW with cost data from SAP BW
4	Watch	"Alert me when a perishables campaign is forecast to miss by more than 15% before delivery."	A proactive agent that monitors on its own
5	Act and govern	"Summarise for the planner and draft the order adjustment."	A governed hand-off with a human approval step and an audit trail

Notes for the build

- **Move 3 uses illustrative cost data.** Axfood's SAP BW data is not yet in Teradata. Use clearly labelled synthetic or sample cost figures (margin, purchase cost) and say so on screen. This is the strongest point in our proposal: demand and cost sit in different systems today.
- **Move 4 is where agents differ from chat.** Show the agent running without a user prompt, then explaining what it found and why.
- **Move 5 should be a draft, never an automatic write.** Axfood cares about governance and auditability, so show who asked, what data was used, and who approved.
- **Keep the same business definitions across people and agents.** If a second agent or LLM asks the same question, it must return the same answer. That is the point of the shared semantic layer.

- **Use Swedish business terms in the data and English in the conversation,** and let the user ask in either language if the platform supports it.

7. Data, access and semantic layer

WisdomAI needs read-only access to a Teradata environment that holds the tables behind the reference report, plus a small set of agreed business definitions. We propose Teradata provides a demo sandbox with masked or synthetic data, so no Axfood production data leaves Axfood's estate.

Schemas behind the reference report (names come from the query log and are to be confirmed)

Schema	What it holds	Used for
PRDLSTStoreHEMVOUT	Hemköp chain reporting views, including campaign aggregation and calendar	The report's campaign and week logic
PRDLSCReplenishmentT / VOUT	Campaigns, delivery schedules, replenishment, article packaging units	Campaign windows and forecasts
PRSemCMNVOUT	Common semantic layer: article, status, measuring unit conversion	Article attributes and drill-down
PRDTP	Point-of-sale line items and campaign offers	Actual sold, if the report needs it
PRDLSTCityGrossCrmT	City Gross CRM and receipts	Optional customer drill

Definitions to agree before building. Each of these should live in the semantic layer, not in prompts, so people and agents get the same answer.

- Forecast error: which formula, and against which actuals.
- Campaign week: how Calendar_Week_Id maps to a campaign delivery window.
- Tactic type: the grouping Axfood uses for promotion mechanics.
- Margin and purchase cost for move 3: which source, and what is synthetic.

Platform behaviour to respect. Axfood's Teradata platform handles about 600 million SQL statements a year, 97.7% of them sub-second. Agent workloads should run on separate elastic compute, so they never slow the critical reporting that runs on active compute.

Swedish terms you will meet in the data

Term	Meaning
Kedja	Chain (Willys, Hemköp, City Gross)
Vecka	Week
Kampanj	Campaign
Artikel	Article, i.e. product or SKU
Butik	Store
Såld prognos	Sold forecast
Köpt prognos / Kedjans prognos	Purchase forecast / the chain's own forecast
Nyckel	Key
Kolli, Pall, Lav	Case, pallet, layer (packaging units)
Kvitto	Receipt

8. Success criteria and constraints

The demo succeeds if an Axfood MicroStrategy user recognises the report, trusts the numbers, and sees at least one thing they could not do before.

Success criteria

- The recreated report matches the reference numbers for a chosen chain and week, with no manual tuning on the day.
- Answers come back fast enough to keep a live conversation going.
- Every answer shows its definitions and data lineage on request.
- The same question asked through a second route, such as an external agent over MCP, returns the same result.
- The 10-minute flow runs end to end, twice in a row, without a restart.

Constraints

- **Governed access only.** Respect role-based access and keep an audit trail. Axfood treats governance as non-negotiable.
- **No production data in the build.** Use the sandbox, masked or synthetic data.
- **Label anything illustrative.** Synthetic cost data and any estimated value must be marked as such on screen. Axfood's value figures are indicative until validated with its own data.
- **Stay on the Teradata stack.** Queries run in place on Teradata. Do not copy data into a separate store to make the demo work.
- **Keep it simple.** Axfood is looking for fewer, leaner platforms, so avoid adding moving parts the audience will have to ask about.

Deliberately left out of this brief. Commercial terms, pricing, contract details and Axfood's internal value estimates are not shared here. Ask the Teradata team before quoting any number to Axfood.

9. Open questions and next steps

The biggest open item is whether the reference report is the right one. Confirm it with Axfood before WisdomAI invests build time.

Open questions

- [ ] Is campaign performance and forecast accuracy the report Axfood's users open most? Ask for a screenshot or the report definition.
- [ ] Which chain should the demo use: Hemköp (best visible in the query log), Willys (the largest), or both?
- [ ] Where do actual sold quantities come from, and how is forecast error calculated today?
- [ ] Can Teradata provide a masked copy, or do we build on synthetic data shaped like Axfood's?
- [ ] Is the demo for a recorded walkthrough, a live session, or hands-on access for Axfood's team?
- [ ] What is the date of the Axfood session? The proposal asks Axfood to name an owner and date for the AI Studio demo.

Next steps

1. Teradata confirms the reference report with Axfood and shares the answers to the questions above.

2. WisdomAI reviews this brief and returns questions and a build plan.
3. Teradata sets up the sandbox and agrees the semantic definitions in section 7.
4. WisdomAI builds moves 1 and 2, and the Teradata team reviews them against the reference numbers.
5. WisdomAI adds moves 3 to 5, and both teams rehearse the 10-minute flow.