

REFERENCE



if / else

Run code only when it's true

조건이 맞을 때만 실행

BIG IDEA

Code that **decides**

Check a condition. True → do this. False → skip or do that.

if

true 일 때만 실행

else

그 외에는

조건에 따라 갈라짐

IF

Do it only when true

```
let score = 12;

if (score > 10) {
  alert("You win!");
}
```

The `{ }` code runs only if the condition is true.

참이면 {} 실행

ELSE

Otherwise, do this

```
if (score > 10) {  
  alert("You win!");  
} else {  
  alert("Try again");  
}
```

`else` catches every other case. One of the two always runs.

아니면 `else` 실행

ELSE IF

More than two paths

```
if (score > 90) { grade = "A"; }  
else if (score > 80) { grade = "B"; }  
else { grade = "C"; }
```

Checked top to bottom. The first true one wins.

위에서부터 검사

COMPARISONS

Asking true / false questions

===

is equal to

!=

is not equal

> <

bigger / smaller

>= <=

or equal too

조건을 묻는 기호들

⚠ WATCH

=== compares, = assigns



Compare

```
if (score === 10)
```

asks: are they equal?



Bug

```
if (score = 10)
```

sets score to 10!

One **=** changes the value. Use **three =** to compare.

비교는 === 세 개

YOUR TURN!

Make a decision



Make a variable `age`



Write `if (age >= 13)` → show "teen"



Add an `else` → show "kid"



Change `age` and run again

조건을 바꿔가며 실행

PRACTICE



Make your code decide

Follow along first. Then fly solo.

Each one: pick a condition → write `if` → add `else` → show the result.

조건 고르기 → if → else → 결과 표시

FOLLOW ALONG · A

Age check — set it up

Step 1 — HTML: a spot to show the message

```
<p id="msg"></p>
```

JS will fill this in based on the age.

결과를 보여줄 자리 먼저

FOLLOW ALONG · A

Age check — decide ⚡

Step 2 — JS: if 13 or older → Teen, else → Kid

```
let msg = document.getElementById("msg");
let age = 15;

if (age >= 13) {
  msg.textContent = "Teen";
} else {
  msg.textContent = "Kid";
}
```

13 이상이면 Teen, 아니면 Kid

FOLLOW ALONG · B

Even or odd

HTML: `<p id="out"></p>` **JS:** check the remainder

```
let out = document.getElementById("out");
let n = 7;

if (n % 2 === 0) {
  out.textContent = "Even";
} else {
  out.textContent = "Odd";
}
```

2로 나눈 나머지가 0이면 짝수

FOLLOW ALONG · C

Score to grade — set it up

Step 1 — HTML: a spot for the grade

```
<p id="grade"></p>
```

This time we need **three** paths — that means `else if`.

이번엔 갈래가 셋 → else if 사용

Score to grade — decide ⚡

Step 2 — JS: top to bottom, first true wins

```
let g = document.getElementById("grade");
let score = 85;
if (score > 90) {
  g.textContent = "A";
} else if (score > 80) {
  g.textContent = "B";
} else {
  g.textContent = "C";
}
```

위에서부터 맞는 첫 줄이 이김

NOW YOU TRY

Make it decide

Each one: pick a condition → `if` → `else` → show it.

 **pass / fail**

`mark` `>= 60`

 **hot / cold**

`temp` `> 25`

 **password check**

`=== "open"`

 **bigger of two**

`a > b` ?

+ - +, -, or zero

`> 0` · `< 0` · `else`

 **traffic light**

`red` / `yellow` / `green`

조건 → `if` → `else` → 결과

BOSS CHALLENGE

Level up



Number guess — say "too high", "too low", or "correct!"



Grade plus — a different message for each grade



Nested if — check two things (e.g. age **and** ticket)



Invent your own — pick a decision and build if / else

한 조건에서 여러 갈래로



Your code can choose!

Check a condition · pick a path.

잘했어요!