

REFERENCE



if / else

Run code only when it's true

조건이 맞을 때만 실행

BIG IDEA

Code that **decides**

Check a condition. True → do this. False → skip or do that.

if

true 일 때만 실행

else

그 외에는

조건에 따라 갈라짐

IF

Do it only when true

```
let score = 12;  
  
if (score > 10) {  
  alert("You win!");  
}
```

The `{ }` code runs only if the condition is true.

참이면 { } 실행

ELSE

Otherwise, do this

```
if (score > 10) {  
    alert("You win!");  
} else {  
    alert("Try again");  
}
```

`else` catches every other case. One of the two always runs.

아니면 `else` 실행

ELSE IF

More than two paths

```
if (score > 90) { grade = "A"; }  
else if (score > 80) { grade = "B"; }  
else { grade = "C"; }
```

Checked top to bottom. The first true one wins.

위에서부터 검사

COMPARISONS

Asking true / false questions

===

is equal to

!=

is not equal

> <

bigger / smaller

>= <=

or equal too

조건을 묻는 기호들

⚠ WATCH

=== compares, = assigns



Compare

```
if (score === 10)
```

asks: are they equal?



Bug

```
if (score = 10)
```

sets score to 10!

One **=** changes the value. Use **three =** to compare.

비교는 === 세 개

YOUR TURN!

Make a decision



Make a variable `age`



Write `if (age >= 13)` → show "teen"



Add an `else` → show "kid"



Change `age` and run again

조건을 바꿔가며 실행



Your code can choose!

Check a condition · pick a path.

잘했어요!