

REFERENCE



Two ways to grab

getElementById vs querySelector

요소를 잡는 두 가지 방법

BIG IDEA

Both find **one** element

Same goal, different spelling.



getElementById

by id only

"hero"



querySelector

by CSS selector

"#hero"

둘 다 요소 하나를 찾음

GETELEMENTBYID

The id — no

```
let el = document.getElementById("hero");
```

Just the id name. No #, no dots. Only works with id.

id 이름만 — #없음

QUERYSELECTOR

A CSS selector — needs

```
let el = document.querySelector("#hero");
```

Same as in CSS: # for id. The first match wins.

CSS처럼 #붙임

SUPERPOWER

querySelector takes **any** selector

```
document.querySelector("#hero");    // id
document.querySelector(".card");    // class
document.querySelector("button");    // tag
```

getElementById only does ids. querySelector does them all.

querySelector는 무엇이든 선택

⚠ WATCH

The # trips people up



Correct

```
getElementById("hero")  
querySelector("#hero")
```



Returns null

```
getElementById("#hero")  
querySelector("hero")
```

Wrong # → JS finds nothing → null.

#을 잘못 쓰면 null

YOUR TURN!

Grab it both ways

✓ Add `id="title"` to a heading

✓ Grab it with `getElementById("title")`

✓ Grab it again with `querySelector("#title")`

✓ Change its text — both should work

두 방법 모두 연습



Same element, two doors

id only · or any CSS selector.

잘했어요!