



RB003 Week 3 — English Worksheet

Topic: Arrays — A List of Upgrades · **Course:** Tycoon Engineer · **Time:** about 45 minutes

This week your tycoon gets an **array** — one variable that holds a whole list of upgrades. You grab items with an **index** like `upgrades[1]` and loop through the list with `ipairs`.

1 · Predict 🧠

Read each script. Before you imagine running it in Roblox Studio, write what you think prints in the Output window.

```
local upgrades = {"Fast Dropper", "Gold Ore", "Mega Conveyor"}
print(upgrades[1])
print(upgrades[3])
```

What two lines print? Remember: Luau lists start at 1, not 0.


```
local upgrades = {"Fast Dropper", "Gold Ore", "Mega Conveyor"}
print(#upgrades)
print(upgrades[4])
```

What number does `#upgrades` give you? There is no item 4 — what prints for `upgrades[4]` ?


```
local upgrades = {"Fast Dropper", "Gold Ore", "Mega Conveyor"}

for i, name in ipairs(upgrades) do
    print(i, name)
end
```

How many lines print? What exactly is on the second line?

2 · Spot the Bug 🐛

Each block of code below was meant to do something, but it is broken. Read what the code is **supposed** to do, then rewrite it so it works. After that, explain why the original was wrong and why your fix works.

Bug A — The script should print the **first** upgrade, `Fast Dropper`. Instead it prints `nil`.

```
local upgrades = {"Fast Dropper", "Gold Ore", "Mega Conveyor"}  
print(upgrades[0])
```

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug B — The script should make a list of three upgrades. Instead, Roblox Studio shows a **red error** before the game even runs.

```
local upgrades = {"Fast Dropper" "Gold Ore" "Mega Conveyor"}  
print(upgrades[2])
```

Hint: what goes **between** items in a list?

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug C — The shop should print **every** upgrade in the list. Instead it prints **Fast Dropper** three times.

```
local upgrades = {"Fast Dropper", "Gold Ore", "Mega Conveyor"}

for i = 1, #upgrades do
    print(upgrades[1])
end
```

Write the fixed code:

Why was it wrong? Why does your fix work?

3 · Tell Me What You Built 📷

Now switch to Roblox Studio and open your tycoon. Make an `upgrades` array with at least 3 upgrades and use an `ipairs` loop to print the full shop list to the Output window. When you finish, come back here.

Send a photo or video of your script and the printed list, then explain what you did. Use these sentence starters — write 4 to 6 sentences total.

First, I ...

My array holds ...

I used **ipairs** to ...

One tricky moment was when ...

To fix it, I ...

If I had more time, I would ...

4 · Record Your Walkthrough 🎥

Now take a video on your phone (or a parent's phone) while you run your script. Talk through it like you are teaching someone who has never seen it. Try to use these words: **array**, **index**, **ipairs**, **length**, **nil**.

1. Show your `upgrades` array in the script.
2. Press Play and show the printed list in the Output window.
3. Read your `ipairs` loop out loud and say what `i` and `name` are.
4. Say in your own words why `upgrades[4]` gives `nil` .

Write what you will say in your video. Use the space below to plan it before you record — you can read from it while filming.

Submit ✓

Send this worksheet + your walkthrough video to teacher on KakaoTalk.