



RB001 Week 6 — English Worksheet (Beginner)

Topic: Coins & the Leaderboard · **Course:** Obby Architect · **Level:** Beginner · **Time:** about 30 minutes

This week your obby gets **coins**. A **leaderstats** folder makes the leaderboard appear. Touching a coin makes Coins go up by 1.

1 · Predict 🧠

Read the script. Before you imagine running it in Studio, circle or write your answer.

```
local Players = game:GetService("Players")

Players.PlayerAdded:Connect(function(player)
    local leaderstats = Instance.new("Folder")
    leaderstats.Name = "leaderstats"
    leaderstats.Parent = player

    local coins = Instance.new("IntValue")
    coins.Name = "Coins"
    coins.Parent = leaderstats
end)
```

You press Play and join. Does "Coins" show on the leaderboard? Circle one: yes · no

Why?


```
coin.Touched:Connect(function(otherPart)
    local player = Players:GetPlayerFromCharacter(otherPart.Parent)
    if player then
        player.leaderstats.Coins.Value += 1
        coin:Destroy()
    end
end)
```

A loose block rolls into the coin. The block is not a player. Does Coins go up? Circle one: yes · no

2 · Find the Difference 🦎

Each pair shows a clean script first, then a broken version of the same idea. Circle what's different and write one short sentence about the bug.

Pair A — The leaderboard only appears if the folder name is **exactly** `leaderstats`.

```
-- clean
local leaderstats = Instance.new("Folder")
leaderstats.Name = "leaderstats"
leaderstats.Parent = player
```

```
-- buggy
local leaderstats = Instance.new("Folder")
leaderstats.Name = "stats"
leaderstats.Parent = player
```

What is wrong? What happens to the leaderboard?

Pair B — Only a **player** should get the point.

```
-- clean
local player = Players:GetPlayerFromCharacter(otherPart.Parent)
if player then
    player.leaderstats.Coins.Value += 1
    coin:Destroy()
end
```

```
-- buggy
local player = Players:GetPlayerFromCharacter(otherPart.Parent)
player.leaderstats.Coins.Value += 1
coin:Destroy()
```

What is wrong?

3 · Fill the Gap

After the point is added, the coin should disappear. One word is missing. Fill it in using the word bank.

```
if player then  
  player.leaderstats.Coins.Value += 1  
  coin:_____  
end
```

Word bank: Destroy · Delete · Hide

Write the missing word:

4 · Tell Me What You Built 📷

Now open your obby in Roblox Studio. Add the `leaderstats` script, then place at least 2 coins that give 1 point each. Collect them in Play mode. When you finish, come back here.

Send a photo or video of your leaderboard showing your Coins, then explain what you did. Use these sentence starters — write 2 or 3 sentences.

My coins give a point when ...

The leaderboard shows ...

One tricky moment was when ...

5 · Record Your Walkthrough 🎥

Take a video on your phone (or a parent's phone) while you collect your coins in Play mode. Talk like you are teaching a friend. Try to use these words: **leaderboard**, **coin**, **value**, **destroy**.

1. Press Play and point at the leaderboard.
2. Collect one coin and show Coins go up by 1.
3. Say in your own words what `coin:Destroy()` does.

Write what you will say in your video. You can read from it while filming.

Submit ✓

Send this worksheet + your walkthrough video to teacher on KakaoTalk.