

RS001 Week 15 — English Worksheet

Topic: Logic, Knowledge, and Multiple Endings · **Course:** Text Adventure (Python) · **Time:** about 45 minutes

This week the ending depends on what the player **knows**, not on luck. You store riddles and answers in parallel lists, keep a **score**, and use the score to pick one of several endings.

```
questions = ["I have four legs but cannot walk. What am I?"]
answers   = ["table"]
guess = game.ask(questions[0]).strip()
if guess == answers[0]:
    score = score + 1
```

1 · Predict 🧠

Read each piece of code. Before you run it in your head, write what you think happens.

```
score = 0
score = score + 1
score = score + 1
game.say(score)
```

What number is printed?


```
questions = ["cold and melts fast?", "rains and it opens?"]
answers   = ["ice", "umbrella"]
guess = "ice"
if guess == answers[0]:
    game.say("correct")
else:
    game.say("wrong")
```

Which message appears?


```
score = 2
if score == 3:
    game.say("perfect")
elif score == 2:
    game.say("great")
else:
    game.say("keep trying")
```

Which ending prints, and why does the first branch get skipped?

2 · Spot the Bug 🐛

Each block was meant to do something, but it is broken. Read what it is **supposed** to do, fix it, then explain why the original was wrong.

Bug A — A correct answer should add **one** to the score. Right now the score never goes up, because the result of the addition is thrown away.

```
score = 0
guess = "table"
answer = "table"
if guess == answer:
    score + 1
game.say(score)
```

Hint: store the new total back into `score` with `score = score + 1`.

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug B — The riddle and its answer should share the **same** index. Here question 0 is checked against answer 1, so a correct guess is marked wrong.

```
questions = ["four legs, cannot walk?", "cold, melts fast?"]
answers   = ["table", "ice"]
guess = game.ask(questions[0]).strip()
if guess == answers[1]:
    game.say("correct")
else:
    game.say("wrong")
```

Hint: match the answer index to the question index.

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug C — The endings should split by score: 3 = wise, 2 = hero, else = beginner. Right now every score over 0 gives the same ending, because separate `if` s overwrite each other.

```
score = 3
if score >= 1:
    ending = "beginner"
if score >= 2:
    ending = "hero"
if score == 3:
    ending = "wise"
game.say(ending)
```

Hint: use `if` / `elif` / `else` and check the **highest** score first.

Write the fixed code:

Why was it wrong? Why does your fix work?

3 · 🎯 Score-Based Endings

Open your game. Before the final scene, ask the player a few riddles using parallel question/answer lists. Count correct answers into a `score`, then use the score to print one of several different endings.

When it works, send a **photo or video**, then explain what you did. Use these sentence starters — write 4 to 6 sentences total.

First, I stored my riddles and answers in ...

Each correct answer added to the score by ...

The endings I built were ...

A knowledge-based ending is different from a random one because ...

One tricky moment was when ...

If I had more time, I would ...

4 · Record Your Walkthrough 🎥

Take a video on your phone (or a parent's phone). Teach it like the viewer has never coded. Try to use these words: **score, riddle, answer, ending, logic**.

1. Play once answering well and show the high-score ending.
2. Play again answering poorly and show a different ending.
3. Point to where the score goes up.
4. Explain why the ending depends on knowledge, not luck.

Write what you will say in your video. Plan it here first.

Submit ✓

Send this worksheet + your walkthrough video to teacher on KakaoTalk.