

⚡ WD002 Week 8 — English Worksheet

Topic: Final Project — Interactive Quiz App · **Course:** Web Dev Basics: JavaScript · **Time:** about 45 minutes

This is the big one. You will combine **everything** from the last 8 weeks — variables, the DOM, events, input, conditionals, arrays, loops, and functions — into your own **interactive quiz app**. You already have all the pieces. This week you put them together and present.

1 · Recall 🗨️

Before you build, prove to yourself that the pieces are ready. Answer from memory — peek at earlier weeks only if you are stuck.

Write an array of 3 of your own quiz questions, as objects. (Look at the shape: each has a question, choices, and the answer index.)

```
let questions = [  
  { q: "____", choices: ["__", "__", "__"], answer: __ },  
  ...  
];
```


Which line below shows a question on screen, and which one checks the answer? Label each.

```
document.querySelector("#question").textContent = questions[current].q;  
if (chosen === questions[current].answer) { score = score + 1; }
```


How do you move to the next question and know when the quiz is over? Write it in plain English.

2 · Spot the Bug 🐛

Each block is part of a quiz app, but it is broken. Read what it is **supposed** to do, then rewrite it so it works. Explain why the original was wrong and why your fix works.

Bug A — A correct answer should add 1 to the score. Right now the score goes up **every** time, even on wrong answers.

```
function checkAnswer(chosen) {  
  score = score + 1;  
  current = current + 1;  
}
```

Hint: the score should only rise when `chosen` matches the correct answer. Add an `if`.

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug B — After the last question, the quiz should stop and show the final score. Right now it crashes with `undefined` because it tries to show a question that does not exist.

```
function checkAnswer(chosen) {  
  current = current + 1;  
  showQuestion();  
}
```

Hint: check whether `current` is still less than `questions.length` before showing another question.

Write the fixed code:

Why was it wrong? Why does your fix work?

Bug C — The restart button should set everything back to the start. Right now it resets the score but the quiz stays on the last question.

```
function restart() {  
  score = 0;  
  showQuestion();  
}
```

Hint: one more variable needs to go back to 0 before the first question can show.

Write the fixed code:

Why was it wrong? Why does your fix work?

3 · Build Your Quiz App 📷

Now build the real thing. Your quiz app must have:

1. **At least 5 questions** stored in an array (each one an object with a question, choices, and the correct answer).
2. One question shown at a time, with its answer choices on buttons.
3. A correct answer adds 1 to the score; a wrong answer adds 0.
4. The **final score** shown after the last question.
5. A **restart** button that begins the quiz again from question 1.

Make your questions about something you love — games, K-pop, animals, your favorite show. It is your app.

Stretch: show which questions you got wrong, add a timer, or make the page celebrate a perfect score.

When you finish, send a **photo or video** of a full play-through (answering questions, then the final score, then a restart), and explain what you did. Use these sentence starters — write 4 to 6 sentences total.

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

First, I designed my questions as ...

To show one question at a time, I ...

The score goes up only when ...

My restart button works by ...

The hardest part was ...

The part I am most proud of is ...

4 · Final Presentation 🎤

Record a video where you **present** your finished quiz app, like you are showing it to someone for the first time. Try to use these words: **array**, **object**, **score**, **function**, **condition**.

1. Play through your quiz from start to final score, then restart it.
2. Show how your quiz questions are stored (array + objects).
3. Point to where the answer-checking logic lives.
4. Explain how the score is saved and shown on screen.
5. Say what was hardest and how you solved it.

Write what you will say in your presentation. Plan it here before you record — you can read from it while filming.

Submit ✓

Send this worksheet + your finished quiz app (video of it running, and a photo of the full code or a Replit link) to teacher on KakaoTalk.