Status	Finished
Started	Thursday, 15 October 2026, 6:08 PM
Completed	Thursday, 15 October 2026, 6:11 PM
Duration	2 mins 57 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello

b. Hello, world! ✓

c. An error is raised

d. world

The correct answer is: Hello, world!

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline(size)

b. read()

c. readlines()

d. readline() ✓

The correct answer is: readline()

Question **3**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of integers

b. a list of lines ✓

c. a list of single characters

d. str

The correct answer is:
a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. close() ✓

b. terminate()

c. end()

d. finish()

The correct answer is: close()

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the file and returns it as a dictionary

b. It reads the entire file and returns it as a list of lines ✓

c. It reads the entire file and returns it as a string

d. It reads a single line from the file

The correct answer is: It reads the entire file and returns it as a list of lines

Question **6**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

- a. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
- b. r+ is for read and append, w+ is for read and write
- c. r+ is for binary read and write, w+ is for text read and write
- d. r+ is for read and write, w+ is for append only

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **7**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- a. Closes the file
- b. Deletes the file content
- c. Flushes the internal buffer to the file ✓
- d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **8**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

- a. ab+
- b. r
- c. rw+ ✓
- d. wb+

The correct answer is: rw+

Question **9**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. space
b. ,
c. \t
d. \n ✓

The correct answer is:
\n

Question **10**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The buffer size for the file operations ✓
b. The encoding of the file
c. The file's read/write position
d. The access mode of the file

The correct answer is: The buffer size for the file operations

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. locate()
b. position()
c. current()
d. tell() ✓

The correct answer is: tell()

Question **12**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 1
b. null
c. 0 ✓
d. garbage
e. 2

The correct answer is:
0

Question **13**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode
b. Creates a new file for writing ✓
c. Appends to an existing file
d. Opens an existing file in read mode

The correct answer is: Creates a new file for writing

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The size of the file
b. The encoding format of the file ✓
c. The buffer size
d. The mode of the file

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")

b. outfile = open("c:\\scores.txt", "a") ✓

c. outfile = open(file = "c:\\scores.txt", "w")

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")