Status	Finished
Started	Thursday, 15 October 2026, 4:07 AM
Completed	Thursday, 15 October 2026, 4:11 AM
Duration	3 mins 42 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **2**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.Items) ✓
b. print(A.keys)
c. print(A.values)
d. print(A.get)

Question **3**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. paired value
b. pair item
c. item ✓
d. value

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 4 ✓

b. 5

c. Invalid Synatx,Error

d. A

Question **5**

Correct

Mark 1.00 out of 1.00

pop function delete and _____ the element of dictionary.

a. not return

b. add

c. return ✓

d. display

Question **6**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

a. dot(.)

b. Semicolon(;)

c. Colon (

d. Comma(,) ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. c,d,e
- b. a,b
- c. d,e,f ✓
- d. b,c

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.get(7) ✓
- b. D1.pop(7)
- c. D1.values(7)
- d. D1.disp(7)

Question **9**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = dict{ }
- b. d1 = { } ✓
- c. d1 = [ ]
- d. d1 = 

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dictionary
b. dict ✓
c. create
d. convert

Question **11**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same values with different keys. ✓
b. A dictionary can have two same keys with different values.
c. A dictionary can have two same keys or same values but cannot have two same key-value pair
d. A python, a dictionary can neither have two same keys nor two same values.

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. None of the mentioned
b. remove
c. pop ✓
d. delete

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2], 'a': [3]}

b. {'b': [2], 'a': 1}

c. Error

d. {'b': [2, 3, 4], 'a': 1} ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. pop( )

b. del

c. delete( )

d. clear( ) ✓

Question **15**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. Comma(,)

b. Colon (:) ✓

c. dot(.)

d. Semicolon(;)