Maison Rue

Fashion Commerce Website

Team 1 - T3.2605.E1.FPT

Project field	Information
Class	T3.2605.E1.FPT
Team	Team 1
Institution and centre	_____
Instructor	_____
Members and student IDs	_____ _____ _____ _____
Start date and end date	_____
Document date	7 November 2026

Project requirements, architecture, use cases, site map and graphical interface documentation.

Table of contents

Section	Page
Review 1 Introduction and requirements	3
Requirements analysis and role matrix	4–7
Task Sheet Review 1	8
Review 2 Architecture and design	9
Data model and algorithms	10–13
Use case specifications	14–33
Verification scenarios	34
Task Sheet Review 2	35
Review 3 Site map	36
Graphical user interfaces	37–56
Task Sheet Review 3	57
Implementation boundaries and source map	58

Review 1

I Acknowledgement

Team 1 presents the Maison Rue project as an application of web interface development, business workflow design and relational data management. Academic attribution and named contributions are completed in the project team records.

II Introduction

Maison Rue presents collections for men, women and children through a restrained fashion storefront. Customers can explore materials and variants, save favourites, place orders and follow service requests.

III Synopsis

Maison Rue combines a customer fashion storefront with operational and administrative portals. Its scope extends from product discovery and variant selection to fulfilment, physical return inspection and reporting.

IV Problem definition

Customers need consistent information about fit, materials, availability and after sales decisions. Staff need traceable order and stock workflows. Administrators need controlled employee access, campaign tools and reporting. The project centralises these activities around one operational database.

Customer requirement specifications

Navigation and search
Men, Women, Kids, Accessories, Fall Winter 2026–2027, Cashmere, Linen and Suede collection routes; product search; category and subcategory navigation.

Refine the selection
Filter by price range and colour, switch collection audience and sort by featured order or ascending and descending price.

Product details
Image gallery, colour variants, size selection, price and promotion information, stock checks, quantity controls and wishlist hearts. Expandable details cover fit, care and returns.

Fit assistance
Find my size opens a measurement guide. Size suggestions use available size charts and chest, waist or foot length inputs.

Shopping bag
Update quantities, remove items and choose which items to check out. Availability warnings do not disclose exact stock counts. Guest carts are stored locally; customer carts have server persistence.

Delivery and payment
Select saved addresses or supply delivery details. The implemented payment choices are cash on delivery and direct bank transfer; payment status and order status are tracked separately.

Account and service requirements

Profile and addresses
Edit profile information and marketing preferences. The address book supports a default delivery address and up to two additional addresses for checkout selection.

Address suggestions
The Google address integration provides suggestions and verification when API credentials and service access are configured. A map match does not itself guarantee delivery access to a property.

Reviews
Customers can submit and manage eligible product reviews. Refunds and unresolved or failed return requests block review eligibility; successfully completed exchanges can remain eligible.

Support and brand content
Our Story, contact information, shopping guidance, terms, privacy, cookies and returns pages are available. The footer includes social links and a newsletter interface. Rue provides fashion assistance when its external AI service is configured.

Request information
Select a reason and quantity, describe the issue and, for exchanges, select a valid product size and colour combination. The main account request form does not require photo upload.

Initial decision
The server verifies order ownership and prevents duplicate requests for the same order item. It returns an automatic authorisation, automatic decline or manual review decision with a reason.

Role and access matrix

Capability	Visitor	Customer	Staff	Admin
Browse and guest wishlist	Yes	Yes	Public	Public
Customer account and returns	No	Own records	No	No
Orders and stock operations	No	Own orders	Yes	Yes
Return receipt and inspection	No	View own	Yes	Yes
Return resolution API	No	No	Yes	Yes
Employee and campaign management	No	No	No	Yes
Reports and review moderation	No	No	No	Yes

Server enforcement
UI navigation is supplemented by API authentication, role checks and customer ownership checks. A separate order payment refund endpoint is admin only.

Nonfunctional requirements
Maintain readable responsive screens, predictable validation, stock consistency, session protection and useful error feedback. These are verification targets; a feature inventory alone does not establish a complete security or performance certification.

Requirement analysis

Inputs
Credentials, search criteria, variant and quantity selection, delivery data, promo codes, order actions, return reasons, inspection notes, reviews, stock changes and campaign parameters.

Outputs
Filtered products, calculated prices, order confirmations and histories, return decisions, stock movements, reviews, employee records and business reports.

Core processes
Authentication; product discovery; cart and checkout; promotion evaluation; order fulfilment; address and account management; return triage and physical inspection; refund and exchange completion; reporting.

Software
React, React Router, Vite, Node.js, Express and Microsoft SQL Server. Optional external services support addresses, assistant responses and email.

Scope boundaries
No trained purchase history recommender is demonstrated by the current implementation. Google and chat integrations require service configuration. A database refund record is distinct from a bank payout.

Task Sheet Review 1

Project: Maison Rue | Team 1 - T3.2605.E1.FPT

Task	Owner	Dates	Review status
Introduction and synopsis	_____	_____	To be confirmed
Problem definition	_____	_____	To be confirmed
Customer requirements	_____	_____	To be confirmed
Role and access requirements	_____	_____	To be confirmed
Requirement analysis	_____	_____	To be confirmed

Reviewer comments


_____

_____

Approval

Instructor: _____ Date: _____

Review 2



Integration boundary

Browser localStorage holds guest wishlist and cart state. Authenticated records use the API. External address, chat and email services have separate configuration and failure modes.

Business integrity


Return and exchange completion uses database transactions. Item ownership, policy checks and variant validation are performed server side.

Logical data structure

Record group	Main relationships
Users	CustomerAddresses, CustomerPreferences, favourites, carts, orders and reviews
Products	ProductVariants, category and collection attributes
Orders	OrderItems, Payments and OrderStatusHistory
OrderItems	Variant and purchase snapshots; ReturnRequests
Returns	Requested quantity, reason, decision, inspection and completion fields
Inventory	ProductVariants and InventoryMovements
Promotions	Targets, codes, usage, assignment and audit records
Reporting	SkuDailyBusinessMetrics and order derived metrics

Relationships shown here are a logical overview. Physical field definitions and foreign keys are maintained in server/db/schema.sql and the incremental migrations.


Checkout data flow



Failure handling


Reject invalid inputs and unavailable stock. Present the server error to the customer without claiming an order or payment succeeded.

Return decision flow



Initial authorisation is permission to proceed with a return, not final confirmation of a refund.

Return completion and inventory



Review eligibility
Refund completion blocks review. Pending and failed requests also block review. A successfully completed exchange can remain eligible.

Transaction boundary
Completion and stock movements must succeed together. An invalid original variant or insufficient replacement stock must not leave a partial update.

UC 01 Customer login

Field	Specification
Actors	Customer
Preconditions	Registered account
Trigger	Open /login, enter email and password, then submit.
Successful result	A valid session opens customer features; invalid credentials show an error.
Exception paths	Wrong password, unavailable API or inactive account.
Data affected	Session and role

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 02 Customer registration

Field	Specification
Actors	Visitor
Preconditions	Valid registration information
Trigger	Choose Create account and submit the required fields.
Successful result	The server validates and creates a customer account.
Exception paths	Duplicate email or invalid input.
Data affected	Users

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 03 Browse and filter

Field	Specification
Actors	Visitor or customer
Preconditions	Catalogue is available
Trigger	Choose an audience or collection; filter colour and price; sort results.
Successful result	The matching product list updates and links to detail pages.
Exception paths	No matching products displays an empty result.
Data affected	Products and ProductVariants

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 04 Select variant and fit

Field	Specification
Actors	Visitor or customer
Preconditions	Product exists
Trigger	Select colour, size and quantity; open Find my size as needed.
Successful result	The selected variant is used for cart operations.
Exception paths	Unavailable combination or excess quantity.
Data affected	ProductVariants and size guide data

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 05 Guest wishlist

Field	Specification
Actors	Visitor
Preconditions	Browser storage available
Trigger	Click a product heart, revisit Wishlist, then sign in if desired.
Successful result	Favourites persist locally and merge with account favourites after login.
Exception paths	Cleared storage removes guest favourites; failed merge must not imply successful sync.
Data affected	localStorage and ProductFavorites

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 06 Complete the Look

Field	Specification
Actors	Visitor or customer
Preconditions	Product and catalogue loaded
Trigger	Open a product and browse the recommendations.
Successful result	Complementary roles are ranked by palette, material and collection.
Exception paths	Fallback can fill slots when preferred roles are unavailable.
Data affected	Catalogue recommendation rules

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 07 Cart and checkout

Field	Specification
Actors	Visitor or customer
Preconditions	Valid product variant and quantity
Trigger	Add to bag, select items, enter delivery details and submit checkout.
Successful result	Server pricing and inventory checks lead to an order record.
Exception paths	Invalid quantity, stock, delivery data or promotion.
Data affected	Orders, OrderItems, ShoppingCarts and Payments

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 08 Apply a promotion

Field	Specification
Actors	Customer or visitor
Preconditions	Eligible cart and campaign
Trigger	Enter a code or use automatic promotion pricing.
Successful result	Server preview returns applicable discounts and totals.
Exception paths	Expired, ineligible or invalid code.
Data affected	Promotions, PromotionCodes and PromotionUsages

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 09 Manage delivery addresses

Field	Specification
Actors	Customer
Preconditions	Authenticated customer
Trigger	Add, edit, remove or set default address.
Successful result	Address book and checkout selection reflect saved changes.
Exception paths	Maximum address count or failed address verification.
Data affected	CustomerAddresses

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 10 Track and cancel an order

Field	Specification
Actors	Customer
Preconditions	Order belongs to customer
Trigger	Open Orders, filter status and use eligible cancellation action.
Successful result	Order details and supported cancellation result are shown.
Exception paths	Disallowed status or another customer order.
Data affected	Orders and OrderStatusHistory

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 11 Submit return or exchange

Field	Specification
Actors	Customer
Preconditions	Owned order item and no previous request
Trigger	Select reason, type and quantity; choose replacement variant for exchange.
Successful result	Server returns authorisation, decline or manual review with explanation.
Exception paths	Invalid combination, duplicate request or policy exclusion.
Data affected	ReturnRequests and OrderItems

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 12 Inspect a returned item

Field	Specification
Actors	Staff or admin
Preconditions	Authorised return received
Trigger	Record receipt, inspect physically and add pass or fail notes.
Successful result	Inspection status is stored and gates completion.
Exception paths	Wrong prior status or missing inspection note.
Data affected	ReturnRequests

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 13 Complete refund or exchange

Field	Specification
Actors	Staff or admin
Preconditions	Passed physical inspection
Trigger	Record refund reference or complete the chosen replacement.
Successful result	Resolution and inventory movements are committed together.
Exception paths	Insufficient replacement stock, invalid original SKU or repeated completion.
Data affected	Payments, ProductVariants and InventoryMovements

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 14 Review a product

Field	Specification
Actors	Customer
Preconditions	Eligible delivered purchase
Trigger	Open review action, enter rating and content, then save.
Successful result	Review is saved subject to eligibility and moderation.
Exception paths	Refund, unresolved or failed request blocks review; completed exchange can remain eligible.
Data affected	ProductReviews

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 15 Process an order

Field	Specification
Actors	Staff or admin
Preconditions	Operational login and order
Trigger	Review order and payment, then choose an allowed status transition.
Successful result	Order history records progress through fulfilment.
Exception paths	Invalid transition or unverified payment.
Data affected	Orders, Payments and OrderStatusHistory

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 16 Manage stock

Field	Specification
Actors	Staff or admin
Preconditions	Correct product and variant identified
Trigger	Inspect current inventory and apply a stock update.
Successful result	Stock and movement records reflect the adjustment.
Exception paths	Invalid quantity or missing variant.
Data affected	ProductVariants and InventoryMovements

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 17 Manage employees

Field	Specification
Actors	Admin
Preconditions	Administrator session
Trigger	Create, edit or change active status of an employee.
Successful result	Employee account information is updated.
Exception paths	Invalid or duplicate account data; unauthorised access.
Data affected	Users

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 18 Manage promotions

Field	Specification
Actors	Admin
Preconditions	Campaign requirements specified
Trigger	Create or edit a promotion, simulate, approve and change status.
Successful result	Eligible prices and customer offers follow the campaign configuration.
Exception paths	Conflicting or invalid rules and ineligible carts.
Data affected	Promotions and related campaign tables

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 19 Review reports and insights

Field	Specification
Actors	Admin
Preconditions	Reporting data available
Trigger	Open reports or product insights and choose available filters.
Successful result	Metrics and exports support operational review.
Exception paths	Empty reporting period or missing metrics.
Data affected	Orders, costs and SkuDailyBusinessMetrics

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

UC 20 Moderate reviews

Field	Specification
Actors	Admin
Preconditions	Review exists
Trigger	Inspect review and apply supported moderation action.
Successful result	Public visibility follows the moderation result.
Exception paths	Unknown review or unauthorised role.
Data affected	ProductReviews

Verification focus

Confirm the actor receives an explicit result and cannot access records outside the authorised scope. Verify persistence by reopening the relevant page where the feature stores server data.

Traceability

Customer workflows map to storefront and account pages. Operational workflows map to staff and administrator pages and their corresponding authenticated API routes.

Verification scenarios

Scenario	Expected behaviour
Guest saves a favourite and reloads	Favourite remains on the same browser.
Valid customer signs in	Own profile and orders are accessible.
Quantity exceeds stock	Order or exchange is rejected with a clear message.
Return after 14 days	Automatic decline under current rules.
Promotional change of mind	Automatic decline.
Reported wrong item within policy limits	Return authorised subject to inspection.
Request >= VND 10 million or >= 3 units	Manual review.
Refund before inspection	Completion rejected.
Exchange completed	Original stock increases; replacement stock decreases.
Duplicate return or completion	Duplicate or invalid state prevented.

This is an acceptance checklist, not a claim that all scenarios were executed for this documentation task.

Task Sheet Review 2

Project: Maison Rue | Team 1 - T3.2605.E1.FPT

Task	Owner	Dates	Review status
Architecture and data model	_____	_____	To be confirmed
Checkout flow	_____	_____	To be confirmed
Return policy and stock flow	_____	_____	To be confirmed
Customer use cases	_____	_____	To be confirmed
Staff and admin use cases	_____	_____	To be confirmed
Verification scenario review	_____	_____	To be confirmed

Reviewer comments

_____

_____


Approval

Instructor: _____ Date: _____

Review 3

Area	Routes
Public storefront	/ · /men · /women · /kids · /accessories · /search · /product/:id
Collections	/collections/fall-winter-2026-2027 /collections/heritage-cashmere /collections/riviera-linen /collections/suede-essentials
Shopping	/wishlist · /cart · /checkout · /login
Customer	/account/profile · /account/orders /account/favorites · /account/offers
Staff	/staff/login · /staff · /staff/orders /staff/inventory · /staff/returns
Administrator	/admin/login · /admin · /admin/orders /admin/employees · /admin/promotions /admin/reports · /admin/product-insights · /admin/returns
Information	/our-story · /contact · /returns /shopping-guide · /terms · /privacy · /cookies

GUI 01 Home page




Process and module description

Open /. Use the collection navigation or search to begin browsing. Account, Wishlist and Cart are available in the header.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 02 Login and registration




Process and module description

Open /login. Use Sign in for an existing customer account or Create account to register. Staff and administrators use their separate portals.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 03 Browse search and filter



Process and module description

Open Men, Women or Kids, or choose a collection. Use category tabs, Filter and Sort by. Set a price range or select colours, then open a product.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 04 Select a product variant




Process and module description

Choose a colour and size, use Find my size if needed, and select quantity. Add to bag after checking availability. The heart saves the item to Wishlist.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 05 Guest wishlist




Process and module description

Save products through heart icons. /wishlist works without login. Guest favourites persist on the same browser; signing in merges them into the account.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 06 Shopping bag




Process and module description

Review selected products, variants and quantities. Remove unwanted items or select items for checkout. Reduce quantity if the stock warning appears.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 07 Checkout




Process and module description

Enter delivery details or choose a saved address. Apply an eligible promo code. Choose COD or bank transfer and review the total before submitting an order.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 08 Order history




Process and module description

Open Account then Orders. Filter by delivery status and open Order details. A delivered item can expose Request return / refund when eligible.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 09 Profile and delivery addresses




Process and module description

Open Account then Profile. Edit profile information, add or edit delivery addresses and set a default. The address book supports three addresses in total.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 10 Customer offers




Process and module description

Open My Offers to see available assigned promotions. Use the relevant eligible code at checkout. An empty state means no offers are currently assigned.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 11 Staff dashboard




Process and module description

Sign in at /staff/login and open /staff. Review operational priorities before opening Orders, Inventory or Returns.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 12 Order operations




Process and module description

Open /staff/orders. Review order details, current payment status and allowed next status. Record payment only when the actual payment has been verified.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 13 Inventory operations




Process and module description

Open /staff/inventory. Find the relevant product and variant before changing stock. Consult inventory movement history to understand adjustments.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 14 Return handling




Process and module description

Open /staff/returns. Review the decision; receive an authorised return and enter physical inspection notes. Complete a refund or exchange only after a passed inspection.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 15 Administrator dashboard




Process and module description

Sign in at /admin/login. Use the dashboard and navigation to review sales, orders, employees, promotions, returns and reports.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 16 Employee management




Process and module description

Open /admin/employees. Create or edit staff records and manage active status. Deactivated accounts must not be used for normal operations.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 17 Promotion management




Process and module description

Open /admin/promotions. Define eligibility, scope and timing, simulate pricing where available and use the status or approval actions before distributing offers.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 18 Revenue reporting




Process and module description

Open /admin/reports. Select report filters, inspect revenue and business performance and use available export controls. Demo data is not production financial evidence.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 19 Product insights




Process and module description

Open /admin/product-insights. Review customer interest and available SKU metrics. Empty metrics can indicate that the selected period has no tracked activity.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

GUI 20 Admin return oversight



Process and module description

Open /admin/returns. Inspect request status, notes and resolution. Automatic authorisation still requires receipt and physical assessment before completion.

Interface context

Screen captured from the local Maison Rue application. Displayed demo values and record counts are illustrative and may change with operational data.

Task Sheet Review 3

Project: Maison Rue | Team 1 - T3.2605.E1.FPT

Task	Owner	Dates	Review status
Customer site map	_____	_____	To be confirmed
Staff and admin site map	_____	_____	To be confirmed
Storefront interface review	_____	_____	To be confirmed
Account and checkout review	_____	_____	To be confirmed
Operational GUI review	_____	_____	To be confirmed
Final documentation review	_____	_____	To be confirmed

Reviewer comments

_____

_____

Approval

Instructor: _____ Date: _____

Implementation boundaries and sources

Current integration limits
Address autocomplete needs configured Google services. The assistant depends on external API access. Newsletter success is currently a UI interaction. Payment and refund recording must be reconciled with actual payment operations.

Recommendation limits
Complete the Look uses explicit role, colour and material rules. Fallback selection can relax the intended category mix. Frequently bought together learning remains an enhancement.

Source map
src/App.jsx: routes and portals
src/pages: storefront, customer, staff and admin screens
src/context: cart, favourites and authentication
server/routes: API authorisation boundaries
server/services/returnPolicyService.js: automatic decisions
server/controllers/returnController.js: return lifecycle
server/config/db.js: persistence and inventory transactions
server/db: schema, migrations and seed data
scripts/dev.js and scripts/setup-project.js: setup and startup

Academic records
Instructor details, student IDs, named task ownership and actual start/end dates are left for Team 1 to complete.