

Dokumentasi Praktikum Cloud Computing: Deployment CyberPanel pada AWS EC2

Disusun Oleh: Muhammad Dava Alkhoeri

Kelas: TJKT XI-3

NIS: 12410504

Instansi: SMK Wikrama Bogor

1. Pendahuluan & Ketentuan Konfigurasi


CyberPanel adalah web hosting control panel berbasis OpenLiteSpeed yang sangat efisien dalam manajemen web server, database, DNS, dan FTP. Untuk memastikan CyberPanel berjalan dengan performa optimal dan aman di infrastruktur AWS, berikut adalah parameter standar yang digunakan:

- **Sistem Operasi (AMI):** Ubuntu 22.04 LTS (Direkomendasikan untuk stabilitas installer CyberPanel).
- **Instance Type:** Minimal t3.medium atau t2.medium (CyberPanel membutuhkan minimal 2 GB RAM agar semua service seperti LiteSpeed dan MariaDB berjalan lancar).
- **Security Group:** Membuka port administrasi CyberPanel, akses remote SSH, serta port layanan web standar (HTTP/HTTPS).

2. Panduan Langkah Kerja Konfigurasi Infrastruktur

A. Tahap Peluncuran EC2 Instance

1. Pada panel menu sebelah kiri AWS Console, *scroll* ke atas dan klik menu **Instances**.
2. Klik tombol **Launch instances** di pojok kanan atas.
3. Pada kolom **Name and tags**, berikan nama instans (contoh: EC2-CyberPanel-Dava).



Name and tags [Info](#)

Name

SRVCyberPanel

4. Di bagian **Application and OS Images (Amazon Machine Image)**, pilih opsi **Ubuntu**, lalu pastikan varian yang terpilih adalah **Ubuntu Server 22.04 LTS**.

Quick Start

Amazon Linux
aws

macOS
Mac

Ubuntu
ubuntu®

Windows
Microsoft

Red Hat
Red Hat

SUSE Linux
SUSE

Debian
debian

Browse more AMIs
Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Ubuntu Server 22.04 LTS (HVM), SSD Volume Type
ami-0c398cb65a93047f2 (64-bit (x86)) / ami-0f14ad9f1d341c53d (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

5. Pada bagian **Instance type**, ganti pilihan default menjadi minimal **t2.micro**

▼ **Instance type** [Info](#) | [Get advice](#)

Instance type

t2.micro

Family: t2 1 vCPU 1 GiB Memory Current generation: true

On-Demand Windows base pricing: 0.0162 USD per Hour

On-Demand Ubuntu Pro base pricing: 0.0134 USD per Hour

On-Demand SUSE base pricing: 0.0116 USD per Hour

On-Demand RHEL base pricing: 0.026 USD per Hour

On-Demand Linux base pricing: 0.0116 USD per Hour

[Additional costs apply for AMIs with pre-installed software](#)

6. Pada kolom **Key pair (login)**, pilih key pair yang tersedia (contoh: vockey).

Create key pair

Key pair name
Key pairs allow you to connect to your instance securely.

Key-CyberPanel

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ **RSA**
RSA encrypted private and public key pair

☐ **ED25519**
ED25519 encrypted private and public key pair

Private key file format

☐ **.pem**
For use with OpenSSH

☒ **.ppk**
For use with PuTTY

⚠ When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** [Learn more](#)

Cancel

Create key pair

7. Di bagian **Network settings**, klik tombol **Edit** di sebelah kanan:

- Di panel menu sebelah kiri, *scroll* ke bawah ke kelompok **Network & Security**, lalu klik **Security Groups**.
- Klik tombol **Create security group** di pojok kanan atas.
- Isi *Security group name* dengan nama SG-CyberPanel-Dava.
- Pada kolom **Inbound rules**, klik **Add rule**:
 - Klik Create Security group
 - Security group name: SG-CyberPanel
 - Inbound Rules: Type=All TCP > Source type=Anywhere

Firewall (security groups) | [Info](#)
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group ☐ Select existing security group

Security group name - *required*
SG-CyberPanel

This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and _-./()#,@[]+=&:~!\$*

Description - *required* | [Info](#)
launch-wizard-1 created 2025-12-04T06:41:03.093Z

Inbound Security Group Rules
▼ Security group rule 1 (TCP, 0-65535, 0.0.0.0/0) [Remove](#)

Type Info All TCP ▼	Protocol Info TCP	Port range Info 0-65535
Source type Info Anywhere ▼	Source Info 0.0.0.0/0 Add CIDR, prefix list or security group	Description - <i>optional</i> Info e.g. SSH for admin desktop

8. Di bagian **Configure storage**, ubah kapasitas penyimpanan minimal menjadi **10GiB** dengan tipe volume **gp2** untuk memberikan ruang bagi instalasi OS, database, dan file website.

▼ **Configure storage** | [Info](#)


1x GiB Root volume,

[Add new volume](#)

9. Periksa ringkasan di panel sebelah kanan, lalu klik tombol **Launch instance**.

10. Kembali ke daftar instans, tunggu hingga status instans berubah menjadi *Running*, lalu salin **Public IPv4 address** milik instans tersebut.

- **Fungsi:** Menyediakan perangkat keras virtual (komputasi, jaringan, dan penyimpanan) di cloud AWS yang akan bertindak sebagai server utama tempat CyberPanel bersandar.




3. Panduan Instalasi dan Konfigurasi CyberPanel

A. Proses Instalasi via SSH Terminal

1. Buka aplikasi terminal remote Anda (seperti PuTTY, MobaXterm, atau Terminal bawaan komputer).
2. Lakukan koneksi remote ke instans menggunakan IP Publik yang telah disalin dan key-pair (.pem) Anda. Perintah standar:

```
ssh -i "vockey.pem" ubuntu@ip-publik-ec2
```




3. Setelah berhasil masuk ke sistem Ubuntu, ubah hak akses menjadi super user (root) dengan mengetik perintah:

```
```bash
```

```
sudo su -
```

4. Jalankan perintah script installer resmi CyberPanel berikut untuk memulai proses instalasi otomatis:

```
sh <(curl https://cyberpanel.net/install.sh || wget -O - https://cyberpanel.net/install.sh)
```



5. Installer akan memuat opsi konfigurasi pada terminal. Ikuti panduan input interaktif berikut:

\* Ketik **\*\*1\*\*** lalu Enter untuk memilih opsi **\*Install CyberPanel\***.

```
CyberPanel Installer v2.4.4

1. Install CyberPanel.
2. Exit.

Please enter the number[1-2]: 1
```

\* Ketik **\*\*1\*\*** lalu Enter untuk memilih opsi **\*Install CyberPanel with OpenLiteSpeed\*** (Versi gratis dan sangat cepat).

```
1. Install CyberPanel with OpenLiteSpeed.
2. Install Cyberpanel with LiteSpeed Enterprise.
3. Exit.

Please enter the number[1-3]: 1
```

\* Ketik **\*\*Y\*\*** untuk mengonfirmasi instalasi komponen penuh.

```
Install Full service for CyberPanel? This will include PowerDNS, Postfix and Pure-FTPd.
Full installation [Y/n]: y
```

\* Untuk opsi database MySQL jarak jauh (Remote MySQL), ketik **\*\*N\*\***.

```
Full installation selected...
Do you want to setup Remote MySQL? (This will skip installation of local MySQL)
(Default = No) Remote MySQL [y/N]: n
```

\* Untuk penentuan password admin, ketik **\*\*d\*\*** jika ingin menggunakan password default admin (``1243567``), atau ketik **\*\*s\*\*** untuk memasukkan password kustom pilihan Anda sendiri.

\* Ketik **\*\*Y\*\*** atau **\*\*N\*\*** pada penawaran fitur tambahan (seperti Memcached dan Redis) sesuai kebutuhan praktikum.

```
Do you wish to install Redis process and its PHP extension?
Please select [Y/n]: y
```

6. Proses instalasi otomatis akan berjalan selama kurang lebih 10–15 menit. Tunggu hingga terminal menampilkan pesan sukses yang berisi informasi URL akses dan kredensial login.

7. Ketik **\*\*Y\*\*** jika sistem meminta persetujuan untuk melakukan **\*reboot\*** (restart) server.

```

er reboot
* If you want to kill the watchdog , run watchdog kill
Please type Yes or no (with capital Y, default Yes):
Y
[2025-12-04 07:35:29] [FUNCTION] Starting: Pre_Install_Set
[2025-12-04 07:35:29] [INFO] Setting up package repositori

```

**\*\*Fungsi:\*\*** Mengunduh, mengonfigurasi, dan menyusun seluruh dependensi software paket web server, PHP, MariaDB, FTP, dan DNS Core langsung ke dalam sistem operasi Ubuntu secara otomatis.

```

Run cyberpanel help to get FAQ info
Run cyberpanel upgrade to upgrade it to latest version.
Run cyberpanel utility to access some handy tools .

Website : https://www.cyberpanel.net
Forums : https://forums.cyberpanel.net
Wikipage : https://cyberpanel.net/KnowledgeBase/
Docs : https://cyberpanel.net/docs/

Enjoy your accelerated Internet by
CyberPanel & OpenLiteSpeed

#####
If your provider has a network-level firewall
Please make sure you have opened following port for both in/out:
TCP: 8090 for CyberPanel
TCP: 80, TCP: 443 and UDP: 443 for webserver
TCP: 21 and TCP: 40110-40210 for FTP
TCP: 25, TCP: 587, TCP: 465, TCP: 110, TCP: 143 and TCP: 993 for mail service
TCP: 53 and UDP: 53 for DNS service
Your provider seems blocked port 25 , E-mail sending may not work properly.
Would you like to restart your server now? [y/N]: y

```

---

### ### **\*\*B. Verifikasi dan Akses Dashboard Web CyberPanel\*\***


1. Buka web browser baru pada komputer Anda.
2. Ketikkan URL akses menggunakan IP Publik instans diikuti dengan port `8090`. Format:  
`https://ip-publik-ec2:8090` (Contoh:  
`[https://54.210.12.34:8090](https://54.210.12.34:8090)`).
3. Jika muncul peringatan keamanan (**\*Your connection is not private\* / SSL self-signed**), klik tombol **\*\*Advanced\*\***, lalu klik **\*\*Proceed to [IP-Address] (unsafe)\*\***.
4. Pada halaman login CyberPanel yang muncul, masukkan kredensial default:

**\*\*Username:\*\*** `admin`

**\*\*Password:\*\*** (Gunakan password default `1243567` atau password kustom yang Anda buat saat instalasi).

5. Klik **\*\*Sign In\*\***. Jika berhasil, Anda akan langsung diarahkan masuk ke halaman utama Dashboard Manajemen CyberPanel.

\* **\*\*Fungsi:\*\*** Memvalidasi bahwa seluruh komponen control panel telah aktif sepenuhnya dan siap digunakan untuk mengelola kebutuhan deployment website, pembuatan database, manajemen domain, hingga instalasi SSL.





CyberPanel

Web Hosting Panel

OVERVIEW

IP: 52.2.363.172

Uptime: 0h, 5m

Dashboard

Version Management

Design

Connect

Community

MAIN

Users

WordPress

Docker Apps

Websites

Packages

Databases

DNS

CyberPanel

Web Hosting Panel

CONNECT WITH US — WATCH TUTORIALS, JOIN DISCUSSIONS, AND GET SUPPORT.

Not secure

https://52.2.163.172:8090/base/

Looks like your websites are not secured with automatic backups. [Configure Now](#)

Secure your websites with AI-powered malware detection. [Advanced threat detection](#) · [Real-time scanning](#) · [Zero false positives](#)

Revolutionary .htaccess Support Now Live! [Full .htaccess support](#) · [PHP configuration now works](#) · [Zero false rewrites needed](#)

Start AI Security Scan

Learn More

OVERVIEW

CPU USAGE

(100%)

You've 1 Core(s) CPU.

MEMORY USAGE

(66%)

You've 957 MB Memory.

DISK USAGE

(83%)

You've 5 GB remaining out of 14 GB.

INSIGHTS

0

Users

0

Websites

0

WordPress

0

Databases

0

Emails

0

FTP Users

ACTIVITY BOARD

Recent SSH Logins

Recent SSH Logs

Top Process

Traffic

Disk IO

CPU Usage