



DOKUMENTASI LEMBAR KERJA

SUPERLAB – ASJ DEBIAN 10

Nama : Muhammad Dava Alkhoeri
NIS : 12410504
Rombel : TJKT XI-3

1. Install Server Debian 10





A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Konfigurasi
1	Guest OS	
2	Virtual Machine Name	
3	Disk Space	
4	Memory	
5	Network Adapter	
6	Username	Dava
7	Password	123
8	Partisi	Dev/sda
9	IP Address	10.3.27.0/24
10	Repository Lokal	Kartolo
11	Update Repository	

2. SSH Server

A. Hasil Konfigurasi






No	Konfigurasi	Screenshot Hasil Ujicoba
1	Update package	
2	Install SSH	
3	Edit file sshd_conf	
4	Restart service SSH	
5	Konfig IP Address Client	
6	Snapshot	

B. Hasil Ujicoba




No	Uji Coba	Screenshot Hasil Ujicoba
----	----------	--------------------------






1	Ping ke IP Server	
2	Konek SSH menggunakan Putty	
3	Login sebagai root	

3. DHCP Server



A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba
1	Snapshot	
2	Install DHCP Server	
3	Edit file dhcpd.conf	



4	Edit file default isc-dhcp-server	
5	Restart Service DHCP Server	
6	Konfig IP DHCP disisi Client	

B. Hasil Ujicoba

No	Uji Coba	Screenshot Hasil Ujicoba
1	Cek IP di Interface Host-Only	
2	Test Ping ke IP Server	

4. DNS Server

A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba
----	-------------	--------------------------



1	Snapshot	Take Snapshot... Revert to Snapshot: lk6 mail server don Snapshot Manager <table><tr><td>1</td><td>lk6 mail server don</td><td>5/7/2026 12:00:38 PM</td></tr><tr><td>2</td><td>lk5 webserver done</td><td>5/6/2026 3:41:52 PM</td></tr><tr><td>3</td><td>lk 4 smbserver done</td><td>5/6/2026 10:51:50 AM</td></tr><tr><td>4</td><td>lk 3 sftp server don</td><td>5/5/2026 2:27:38 PM</td></tr></table>	1	lk6 mail server don	5/7/2026 12:00:38 PM	2	lk5 webserver done	5/6/2026 3:41:52 PM	3	lk 4 smbserver done	5/6/2026 10:51:50 AM	4	lk 3 sftp server don	5/5/2026 2:27:38 PM
1	lk6 mail server don	5/7/2026 12:00:38 PM												
2	lk5 webserver done	5/6/2026 3:41:52 PM												
3	lk 4 smbserver done	5/6/2026 10:51:50 AM												
4	lk 3 sftp server don	5/5/2026 2:27:38 PM												
2	Install DNS Server	<pre>root@dava2:~# apt install bind9 Reading package lists... Done Building dependency tree... Done Reading state information... Done bind9 is already the newest version (1:9.16.50-1-deb11u2). The following packages were automatically installed and are no longer required: libhiredis0.14 libmcache0 libmcacheutil2 libwppe-1.0-1 libwpbackend-fdo-1.0-1 proftpd-doc Use 'apt autoremove' to remove them. 0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. root@dava2:~#</pre>												
3	Copy file Forward	<pre>root@dava2:~# ls /etc/bind bind.keys db.127 db.empty db.local named.conf named.conf.local rndc.key db.0 db.255 db.forward db.reverse named.conf.default-zones named.conf.options zones.rfc1918 root@dava2:~#</pre>												
4	Copy file Reverse	<pre>root@dava2:~# ls /etc/bind bind.keys db.127 db.empty db.local named.conf named.conf.local rndc.key db.0 db.255 db.forward db.reverse named.conf.default-zones named.conf.options zones.rfc1918 root@dava2:~#</pre>												
5	Edit file Forward (db.domain)	<pre> \$TTL 604800 @ IN SOA srvdava.net. root.srvdava.net. (; Serial 604800 ; Refresh 86400 ; Retry 2419200 ; Expire 604800) ; Negative Cache TTL ; @ IN NS srvdava.net. @ IN MX 10 mail.srvdava.net. @ IN A 10.3.27.2 www IN A 10.3.27.2 ns IN A 10.3.27.2 sftp IN A 27.27.27.1 @ IN A 27.27.27.1 www IN A 27.27.27.1 ns IN A 27.27.27.1 ; Subdomain Web Statis static1 IN A 27.27.27.1 static2 IN A 27.27.27.1 static3 IN A 27.27.27.1 ; Subdomain Web Dinamis phpmyadmin IN A 27.27.27.1 wordpress IN A 27.27.27.1 dava IN A 27.27.27.1 dynamisl IN A 27.27.27.1</pre>												
6	Edit file Reverse (db.ipaddress)	<pre>root@dava2:~# cat /etc/bind/db.reverse ; ; BIND reverse data file for local loopback interface ; \$TTL 604800 @ IN SOA srvdava.net. root.srvdava.net. (; Serial 604800 ; Refresh 86400 ; Retry 2419200 ; Expire 604800) ; Negative Cache TTL ; @ IN NS srvdava.net. 1 IN PTR srvdava.net.</pre>												



7	Edit file conf.default-zones	<pre>root@dava2:~# cat /etc/bind/named.conf.default-zones // prime the server with knowledge of the root servers zone "." { type hint; file "/usr/share/dns/root.hints"; }; // be authoritative for the localhost forward and reverse zones, and for // broadcast zones as per RFC 1912 #zone "srvdava.net" { # type master; # file "/etc/bind/db.forward"; #}; #zone "27.3.10.in-addr.arpa" { # type master; # file "/etc/bind/db.reverse"; #}; zone "0.in-addr.arpa" { type master; file "/etc/bind/db.0"; }; zone "255.in-addr.arpa" { type master; file "/etc/bind/db.255"; };</pre>
8	Edit file resolv.conf	<pre>dava2@dava2: ~ root@dava2:~# cat /etc/resolv.conf # Generated by NetworkManager search srvdava.net search static1.srvdava.net search static2.srvdava.net search dvwa.srvdava.net search dimanis1.srvdava.net search dinamis2.srvdava.net search phpmyadmin.srvdava.net search wordpress.srvdava.net nameserver 8.8.8.8 nameserver 8.8.4.4 nameserver 10.3.27.1 nameserver 27.27.27.1 root@dava2:~#</pre>
9	Restart service DNS Server	<pre>root@dava2:~# systemctl restart bind9 root@dava2:~#</pre>
10	nslookup menggunakan domain	<pre>dava2@dava2: ~ root@dava2:~# nslookup srvdava.net Server: 27.27.27.1 Address: 27.27.27.1#53 Name: srvdava.net Address: 27.27.27.1 Name: srvdava.net Address: 10.3.27.2 root@dava2:~#</pre>
11	nslookup menggunakan sub-domain	<pre>dava2@dava2: ~ root@dava2:~# nslookup dinamis1.srvdava.net Server: 27.27.27.1 Address: 27.27.27.1#53 Name: dinamis1.srvdava.net Address: 27.27.27.1 root@dava2:~#</pre>




12	nslookup menggunakan ip address	
----	---------------------------------	--

B. Hasil Uji Coba






No	Uji Coba	Screenshot Hasil Ujicoba
1	Cek IP di Interface Host-Only	
2	Test ping ke ip address di cmd	
3	Test ping ke domain di cmd	
4	Test ping ke subdomain di cmd	





5	nslookup ip address, domain dan subdomain di cmd	
---	--	--

5. FTP Server




A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba
1	Snapshot	
2	Install FTP Server	
3	Buat User Baru	
4	Set Password User Baru	
5	Edit file proftpd.conf	
6	Buat direktori ftp	



7	Ubah hak akses direktori ftp	
8	Restart service FTP Server	








B. Hasil Ujicoba

No	Uji Coba	Screenshot Hasil Ujicoba
1	Akses FTP Server (FileZilla)	
2	File text (Notepad)	
3	Upload file text ke FTP Server	Status: Starting upload of C:\Users\Dava Alkhoei\Downloads\test1-sftp.txt Status: File transfer successful, transferred 98 bytes in 1 second Status: Retrieving directory listing of "/files-itsupport-dava"... Status: Listing directory /files-itsupport-dava Status: Directory listing of "/files-itsupport-dava" successful
4	Cek isi file text di sisi Server	







6. Web Server dan Databases

- Web Statis (html dan php)

A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba
1	Snapshot	
2	Update package	
3	Install Web Server	
4	Hapus file index.html	
5	Buat file index.html baru	
6	Edit file index.html	-
7	nslookup subdomain php	
8	Buat file DocumentRoot dan log php	



9	Ubah Permission	
10	Edit file index.php	
11	Buat direktori virtualhost php	
12	Edit file php.conf	
13	Enable virtualhost php	
14	Reload dan restart web server	

B. Hasil Uji Coba



No	Uji Coba	Screenshot Hasil Ujicoba
1	Cek IP Interface Host-Only	
2	Search website domain utama	
3	Search website subdomai php	

- **WordPress**

A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba
1	Snapshoot	
2	Install Databases Server, PHP, dan Unzip	



3	nslookup subdomain wordpress	<pre>root@dava2:~# nslookup wordpress.srvdava.net Server: 27.27.27.1 Address: 27.27.27.1#53 Name: wordpress.srvdava.net Address: 27.27.27.1 root@dava2:~#</pre>
4	Buat DocumentRoot dan log wordpress	<pre>dava2@dava2: ~ X Windows PowerShell root@dava2:~# mkdir -p /var/www/utama root@dava2:~# mkdir -p /var/www/static1 root@dava2:~# mkdir -p /var/www/static2 root@dava2:~# mkdir -p /var/www/static3 root@dava2:~# mkdir -p /var/www/wordpress root@dava2:~# mkdir -p /var/www/dvwa root@dava2:~# mkdir -p /var/www/dinamis1 root@dava2:~# mkdir -p /var/www/dinamis2 root@dava2:~#</pre>
5	Pindah ke direktori DocumentRoot wordpress	<pre>Cd /var/www</pre>
6	Download installer wordpress	<pre>dava2@dava2: ~ X Windows PowerShell X Command Prompt + root@dava2:~# cd /tmp && wget https://wordpress.org/latest.tar.gz --2020-05-06 14:41:24-- https://wordpress.org/latest.tar.gz Resolving wordpress.org (wordpress.org)... 198.143.164.252, 2697:f978:5:8802::c68f:a4fc Connecting to wordpress.org (wordpress.org)[198.143.164.252]:443... connected. HTTP request sent, awaiting response... 200 OK Length: 27064862 (26M) [application/octet-stream] Saving to: 'latest.tar.gz' latest.tar.gz 0%[] 215.58K 155KB/s</pre>
7	Unzip file latest.zip	<pre>Unzip/tar xvz ...</pre>
8	Pindahkan file dari direktori wordpress	<pre>mv</pre>
9	Hapus direktori wordpress/	<pre>dava2@dava2: ~ X dava@dava: ~ X W root@dava2:~# rm wordpress/ rm: cannot remove 'wordpress/': No such file or directory root@dava2:~#</pre>
10	Ubah owner dan permission DocumentRoot wordpress	<pre>root@dava2:/var/www/dvwa# sudo chown -R www-data:www-data /var/www/ root@dava2:/var/www/dvwa# sudo chmod -R 755 /var/www/ root@dava2:/var/www/dvwa#</pre>



11	Konfigurasi installation database (mysql_secure_installation)	<pre>dava2@dava2: ~ root@dava2:~# sudo mysql -u root -p Enter password: Welcome to the MariaDB monitor. Commands end with ; or \g. Your MariaDB connection id is 31 Server version: 10.5.23-MariaDB-0+deb11u1 Debian 11 Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others. Type 'help;' or '\h' for help. Type '\c' to clear the current input statement. MariaDB [(none)]> CREATE DATABASE db_wordpress; Query OK, 1 row affected (0.004 sec) MariaDB [(none)]> CREATE DATABASE db_dvwa; Query OK, 1 row affected (0.001 sec) MariaDB [(none)]> CREATE DATABASE db_dinamis1; Query OK, 1 row affected (0.006 sec) MariaDB [(none)]> CREATE DATABASE db_dinamis2; Query OK, 1 row affected (0.002 sec) MariaDB [(none)]> CREATE USER 'dava'@'localhost' IDENTIFIED BY 'cabin'; Query OK, 0 rows affected (0.005 sec) MariaDB [(none)]> GRANT ALL PRIVILEGES ON *.* TO 'dava'@'localhost'; Query OK, 0 rows affected (0.007 sec) MariaDB [(none)]> FLUSH PRIVILEGES; Query OK, 0 rows affected (0.002 sec) MariaDB [(none)]> </pre>
12	Buat database dan user untuk wordpress	<pre>dava2@dava2: ~ root@dava2:~# sudo mysql -u root -p Enter password: Welcome to the MariaDB monitor. Commands end with ; or \g. Your MariaDB connection id is 31 Server version: 10.5.23-MariaDB-0+deb11u1 Debian 11 Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others. Type 'help;' or '\h' for help. Type '\c' to clear the current input statement. MariaDB [(none)]> CREATE DATABASE db_wordpress; Query OK, 1 row affected (0.004 sec) MariaDB [(none)]> CREATE DATABASE db_dvwa; Query OK, 1 row affected (0.001 sec) MariaDB [(none)]> CREATE DATABASE db_dinamis1; Query OK, 1 row affected (0.006 sec) MariaDB [(none)]> CREATE DATABASE db_dinamis2; Query OK, 1 row affected (0.002 sec) MariaDB [(none)]> CREATE USER 'dava'@'localhost' IDENTIFIED BY 'cabin'; Query OK, 0 rows affected (0.005 sec) MariaDB [(none)]> GRANT ALL PRIVILEGES ON *.* TO 'dava'@'localhost'; Query OK, 0 rows affected (0.007 sec) MariaDB [(none)]> FLUSH PRIVILEGES; Query OK, 0 rows affected (0.002 sec) MariaDB [(none)]> </pre>
13	Buat direktori virtualhost wordpress	<pre>root@dava2:/etc/apache2/sites-available# ls 000-default.conf default-ssl.conf web-crud.conf root@dava2:/etc/apache2/sites-available# </pre>
14	Edit file wordpress.conf	<pre>GNU nano 5.4 /etc/apache2/sites-available/web-crud.conf * # Web Utama <VirtualHost *:80> ServerName www.namadomain.net DocumentRoot /var/www/utama </VirtualHost> # Subdomain Statis <VirtualHost *:80> ServerName static1.namadomain.net DocumentRoot /var/www/static1 </VirtualHost> <VirtualHost *:80> ServerName static2.namadomain.net DocumentRoot /var/www/static2 </VirtualHost> # Subdomain Dinamis (Contoh WordPress) <VirtualHost *:80> ServerName wordpress.namadomain.net DocumentRoot /var/www/wordpress </VirtualHost> # Tambahkan blok serupa untuk phpmyadmin, dvwa, dinamis1, dan dinamis2</pre>






15	Enable virtualhost wordpress.conf	<pre>root@dava2:/etc/apache2/sites-available# sudo a2ensite web-crud.conf Site web-crud already enabled root@dava2:/etc/apache2/sites-available# </pre>
16	Reload dan restart web server	<pre>root@dava2:/etc/apache2/sites-available# systemctl reload apache2 root@dava2:/etc/apache2/sites-available# </pre>

B. Hasil Uji Coba


No	Uji Coba	Screenshot Hasil Ujicoba
1	Akses website subdomain wordpress	
2	Isi informasi databases connection	Udah login
3	Edit file wp-config.php	
4	Isi halaman informasi website	



5	Login wp-admin	
6	Tampilan dashboard wp-admin	
7	Tampilan website wordpress	

- phpMyAdmin





A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba												
1	Snapshot	 Take Snapshot... Revert to Snapshot: lk6 mail server don Snapshot Manager <table><tr><td>1</td><td>lk6 mail server don</td><td>5/7/2026 12:00:38 PM</td></tr><tr><td>2</td><td>lk5 webserver done</td><td>5/6/2026 3:41:52 PM</td></tr><tr><td>3</td><td>lk 4 smbd server don</td><td>5/6/2026 10:51:50 AM</td></tr><tr><td>4</td><td>lk 3 sftp server don</td><td>5/5/2026 2:27:38 PM</td></tr></table>	1	lk6 mail server don	5/7/2026 12:00:38 PM	2	lk5 webserver done	5/6/2026 3:41:52 PM	3	lk 4 smbd server don	5/6/2026 10:51:50 AM	4	lk 3 sftp server don	5/5/2026 2:27:38 PM
1	lk6 mail server don	5/7/2026 12:00:38 PM												
2	lk5 webserver done	5/6/2026 3:41:52 PM												
3	lk 4 smbd server don	5/6/2026 10:51:50 AM												
4	lk 3 sftp server don	5/5/2026 2:27:38 PM												



2	Install dependency php	<pre>root@dava2:~# sudo apt install -y php php-mbstring php-zip php-gd php-json php-curl php-xsl Reading package lists... Done Building dependency tree... Done Reading state information... Done php is already the newest version (2:7.4+76). php-curl is already the newest version (2:7.4+76). php-gd is already the newest version (2:7.4+76). php-mbstring is already the newest version (2:7.4+76). php-zip is already the newest version (2:7.4+76). The following packages were automatically installed and are no longer required: libhiredis0.14 libmccached1 libmccachedutil2 libpe-1.0-1 libpebackend-fdo-1.0-1 proftpd-doc Use 'sudo apt autoremove' to remove them. The following NEW packages will be installed: php-json 0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded. Need to get 6,364 B of archives. After this operation, 13.3 kB of additional disk space will be used. Get:1 http://kartolo.sby.datautama.net.id/debian bullseye/main amd64 php-json all 2:7.4+76 [6,364 B] Fetched 6,364 B in 0s (69.4 kB/s) Selecting previously unselected package php-json. (Reading database ... 85%</pre>
3	Install mariadb-client	<pre>root@dava2:~# apt install mariadb-client Reading package lists... Done Building dependency tree... Done Reading state information... Done mariadb-client is already the newest version (1:10.5.23-0+deb11u1). The following packages were automatically installed and are no longer required: libhiredis0.14 libmccached1 libmccachedutil2 libpe-1.0-1 libpebackend-fdo-1.0-1 proftpd-doc Use 'apt autoremove' to remove them. 0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. root@dava2:~#</pre>
4	Install gnupg	<pre>root@dava2:~# apt install gnupg Reading package lists... Done Building dependency tree... Done Reading state information... Done gnupg is already the newest version (2.2.27-2+deb11u2). gnupg set to manually installed. The following packages were automatically installed and are no longer required: libhiredis0.14 libmccached1 libmccachedutil2 libpe-1.0-1 libpebackend-fdo-1.0-1 proftpd-doc Use 'apt autoremove' to remove them. 0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. root@dava2:~#</pre>
5	Buat DocumentRoot dan log phpmyadmin	<pre>root@dava2:/etc/apache2/sites-available# ls 000-default.conf default-ssl.conf web-crud.conf</pre>
6	Pindah ke DocumentRoot phpmyadmin	<pre><VirtualHost *:80> ServerName phpmyadmin.srvdava.net DocumentRoot /usr/share/phpmyadmin </VirtualHost></pre>
7	Download Installer phpMyAdmin	- (udah)
8	Download digital signature file installer phpMyAdmin	- (done)
9	Cek installer dan digital signature	<pre>\$cfg['blowfish_secret'] = '8yB#z9L!kP2@vR5*mX86qN1^jT4\$wS7%aZ0='; /* YOU MUST FILL IN TH</pre>
10	Import keyring phpMyAdmin	- (don)
11	Unpack file installer phpMyAdmin	- (excellent)
12	Buat direktori virtualhost phpmyadmin	<pre>root@dava2:/etc/apache2/sites-available# ls 000-default.conf default-ssl.conf web-crud.conf</pre>
13	Edit file phpmyadmin.conf	<pre>root@dava2:/var/www/phpmyadmin# sudo cp config.sample.inc.php config.inc.php root@dava2:/var/www/phpmyadmin#</pre>
14	Enable virtualhost phpmyadmin.conf	<pre>root@dava2:/var/www/phpmyadmin# sudo a2ensite web-crud.conf Site web-crud already enabled root@dava2:/var/www/phpmyadmin#</pre>











16	Reload dan restart web server	<pre>root@dava2:/var/www/phpmyadmin# systemctl reload apache2 root@dava2:/var/www/phpmyadmin#</pre>
17	Konfig CRUD – Silahkan di lanjut sendiri !!!	
18	Buat database crud	
19	Buat table crud	
20	Konfigurasi table	
21	Edit file index.php	


B. Uji Coba

No	Uji Coba	Screenshot Hasil Ujicoba
----	----------	--------------------------



1	Cek IP Address interface Host-Only	
2	Search website subdomain phpmyadmin	
3	Login menggunakan user root	
4	Screenshoot tampilan Dashboard phpmyadmin	





5	Screenshoot tampilan website CRUD	
6	Buat / tambah data melalui Web CRUD	
7	Update data melalui Web CRUD	
8	Hapus data melalui Web CRUD	





7. Mail Server

A. Hasil Konfigurasi

No	Konfigurasi	Screenshot Hasil Ujicoba												
1	Snapshot	 Take Snapshot... Revert to Snapshot: lk6 mail server don Snapshot Manager <table><tr><td>1</td><td>lk6 mail server don</td><td>5/7/2026 12:00:38 PM</td></tr><tr><td>2</td><td>lk5 webserver done</td><td>5/6/2026 3:41:52 PM</td></tr><tr><td>3</td><td>lk 4 smbd server don</td><td>5/6/2026 10:51:50 AM</td></tr><tr><td>4</td><td>lk 3 sftp server don</td><td>5/5/2026 2:27:38 PM</td></tr></table>	1	lk6 mail server don	5/7/2026 12:00:38 PM	2	lk5 webserver done	5/6/2026 3:41:52 PM	3	lk 4 smbd server don	5/6/2026 10:51:50 AM	4	lk 3 sftp server don	5/5/2026 2:27:38 PM
1	lk6 mail server don	5/7/2026 12:00:38 PM												
2	lk5 webserver done	5/6/2026 3:41:52 PM												
3	lk 4 smbd server don	5/6/2026 10:51:50 AM												
4	lk 3 sftp server don	5/5/2026 2:27:38 PM												
2	Install postfix dan dovecot	 <pre>dava2@dava2: ~ ot@dava2:~# sudo apt install postfix dovecot-imapd dovecot-pop3d ading package lists... Done ilding dependency tree... Done ading state information... Done e following packages were automatically installed and are no longer req libhiredis0.14 libmemcached11 libmemcachedutil2 libwpe-1.0-1 libwpebackend-fdo-1.0-1 proftpd-doc e 'sudo apt autoremove' to remove them. e following additional packages will be installed: dovecot-core ggested packages: dovecot-gssapi dovecot-ldap dovecot-lmtpd dovecot-lucene dovecot-managesieved dovecot-mysql dovecot-pgsql dovecot-sieve dovecot- dovecot-sqlite dovecot-submission ntp ufw procmail postfix-mysql postfix-pgsql postfix-ldap postfix-pcre postfix-lmdb postfix-sqlite resolvconf postfix-cdb postfix-doc e following NEW packages will be installed: dovecot-core dovecot-imapd dovecot-pop3d postfix upgraded, 4 newly installed, 0 to remove and 0 not upgraded. ed to get 8,499 kB of archives. ter this operation, 19.0 MB of additional disk space will be used. you want to continue? [Y/n] S</pre>												
3	Dpkg reconfigure postfix	 Package configuration Postfix Configuration Please specify the network blocks for which this host should relay mail. The default is just the local host, which is needed by some mail user agents. The default includes local host for both IPv4 and IPv6. If just connecting via one IP version, the unused value(s) may be removed. If this host is a smarthost for a block of machines, you need to specify the netblocks here, or mail will be rejected rather than relayed. To use the postfix default (which is based on the connected subnets), leave this blank. Local networks: 10.3.27.0/29 27.27.27.0/24 192.168.27.0/24 0.0.0.0/24 <Ok> <Cancel>												
4	Edit file main.cf	 <pre>inet_interfaces = all inet_protocols = all home_mailbox = Maildir/</pre>												
5	Edit file dovecot.conf	 <pre># A comma separated list of IP # "*" listens in all IPv4 inte # If you want to specify non-d # edit conf.d/master.conf. listen = *</pre>												







6	Edit file 10-auth.conf	<pre># matches the local IP (ie. you- # connection is considered secure # See also ssl=required setting. disable_plaintext_auth = no</pre>
7	Edit file 10-mail.conf	<pre># See doc/wiki/Variables.txt for full list. Some examples: mail_location = maildir:~/Maildir # mail_location = mbox:~/mail:INBOX=/var/mail/%u # mail_location = mbox:/var/mail/%d/%n/%n:INDEX=/var/indexes/</pre>
8	Maildirmake dovecot	<pre>dava2@dava2: ~ root@dava2:~# sudo adduser dava27a Adding user `dava27a' ... Adding new group `dava27a' (1005) ... Adding new user `dava27a' (1007) with group `dava27a' ... Creating home directory `/home/dava27a' ... Copying files from `/etc/skel' ... New password: Retype new password: passwd: password updated successfully Changing the user information for dava27a Enter the new value, or press ENTER for the default Full Name []: dava27a Room Number []: Work Phone []: Home Phone []: Other []: Is the information correct? [Y/n] y root@dava2:~# sudo adduser dava27b Adding user `dava27b' ... Adding new group `dava27b' (1006) ... Adding new user `dava27b' (1008) with group `dava27b' ... Creating home directory `/home/dava27b' ... Copying files from `/etc/skel' ... New password:</pre>
9	Restart service postfix dan dovecot	
10	Buat user1	<pre>dava2@dava2: ~ root@dava2:~# sudo adduser dava27a Adding user `dava27a' ... Adding new group `dava27a' (1005) ... Adding new user `dava27a' (1007) with group `dava27a' ... Creating home directory `/home/dava27a' ... Copying files from `/etc/skel' ... New password: Retype new password: passwd: password updated successfully Changing the user information for dava27a Enter the new value, or press ENTER for the default Full Name []: dava27a Room Number []: Work Phone []: Home Phone []: Other []: Is the information correct? [Y/n] y root@dava2:~# sudo adduser dava27b Adding user `dava27b' ... Adding new group `dava27b' (1006) ... Adding new user `dava27b' (1008) with group `dava27b' ... Creating home directory `/home/dava27b' ... Copying files from `/etc/skel' ... New password:</pre>
11	Buat user2	<pre>dava2@dava2: ~ root@dava2:~# sudo adduser dava27a Adding user `dava27a' ... Adding new group `dava27a' (1005) ... Adding new user `dava27a' (1007) with group `dava27a' ... Creating home directory `/home/dava27a' ... Copying files from `/etc/skel' ... New password: Retype new password: passwd: password updated successfully Changing the user information for dava27a Enter the new value, or press ENTER for the default Full Name []: dava27a Room Number []: Work Phone []: Home Phone []: Other []: Is the information correct? [Y/n] y root@dava2:~# sudo adduser dava27b Adding user `dava27b' ... Adding new group `dava27b' (1006) ... Adding new user `dava27b' (1008) with group `dava27b' ... Creating home directory `/home/dava27b' ... Copying files from `/etc/skel' ... New password:</pre>




12	Install roundcube	<pre>dava2@dava2: ~ root@dava2:~# apt install mariadb-server roundcube Reading package lists... Done Building dependency tree... Done Reading state information... Done mariadb-server is already the newest version (1:10.5.23-0+deb11u1). The following packages were automatically installed and are no longer required: libhiredis0.14 libmemcached11 libmemcachedutil2 libwpe-1.0-1 libwpebackend-fdo-1.0-1 proftpd-doc Use 'apt autoremove' to remove them. The following additional packages will be installed: fonts-glyphicons-halflings libjs-bootstrap libjs-jquery-minicolors libjs-jstimezonedetect php-auth-sasl php-intl php-mail-mime php-masterminds-html5 php-net-sieve php-net-smtp php-net-socket php-pear php-pspell php7.4-intl php7.4-pspell roundcube-core roundcube-mysql Suggested packages: roundcube-plugins php-net-ldap3 php-crypt-gpg php-mkopinsky-zxcvbn-php The following NEW packages will be installed: fonts-glyphicons-halflings libjs-bootstrap libjs-jquery-minicolors libjs-jstimezonedetect php-auth-sasl php-intl php-mail-mime php-masterminds-html5 php-net-sieve php-net-smtp php-net-socket php-pear php-pspell php7.4-intl php7.4-pspell roundcube roundcube-core roundcube-mysql 0 upgraded, 18 newly installed, 0 to remove and 0 not upgraded. Need to get 5,456 kB of archives.</pre>
13	Dpkg roundcube-core	<pre>dava2@dava2: ~ Package configuration Configuring roundcube-core RoundCube supports any web server supported by PHP, however only Apache 2 and lighttpd can be configured automatically. Please select the web server(s) that should be configured automatically for RoundCube. Web server(s) to configure automatically: [+] apache2 [] lighttpd <Ok> <Cancel></pre>
14	Buat direktori virtualhost mail	<pre>root@dava2:/etc/apache2/sites-available# ls 000-default.conf default-ssl.conf web-crud.conf root@dava2:/etc/apache2/sites-available# </pre>
16	Edit file mail.conf	<pre># MAIL SERVER <VirtualHost *:80> ServerName mail.srvdava.net DocumentRoot /usr/share/roundcube <Directory /usr/share/roundcube> Options +FollowSymLinks AllowOverride All Require all granted </Directory> </VirtualHost> root@dava2:/etc/apache2/sites-available# </pre>
17	Enable virtualhost mail.conf	<pre>root@dava2:/etc/apache2/sites-available# sudo a2ensite web-crud.conf Site web-crud already enabled root@dava2:/etc/apache2/sites-available# </pre>
18	Reload dan restart apache2	<pre>root@dava2:/etc/apache2/sites-available# systemctl restart apache2 root@dava2:/etc/apache2/sites-available# </pre>



B. Uji Coba

No	Uji Coba	Screenshot Hasil Ujicoba
1	Search website subdomain mail	
2	Login menggunakan user 1	
3	User 1 mengirim email untuk user 2	
4	Login menggunakan user 2	



5	Cek email dari user 1 di Inbox	
---	--------------------------------	--