

OpenAPI definition v0 OAS 3.1

/api/v3/api-docs

Servers

http://localhost:8088/api - Generated server url

Authorize



report-collection-controller



PUT

/report-collections/my/{collectionId}/reports/{reportId} Update report (RepLocker Admin)



Parameters

Try it out

Name

Description

collectionId * required

string(\$uuid)

(path)

collectionId

reportId * required

string(\$uuid)

(path)

reportId

Request body

multipart/form-data



request * required

object

file

string(\$binary)

Responses

Code

Description

Links

200

OK

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

Code	Description	Links
	<pre>{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "name": "string", "filePath": "string", "sizeBytes": 9007199254740991, "type": "CSV", "createdDate": "2025-04-05T17:32:28.261Z", "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6" }</pre>	

POST

/report-collections/public/{collectionId}/request-access

Submit access request for locked collection



Parameters

Try it out

Name	Description
collectionId ★ required string(\$uuid) (path)	collectionId

Request body required

application/json ▾

Example Value | Schema

```
{
  "name": "string",
  "email": "string",
  "message": "string",
  "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json ▾

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "email": "string",
  "message": "string",
  "status": "PENDING",
  "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "adminComment": "string",
  "createdDate": "2025-04-05T17:32:28.228Z"
}
```

POST

/report-collections/my/{collectionId}/reports/upload-report

Upload report to collection (RepLocker Admin)



Parameters

Try it out

Name

Description

collectionId * required
string(\$uuid)
(path)

collectionId

Request body

multipart/form-data

name * required
string

file * required
string(\$binary)

reportCollectionId * required
string(\$uuid)

Responses

Code

Description

Links

200

OK

No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "filePath": "string",
  "sizeBytes": 9007199254740991,
  "type": "CSV",
  "createdDate": "2025-04-05T17:32:28.229Z",
  "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
}
```

POST

/report-collections/my/create Create new report collection as RepLocker admin



Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "name": "string",
  "description": "string",
  "isLocked": true,
  "isPublished": true
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "description": "string",
  "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "reportIds": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "createdAt": "2025-04-05T17:32:28.230Z",
  "locked": true,
  "published": true
}
```

PATCH

/report-collections/my/{collectionId}/edit

Update report collection metadata

Parameters

Try it out

Name	Description
collectionId * required string(\$uuid) (path)	collectionId

Request body required

application/json

Example Value | Schema

```
{
  "name": "string",
  "description": "string",
  "isLocked": true,
  "isPublished": true
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

Code	Description	Links
	<pre>{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "name": "string", "description": "string", "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "reportIds": ["3fa85f64-5717-4562-b3fc-2c963f66afa6"], "createdDate": "2025-04-05T17:32:28.231Z", "locked": true, "published": true }</pre>	

GET

/report-collections/public

List report collections (public)



Parameters

Try it out

Name	Description
page	Default value : 0
integer(\$int32) (query)	0
size	Default value : 10
integer(\$int32) (query)	10

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

```
{
  "content": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "string",
      "description": "string",
      "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "reportIds": [
        "3fa85f64-5717-4562-b3fc-2c963f66afa6"
      ],
      "createdDate": "2025-04-05T17:32:28.232Z",
      "locked": true,
      "published": true
    }
  ],
  "number": 1073741824,
  "size": 1073741824,
  "totalElements": 9007199254740991,
  "totalPages": 1073741824,
  "first": true,
  "last": true
}
```

GET

/report-collections/public/{collectionId}

Get report collection details (public)



Parameters

Name

Description

collectionId * required

string(\$uuid)
(path)

collectionId

accessToken

string
(header)

accessToken

Responses

Code

Description

Links

200

OK

No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "description": "string",
  "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "reportIds": [
    "3fa85f64-5717-4562-b3fc-2c963f66afa6"
  ],
  "createdDate": "2025-04-05T17:32:28.234Z",
  "locked": true,
  "published": true
}
```

GET

/report-collections/public/{collectionId}/reports Get reports in collection



Parameters

Try it out

Name

Description

collectionId * required

string(\$uuid)
(path)

collectionId

page

integer(\$int32)
(query)

Default value : 0

0

size

integer(\$int32)
(query)

Default value : 10

10

accessToken

string
(header)

accessToken

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "content": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "string",
      "filePath": "string",
      "sizeBytes": 9007199254740991,
      "type": "CSV",
      "createdDate": "2025-04-05T17:32:28.235Z",
      "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
    }
  ],
  "number": 1073741824,
  "size": 1073741824,
  "totalElements": 9007199254740991,
  "totalPages": 1073741824,
  "first": true,
  "last": true
}
```

GET

/report-collections/public/{collectionId}/reports/{reportId}/download

Download report file

🔒 ⤴

Parameters

Try it out

Name	Description
collectionId * required string(\$uuid) (path)	collectionId
reportId * required string(\$uuid) (path)	reportId
accessToken string (header)	accessToken

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

Code	Description	Links

GET

/report-collections/my

List report collections by RepLocker admin

🔒 ⤴

Parameters

Try it out

Name	Description
page	Default value : 0
integer(\$int32) (query)	0
size	Default value : 10
integer(\$int32) (query)	10

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "content": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "string",
      "description": "string",
      "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "reportIds": [
        "3fa85f64-5717-4562-b3fc-2c963f66afa6"
      ],
      "createdDate": "2025-04-05T17:32:28.237Z",
      "locked": true,
      "published": true
    }
  ],
  "number": 1073741824,
  "size": 1073741824,
  "totalElements": 9007199254740991,
  "totalPages": 1073741824,
  "first": true,
  "last": true
}
```

GET

/report-collections/my/{collectionId}

Get collection details for RepLocker admin

🔒 ⤴

Parameters

Try it out

Name	Description
collectionId * required	
string(\$uuid)	collectionId

Name	Description
(path)	

Responses

Code	Description	Links
200	OK Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "name": "string", "description": "string", "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "reportIds": ["3fa85f64-5717-4562-b3fc-2c963f66afa6"], "createdDate": "2025-04-05T17:32:28.238Z", "locked": true, "published": true }</pre>	No links

GET /report-collections/my/{collectionId}/reports Get reports in collection

Parameters

Try it out

Name	Description
collectionId * required string(\$uuid) (path)	collectionId
page integer(\$int32) (query)	Default value : 0 0
size integer(\$int32) (query)	Default value : 10 10

Responses

Code	Description	Links
200	OK Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "content": [{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "name": "string", "filePath": "string", "sizeBytes": 9007199254740991, "type": "CSV", "createdAt": "2025-04-05T17:32:28.239Z", "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6" }], "number": 1073741824, "size": 1073741824, "totalElements": 9007199254740991, "totalPages": 1073741824, "first": true, "last": true }</pre>	

GET /report-collections/my/{collectionId}/access-tokens List access tokens for locked report collection

 

Parameters

Try it out

Name	Description
collectionId ★ required string(\$uuid) (path)	collectionId
page integer(\$int32) (query)	Default value : 0 0
size integer(\$int32) (query)	Default value : 10 10

Responses		
Code	Description	Links
200	OK Media type application/json Controls Accept header. Example Value Schema <pre>{ "content": [{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "tokenValue": "string", "expiresAt": "2025-04-05T17:32:28.241Z", "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "accessRequestId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "active": true }], "number": 1073741824, "size": 1073741824, "totalElements": 9007199254740991, "totalPages": 1073741824, "first": true, "last": true }</pre>	No links

Code	Description	Links
	<pre>"last": true }</pre>	

GET

/report-collections/my/{collectionId}/access-requests

List access request for locked report collection

Parameters

Try it out

Name	Description
collectionId * required string(\$uuid) (path)	collectionId
page integer(\$int32) (query)	Default value : 0 0
size integer(\$int32) (query)	Default value : 10 10

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

▼

Controls Accept header.

Example Value | Schema

```
{
  "content": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "string",
      "email": "string",
      "message": "string",
      "status": "PENDING",
      "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "adminComment": "string",
      "createdDate": "2025-04-05T17:32:28.242Z"
    }
  ],
  "number": 1073741824,
  "size": 1073741824,
  "totalElements": 9007199254740991,
  "totalPages": 1073741824,
  "first": true,
  "last": true
}
```

DELETE

/report-collections/my/{collectionId}/reports/{reportId}/delete

Delete report (RepLocker Admin)

Parameters

Try it out

Name

Description

collectionId * required

string(\$uuid)
(path)

collectionId

reportId * required

string(\$uuid)
(path)

reportId

Responses

Code

Description

Links

200

OK

No links

DELETE

/report-collections/my/{collectionId}/delete Delete report collection cascade



Parameters

Try it out

Name

Description

collectionId * required

string(\$uuid)
(path)

collectionId

Responses

Code

Description

Links

200

OK

No links

DELETE

/report-collections/my/{collectionId}/access-tokens/{tokenId}/revoke
Revoke access token (RepLocker Admin)



Parameters

Try it out

Name

Description

collectionId * required

string(\$uuid)
(path)

collectionId

tokenId * required

string(\$uuid)
(path)

tokenId

Responses

Code	Description	Links
200	OK	No links

admin-controller



GET

/admins/me/allowed-domain List allowed domains



Parameters

Try it out

Name	Description
------	-------------

page *Default value : 0*

integer(int32)
(query)

size *Default value : 10*

integer(int32)
(query)

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "content": [
    {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "domainName": "string",
      "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "createdDate": "2025-04-05T17:32:28.245Z"
    }
  ],
  "number": 1073741824,
  "size": 1073741824,
  "totalElements": 9007199254740991,
  "totalPages": 1073741824,
  "first": true,
  "last": true
}
```

POST

/admins/me/allowed-domain Add allowed domain



Parameters

Try it out

No parameters

Request body **required**

application/json

```
{
  "domainName": "4.B.P.8.c.HbutMV9NIMxvdUTdxz3AR.IGaF.eMWXxyzj0hNmjnousDFye3zMA1F15.YuYjKNvU-2509Y12H9KEdQhnS6i.zNqH6KLE
hcvf5f0C3csjYQ28z5MJ8eVXqREhTKXyBnt.z.kR.l0sblA0Wtec4qNXrBs5QU3.UlrHrnc6eAEYVeMUw.a.RcasbIXfDy8v1s.9dQfn03GXtLnopktxew50
qaTg.x1KSX2VJrdjEoYlXuy0IFY-xN3ijMdH43KX2jUNZYR.n.G10ZZ8bJFDjAYI2ZPrBgotZihIBLLuj6-iHZUXz6zJDfPVveZQIaBfB5jE.1PQM5IRkzqm
czPaXvn0n6Vydh7oqi.F.hNaZdmbzxeTEQF8LMxjhKtXglLrZYLZG.F.ASckup5odAXAdipLr7YG8j2vBVRXENH76kqctebMugsJgLKW.g.Db0K0Infn.p.e
DCv3jTpUzv.d.H.j.C.r.D.7.sM1P4KFVj60ui19RA0uaoLQJZ9HXW69BjQxzaJynX-ghzhW7CDJ.iYG4h39Zo5ZWoKnKDSHhC4sBRyXapGS0U5NRjVdsQ.
p.o.0.B.3.uEV9.8RZ-06PvXJ0to1q2s0QZVtm3n2NDevaLYMoZJbqXjRpCvn56C0YxyAdh92M.k.s.LVkyx-bcH3jC5Ss78mfCrX9EetF8cFM02t5W4dpVh
93sPMeIjmhZX7TXGLEug.ZsjxedzPURRWNSWvCsSFzuztKfCa4ir1EzV.p.2p7NDzAlDMokTiH46Ans1R-tcpJIwdK4cwmUgls9XFF.x.oBTLBCPc0jr7yOy
SdQzra0AV0.byOJxr-fMpDKCU6NmAZ5XjrSlr0MIe19UJtztzL7w2N8CLC05080o.Lj.iuzcDU1F0P.G3RbgJT3ZaRtvfZ51gJVGyZrwIA1wJoTx1talq0ai3
MhLhtN.uqcY6gcnGp4jYhaacT2IrIb43qH7Y2srK1sQ6VbnTypG6.E.7.nsA5cFXDf1Ig9hJpMPvXSyRKcNMtd-qwdbbJAQ53TtwID-hWDQnn.BBkL.2.dpr
9Ta0Q0QLMts1QupBtUs7lhvctKbWOf96tuIqLLRiCo.iQMghZ4Bhft64jIUDNKixH4ivwXZ-4w0uIzSOXDtW.P.G.MYAMrb1ZCc6P1iT38hXgy1rWr5K2hwK
4-Sho2nxmZPHbYDehmnJihqHal.64uJ0amWtAtM4dZ7jVG7-BVT1IkI0NYC.2u9j-xA1h0sDo0N1YEn.L0zC4.R2pnzYBM-1.ijlCE0ConTYZ2oezt11QN0o
Qel.ZV2SyotkwRZJ524YQ4dZoby1AfYPGN7Pqk-tyzywgG0uEcD2v31pELat4Vj.OVIId0moqCRwfXmc2b7Utq0kyNqPwaE2bIN-8b4xHmPYhyue-XV0RZD.
M.1.6.h.iR2lefAtdFhUB0R"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "domainName": "string",
  "adminId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "createdDate": "2025-04-05T17:32:28.249Z"
}
```

GET

/admins/my/audit-logs Get audit logs



Parameters

Try it out

Name	Description
entityName string (query)	entityName
page integer(\$int32) (query)	Default value : 0 0
size integer(\$int32) (query)	Default value : 50 50

Responses

Code	Description	Links
200	OK	No links
Media type application/json Controls Accept header. Example Value Schema <pre>{ "content": [{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "actionType": "CREATE", "entityName": "string", "entityId": "string", "performedBy": "string", "createdDate": "2025-04-05T17:32:28.252Z", "details": "string" }], "number": 1073741824, "size": 1073741824, "totalElements": 9007199254740991, "totalPages": 1073741824, "first": true, "last": true }</pre>		

GET

/admins/me

Get current admin profile



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "username": "string", "createdDate": "2025-04-05T17:32:28.253Z", "lastModifiedDate": "2025-04-05T17:32:28.253Z", "reportCollectionIds": ["3fa85f64-5717-4562-b3fc-2c963f66afa6"], "allowedDomains": ["string"]}</pre>	No links

GET	/admins/me/notification	Filter notifications		
Parameters				Try it out

Name	Description
startDate	
string(\$date-time)	startDate
(query)	
endDate	
string(\$date-time)	endDate
(query)	
page	Default value : 0
integer(\$int32)	0
(query)	
size	Default value : 10
integer(\$int32)	10
(query)	

Responses

Code	Description	Links
200	OK	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "content": [{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "message": "string", "createdDate": "2025-04-05T17:32:28.255Z", "accessRequestId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "reportCollectionName": "string", "read": true }], "number": 1073741824, "size": 1073741824, "totalElements": 9007199254740991, "totalPages": 1073741824, "first": true, "last": true }</pre>		

GET /admins/me/notification/unread Get unread notifications

Parameters

Try it out

Name	Description
page	Default value : 0
integer(\$int32)	0
(query)	

Name	Description
size	Default value : 10
integer(\$int32) (query)	10

Responses		
Code	Description	Links
200	OK	No links
Media type		
application/json		
Controls Accept header.		
Example Value Schema		
<pre>{ "content": [{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "message": "string", "createdAt": "2025-04-05T17:32:28.256Z", "accessRequestId": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "reportCollectionName": "string", "read": true }], "number": 1073741824, "size": 1073741824, "totalElements": 9007199254740991, "totalPages": 1073741824, "first": true, "last": true }</pre>		

DELETE

/admins/me/allowed-domain/{id} Delete allowed domain



Parameters

Try it out

Name	Description
id * required string(\$uuid) (path)	id

Responses

Code	Description	Links
200	OK	No links

access-request-controller

GET /access-requests/{requestId} Get access request details		
---	--	--

Parameters

Try it out

Name

Description

requestId * required

string(\$uuid)
(path)

requestId

Responses

Code

Description

Links

200

OK

No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "name": "string",
  "email": "string",
  "message": "string",
  "status": "PENDING",
  "reportCollectionId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "adminComment": "string",
  "createdDate": "2025-04-05T17:32:28.257Z"
}
```

PATCH

/access-requests/{requestId} Process access request



Parameters

Try it out

Name

Description

requestId * required

string(\$uuid)
(path)

requestId

Request body required

application/json

Example Value | Schema

```
{
  "status": "PENDING",
  "adminComment": "string"
}
```

Responses


```
reportCollectionId string uuid
adminComment string
createdDate string date-time
```

ReportCollectionRequest ^ Collapse all object

```
name* string [0, 255] characters
description string
isLocked* boolean
isPublished* boolean
```

ReportCollectionResponse ^ Collapse all object

```
id string uuid
name string
description string
adminId string uuid
reportIds ^ Collapse all array<string>
  Items string uuid
createdDate string date-time
locked boolean
published boolean
```

AllowedDomainRequest ^ Collapse all object

```
domainName* string matches ^[a-zA-Z0-9_](?:[a-zA-Z0-9-]{0,61}[a-zA-Z0-9])?(?:\.[a-zA-Z0-9](?:[a-zA-Z0-9-]{0,61}[a-zA-Z0-9])?)+$
```

AllowedDomainResponse ^ Collapse all object

```
id string uuid
domainName string
adminId string uuid
createdDate string date-time
```

AccessRequestUpdateDTO ^ Collapse all object

```
status ^ Collapse all string
  Allowed values "PENDING" "ACCEPTED" "REJECTED"
adminComment string
```

PageResponseReportCollectionResponse ^ Collapse all object

```
content ^ Collapse all array<object>
  Items ^ Collapse all object
    id string uuid
    name string
    description string
    adminId string uuid
    reportIds ^ Collapse all array<string>
      Items string uuid
    createdDate string date-time
    locked boolean
```

```
    published boolean

    number integer int32

    size integer int32

    totalElements integer int64

    totalPages integer int32

    first boolean

    last boolean
```

PageResponseReportResponse ^ Collapse all object

```
content ^ Collapse all array<object>

  Items ^ Collapse all object

    id string uuid

    name string

    filePath string

    sizeBytes integer int64

    type ^ Collapse all string
    Allowed values "CSV" "XLS" "XLSX" "XLSM" "XLSB" "XLTX"

    createdAt string date-time

    reportCollectionId string uuid

    number integer int32

    size integer int32

    totalElements integer int64

    totalPages integer int32

    first boolean

    last boolean
```

AccessTokenResponse ^ Collapse all object

```
id string uuid

tokenValue string

expiresAt string date-time

reportCollectionId string uuid

accessRequestId string uuid

active boolean
```

PageResponseAccessTokenResponse ^ Collapse all object

```
content ^ Collapse all array<object>

  Items ^ Collapse all object

    id string uuid

    tokenValue string

    expiresAt string date-time

    reportCollectionId string uuid

    accessRequestId string uuid

    active boolean

    number integer int32

    size integer int32

    totalElements integer int64

    totalPages integer int32

    first boolean
```

last `boolean`

PageResponseAccessRequestResponse ^ Collapse all `object`

content ^ Collapse all `array<object>`

Items ^ Collapse all `object`

id `string` `uuid`

name `string`

email `string`

message `string`

status ^ Collapse all `string`

Allowed values

"PENDING"

"ACCEPTED"

"REJECTED"

reportCollectionId `string` `uuid`

adminComment `string`

createdDate `string` `date-time`

number `integer` `int32`

size `integer` `int32`

totalElements `integer` `int64`

totalPages `integer` `int32`

first `boolean`

last `boolean`

AuditLogResponse ^ Collapse all `object`

id `string` `uuid`

actionType ^ Collapse all `string`

Allowed values

"CREATE"

"UPDATE"

"DELETE"

"ACCESS"

"REVOKE"

entityName `string`

entityId `string`

performedBy `string`

createdDate `string` `date-time`

details `string`

PageResponseAuditLogResponse ^ Collapse all `object`

content ^ Collapse all `array<object>`

Items > Expand all `object`

number `integer` `int32`

size `integer` `int32`

totalElements `integer` `int64`

totalPages `integer` `int32`

first `boolean`

last `boolean`

AdminResponse ^ Collapse all `object`

id `string` `uuid`

username `string`

createdDate `string` `date-time`

lastModifiedDate `string` `date-time`

reportCollectionIds ^ Collapse all `array<string>`

```
Items string uuid
allowedDomains ^ Collapse all array<string>
Items string
```

NotificationResponse ^ Collapse all object

```
id string uuid
message string
createdDate string date-time
accessRequestId string uuid
reportCollectionName string
read boolean
```

PageResponseNotificationResponse ^ Collapse all object

```
content ^ Collapse all array<object>
Items > Expand all object
number integer int32
size integer int32
totalElements integer int64
totalPages integer int32
first boolean
last boolean
```

PageResponseAllowedDomainResponse ^ Collapse all object

```
content ^ Collapse all array<object>
Items ^ Collapse all object
id string uuid
domainName string
adminId string uuid
createdDate string date-time
number integer int32
size integer int32
totalElements integer int64
totalPages integer int32
first boolean
last boolean
```