VIMP & EGRN ADMIN

How-To-Guide

Abstract

This guide explains the extra features and tools available in the VIMP admin portal, when to use them and what to expect. The explanations here are written for non technical users, you do not need to know how the system is built to follow this guide.

Dave Nathaniel

dnathaniel@wajesmart.com

Contents

1. Admin Homepage 3
1.1. Quick Actions 3
2. ByD Posting Status – Monitoring & Retrying Postings 5
2.1. What this screen is for 5
2.2. Understanding the list 5
2.3. Retrying a single failed posting 6
When the Retry button appears 6
How to retry a single posting 6
2.4. Retrying several selected failed postings 6
How to retry selected postings 6
2.5. Retrying all failed postings at once 7
2.6. What "background processing" means here 7
3. Signatures – Viewing Approvals 9
3.1. What this screen is for 9
3.2. Searching for signatures 9
4. Users and Vendors 10
4.1. Users – Safe handling of secrets and passwords 10
4.1.1. Creating a new user 10
4.1.2. Editing an existing user 10
4.2. Vendor profiles – Resyncing from SAP ByD 11
4.2.1. Searching for vendors 11
4.2.2. What the "Resync from ByD" action does 11
4.2.3. How to resync vendor profiles 11
4.3. Temporary users – Searching helper records 12
5. GRNs, Purchase Orders and Inventory Tools 13
5.1. Purchase Orders – Searching by vendor, product and store 13
5.2. Purchase Order Line Items – Product-level insight 13
5.3. Goods Received Notes – Reversing GRNs in SAP 14
5.3.1. Searching for GRNs 14
5.3.2. What "Nullify GRNs in ByD" does 14

5.3.3. How to nullify GRNs step-by-step 15
5.4. Goods Received Line Items – Detailed GRN product view 15
5.5. Inventory Tools – Bulk Inventory Update 16
5.5.1. When and why to use this tool 16
5.5.2. How to access the Bulk Inventory Update 16
5.5.3. The Bulk Inventory Update page – overview 16
5.5.4. Fields on the Bulk Inventory Update form 17
5.5.5. Required columns in your file 17
5.5.6. Using the sample CSV as a template 18
5.5.7. Running a bulk inventory update – step by step 18
6. App Settings – Stores, Conversions, Surcharges 19
6.1. Stores 19
6.2. Surcharges 20
6.3. Conversions 20
6.4. Product configurations 20
6.5. GL accounts and entry states 21
7. Invoices 22
7.1. Searching for invoices 22
7.2. Practical scenarios 22
Summary 24

1. Admin Homepage

When you sign into the VIMP admin portal, you land on the **home page**. In addition to the usual list of sections (Users, Vendors, Invoices, etc.), there is a **Quick Actions** area at the top designed to save you clicks for common tasks.

1.1. QUICK ACTIONS

The Quick Actions panel currently shows three main shortcuts:

- **Store Config**
  - **What it is**: A shortcut to manage all stores (locations, emails, warehouse codes, cost center codes, and related settings).
  - **Why you use it**: You will often need to adjust store details or add new stores; this link takes you directly there.
  - **How to use it**:
    a. From the home page, click **Store Config**.
    b. You will see a list of stores.
    c. Click a store to edit it, or use **Add** to create a new store.
- **Bulk Stock Update**
  - **What it is**: A tool that lets you upload a spreadsheet (CSV or Excel) to update stock consumption in bulk in SAP ByD.
  - **Why you use it**: When you need to register many stock movements at once (for example, stock consumption for a cost center), doing it manually one by one would be too slow.
  - **How to use it** (high level):
    a. From the home page, click **Bulk Stock Update**.
    b. A dedicated page opens where you can upload a file and fill a few details.
    c. The system sends the updates to SAP and records what happened. (See Section 5.5 for full details and step-by-step instructions.)
- **SAP Portal**
  - **What it is**: A link to open the SAP portal in a new browser tab.
  - **Why you use it**: To quickly verify information directly in SAP or perform tasks that are only possible inside SAP.
  - **How to use it**:

a. From the home page, click **SAP Portal**.
b. A new tab opens where you can log into SAP.

At the bottom of the home page you also have:

- A **list of all sections** in the system (e.g., Invoices, Purchase Orders, GRNs, Vendors, Stores, etc.).
- A **history panel** showing **recent actions**, such as records you recently added or changed.

2. ByD Posting Status – Monitoring & Retrying Postings

2.1. WHAT THIS SCREEN IS FOR

This screen shows every attempt the system has made to send documents to SAP ByD (for example, invoices or goods receipts). Each row represents **one posting attempt**, with its status (success, failed, etc.) and related information.

You use this screen to:

- See **which postings have failed** and why.
- **Retry** sending failed postings individually, in bulk, or all at once.

All retries run **in the background**, so you can continue working while the system processes them.

2.2. UNDERSTANDING THE LIST

On the ByD Posting Status list you will typically see columns like:

- **Item**: A description of the related document (for example, a particular invoice or GRN).
- **Status**: Whether this posting is successful, failed, or in another state.
- **Retry Count**: How many times the system has already tried to send this item again.
- **Created At**: When this status record was created.
- **Retry**: A button to retry this specific posting (only visible when it makes sense to do so).

You can also **search** using the search box to find a particular posting. For example, you can search by:

- A document ID (like an invoice or GRN ID).
- Parts of an error message that appeared when a posting failed.

2.3. RETRYING A SINGLE FAILED POSTING

Sometimes you just want to retry **one** failed posting, for example when a temporary SAP issue has been fixed.

When the Retry button appears

- The **Retry** button is only shown when:
  - The status is **Failed**, and
  - The system has not already retried this too many times.

How to retry a single posting

1. Open the **ByD Posting Status** screen from the admin menu.
2. Use the search box or filters to find the failed posting you are interested in.
3. Look at the right-most column for that row.
4. If a **Retry** button is visible, click it.
5. The system will:
   - Schedule the posting to be re-sent to SAP in the background.
   - Show a message at the top of the screen indicating success or any problem starting the retry.
6. After some time, refresh the page to see whether the status has updated and the retry count has increased.

2.4. RETRYING SEVERAL SELECTED FAILED POSTINGS

Use this when you have **a set of failures** you want to retry together (for example, all failures for a given day).

How to retry selected postings

1. Open the **ByD Posting Status** screen.
2. Use filters or the search box to narrow the list if needed.
3. Tick the checkboxes on the left for each row you want to retry.
4. At the top of the list, open the **Actions** dropdown.
5. Choose **Retry selected failed postings**.
6. Click **Go**.

7. The system will:
    - Retry each selected posting that is still eligible.
    - Skip any that are not (for example, already successful or at the retry limit).
    - Show a message summarising how many retries were started and highlight any rows that could not be retried.

2.5. RETRYING ALL FAILED POSTINGS AT ONCE

Use this when you want to **clear the backlog** of failed postings in one go.

How to retry all failed postings

1. Open the **ByD Posting Status** screen.
2. Look for a **Retry All Failed** button near the top of the list (wording or placement might vary slightly by theme).
3. Click this button.
4. The system will:
    - Scan for all failed postings that are still allowed to be retried.
    - Start background retry tasks for each of them.
    - Show a message if:
        - Retries have started, or
        - There are no failed postings that are eligible, or
        - An unexpected problem occurred.
5. You can continue to refresh or search the list to see which postings eventually succeed.

2.6. WHAT "BACKGROUND PROCESSING" MEANS HERE

When you click Retry (for one, selected, or all failed postings):

- The system **does not** send each posting immediately while you wait.
- Instead, it **queues the work** for a background worker to process.
- This keeps the admin portal **fast and responsive**, even if SAP is slow.

If you see that retries do not seem to have any effect (statuses never change), contact technical support so they can check the background workers and integration configuration.

3. Signatures – Viewing Approvals

3.1. WHAT THIS SCREEN IS FOR

The **Signatures** screen shows **who approved what, and how**. Each row represents a signature or approval action.

You can see, for each signature:

- **Who signed** (the user).
- **Any comment** they added at the time.
- **The role or capacity they were acting in** (for example, approving as a store manager).

3.2. SEARCHING FOR SIGNATURES

The search box for this screen is designed to make it easy to find the signatures you care about.

You can search by:

- The approver's **username**.
- The approver's **first name**.
- The approver's **email address**.
- Text contained in the **comment**.
- The **role they were acting as** (for example, when they approve "on behalf of" someone or in a particular role).

How to use this screen

1. Open **Signatures** from the admin menu.
2. Use the search box in the top-right to filter the list.
3. Click a row to view more detail about a specific signature.

4. Users and Vendors

This section covers the enhanced behaviour on the screens that manage:

- **Users** (people who log into VIMP).
- **Vendors** (suppliers connected to SAP ByD).
- **Temporary users** (helper records for onboarding and matching to SAP data).

4.1. USERS – SAFE HANDLING OF SECRETS AND PASSWORDS

The Users screen has been designed so that **certain sensitive fields** (like internal secrets or raw passwords) are **only visible when a user is first created** and are not editable afterwards.

4.1.1. Creating a new user

1. Open the **Users** section in the admin.
2. Click **Add user**.
3. Fill in:
    - Basic details such as username, email, first and last name.
    - Any secret or password fields that are shown at this point.
4. Click **Save**.

After the user is created:

- Sensitive fields like secret/password will no longer appear when you edit this user later.

4.1.2. Editing an existing user

1. Open the **Users** section and click on a user you want to edit.
2. You will see only the safe, non-sensitive fields (name, email, flags, etc.).
3. Make your changes and click **Save**.

This prevents accidental changes to secrets or passwords through the admin portal and reduces the risk of exposing them.

4.2. VENDOR PROFILES – RESYNCING FROM SAP BYD

Each vendor in VIMP has a **Vendor Profile** that links:

- The local VIMP user (vendor contact) and
- The vendor data stored in SAP ByD.

Over time, details such as phone numbers, names or emails may change in SAP. The Vendor Profiles screen includes a **Resync** action to pull fresh data from SAP and apply it locally.

4.2.1. Searching for vendors

On the Vendor Profiles list you can search by:

- Vendor phone number.
- SAP internal ID of the vendor.
- The email, username, first name or last name of the linked user.

This makes it easy to find the vendor you need to refresh.

4.2.2. What the "Resync from ByD" action does

For each selected vendor profile, the **Resync** action:

- Contacts SAP ByD to retrieve the official vendor record.
- Updates the **vendor profile** in VIMP with the new data.
- Updates the **linked user** with new information (where available), such as:
    - Email address.
    - First and last name (with a fallback strategy if SAP only has a formatted full name).
- Updates the phone number from SAP, trimming it to a clean local format where needed.

If something is missing (for example, the vendor does not have a linked user or SAP does not return data for that ID), the system will show clear error messages for those entries.

4.2.3. How to resync vendor profiles

1. Open the **Vendor Profiles** screen.
2. Use the search box to find the vendors whose details you want to refresh.
3. Tick the checkboxes for one or more vendors.
4. At the top of the list, open the **Actions** dropdown.

5. Select **Resync selected vendor profiles from ByD**.
6. Wait for the page to refresh confirm the status.

Tip: It can be useful to run this after you know vendor data has been cleaned up in SAP, to keep VIMP aligned.

4.3. TEMPORARY USERS – SEARCHING HELPER RECORDS

Temporary users are usually used during onboarding or when matching external identifiers to SAP business partners.

The Temporary Users screen allows you to search by:

- The temporary identifier.
- The type of identifier.
- The SAP internal ID for the related business partner.
- The SAP formatted name for the business partner.

How to use this screen

1. Open **Temporary Users** from the admin menu.
2. Use the search box to find records by ID or by the business partner details.
3. Open individual records to inspect their metadata or use them for troubleshooting data alignment issues.

5. GRNs, Purchase Orders and Inventory Tools

This group of screens helps you:

- Search and investigate **Purchase Orders** and their line items.
- Work with **Goods Received Notes (GRNs)** and their line items.
- Perform **bulk inventory updates** (stock consumption) into SAP from spreadsheets.

5.1. PURCHASE ORDERS – SEARCHING BY VENDOR, PRODUCT AND STORE

On the **Purchase Orders** list:

- You can search by:
  - Vendor information (contact name, email, SAP internal ID).
  - Purchase Order ID or internal reference.
  - Product information across line items (product ID, product name).
  - Store information across line items (store name/email, warehouse name/code, cost center code).

Typical uses:

- Find all purchase orders for a given **vendor** by typing their name or email.
- Find purchase orders that **deliver to a specific store or warehouse**.
- Find purchase orders that contain a **specific product**.

5.2. PURCHASE ORDER LINE ITEMS – PRODUCT-LEVEL INSIGHT

On the **Purchase Order Line Items** list:

- You can search by:
  - Purchase Order ID.
  - Vendor details (via the linked purchase order).
  - Store details (store name/email, warehouse name/code, cost center code).
  - Product ID, product name, and object ID.

Typical uses:

- Investigate all line items for a **specific store**.

- Trace where a particular **product** appears within POs.

5.3. GOODS RECEIVED NOTES – REVERSING GRNS IN SAP

The **Goods Received Notes (GRNs)** screen allows you to view and, when necessary, **reverse** GRNs in SAP ByD.

5.3.1. Searching for GRNs

You can search GRNs by:

- GRN number.
- Vendor's name or email.
- Vendor's SAP internal ID.
- Linked Purchase Order ID.

This makes it easy to find the GRN you need to review or reverse.

5.3.2. What "Nullify GRNs in ByD" does

The **Nullify selected GRNs in ByD** action is used when you need to effectively **undo** a GRN in SAP. Typical reasons include:

- The GRN was created for the wrong quantity.
- The goods were returned or the receipt was recorded against the wrong document.

When you run this action on one or more GRNs, the system will:

- Prepare a **cancellation instruction** for SAP based on the original GRN details, reversing the quantities.
- Send these cancellation instructions to SAP in the background.
- Record, in the GRN's internal metadata, that a cancellation has been queued and store the details for reference.

Not every GRN can be nullified:

- GRNs that have already been fully reversed will be skipped.
- GRNs missing the original SAP payload data cannot be processed and will show an error message.

5.3.3. How to nullify GRNs step-by-step

1. Open the **Goods Received Notes** screen.
2. Use the search box to locate the GRNs you need to reverse.
3. Select one or more GRNs using the checkboxes on the left.
4. At the top of the list, open the **Actions** dropdown.
5. Choose **Nullify selected GRNs in ByD**.
6. Click **Go**.
7. Read the messages shown at the top:
    - A green message indicates how many GRNs had cancellations queued.
    - Red messages show any GRNs that could not be nullified (for example, already reversed or missing data).
8. For deeper investigation, you can also cross-check the related posting statuses on the **ByD Posting Status** screen.

5.4. GOODS RECEIVED LINE ITEMS – DETAILED GRN PRODUCT VIEW

On the **Goods Received Line Items** screen, each row is a single product line on a GRN.

You can search by:

- GRN number.
- Purchase Order ID.
- Store information (store name/email, warehouse name/code, cost center code).
- Vendor information via the purchase order.
- Product name, product ID, or object ID.

Typical uses:

- Troubleshoot issues around a **specific product** in received goods (for example, wrong quantity or cost center).
- See all items **received for a given store or cost center** over a time period.

5.5. INVENTORY TOOLS – BULK INVENTORY UPDATE

The **Inventory Tools** section provides a guided page for uploading **CSV or Excel files** to post **bulk inventory consumption** to SAP and record it in VIMP.

5.5.1. When and why to use this tool

Use the Bulk Inventory Update tool when:

- You have **many items** to move or consume at once (for example, monthly write-offs, stock consumption, or stock adjustments).
- These items are **already in a spreadsheet** (or can easily be exported to one).

Instead of updating each item one by one, you upload a file containing all items, and the system will:

- Send the consumption to SAP ByD.
- Save a local record of each item's consumption details.

5.5.2. How to access the Bulk Inventory Update

You can get to this tool in two ways:

1. From the **admin home page**, click **Bulk Stock Update** in the Quick Actions panel.
2. From the app list, look for **Inventory Tools** and click it.

In both cases you will arrive at the **Bulk Inventory Update** page.

5.5.3. The Bulk Inventory Update page – overview

On this page you will see:

- A **Back to Admin Site** button to return to the main admin home.
- A form split into:
  - **General details** for the batch (External ID, Site ID, Cost Centre ID, Transaction Date/Time).
  - A field to **upload a CSV or Excel file**.
- An information box listing the **required columns** that must appear in your file.
- A **Download Sample CSV** button, which gives you a ready-made example file.
- When you submit the form:
  - A **"Processing inventory updates..."** loading message appears.
  - A pop-up message appears at the end to show success or explain any errors.

5.5.4. Fields on the Bulk Inventory Update form

On this page, you must fill:

- **External ID (Optional)**
  A reference for the batch. If you leave it empty, the system will generate a short ID for you.

- **Site ID (Required)**
  The site where the stock movement should be registered. If this is missing, the upload will be rejected.

- **Cost Center ID (Optional)**
  The cost center to charge. If you do not fill this, it will automatically default to the Site ID.

- **Transaction DateTime (Optional)**
  When the transaction should be considered to have happened. If you leave this blank, the system will use the current time.

- **Inventory Movement Direction Code (Read-only)**
  For this screen, this is always fixed to mean "consumption" and cannot be changed.

- **Excel/CSV File (Required)**
  The spreadsheet that contains your inventory items. You must upload either a .csv or an Excel file; otherwise, the system will not proceed.

5.5.5. Required columns in your file

Your CSV/Excel file must contain the following columns for each row (each row represents one inventory item):

1. **external_item_id** – Your own reference for the item in this batch.
2. **material_internal_id** – The SAP material ID (for example, RM1000072).
3. **owner_party_internal_id** – The owner party ID (for example, FC-0001).
4. **inventory_restricted_use_indicator** – Whether the stock is restricted (True/False or equivalent).
5. **logistics_area_id** – The logistics area or storage location (for example, 4100003-17).
6. **quantity** – The quantity to consume (as a number, e.g. 1.0, 2.5).
7. **unit_code** – The unit of measure (for example, KGM, PCE, LTR).

The sample file also includes some **optional** columns

If any required column is missing, the system will refuse the upload and tell you which columns are missing.

Other extra columns you add will be stored as part of the **metadata** for each consumption record, so you do not lose information from your original file.

5.5.6. Using the sample CSV as a template

1. On the Bulk Inventory Update page, click **Download Sample CSV**.
2. Open the downloaded file.
3. Keep the header row exactly as it is.
4. Replace the example rows with your real data:
    - Fill each required column for every row you want to include.
    - Use additional columns as needed for your own notes (they will be saved as metadata).
5. Save the file as .csv or Excel.

5.5.7. Running a bulk inventory update – step by step

1. Open the **Bulk Inventory Update** page (see 5.5.2).
2. Fill in:
    - **Site ID** (required).
    - Optionally **External ID**, **Cost Center ID**, and **Transaction DateTime**.
3. Click on the **file upload** field and select your CSV/Excel file.
4. Click **Update Inventory**.
5. Wait while the “Processing inventory updates…” message is shown.
6. When processing is complete, a pop-up will appear:
    - If successful, it will tell you how many items were processed.
    - If there was an error, it will explain what went wrong (missing columns, unreadable file, an issue on a specific row, or an error posting to SAP).
7. If successful, each row from your file is recorded as a **stock consumption record** in the system and sent to SAP for processing.

6. App Settings – Stores, Conversions, Surcharges

The **App Settings** section brings together a number of configuration areas that drive how VIMP behaves.

From here you can maintain:

- **Stores** and their mapping to warehouses and cost centres.
- **Surcharges** (codes, descriptions, rates).
- **Conversions** used when transforming data.
- **Product configurations**, including additional parameters.
- **GL accounts and mappings**, controlling how transactions map to general ledger accounts.

6.1. STORES

The **Stores** screen lets you manage all stores known to VIMP.

You can search by:

- Store name.
- Store email.
- Warehouse name and code.
- SAP cost center code.

Typical tasks:

- **Adding a new store**:
  - From App Settings → Stores, click **Add store** and fill in the details, including matching it to the correct warehouse and cost center.
- **Editing an existing store**:
  - Search for the store, open it, and update email, department codes, or mappings as needed.

6.2. SURCHARGES

The **Surcharges** screen manages any additional charges that may apply (for example, fees or mark-ups).

You can search by:

- Surcharge code.
- Description.
- Type.
- Rate.

Typical tasks:

- Adjusting a surcharge rate, or reclassifying a surcharge type.

6.3. CONVERSIONS

The **Conversions** screen allows you to define and maintain **conversion rules** (for example, how certain codes or values should be transformed for reporting or integration).

Key points:

- Data is stored in a structured way, but the admin page presents it in a more user-friendly form, making it easier to understand and edit complex settings.

Typical tasks:

- Creating a conversion rule for a new integration scenario.
- Modifying existing rules when underlying formats change.

6.4. PRODUCT CONFIGURATIONS

The **Product Configurations** screen lets you define detailed configuration for products, such as:

- Which conversion to apply.
- Additional product-specific parameters.

You can search by:

- Product ID.
- Name of the associated conversion.
- Text within configuration metadata.

Typical tasks:

- Adding configuration for a new product.
- Updating configuration when products change category or behaviour.

6.5. GL ACCOUNTS AND ENTRY STATES

Several screens in App Settings manage how transactions map to the **general ledger (GL)**:

- **GL Accounts** – store the list of available accounts (searchable by account code or name).
- **Entry States** – describe different posting "states" linked to GL accounts, with names, descriptions and the value field they apply to.
- **Product Category GL Entries** – map product categories to:
  - Which entry states apply on the **credit** side.
  - Which entry states apply on the **debit** side.

Typical tasks:

- Looking up which account a given entry state posts to.
- Checking or updating how product categories map to GL states when accounting rules change.

7. Invoices

The **Invoices** screen is a powerful search hub that connects:

- **Invoices**
- Their related **Purchase Orders**
- Their related **Goods Received Notes**
- The associated **Vendors** and **Stores**

7.1. SEARCHING FOR INVOICES

On the Invoices list you can search by:

- Invoice details:
  - Internal ID.
  - External document ID.
  - Description.
  - Payment terms or reason.
- Linked Purchase Order details:
  - Purchase Order ID or internal object ID.
- Linked GRN:
  - GRN number.
- Vendor via the Purchase Order:
  - Vendor email.
  - Vendor first name.
  - Vendor SAP internal ID.
- Line items and stores:
  - Product name or ID from invoice line items.
  - Store name or email.
  - Warehouse name or code.
  - Cost center code.

7.2. PRACTICAL SCENARIOS

Examples of how to use this screen:

- **Find an invoice by external document ID**
  Type the external ID into the search box.

- **List all invoices for a specific Purchase Order**
  Search using the Purchase Order ID.
- **Check invoices linked to a particular GRN**
  Search using the GRN number.
- **Review invoices for a specific vendor**
  Search by the vendor's email, name, or SAP internal ID.
- **Analyse invoices for a given store or cost center**
  Search by store name/email, warehouse code or cost center code.
- **Trace invoices containing a particular product**
  Search by the product name or ID.

The Invoices screen can therefore serve as a **single place** to trace a document from invoice all the way back to:

- Purchase Order
- Goods Received Note
- Vendor
- Store and cost center

Summary

The VIMP admin portal includes a range of enhancements designed for **operations and support teams**, including:

- **Operational tools**
  - Retrying failed integration postings to SAP.
  - Reversing GRNs in SAP.
  - Performing bulk inventory updates from spreadsheets.
- **Data alignment**
  - Resyncing vendor profiles from SAP so that VIMP reflects the latest vendor data.
  - Powerful search across invoices, POs, GRNs, vendors and stores.
- **Configuration management**
  - Centralised settings for stores, surcharges, conversions, product configurations and GL mappings.
- **Safety and control**
  - Protecting sensitive user fields from accidental changes.

Use this guide when training new admin users, troubleshooting data or process issues, or deciding which admin tool to use for a particular operational task.