Data Modeling Report

Class Diagram

Version 1.0 ● Proposed

Table of Contents

Class Diagram

Package in package 'SPFG'

<div align="right">

Class Diagram
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018
Alias

</div>

Class Diagram diagram

Class diagram in package 'Class Diagram'

<div align="right">

Class Diagram
Version 1.0
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

</div>

Figure 1: Class Diagram

Administrator

Class in package 'Class Diagram'

<div align="right">

Administrator
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018
Extends SystemUser

</div>

OUTGOING STRUCTURAL RELATIONSHIPS

⬅ Generalization from Administrator to SystemUser

[Direction is 'Source -> Destination'.]

ASSOCIATIONS

🖊 Association (direction: Unspecified)

Source: Public (Class) Administrator
   Cardinality: [1]

Target: Public (Class) Message
   Cardinality: [0..*]

🖊 Association (direction: Unspecified)

Source: Public (Class) TechinalRequest
   Cardinality: [1]

Target: Public (Class) Administrator
   Cardinality: [1..*]

OPERATIONS

◆ DeleteUserAccount () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ SendMessages () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ AdquiredTechincalRequest () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Category

Class in package 'Class Diagram'

<div align="right">

Category
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018

</div>

INCOMING STRUCTURAL RELATIONSHIPS

➡ Generalization from IncomeCategory to Category

[Direction is 'Source -> Destination'.]

INCOMING STRUCTURAL RELATIONSHIPS

➡ Generalization from ExpenseCategory to Category

[Direction is 'Source -> Destination'.]

ATTRIBUTES

🔹 Name : string Private

[Is static False. Containment is Not Specified.]

🔹 Limit : int Private

[Is static False. Containment is Not Specified.]

🔹 CreationDate : date Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Category
   Cardinality: [1]   Cardinality: [1..*]

OPERATIONS

🔹 Add_Item () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 Delete_Item () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 Modify_Item () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 Send_Item () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 NewCategory () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 DeleteCategory () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

🔹 ModifyCategory () : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Expense

Class in package 'Class Diagram'

<div align="right">

Expense
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

</div>

ATTRIBUTES

◆ Name : String Private

[Is static False. Containment is Not Specified.]

◆ Amount : int Private

[Is static False. Containment is Not Specified.]

◆ Date : int Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

✎ Association (direction: Unspecified)

Source: Public (Class) Users	Target: Public (Class) Expense
Cardinality: [1]	Cardinality: [0..*]

ExpenseCategory

Class in package 'Class Diagram'

<div align="right">

ExpenseCategory
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018
Extends Category

</div>

OUTGOING STRUCTURAL RELATIONSHIPS

⬅ Generalization from ExpenseCategory to Category

[Direction is 'Source -> Destination'.]

ATTRIBUTES

◆ Expenses : list<Expense> Private

[Is static False. Containment is Not Specified.]

ExpensePaymentPlan

Class in package 'Class Diagram'

Goals

Class in package 'Class Diagram'

ATTRIBUTES

◆ Name : string Private

[Is static False. Containment is Not Specified.]

◆ CreationDate : date Private

[Is static False. Containment is Not Specified.]

◆ DeadPoint : date Private

[Is static False. Containment is Not Specified.]

◆ Amount : double Private

[Is static False. Containment is Not Specified.]

◆ Percentage : int Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

🖉 Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Goals
    Cardinality: [1]   Cardinality: [0..*]

OPERATIONS

◆ AddGoal () : void Public
          [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ DeleteGoal () : void Public
          [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

◆ ModifyGoal () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

Income

Class in package 'Class Diagram'

Income
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

ATTRIBUTES

◆ Name : string Private
[Is static False. Containment is Not Specified.]

◆ Amount : double Private
[Is static False. Containment is Not Specified.]

◆ Date : date Private
[Is static False. Containment is Not Specified.]

ASSOCIATIONS

✎ Association (direction: Unspecified)

Source: Public *..1 (Class) Income   Target: Public (Class) Users
    Cardinality: [0..*]   Cardinality: [1]

IncomeCategory

Class in package 'Class Diagram'

IncomeCategory
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018
Extends Category

OUTGOING STRUCTURAL RELATIONSHIPS

⬅ Generalization from IncomeCategory to Category
[Direction is 'Source -> Destination'.]

ATTRIBUTES

ATTRIBUTES
🔷 Incomes : list<Income> Private

[Is static False. Containment is Not Specified.]

IncomePaymentPlan

Class in package 'Class Diagram'

IncomePaymentPlan
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018

IncomePaymentPlan

Class in package 'Class Diagram'

IncomePaymentPlan
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

Message

Class in package 'Class Diagram'

Message
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018

ATTRIBUTES
🔷 Content : string Private

[Is static False. Containment is Not Specified.]

🔷 CreationDate : date Private

[Is static False. Containment is Not Specified.]

🔷 Emisor : administrator Private

[Is static False. Containment is Not Specified.]

🔷 Receptor : list<user> Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS
✏️ Association (direction: Unspecified)

ASSOCIATIONS	

Source: Public (Class) Users
  Cardinality: [1..*]
	Target: Public (Class) Message
	  Cardinality: [0..*]

   ✎ Association (direction: Unspecified)

Source: Public (Class) Administrator
  Cardinality: [1]
	Target: Public (Class) Message
	  Cardinality: [0..*]

PaymentPlan

Class in package 'Class Diagram'

PaymentPlan
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

ATTRIBUTES
◆ Subject_Name : String Private [Is static False. Containment is Not Specified.]
◆ State : boolean Private [Is static False. Containment is Not Specified.]
◆ Duration : int Private [Is static False. Containment is Not Specified.]
◆ CreationDate : date Private [Is static False. Containment is Not Specified.]
◆ Pay_Days : list<date> Private [Is static False. Containment is Not Specified.]

ASSOCIATIONS
✎ Association (direction: Unspecified)

Source: Public (Class) Users
  Cardinality: [1]
	Target: Public (Class) PaymentPlan
	  Cardinality: [0..*]

OPERATIONS
◆ SetaNewPlan () : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ DeletePlan () : void Public

OPERATIONS
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ StopPlan () : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ ContinuePlan () : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ ModifyPlan () : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

SystemUser

Class in package 'Class Diagram'

SystemUser
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018

INCOMING STRUCTURAL RELATIONSHIPS
⇒ Generalization from Administrator to SystemUser [Direction is 'Source -> Destination'.]
⇒ Generalization from Users to SystemUser [Direction is 'Source -> Destination'.]

ATTRIBUTES
◆ Name : char Private [Is static False. Containment is Not Specified.]
◆ Email : char Private [Is static False. Containment is Not Specified.]
◆ Password : char Private [Is static False. Containment is Not Specified.]

OPERATIONS
◆ LogIn (Email : string , Password : string) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ LogOut () : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

TechinalRequest

Class in package 'Class Diagram'

<div align="right">

TechinalRequest
Version 1.0 Phase 1.0 Proposed
TOSHIBA created on 08/05/2018. Last modified 08/05/2018

</div>

ATTRIBUTES

◆ Name : int Private

[Is static False. Containment is Not Specified.]

◆ Content : int Private

[Is static False. Containment is Not Specified.]

◆ CreationDate : int Private

[Is static False. Containment is Not Specified.]

◆ LastDay : int Private

[Is static False. Containment is Not Specified.]

◆ State : int Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

🖉 Association (direction: Unspecified)

Source: Public (Class) TechinalRequest   Target: Public (Class) Administrator
   Cardinality: [1]   Cardinality: [1..*]

🖉 Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) TechinalRequest
   Cardinality: [1]   Cardinality: [0..*]

Users

Class in package 'Class Diagram'

<div align="right">

Users
Version 1.0 Phase 1.0 Proposed
Dave created on 08/05/2018. Last modified 08/05/2018

</div>

Extends SystemUser

OUTGOING STRUCTURAL RELATIONSHIPS

⬅ Generalization from Users to SystemUser

[Direction is 'Source -> Destination'.]

ATTRIBUTES

🔷 Email2 : string Private

[Is static False. Containment is Not Specified.]

🔷 PhoneNumber : string Private

[Is static False. Containment is Not Specified.]

ASSOCIATIONS

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) PaymentPlan
  Cardinality: [1]   Cardinality: [0..*]

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) TechinalRequest
  Cardinality: [1]   Cardinality: [0..*]

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Message
  Cardinality: [1..*]   Cardinality: [0..*]

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Goals
  Cardinality: [1]   Cardinality: [0..*]

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Category
  Cardinality: [1]   Cardinality: [1..*]

✏ Association (direction: Unspecified)

Source: Public (Class) Users   Target: Public (Class) Expense
  Cardinality: [1]   Cardinality: [0..*]

✏ Association (direction: Unspecified)

Source: Public *..1 (Class) Income   Target: Public (Class) Users
  Cardinality: [0..*]   Cardinality: [1]

ASSOCIATIONS

OPERATIONS

◆ RecoverAccount (Email : string , Password : string) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ DeleteAccount (Password : string) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ SignUp (Name : string , Email : string , Password : string , Email2 : string , PhoneNumber : string) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ CreateCategory () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ Users () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ ManageIncomes () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ ManageGoals () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ ManageCategories () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ ManagePaymentPlan () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]