

Tetherline — Visual Polish Review

12 skill scenes × {desktop · tablet · mobile}. Cite issues as **page · scene · viewport** (e.g. "p9 · pipeline · mobile").


Pg	Skill	scene
2	Baseline project map	project-map
3	whats_changed — comprehension heatmap	heatmap
4	critique — concern tint	concern-tint
5	grill_me — quiz screen	grill-screen
6	annotate — Review Shelf · Notebook	shelf-notes
7	Async task skill — Review Shelf · Tasks	shelf-tasks
8	DESCEND — scoped drill-in	descend
9	deep_dive — pocket presentation	deep-dive
10	Pipeline walkthrough	pipeline
11	Blast-radius ripple	blast-radius
12	Guided-learning mode	guided-mode
13	You-are-here breadcrumb	breadcrumb
14	Knowledge v2 — layer + deep, scoped to current view	knowledge-layer
15	Knowledge v2 — drilled to leaf files	knowledge-components
16	Knowledge v2 — weak-spots review loop	weak-spots-review

pnpm verify: ALL GREEN · typecheck 4/4 · lint 0 fails (130 any-warns) · unit 339/339 · scenes 36/36.
Caveats: grill-screen Playwright capture-timing artifact (p5); mobile chrome dense but functional at 390px.

Baseline project map

scene: project-map


The default radial map with no skill active. Module nodes orbit the project; each node is warm-lit by how well the user understands it (comprehension level). Header, knowledge legend, quick-chips and the voice bar are the persistent chrome.



whats_changed — comprehension heatmap

scene: heatmap


Project-scope "what changed this week". An additive cold → warm wash sits behind the nodes that moved most; the narration panel states the summary. Diagram structure is never replaced — the heat is purely additive.



critique — concern tint

scene: concern-tint


The spoken critique names risky nodes; those nodes glow worry-red (an intentional signal color) while the critique narration is shown. Additive tint, layout unchanged.



grill_me — quiz screen

scene: grill-screen


A calm, full-bleed animated "?" screen replaces the diagram for a Socratic quiz. CAVEAT: under Playwright fresh-context capture timing the text "grill_me" / the GRILLING caption can briefly leak into the frame; the live settled DOM is clean (diagram fully replaced). Documented timing artifact, not a live defect.



annotate — Review Shelf · Notebook

scene: shelf-notes


The Review Shelf open on the NOTEBOOK tab with saved annotations, each attributed to a module/file. The diagram stays intact behind the shelf overlay.



Async task skill — Review Shelf · Tasks

scene: shelf-tasks


The Review Shelf TASKS tab: agent task rows with state styling — done, branch:<x>, and blocked.



DESCEND — scoped drill-in

scene: descend




Drilled from the project into the Core module: a scoped sub-graph (analyzer.ts / audio-server.py / diagram-extractor.ts) with the breadcrumb, retitled header and intra-module edges.



deep_dive — pocket presentation

scene: deep-dive


The "pocket dimension": a full-bleed ≤ 10 -slide presentation that replaces the diagram (sandbox; exiting restores the canvas). Kicker · focus, N/M cursor, serif title + body, amber slide rail, exit hint. Slides ride on the pocket state, not a skill annotation, so the canvas is clean full-bleed.



Pipeline walkthrough

scene: pipeline

"Show me the data flow" lights the graph one stage at a time in source → transform → guard → sink order; revealed nodes are lit, not-yet-revealed are dimmed. Header shows the stage strip. Reuses the tested pipelineRevealOrder core.



Blast-radius ripple

scene: blast-radius

"What touches X" BFSes the import graph from the changed node and pulses concentric impact rings: hop 0 = solid warm epicenter, fading outward by hop distance. Reuses the tested blastRadiusRings core.

DESKTOP · 1440

Exit

Gaps History Shelf Map Settings

PROJECT · FILE MAP ·

CORE

BLAST RADIUS ANALYZER.TS 3 RINGS OF IMPACT CHANGED - WHO BREAKS IF IT MOVES

REPLAY QUIZ GRILL LAYER 25% DEEP 5%

Core

Blast radius of analyzer.ts

```
graph TD; analyzer[analyzer.ts] --- types[types.ts]; analyzer --- chunker[chunker.ts]; analyzer --- audio[audio-server.py]; analyzer --- diagram[diagram-extractor.ts]; types --- audio; chunker --- diagram; audio --- diagram
```

TAP TO ASK What is this project? Main parts? What changed? What don't I know?

VOICE paused Mic off Back Pause Skip ?

TABLET · 768

Exit Gaps History Shelf Map Settings

PROJECT · FILE MAP ·

CORE

BLAST RADIUS ANALYZER.TS 3 RINGS OF IMPACT CHANGED - WHO BREAKS IF IT MOVES

REPLAY QUIZ GRILL LAYER 25% DEEP 5%

Core

Blast radius of analyzer.ts

```
graph TD; analyzer[analyzer.ts] --- types[types.ts]; analyzer --- chunker[chunker.ts]; analyzer --- audio[audio-server.py]; analyzer --- diagram[diagram-extractor.ts]; types --- audio; chunker --- diagram; audio --- diagram
```

TAP TO ASK What is this project? Main parts? What changed? What don't I know?

VOICE paused Mic off Back Pause Skip ?

MOBILE · 390

Exit Gaps History Shelf Map Settings

PROJECT · FILE MAP ·

CORE

BLAST RADIUS ANALYZER.TS 3 RINGS OF IMPACT CHANGED - WHO BREAKS IF IT MOVES

REPLAY QUIZ GRILL LAYER 25% DEEP 5%

Core

Blast radius of analyzer.ts

```
graph TD; analyzer[analyzer.ts] --- types[types.ts]; analyzer --- chunker[chunker.ts]; analyzer --- audio[audio-server.py]; analyzer --- diagram[diagram-extractor.ts]; types --- audio; chunker --- diagram; audio --- diagram
```


TAP TO ASK What is this project? Main parts? What changed? What don't I know?

VOICE paused Mic off Back Pause Skip ?

Guided-learning mode

scene: guided-mode


A top-down guided tour: header spine of covered ► current (wide amber) ► upcoming steps, with the current step name.
Mirrors the tested TourPlan.fromArchitecture {items,currentIndex} shape.



You-are-here breadcrumb

scene: breadcrumb




The persistent "you are here" position trail (e.g. CORE › TOKEN REFRESH › 3/8) shown in the header inside a deep_dive pocket, over the scoped canvas.



Knowledge v2 — layer + deep, scoped to current view

scene: knowledge-layer




Two-component model. The title block is the focused layer: ► replay, Quiz score + retake, Grill verdict, and LAYER (this node: shown=25% + tested) vs DEEP (roll-up of components) bars. Each component is filled with a continuous gradient = its combined knowledge, with a one-line "tested NN% (g)/(q)" readout and a green ✓ grill shield. No verbal confirmation — being shown the screen is the listening credit; only quiz/grill earns the rest.



Knowledge v2 — drilled to leaf files

scene: knowledge-components

Drilled into Core. Leaf files have no roll-up, so their gradient fill is their OWN knowledge; the title still shows Core's layer (its own quiz) vs deep (mean of the leaf files). analyzer.ts is grill-passed (shield + tested 100% ⑧); chunker.ts tested 33% ⑨; audio-server.py untested.



Knowledge v2 — weak-spots review loop

scene: weak-spots - review

The actionable "study this" loop: every weak/partial quiz/grill question becomes a row in the review panel on the current layer, tagged by source, with restudy ► and resolve ✓ (resolved items are retained for audit). This is the clear pathway to learn more + the supervisor/QA trail.

