R **Rippling Removal for macOS**

Version 2.0.6 · Dry-run by default

POST-MIGRATION CLEANUP UTILITY

Removing Rippling management components from macOS devices

A safety-first cleanup script that reports before it removes. This overview covers what it checks, what it removes, and the safeguards that keep it predictable on every Mac.

PLATFORM

macOS · runs as root via management console

DOCUMENT

Operational Overview

01

What this utility does

After a Mac migrates to its new management platform, some Rippling components can stay behind on disk or in memory. This script finds and removes them, and logs everything it finds.

Push it from your management console as a custom script; it runs as root. Every run has three phases: a read-only check of the Mac, a sweep that reports or removes depending on the mode, and a summary with a verdict.

02

Two modes, one setting

One setting controls the script. It ships in the safe mode, so the first run on any Mac only reports.

`DRY_RUN = "true"` DEFAULT

Scans and reports only. Nothing is changed, deleted, or unloaded. Use it to see exactly what a live run would remove.

`DRY_RUN = "false"` LIVE

Runs the same scan, then removes what it finds. Safe to run again on any Mac.

i Suggested workflow

Push the script as-is to one Mac and review the summary. If the findings look right, switch to live mode and push again.

03

Built-in safeguards

- ✓ Report-only mode is the shipped default
- ✓ Every item is logged as found before anything is removed
- ✓ Removal steps confirm the item is actually gone, and report clearly if it is not
- ✓ Removing the local admin account is a separate option, off by default
- ✓ When on, it checks first and refuses if it would leave the Mac without a usable admin
- ✓ A home folder is removed only after its account is confirmed gone
- ✓ Items that aren't present are skipped quietly
- ✓ A summary and result verdict close every run

04

How a run is structured

Every run has three phases: the first only looks, the second does the work, and the third reports the outcome.

PHASE 1 · READ-ONLY

Migration state assessment

- Checks that the new management agent is installed
- Checks for leftover Rippling configuration profiles — reported only, never modified
- Reports whether Rippling application files are still on disk
- Reports whether any Rippling processes are still running

PHASE 2 · SWEEP

Leftover removal

- Unloads and removes Rippling background items for the signed-in user and the system
- Stops any Rippling processes still running, so no menu-bar item lingers
- Removes Rippling application files and per-user support folders
- Removes the software-delivery tools Rippling installed, including their command shortcuts, where present
- Clears the related package installation records
- Resets custom login-window text if one is set
- Removes the local admin account only if that option is on and its safety checks pass

PHASE 3 · REPORT

Summary and verdict

- Counts of items found, removed, and not removed
- A one-line result
- Output goes to the management console and the Mac's system log

05

Scope and boundaries

What the sweep removes

✓ Rippling background items (user and system)

✓ Running Rippling processes

✓ Rippling application files and support folders

✓ Software-delivery tools Rippling installed, and their command shortcuts

✓ Related package installation records

✓ Custom login-window text, if one is set

What it does not touch

— MDM enrollment and configuration profiles — reported only; your migration process handles these

— The local admin account, unless that option is on and its safety checks pass

— Any component that is not present on the device

! The one option to review before turning on

Removing the local admin account is off by default. When on, the script checks first and refuses if the account is signed in, if no other admin exists, or if it's the only account that can unlock FileVault. A dry run with the option on shows whether removal would be allowed or blocked, and why.

✓ Safe to re-run

If a file or process couldn't be removed, restart and run the script again. If the admin account was blocked, fix the reason shown in the log first. Nothing already removed is affected.

06

Reading the result

Every run ends with one of these results, so you don't need to read the full log.

RESULT	WHAT IT MEANS
CLEAN	No Rippling components were found. Nothing to do.
DRY RUN complete	Items were found and listed. Nothing was changed.
CLEANED	Everything found was removed.
PARTIAL	Some items couldn't be removed; each is named in the log. For files or processes, restart and re-run. For a blocked admin account, fix the stated reason first.

i A note on the menu-bar icon

If a Rippling menu-bar icon still shows after a successful live run, the process behind it has already been stopped. The icon clears at the next logout or restart, and nothing remains to bring it back.