R **Rippling Removal for Windows**

Version 1.4.1 · Dry-run by default

POST-MIGRATION CLEANUP UTILITY

Removing Rippling management components from Windows devices

A safety-first cleanup script that reports before it removes. This overview covers what it checks, what it removes, and the safeguards that keep it predictable on every device.

PLATFORM

Windows · runs elevated (SYSTEM) via management console

DOCUMENT

Operational Overview

01

What this utility does

After a Windows device migrates to its new management platform, some Rippling components can stay behind: services, scheduled tasks, files, and startup entries. This script finds and removes them, and logs everything it finds.

Push it from your management console as a custom script; it runs elevated. Every run has three phases: a read-only check of the device, a sweep that reports or removes depending on the mode, and a summary with a verdict.

02

Two modes, one setting

One setting controls the script. It ships in the safe mode, so the first run on any device only reports.

`$DryRun = $true` DEFAULT

Scans and reports only. Nothing is changed, stopped, or deleted. Use it to see exactly what a live run would remove.

`$DryRun = $false` LIVE

Runs the same scan, then removes what it finds. Safe to run again on any device.

i Suggested workflow

Push the script as-is to one device and review the summary. If it suggests a restart first, restart and run the dry run again. If the findings look right, switch to live mode and push again.

03

Built-in safeguards

- ✓ Report-only mode is the shipped default
- ✓ Every item is logged as found before anything is removed
- ✓ Rippling's repair task is removed first, so it can't restore anything mid-cleanup
- ✓ Removal steps confirm the item is actually gone, and report clearly if it is not
- ✓ Removing the local admin account is a separate option, off by default
- ✓ When on, it checks first and refuses if it would leave the device without another local admin
- ✓ MDM enrollments are read only — never modified
- ✓ A summary and result verdict close every run

04

How a run is structured

Every run has three phases: the first only looks, the second does the work, and the third reports the outcome.

PHASE 1 · READ-ONLY

Migration state assessment

- Checks that the new management agent is installed
- Checks for a leftover Rippling MDM enrollment — reported only, never modified
- Reports whether the Rippling app is still installed
- Reports whether a restart is pending

PHASE 2 · SWEEP

Leftover removal

- Removes Rippling scheduled tasks first, including its repair task
- Stops and deletes the Rippling service
- Stops any Rippling processes still running, such as the tray app
- Runs Rippling's official uninstaller silently, if still present
- Removes Rippling startup entries for the device and signed-in users
- Removes Rippling folders, including each user's Rippling app data
- Clears Rippling's entries from the installed-programs list
- Removes Chocolatey and the local admin account only if those options are on

PHASE 3 · REPORT

Summary and verdict

- Counts of items found, removed, and not removed
- Whether a restart is pending
- A one-line result
- Output goes to the management console and a log file on the device

05

Scope and boundaries

What the sweep removes

- ✓ Rippling scheduled tasks and service
- ✓ Running Rippling processes
- ✓ The Rippling app, via its own uninstaller
- ✓ Rippling startup entries
- ✓ Rippling folders and per-user app data
- ✓ Rippling's installed-programs entries

What it does not touch

— MDM enrollments — reported only; your migration process handles these

— SentinelOne, even if Rippling delivered it — removing a security agent is a separate decision

— Chocolatey and the local admin account, unless those options are on

— Any component that is not present on the device

! Two options to review before turning on

Local admin account: off by default. When on, the script checks first and refuses if the account is signed in, if no other enabled local admin exists, or if it can't confirm either. A dry run with the option on shows whether removal would be allowed or blocked, and why.
Chocolatey: off by default. Rippling used it to install apps, but other teams may rely on it too. Turn it on only if nothing else depends on it.

✓ Safe to re-run

If a file couldn't be removed, it's usually locked — restart and run the script again. If the admin account was blocked, fix the reason shown in the log first. Nothing already removed is affected.

06

Reading the result

Every run ends with one of these results, so you don't need to read the full log.

RESULT	WHAT IT MEANS
CLEAN	No Rippling components were found. Nothing to do. If a restart is pending, restart.
DRY RUN complete	Items were found and listed. Nothing was changed. A note tells you whether to restart first or run live.
CLEANED	Everything found was removed. Restart to clear any queued deletions.
PARTIAL	Some items couldn't be removed; each is named in the log. For locked files, restart and re-run. For a blocked admin account, fix the stated reason first.

i A note on restarts

Windows often can't delete files that are in use, so it queues them for the next restart. That's why the script reports pending restarts and recommends one after a live run.