R **Rippling Removal for macOS**

Version 2.0.3 · Dry-run by default

POST-MIGRATION CLEANUP UTILITY

Removing Rippling management components from macOS devices

A safety-first cleanup script that reports before it removes. This overview explains what the utility inspects, what it removes, and the controls that keep it predictable on every device it runs on.

PLATFORM

macOS · runs as root via management console

DOCUMENT

Operational Overview

01

What this utility does

After a Mac has been migrated to its new management platform, some Rippling-related components can remain on disk or in memory. This utility performs a structured sweep to identify and remove those leftover components, and it reports everything it finds in a clear, readable log.

The script is designed to be pushed from your management console as a custom script and runs with administrator (root) privileges. It works in three phases on every run: a read-only assessment of the device's current state, a leftover sweep that either reports or removes depending on the mode you select, and a closing summary with a verdict.

02

Two modes, one setting

A single setting controls the entire behavior of the script. It ships in the safe mode, so the first time it touches any device it only looks and reports.

`DRY_RUN = "true"` DEFAULT

Scans the device and reports only. Nothing is changed, deleted, or unloaded. Use this to review exactly what would be removed before committing to any action.

`DRY_RUN = "false"` LIVE

Runs the same scan and then removes the items it finds. The removal steps are repeatable, so the script can be safely run again on any device without adverse effect.

i Suggested workflow
Push the script as-is to one device, review the summary and the list of items it found, and only then switch to live mode and re-push. The summary is written to be read at a glance.

03

Built-in safety controls

- ✓ Report-only mode is the shipped default
- ✓ Every item is logged as found before anything is removed
- ✓ Removal steps confirm the item is actually gone, and report clearly if it is not
- ✓ Removal of the local administrator account is a separate, off-by-default option
- ✓ Items that are absent are skipped silently, without errors
- ✓ A summary and result verdict close every run

04

How a run is structured

Each run moves through three phases. The first only observes; the second does the work; the third reports the outcome.

PHASE 1 · READ-ONLY

Migration state assessment

- Checks whether the new management agent is present on the device
- Checks for any remaining Rippling configuration profiles — inspection only, never modified
- Reports whether Rippling application files are still on disk
- Reports whether any Rippling processes are still running in memory

PHASE 2 · SWEEP

Leftover removal

- Unloads and removes Rippling background items registered for the signed-in user and for the system
- Stops any Rippling processes still running, so no leftover menu-bar item lingers in the session
- Removes Rippling application files and per-user support folders
- Clears the related software-delivery components where they were deployed as part of the Rippling stack
- Clears package installation records associated with those components
- Resets custom login-window text only if one had been set

PHASE 3 · REPORT

Summary and verdict

- Counts of items found, removed, and — if any — not removed
- A single plain-language result line summarizing the run
- Output is written both to the management console and to the device's system log

05

Scope and boundaries

What the sweep removes

- ✓ Rippling background items (user and system)
- ✓ Running Rippling processes
- ✓ Rippling application files and support folders
- ✓ Associated software-delivery components, where deployed
- ✓ Related package installation records
- ✓ Custom login-window text, if one was set

What it does not touch

— MDM enrollment and configuration profiles — inspected read-only and left to the migration process

— The local administrator account, unless that option is explicitly enabled

— Any component that is not present on the device

! The one option to review before enabling

Removal of the local administrator account is turned off by default. Because that account may be the only local administrator on a device, confirm another local administrator exists before enabling this option.

✓ Safe to run more than once

The removal steps are repeatable. If a run reports that an item could not be removed, the script can be run again after a restart. Nothing already removed is affected by a second run.

06

Reading the result

Every run ends with one of the following result lines, so the outcome is clear without reading the full log.

RESULT	WHAT IT MEANS
CLEAN	No Rippling components were found on the device. Nothing needed to be done.
DRY RUN complete	Items were found and listed, but the script was in report-only mode and made no changes.
CLEANED	Items were found and successfully removed in live mode.
PARTIAL	One or more items could not be removed. They are named in the log; a re-run after a restart is recommended.

i A note on the menu-bar icon

If a Rippling menu-bar icon still appears immediately after a successful live run, it is the last frame of a stopped process. It clears at the next logout or restart, and nothing remains on the device to bring it back.