
303 CH_mon-CompareRunSim.py 2023-03-04T15-40-30 GP 1 13.75 vb s dv_hys_s 0.04 vb_s_ver dv_hys_s_ver 13.50 0.02 voc s 13.25 voc s ver 0.00 13.00 voc stat s 0.02 voc_stat_s_ver 12.75 +0.04 12.50 0.5 0.5 0.0 1.0 0.0 1.0 1.5 1.5 ib in s SOC S 0.52 0.04 ib_in_s_ver soc s ver 0.51 0.02 ib fut s ver 0.50 0.00 0.49 -0.02 0.48 +0.04 0.0 0.5 1.0 1.5 0.0 0.5 1.0 1.5

303 CH_mon-CompareRunSim.py 2023-03-04T15-40-30 GP 2 0.0010 20 νb dv hys vb_ver 8000.0 dv_hys_ver VOC 15 0.0006 voc ver 0.0004 voc stat 10 voc_stat_ver_0₀₀₀₀₂ 0.0000 0.5 0.5 0.0 1.0 1.5 0.0 1.0 1.5 0.500125 ib sel SOC 400 0.500100 ib in s soc_ver 200 ib_charge_ver 0.500075 0 0.500050 -200 0.500025 -400 0.500000 0.0 0.5 1.0 1.5 0.0 0.5 1.0 1.5



CH_mon-CompareRunSim.py 2023-03-04T15-40-30 off/on sim 1 13.75 vb s dv_hys_s 0.04 dv_hys_s_ver vb_s_ver 13.50 0.02 voc s 13.25 voc s ver 0.00 13.00 voc stat s ver 0.02 12.75 +0.04 12.50 0.5 0.5 1.0 0.0 1.0 0.0 1.5 1.5 ib s SOC S 0.52 0.04 ib_s_ver soc s ver 0.51 0.02 0.50 0.00 0.49 0.02 0.48 +0.04 0.5 0.0 0.5 1.0 1.5 0.0 1.0 1.5

CH_mon-CompareRunSim.py 2023-03-04T15-40-30 off/on mon 1 0.0010 20 νb dv hys 0.0008 dv_hys_ver voc voc_stat 0.0006 15 0.0004 10 0.0002 0.0000 0.5 0.5 0.0 1.0 1.5 0.0 1.0 1.5 0.500125 ib sel SOC 400 0.500100 ib in s soc_ver 200 ib charge 0.500075 ib_charge_ver 0 0.500050 -200 0.500025 -400 0.500000 0.0 0.5 1.0 1.5 0.0 0.5 1.0 1.5