


1028_mon-CompareRun.py 2022-11-10T05-52-02 off/on mon 1






20221028_mon-CompareRun.py 2022-11-10T05-52-02 GP 2




20221028_mon-CompareRun.py 2022-11-10T05-52-02 GP 3



26 lb Tb SOC 40 0.5050 soc_ekf 25 0.5025 20 24 0.5000 -50 50 50 1.0 0105 tweak sclr amp falw tweak sclr noa b.5 **00** soc ekf -5 -0.05 50 50 0.0 dv hys ٧b e_wrap 13.0 dv hys rescaled wrap vb fa Voc dyn dy hys required wrap_lo_fa-1 Voc_stat_chg wrap_hi_fa+1 12.9 Voc stat dis 0.2-e wrap dv hys remodel dv_hys_redesignochg 50 50 +1**:**136%/680775e9 dv hys redesign dis 9 +1dan680775e9

faults

faults /20221028_mon-CompareRun.py 2022-11-10T05-52-02 f2



faults /20221028_mon-CompareRun.py 2022-11-10T05-52-02 f3 0.0080000 0.0 dv hys 0.0079995 -0.2dv_hys_rescaled dv_hys_required 0.0079990 -0.4-e_wrap dv_hys_redesign_chg 0.0079985 res redesign chg dv_hys_redesign_dis res redesign dis -0.650 50 669077500 50 0.0008 40 0.0006 30 0.0004 20 Ιb 0.0002 soc*10 10 ioc_redesign dv_dot_redesign 0.0000 0 50 50 days+1.6680775e9 days+1.6680775e9

