


(p20_20220825_mon-MonSim.py 2022-08-25T12-22-41 1.0000 soc_new 0.9975 0.9950 0.9925 0.9900 0.9875 400 200 40 0.0000 dv_hys, V_new ib, A new ioc hys indicator, A_newo.0025 20 -0.0050 0 -0.0075 -20-0.01000.0125 200 400 200 400



(p20_20220825_mon-MonSim.py 2022-08-25T12-22-41





(p20_20220825_mon-MonSim.py 2022-08-25T12-22-41 dV dyn Voc_stat 0.2 14.0 dv_dyn_new Voc stat new 0.0 13.5 -0.2200 400 200 400 y_ekf Voc 14.0 0.25 y ekf new Voc new Voc_ekf y_filt_new 0.00 13.5 Voc_ekf_new y filt2 new 0.25 200 400 200 400 dV hys temp_c 0.0 40 dv_hys_m_new temp_c_new dv_hys_req_m_new 20 -0.5dv_hys_m dv_hys_req_m

200

400

2dv_hys_new00

0

(p20_20220825_mon-MonSim.py 2022-08-25T12-22-41 1.0000 soc_ekf SOC **0**.995 0.9975 soc_ekf_new soc new 0.9950 Ф.990 0.9925 0.9900 0.985 0.9875 **1**0.980 200 400 200 400 1.0000 L.000 SOC SOC 0.9975 soc new soc new 0.995 soc m 0.9950 soc m new **0**.990 0.9925 soc ekf 0.9900 soc ekf new **0**.985 0.9875 **1**0.980 200 400 200 400

