

Circulate to: ☒ Sales Manager ☒ Accounting ☒ Service Manager ☒ Technician ☒ Parts Manager

Important New Model Information—150 Pro XS FourStroke

Models Affected

Models Covered	Serial Number Or Year
150 Pro XS FourStroke	2B550139 and above

Scope

Worldwide

Situation

The purpose of this bulletin is to highlight key features of the new 150 Pro XS FourStroke models and how they differ from the standard production models.

- New specifications
- New top/lower cowl decals
- New maintenance decal
- New ECM calibration
- New 2.08:1 gearcase
- Stiffer upper mounts



THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

This document is provided for the sole and exclusive use of the original recipient as prescribed by Mercury Marine and may not be distributed or copied, digitally or otherwise, without the prior written consent of Mercury Marine.

Specifications

Model	150 Pro XS	150 FourStroke
WOT RPM	5200–6000	5000–5800
Gearcase	2.08:1 Ratio RH only	1.92:1 Ratio RH and LH
Gearcase water pickup	Side and nose	Side only
Gearcase color	Silver	Black
Transient spark strategy	Yes	No
Upper mounts	Heavy-duty	Standard
Decals	New Pro XS	Standard
Under cowl service decal	New Pro XS	Standard

150 Pro XS Maintenance Schedule Decal

A specific 150 Pro XS maintenance schedule decal is applied to all 150 Pro XS models.

MAINTENANCE SCHEDULE

**EVERY 100 HOURS
OF USE OR
ONCE YEARLY**

**EVERY 300 HOURS
OF USE OR
THREE YEARS**

↕ REPLACE

Engine Oil and Filter

Gearcase Lubricant

✓ INSPECT

Spark Plugs *

Thermostat

Low Pressure Fuel Filter

Anodes

↕ REPLACE

Accessory Drive Belt

Spark Plugs *

Water Pump Impeller

For Storage Preparation
See Owner's Manual

Specifications

Full Throttle RPM:
5200-6000

Neutral Idle RPM:
650

*** In Saltwater:**
Apply Anti-Seize

**27 Nm
(20 lb-ft)**

8M0057936

**0.8 mm
(0.032 in.)**

Engine Oil

10W-30

6.0 L (6.3 U.S. qt.)

67146

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

This document is provided for the sole and exclusive use of the original recipient as prescribed by Mercury Marine and may not be distributed or copied, digitally or otherwise, without the prior written consent of Mercury Marine.

New 2.08:1 Gearcase

The 150 Pro XS is equipped with a silver 2.08:1 gearcase. This is the same gearcase ratio and design that was used on the 4-cylinder Verado product.




Silver colored gearcase

- a -** Side water pick-ups
- b -** Nose water pick-ups

67151

Heavy-Duty Upper Mounts

150 Pro XS models are equipped with heavy-duty upper mounts and added urethane snubber washers.



Heavy-duty upper mounts

- a -** Urethane snubber washers (2)

57812

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

This document is provided for the sole and exclusive use of the original recipient as prescribed by Mercury Marine and may not be distributed or copied, digitally or otherwise, without the prior written consent of Mercury Marine.