Model	15-16 Foot	17 Foot	t Rate 18 Foot	19 Foot	20 Foot
Aerator Head	0.5	0.5	0.5	0.5	0.5
Baitwell Assy.	N/A	1.5	1.5	1.5	1.5
Battery Charger	1	1.5 	1.5	1.5	1.5
Baitwell Lid	N/A	0.3	0.3	0.3	0.3
Bow Panel	0.5	0.5	0.5	0.5	0.5
Baitwell Assy.	1	1	1	1	1
Bilge Pump	0.5	0.5	0.5	0.5	0.5
Bilge Thru Hull Fitting	0.5	0.5	0.5	0.5	0.5
Bow Backrest Cushion	0.5	0.5	0.5	0.5	0.5
Bow Casting	0.5	0.5	0.5	0.5	0.5
Bow Cushion	0.5	0.5	0.5	0.5	0.5
Bow Deck	3	3	4	5	5
Bow Eye	0.5	0.5	0.5	0.5	0.5
Bow Light Assy.	0.3	0.3	0.3	0.3	0.3
Bow Panel Assy.	0.5	0.5	0.5	0.5	0.5
Bow Platform	2	2.5	3	3	4
Bow Storage	0.3	0.3	0.3	0.3	0.3
Bow Rail	0.5	0.5	0.5	0.5	0.5
Bow Stem	16	17	18	20	20
Casting Stern	0.5	0.5	0.5	0.5	0.5
Canvas Bimini Top	0.75	0.75	1	1	1
Canvas Aft Curtain	0.75	0.5	0.75	1	1
Canvas Side Curtains	0.5	0.5	0.75	0.75	0.75
Canvas Drop	N/A	N/A	N/A	0.5	0.75
Canvas Cockpit	1	1	1.5	1.5	1.5
Circuit Breaker	0.5	0.5	0.5	0.5	0.5
Cleat	0.25	0.25	0.25	0.25	0.25
Console Port	1.5	1.5	1.5	1.5	1.5
Console Stbd.	2	2	2	2	2
Courtsey Light	0.25	0.25	0.25	0.25	0.25
Cupholders	0.1	0.1	0.1	0.1	0.1
Cupholders	0.2	0.2	0.2	0.2	0.2
Dash Port (ABS)	1.5	1.5	1.5	2	2
Dash Stbd (ABS)	1.5	2	2	2.5	2.5
Deck Cleat	0.25	0.25	0.25	0.25	0.25
Drain Tube	0.5	0.5	0.5	0.5	0.5
Floor	15	15	15	18	18
Floor Covering	8	8	8	9	9
Fuel Tank Valve	0.5	0.5	0.5	0.5	0.5
Fuel Fill	0.5	0.5	0.5	0.5	0.5
Fuel Fill Hose	0.75	0.75	0.75	1	1
Fuel Sender	1	1	1	1	1
Fuel Tank	12	12	14	15	16
Fuel Vent	0.5	0.5	0.5	0.5	0.5
Fuel Vent Hose	0.75	0.75	0.75	1	1
Gauge	0.5	0.5	0.5	0.5	0.5
Gauge Panel	1	1	1	1	1
Glove Box Lid	0.5	0.5	0.5	0.5	0.5
Grab Handle	3.0	0.3	0.3	0.3	0.3
Glove Box Lock	0.25	0.25	0.25	0.25	0.25
Grab Handle	0.25	0.25	0.25	0.25	0.25
Gunwale Rail (Inner)	6	6	6	6	6
Graphics Per Side	2	2	2.5	2.5	3
Ignition Panel	0.5	0.5	0.5	0.5	0.5
Ignition Switch	0.5	0.5	0.5	0.5	0.5
Inspection Plate	0.25	0.25	0.25	0.25	0.25
Lid Latch	0.25	0.25	0.25	0.25	0.25

Madal	45 40 5	47 F 1	40 = -4	40 ==-/	20 5
Model	15-16 Foot	17 Foot	18 Foot	19 Foot	20 Foot
Lid Livewell	0.5	0.5	0.5	0.5	0.5
Lid Rod Box	0.5	0.5	0.5	0.5	0.5
Lid Storage	0.25	0.25	0.25	0.25	0.25
Lift Rings	0.25	0.25	0.25	0.25	0.25
Light Bow Assy.	0.5	0.5	0.5	0.5	0.5
Light Courtsey	0.5	0.5	0.5	0.5	0.5
Light Livewell	0.5	0.5	0.5	0.5	0.5
Light Stern Base	0.5	0.5	0.5	0.5	0.5
Light Stern Pole	0.25	0.25	0.25	0.25	0.25
Livewell Drain Hose	1.5	1.5	2	2	2.25
Livewell Fill Hose	1.5	1.5	2	2	2.25
Livewell Pump	0.5	0.5	0.5	0.5	0.5
Livewell Pump Screen	0.25	0.25	0.25	0.25	0.25
Livewell Tank	2	2	2	3	3
Livewell Drain Valve		1.5	1.5	1.5	1.5
Lock/Latch Assy.	0.25	0.25	0.25	0.25	0.25
Radio	0.5	0.5	0.5	0.5	0.5
Radio Antenna	0.25	0.25	0.25	0.25	0.25
Radio MP3	0.25	0.25	0.25	0.25	0.25
Radio Speaker	0.25	0.25	0.25	0.25	0.25
Rod Locker Repair KIt (In-floor Insert)	1	1	1	1	1
Rod Holder	0.25	0.25	0.25	0.25	0.25
Seat Base Floor	0.25	0.25	0.25	0.25	0.25
Seat Base Upper	0.25	0.25	0.25	0.25	0.25
Seat Fold Down/Helm	0.25	0.25	0.25	0.25	0.25
Stern Bench Assy	1	1	1	1	1
Stern Backrest Cushion	0.5	0.5	0.5	0.5	0.5
Stern Bottom Cushion	0.5	0.5	0.5	0.5	0.5
Shift-Throttle Cable	1	1	1.25	1.5	1.5
Shift-Throttle Control	1	1	1	1	1
Steering Cable	1.5	1.5	1.75	2	2
Steering Helm	1	1	1	1	1
Steering Hydraulic Cylinder	1	1	1	1	1
Steering Hydraulic Helm	1.5	1.5	1.5	1.5	1.5
Steering Hydraulic Hose	1.5	1.5	2	2	2
Steering Wheel	0.25	0.25	0.25	0.25	0.25
Stern Platform	1.5	1.5	1.5	1.5	1.5
Storage Curtain	0.5	0.5	0.5	0.5	0.5
Swim Platform (Install)	0.5	0.5	0.5	0.5	0.5
Switch	0.5	0.5	0.5	0.5	0.5
Switch Panel	1	1	1	1	1
Transom	25	30	35	40	40
Trim Tabs	1	1	1	1	1
Trolling Motor Plug	0.25	0.25	0.25	0.25	0.25
Trolling Motor Receptical	0.5	0.5	0.5	0.5	0.5
Windscreen	0.5	0.5	0.5	0.5	0.5
Windshield	2	2	2.25	2.5	2.5
Wiring Harness Main	1.5	1.5	1.75	2	2
WARRAI	NTY FLAT RAT	E DERIG-F	RERIG CHAR	GES	<u> </u>
R&R Kicker Engine	1	1	1	1	1
R&R ENGINE	1.5	1.5	1.5	1.5	1.5
R&R BATTERY	0.5	0.5	0.5	0.5	0.5
	0.5			0.5	
Remove Fuel	0.5	0.5 0.25	0.5 0.25	0.5	0.5
R&R Trolling Motor	0.25	0.25	0.25		0.25
Remove Personal Effects				0.25	0.25
Verado Reprograming Fill and Bleed Hydraulic Steering	0.5	0.5 1	0.5	0.5	0.5 1

Riveted or Welded Aluminium Flat Rate						
Model	15-16 Foot	17 Foot	18 Foot	19 Foot	20 Foot	