Getting Started with Ansible

Modules Make Changes

Wes Higbee
The Reifier

@g0t4 | weshigbee.com

Control Node
Managed Node(s)


localhost
Control Node
Self-managed Node
Managed Node(s)


Inventory
Control Node
pi1
pi2
pi3
Managed Node(s)


Inventory
ansible-*
Control Node
CONFIG
ansible.cfg
inventory=my_inv
INI
my_inv
pi1
pi2
pi3
Managed Node(s)


Managed Node
Control Node
Module
>_
args
SSH
output
ansible-*
Managed Node
Managed Node


Managed Node
Control Node
>_
ansible-*
date
SSH
output
Command
> date
Mon Mar 20 ...
Managed Node
Managed Node


Managed Node
Control Node
name=
America/Chicago
>_
ansible-*
SSH
output
Timezone
> sudo setupsystem ...
> sudo timedatectl ...
Managed Node
Managed Node


Managed Node
Control Node
Module
>_
>_
args
LOCAL
output
ansible-*
shell
Managed Node

Connection Plugins

Default



Implicit Localhost



Enforcing a Desired State

Actual State		Desired State
x	Nothing	x
y	Changes	x

Copy Module


Current State
Missing
Differ
Same
hello
world
hello
wes
How
Add
Modify
Nothing
What
hello
wes
Desired State

Copy Module


Current State
Differ
hello
world
How
Modify
--check
STOP
--diff
hello
worldes
hello
wes
Desired State

Which version?



Which version?



Which version?



Which version?