PHP Basics

Christian Wenz
Consultant, Software Architect

@chwenz

Disclaimer

This is not a full introduction to the PHP language

But enough to become productive

PHP within HTML

```
<?php
  echo 42;
?>
<p>Before</p>
```

```
<p>After</p>
<?php
  echo 42;
?>
```

```
<p>In</p>
<?php
  echo 42;
?>
<p>Between</p>
```

Variables and Constants

Variables	Constants
$title = 'Globoticket';	define('TITLE', 'Globoticket');
Name starts with letter or underscore	Name starts with letter or underscore
Value can be changed at any time	Value can never be changed
echo $title;	echo TITLE;

Data Output

Alternative to echo

file.php

```
printf(
    '%d * %d = %d',
    6,
    7,
    42
);
```

Major Data Types



Strings

Numbers

Booleans

More Data Types



Resources

NULL



Objects

```php
if ($title == 'Globoticket') {
    // ...
}
```

◀ **If statement, loose comparison**

```php
if ($title === 'Globoticket') {
    // ...
}
```

◀ **If statement, strict comparison**

```php
if ($title === 'Globoticket') {
    // ...
} else {
    // ...
}
```

◀ **If/else statement**

Control Structures: Loops

for

while

do ... while

```php
do {
  echo "$counter<br>";
  $counter--;
} while ($counter > 1);
```

Arrays

Creating: $roles = ['buyer', 'seller'];

Counting: count($roles)

Iterating: for, foreach

Associative arrays

Array functions

Name Parameters Default value

```
function help($title, $margin = 3) {
    return "<p class=\"m-$margin\">$title</p>";
}
```

Return value

```
$markup = help('Globoticket', 5);
```

Functions

```php
function help(string $title, int $margin = 3): string {
    return "<p class=\"m-$margin\">$title</p>";
}

$markup = help('Globoticket', 5);
```

Functions with Data Types

```php
$title = 'Globoticket';


function DivTitle() {
   global $title;
   return "<div>$title</div>";
}
```

Variables in Functions

```php
$title = 'Globoticket';


function DivTitle() {
    $title = $GLOBALS['title'];
    return "<div>$title</div>";
}
```

Variables in Functions