

Scan Report

July 22, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “DJ’s”. The scan started at Wed Jul 22 07:38:13 2026 UTC and ended at Wed Jul 22 08:46:24 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	172.16.3.114	2
2.1.1	Medium 135/tcp	2
2.1.2	Medium 8080/tcp	3

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.16.3.114	0	0	2	0	0	0
Total: 1	0	0	2	0	0	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level "Log" are not shown.

Issues with the threat level "Debug" are not shown.

Issues with the threat level "False Positive" are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 2 results selected by the filtering described above. Before filtering there were 52 results.

2 Results per Host

2.1 172.16.3.114

Host scan start Wed Jul 22 07:40:15 2026 UTC
Host scan end Wed Jul 22 08:46:16 2026 UTC

Service (Port)	Threat Level
135/tcp	Medium
8080/tcp	Medium

2.1.1 Medium 135/tcp

Medium (CVSS: 5.0)
NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p ↔rotocol: Port: 49664/tcp UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49664] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49664] Annotation: Ngc Pop Key Service UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49664] Annotation: Ngc Pop Key Service UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2 Endpoint: ncacn_ip_tcp:172.16.3.114[49664] ...continues on next page ...

...continued from previous page ...	
Annotation: KeyIso Port: 49665/tcp UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49665] Port: 49666/tcp UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49666] UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49666] Port: 49667/tcp UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49667] Annotation: Windows Event Log Port: 49668/tcp UUID: 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49668] UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49668] Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 4a452661-8290-4b36-8fba-7f4093a94978, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49668] UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49668] UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1 Endpoint: ncacn_ip_tcp:172.16.3.114[49668] Port: 49684/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:172.16.3.114[49684] Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact	An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution:	
Solution type: Mitigation	Filter incoming traffic to this ports.
Affected Software/OS	All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight	DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method	Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z

[[return to 172.16.3.114](#)]

2.1.2 Medium 8080/tcp

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following URLs requires Basic Authentication (URL:realm name): http://172.16.3.114:8080/:"XDB"
Impact An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T05:05:21Z
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html

[[return to 172.16.3.114](#)]