


# Technical Quotation



**Dynamic Metal Innovations**  
302 S 4th St  
Emmaus, Pennsylvania 18049  
USA

## TruBend 7036 (B28)

Quotation number: 00167554/1 from 07/07/2025  
TRUMPF Project ID: 0000683925  
valid to: 10/05/2025



All illustrations are examples. The product may differ from the picture.

### Regional Sales Manager

Mr James Rogowski

Phone

(860) 3845467

E-mail

james.rogowski@trumpf.com

### Sales Representative

Mr Chris Barsanti

Mobile

(610) 256-0711

E-mail

CBarsanti@midatlanticmachinery.com

### Product Manager

Mr Christopher Wargo

Phone

860-387-5563

E-mail

christopher.wargo@trumpf.com

# Technical Quotation



**Dynamic Metal Innovations**  
**302 S 4th St**  
**Emmaus, Pennsylvania 18049**  
**USA**

Dear Customer,

Thank you for your interest in TRUMPF technology. In response to your request we are pleased to provide the following quotation.

TRUMPF machines are designed to enable metal fabricators to compete and win in today's intensely competitive landscape.

It is most important to us that you benefit from your TRUMPF machine each and every day. TRUMPF accessories and services is the key to attain the full potential of your new TRUMPF machine and will ensure a maximum uptime, low operating cost and maintain its high capital value. We bundle these products under the category TruServices. TRUMPF knows it is our obligation to develop and continuously improve TruServices to ensure your competitive advantage for the lifetime of your machine. This is why we include superior services with your new machine such as our TRUMPF warranty, service agreements, consumables, training, installation and data-driven services for monitoring an optimal performance.

As the premier laser manufacturer in the world, and the largest manufacturer of fabrication equipment in the United States, TRUMPF is positioned to offer innovative machines of very high reliability and quality. TRUMPF has been in business for over 100 years and spends approximately 10% of its revenues each year on research and development that result in continued enhancements of existing products along with innovative new technologies to solve tomorrow's fabrication needs.

While our fabrication machines set themselves apart from our competitors' products through their flexibility and productivity, the company also distinguishes itself through dedication to customer training and support. Thousands of students pass through our US customer training center here in Farmington, Connecticut each year, learning to program, operate and maintain their TRUMPF products. We are also constantly optimizing our technical service group, keeping pace with our installed base of machines. Our dedication to continuous innovation and customer support has helped the TRUMPF Group to exceed \$5 billion in sales worldwide.

If you have not already had the opportunity to experience our 500,000 square foot manufacturing facility in Farmington, CT, we would like to offer you a visit. Meeting the people of TRUMPF while getting a firsthand look at our facility, including our new SmartFactory, which is opening early next year, our products and our lean manufacturing operations will open your eyes to the TRUMPF philosophy of providing machine tools and lasers which provide the lowest cost per part. If Connecticut is not your backyard, our technology is also showcased in our SmartFactory near Chicago, IL and in our Technology Center in Costa Mesa, CA. Contact your local TRUMPF sales person to arrange a visit.

Thank you once again for considering TRUMPF.

Burke Doar  
Executive Vice President



**Table of contents**

1. Quotation..... 4

2. Terms and conditions..... 12

3. Additional information about the order range..... 23

4. Additional information on technical data..... 33

5. Additional information on technical data..... 35

## 1. Quotation

|      |                    |       |                |
|------|--------------------|-------|----------------|
| 1000 | TruBend 7036 (B28) | 1 PCE | 148,000.00 USD |
|------|--------------------|-------|----------------|

- Machine
  - Press force: 360 kN/bending length: 1020 mm
  - C frame
  - Press beam
  - Highly dynamic electromechanical direct drive
  - Distance measurement system (Y axis) with dynamic deflection compensation
  - Electrical cabinet air conditioning up to an ambient temperature of 40 °C
  - E-Learning Package Technology TruBend
- Backgauge
  - 6-axis backgauge (X1, X2, R1, R2, Z1 and Z2 axis)
- Control
  - Touchpoint TruBend machine control
  - User management system
  - Bending technology data
- Data transmission
  - USB interface
  - RJ45 network interface
  - Network capability
  - Remote support interface
- Operation
  - Operating unit with foot switches
- Safety
  - CE marking and EC Machinery Directive
  - Rear safety door
  - Standard safety device
  - Sideways pivoting safety doors
- Services
  - Transport device
- Advanced standard configuration
  - Integrated TRUMPF technology data

# Technical Quotation



- Manual TRUMPF upper tool clamp
- Manual TRUMPF lower tool clamp
- Screen for Touchpoint machine control
- Shop floor programming - TecZone Bend (trial)
- Tool Setup Optimizer (trial)
- Installation, initial start-up and instruction

|      |                                    |              |                 |
|------|------------------------------------|--------------|-----------------|
| 2000 | <b>Standard TRUMPF TruServices</b> | <b>1 PCE</b> | <b>0.00 USD</b> |
|------|------------------------------------|--------------|-----------------|

**Warranty:**

One-Year, Unlimited Hours

**Training:**

TruBend 3000 = 1 students for 3.5 days Operator course at TRUMPF Training Center (Farmington, CT)

TruBend 5000 = 2 students for 4.5 days Operator course at TRUMPF Training Center (Farmington, CT)

TruBend 7000 = 1 students for 4.5 days Operator course at TRUMPF Training Center (Farmington, CT)

**Tooling:**

With the purchase of this TruBend press brake we offer a special discount of \$1,500 off the list price of one stand-alone tool cabinet by Apfel. Tool cabinets help to maintain your valuable press brake tooling and keep every tool at the right location in your facility. With a high-quality and ergonomic design, these cabinets reduce your press brake setup times to a minimum.

**Transparency Agreement:**

Machine will be connected to our Condition Monitoring Platform including the following benefits:

Data-driven diagnostics: Faster and more reliable problem solving based on machine data

Detection and prevention of machine failures and unplanned downtimes

Condition Report via MyTRUMPF: Machine performance data going back 7 days, so that you can analyze them and take the necessary steps to improve your operation (for TruBend 5000+7000 series)

Valid for five years


**Installation:**

Installation, Start-up and Instruction

**Standard Acceptance:**

Machine acceptance will consist of producing TRUMPF's standard acceptance part which checks all aspects of machine performance

# Technical Quotation



against quoted specifications. This acceptance test will be performed at the customer's location, if requested. Any additional tests must be mutually agreed upon and specified in the purchase order.

## Tool clamp

|      |                                                                                                                           |              |                     |
|------|---------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|
| 3000 | <b>Automatic tool clamps</b> <ul style="list-style-type: none"><li>Hydraulic TRUMPF upper and lower tool clamps</li></ul> | <b>1 PCE</b> | <b>9,000.00 USD</b> |
|------|---------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|

## Lower tool displacement

### Control

|      |                                                                                                                                                                                                 |              |                     |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|
| 4000 | <b>Additional screen on the left support arm</b> <ul style="list-style-type: none"><li>Screen in addition to the control screen on the press beam</li><li>Includes keyboard and mouse</li></ul> | <b>1 PCE</b> | <b>8,000.00 USD</b> |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|

|      |                                                         |              |                      |
|------|---------------------------------------------------------|--------------|----------------------|
| 5000 | <b>Shop floor programming – TecZone Bend (purchase)</b> | <b>1 PCE</b> | <b>10,000.00 USD</b> |
|------|---------------------------------------------------------|--------------|----------------------|

|      |                                                                                                                                          |              |                     |
|------|------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|
| 6000 | <b>Tool Setup Optimizer (TSO)</b> <ul style="list-style-type: none"><li>Setup optimizer</li><li>Module as part of TecZone Bend</li></ul> | <b>1 PCE</b> | <b>5,000.00 USD</b> |
|------|------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------|

## Data transmission

|      |                                                                                                                                                                                                                            |              |                      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|
| 7000 | <b>Remote Control Interface (RCI)</b> <ul style="list-style-type: none"><li>Connection of third-party systems for remote control of the machine and production plan</li><li>Machine messages to MDA/MES software</li></ul> | <b>1 PCE</b> | <b>10,000.00 USD</b> |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |                      |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|
| 8000 | <b>OPC UA Interface for TRUMPF Machine Tools / Purchase</b> <ul style="list-style-type: none"><li>This package includes all available TRUMPF OPC UA machine interface packages and OPC UA for Machine Tools</li><li>Available TRUMPF OPC UA interfaces include the Production Status Interface, Machine Control Interface, Material Flow Interface, Process Parameter Interface, Tools and Equipment Interface and the Maintenance Interface.</li></ul> | <b>1 PCE</b> | <b>10,000.00 USD</b> |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|

|      |                                                                                                                                                                                                     |              |                 |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|
| 9000 | <b>OPC UA for Machine Tools</b> <ul style="list-style-type: none"><li>This package only contains the free standardized umati OPC UA interface (OPC UA for Machine Tools Basic Interface).</li></ul> | <b>1 PCE</b> | <b>0.00 USD</b> |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|

## Angle assistants

# Technical Quotation



|                        |                                                                                                                                                           |       |              |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
| 10000                  | <b>ACB Wireless (Automatically Controlled Bending)</b>                                                                                                    | 1 PCE | 0.00 USD     |
|                        | <ul style="list-style-type: none"> <li>Machine-side preparation for use of sensor tools</li> </ul>                                                        |       |              |
| 11000                  | <b>Operator Controlled Bending (OCB)</b>                                                                                                                  | 1 PCE | 4,500.00 USD |
|                        | <ul style="list-style-type: none"> <li>Bluetooth manual bevel protractor</li> </ul>                                                                       |       |              |
| <b>Operation</b>       |                                                                                                                                                           |       |              |
| 12000                  | <b>Measuring tool drawer and document storage</b>                                                                                                         | 1 PCE | 3,000.00 USD |
|                        | <ul style="list-style-type: none"> <li>Measuring tool drawer fully equipped (analog goniometer, digital slide gauge, beveled steel square 90°)</li> </ul> |       |              |
| 13000                  | <b>Tool Indicator</b>                                                                                                                                     | 1 PCE | 3,000.00 USD |
| 14000                  | <b>Comfort foot rest</b>                                                                                                                                  | 1 PCE | 2,000.00 USD |
| 15000                  | <b>Front work area illumination</b>                                                                                                                       | 1 PCE | 1,000.00 USD |
|                        | <ul style="list-style-type: none"> <li>LED</li> </ul>                                                                                                     |       |              |
| 16000                  | <b>Rear work area illumination</b>                                                                                                                        | 1 PCE | 1,000.00 USD |
|                        | <ul style="list-style-type: none"> <li>LED</li> </ul>                                                                                                     |       |              |
| 17000                  | <b>Bending line laser</b>                                                                                                                                 | 1 PCE | 2,000.00 USD |
| 18000                  | <b>Sitting and standing aid</b>                                                                                                                           | 1 PCE | 1,000.00 USD |
| 19000                  | <b>2D code scanner</b>                                                                                                                                    | 1 PCE | 3,000.00 USD |
|                        | <ul style="list-style-type: none"> <li>Cable-based</li> <li>For reading the code from paper</li> </ul>                                                    |       |              |
| 20000                  | <b>2D code scanner DMC Bluetooth</b>                                                                                                                      | 1 PCE | 4,500.00 USD |
|                        | <ul style="list-style-type: none"> <li>Wireless (Bluetooth)</li> <li>Reading of 2D codes from paper or sheet metal parts</li> </ul>                       |       |              |
| <b>Safety</b>          |                                                                                                                                                           |       |              |
| 21000                  | <b>BendGuard</b>                                                                                                                                          | 1 PCE | 0.00 USD     |
| 22000                  | <b>BendGuard Automatic</b>                                                                                                                                | 1 PCE | 5,000.00 USD |
| <b>Special options</b> |                                                                                                                                                           |       |              |

# Technical Quotation



|                      |                                                                                                                                         |       |               |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------|---------------|
| 23000                | Comfort foot rest                                                                                                                       | 1 PCE | 2,000.00 USD  |
| 24000                | Special paint finish <ul style="list-style-type: none"> <li>Maximum two colors</li> </ul>                                               | 1 PCE | 10,000.00 USD |
| 25000                | Robot interface without sensor system for backgauge                                                                                     | 1 PCE | 7,500.00 USD  |
| <b>Documentation</b> |                                                                                                                                         |       |               |
| 26000                | TruBend documentation                                                                                                                   | 1 PCE | 0.00 USD      |
| 27000                | Comfort support table without horizontal movement <ul style="list-style-type: none"> <li>Front</li> <li>With plastic support</li> </ul> | 1 PCE | 4,000.00 USD  |

## TRUMPF TruServices

|       |                             |       |          |
|-------|-----------------------------|-------|----------|
| 28000 | Standard TRUMPF TruServices | 1 PCE | 0.00 USD |
|-------|-----------------------------|-------|----------|

Warranty: One-Year, Unlimited Hours

Training:

TruBend 3000 = 1 students for Operator course at TRUMPF Training Center

TruBend 5000 = 2 students for Operator course at TRUMPF Training Center

TruBend 7000 = 1 students for Operator course at TRUMPF Training Center

Transparency Agreement:

Machine will be connected to our Condition Monitoring Platform to benefit from our data-driven services, such as the Condition Report via MyTRUMPF. Valid for five years

Installation:

Installation, Start-up and Instruction

Standard Acceptance:

Machine acceptance will consist of producing TRUMPF's standard acceptance part which checks all aspects of machine performance against quoted specifications. This acceptance test will be performed at the customer's location, if requested. Any additional tests must be mutually agreed upon and specified in the purchase order.




# Technical Quotation



|              |                                                                                                                                                                                                                                                                                                                                                                              |              |                      |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|
| <b>29000</b> | <b>Extended Warranty + 1 PM Mission</b>                                                                                                                                                                                                                                                                                                                                      | <b>1 PCE</b> | <b>25,800.00 USD</b> |
|              | Warranty extension with 1 preventative maintenance mission per year. (1 year max)                                                                                                                                                                                                                                                                                            |              |                      |
| <b>30000</b> | <b>Additional Preventive Maintenance visit</b>                                                                                                                                                                                                                                                                                                                               | <b>1 PCE</b> | <b>6,000.00 USD</b>  |
| <b>31000</b> | <b>Service Agreement Remote</b>                                                                                                                                                                                                                                                                                                                                              | <b>1 PCE</b> | <b>750.00 USD</b>    |
|              | Includes technical remote support provided by an in-house service technician. Unlimited use of TRUMPF Visual Assistance on Smart Glasses or any mobile device. Technical Guides are available upon use of Service App.                                                                                                                                                       |              |                      |
| <b>32000</b> | <b>Service Agreement Maintenance</b>                                                                                                                                                                                                                                                                                                                                         | <b>1 PCE</b> | <b>6,500.00 USD</b>  |
|              | Includes 2 preventative maintenance missions per year for TruLaser, TruMatic, TruPunch, TruLaser Tube, and 1 preventative maintenance mission for TruBend and TruWeld machines. 10% discount on replacement parts, 24/7 technical remote support via phone or TRUMPF Visual Assistance platform. (4 add. years max)<br>Condition Monitoring included for compatible machines |              |                      |
| <b>33000</b> | <b>Service Agreement Maintenance + Onsite Repair Coverage</b>                                                                                                                                                                                                                                                                                                                | <b>1 PCE</b> | <b>15,000.00 USD</b> |
|              | Includes benefits of Maintenance Service Agreement and unlimited repair missions.<br>Condition Monitoring included for compatible machines                                                                                                                                                                                                                                   |              |                      |
| <b>34000</b> | <b>Service Agreement Performance</b>                                                                                                                                                                                                                                                                                                                                         | <b>1 PCE</b> | <b>25,800.00 USD</b> |
|              | Service Parts for repairs (4 add. years max, 3 add. years after Warranty Extension)                                                                                                                                                                                                                                                                                          |              |                      |
|              | <ul style="list-style-type: none"> <li>● Includes benefits of MTSA, unlimited repair missions</li> <li>● Condition Monitoring included for compatible machines</li> </ul>                                                                                                                                                                                                    |              |                      |
| <b>35000</b> | <b>Smart Glasses</b>                                                                                                                                                                                                                                                                                                                                                         | <b>1 PCE</b> | <b>2,750.00 USD</b>  |
|              | Hardware only, but must be purchased with an Agreement                                                                                                                                                                                                                                                                                                                       |              |                      |
| <b>36000</b> | <b>Operator Training, 3.5 days at TRUMPF in Farmington, CT</b>                                                                                                                                                                                                                                                                                                               | <b>1 PCE</b> | <b>2,500.00 USD</b>  |
| <b>37000</b> | <b>Sheetmetal Design Class, 3 days @ TRUMPF</b>                                                                                                                                                                                                                                                                                                                              | <b>1 PCE</b> | <b>4,000.00 USD</b>  |
|              | 1 seat included, \$3,500 per additional seat<br>In this course, your employees will learn how to streamline the design process and make full use of sheet metal knowledge to design better                                                                                                                                                                                   |              |                      |

# Technical Quotation



|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |               |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------|
|       | parts and replace and/or make improvements to current manufacturing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |               |
| 38000 | <b>TruTops Boost Software bundle (Standalone Machine) - Valid for new TruTops Boost customer only</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1 PCE | 22,000.00 USD |
|       | <p>All in-one design and programming solution that works consistently from 3D modeling to NC generation across different technologies. The integrated software offers connected intelligence for the ideal interaction between software and machine.</p> <ul style="list-style-type: none"> <li>- One TruTops Boost core (floating license) including one Machine Package</li> <li>- Training seat for one student</li> <li>- Software maintenance contract for a 12-month period</li> <li>- Telephone &amp; remote support and software updates</li> </ul> |       |               |
| 39000 | <b>TruTops Boost Standard Machine Package - Existing TruTops Boost license(s) as well as valid software maintenance is required</b>                                                                                                                                                                                                                                                                                                                                                                                                                         | 1 PCE | 5,500.00 USD  |
|       | This option permits programming of the existing machine model quoted. Training not included                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       |               |
| 40000 | <b>Additional core (floating license) of TruTops Boost - Existing TruTops Boost license(s) as well as valid software maintenance is required</b>                                                                                                                                                                                                                                                                                                                                                                                                            | 1 PCE | 11,000.00 USD |
|       | Machine package(s) from the first core included. Current Software maintenance contract required / follows first core validity. Training not included                                                                                                                                                                                                                                                                                                                                                                                                        |       |               |
| 41000 | <b>Data Exchange Package for 3D CAD models - Existing TruTops Boost license(s) as well as valid software maintenance is required</b>                                                                                                                                                                                                                                                                                                                                                                                                                        | 1 PCE | 2,700.00 USD  |
|       | <p>Read and write: VDA-FS (VDA), Parasolid (X_T, X_B, XMT_TXT, XMT_BIN) Read: Inventor (IPT, IAM), NX (PRT), Pro/E (PRT, ASM, XPR, XAS), SolidEdge (par, psm, asm), Solidworks (SLDPRT, SLDASM)</p>                                                                                                                                                                                                                                                                                                                                                         |       |               |
| 42000 | <b>Assembly Importer - Existing TruTops Boost license(s) as well as valid software maintenance is required</b>                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1 PCE | 2,700.00 USD  |
|       | Automated dissolving of assemblies in single parts in all supported file formats and automatic transfer into HomeZone (parts management)                                                                                                                                                                                                                                                                                                                                                                                                                    |       |               |
| 43000 | <b>Interface Package Catia V5 - Existing TruTops Boost license(s) as well as valid software maintenance is required</b>                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1 PCE | 4,500.00 USD  |
|       | Supports direct import and export of the file format CATIA V5 (MODEL, EXP, CATpart, CATproduct, CGR)                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |               |
| 44000 | <b>TruTops Boost Programming Training</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1 PCE | 2,000.00 USD  |

# Technical Quotation



|       |                                                                                                                                                                                                                                           |       |              |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
| 45000 | <b>TruTops Boost Design Programming (webinar)</b>                                                                                                                                                                                         | 1 PCE | 2,400.00 USD |
|       | This course is designed for customers who wish to learn design in TruTops Boost without having to travel to TRUMPF. The goal of the course is to provide students with the core knowledge and skills to successfully draw 2D or 3D parts. |       |              |
| 46000 | <b>Either switch from TruTops Classic to Boost or Metamation software</b>                                                                                                                                                                 | 1 PCE | 0.00 USD     |
|       | Please contact softwaresales@trumpf.com or ask your Sales Representative how to receive beneficial switch-over (update) pricing from TruTops Classic to TruTops Boost, as well as Metamation software quote                               |       |              |

All freight charges, insurance premiums, duties, tariffs, and taxes are the responsibility of the Buyer.

**If a service agreement is included:** Service agreement will start after the warranty period of the machine expires.

## 2. Terms and conditions

### Terms of payment

#### Payment terms:

20% deposit with purchase order

70% ten (10) days after shipment

10% ten (10) days after installation completion

### **TRUMPF, INC. TERMS AND CONDITIONS OF SALE FOR MACHINE TOOL EQUIPMENT AND AUTOMATION**

This Agreement governs the sale of commercial off-the-shelf products from Seller's product lines (hereinafter referred to as "Goods" or "Equipment"), including products sold as a Smart Factory. A Smart Factory connects two or more products together. Seller makes all quotations and accepts orders for such Goods/Equipment only on the terms and conditions stated herein ("Terms of Sale").

#### **1. ORDER ACCEPTANCE:**

All orders are subject to acceptance only at Seller's facility in Farmington, Connecticut. These Terms of Sale shall be deemed accepted by Buyer upon Seller's receipt of Purchase Order from Buyer. No condition stated by Buyer shall be binding upon Seller if in conflict with, inconsistent with or in addition to the Terms of Sale, unless expressly accepted in a writing signed by Seller. In the event of conflict or differences in the terms or conditions of Buyer's Purchase Order and the Terms of Sale herein, the Terms of Sale shall govern.

#### **2. PRICES:**

All prices are: (a) Seller's current prices and are subject to change without notice at any time prior to acceptance of Buyer's order; (b) subject to all federal, state and local taxes upon the production, sale or shipment of the Goods sold hereunder, now or hereafter becoming effective, and if not included in the invoice, such amount may be invoiced later, and Buyer shall pay all such taxes.

If any new tariffs, duties, or similar governmental charges are imposed, enacted, or materially altered, and such measures increase the cost to Seller of providing the Goods contemplated herein, Seller shall adjust the prices charged to Buyer to reflect such increased costs. Seller shall provide Buyer with written notice of any such cost increase. Buyer agrees to pay for the additional cost, which shall become effective upon receipt of notice.

### 3. SHIPMENTS:

**(A)** Domestic: All orders are FCA Seller's plant in Farmington, Connecticut (or such warehousing facilities as Seller may establish) Incoterms 2020.

**(B)** International: All prices are in US Dollars and are, at Seller's election, FCA Farmington CT (or other warehousing facilities as Seller may establish) or DPU Port of Entry Incoterms 2020.

**(C)** All freight charges, insurance premiums, duties and taxes (including tariffs) are the responsibility of the Buyer.

### 4. PAYMENT:

All payment terms are subject to Seller's approval of Buyer's credit.

**(A)** Equipment shipping into US or Canada:

20% deposit with purchase order

70% Net 10 days after shipment

10% Net 10 days from Installation Completion.

Title to the Goods shall pass to the Buyer only upon receipt of final and full payment of the Goods by Supplier, from Buyer.

**(B)** Equipment shipping into Mexico:

20% deposit with purchase order

60% paid prior to shipment

20% Net 10 days from Installation Completion

Title to the Goods shall pass to the Buyer only upon receipt of final and full payment of the Goods by Supplier, from Buyer.

PLEASE NOTE: During the payment process, TRUMPF will never ask you to transfer to a changed bank account. If you notice anything suspicious, please contact your TRUMPF representative, and in the case of urgent suspicion, contact [security@trumpf.com](mailto:security@trumpf.com).


### 5. DELIVERY:

The scheduled shipment date is an estimate and is subject to filling prior orders and delays caused by strikes, accidents, shortages, acts of civil authority or other causes beyond Seller's control. Buyer's acceptance of delivery time from the shipper shall constitute a waiver of any claim for delay.

### 6A. Preparation of Installation Site:

Upon acceptance by Seller of any Purchase Order hereunder, Seller shall provide Buyer with a Pre-Installation Manual setting out requirements for site preparation at the installation site. Buyer is responsible for preparing the installation site as set out in the Pre-Installation Manual, for providing all utilities within rated parameters as stated in the Pre-Installation Manual, and for inspecting, rigging and placement of the Goods at the installation site.

# Technical Quotation



## **6B. Inspection Upon Delivery:**

Upon arrival of the Goods at the installation site, the Goods shall be inspected for shortages and damage in transit by authorized personnel of both Seller and Buyer. Buyer shall notify Seller in writing of any such claims within ten (10) days after Buyer discovers or should reasonably have discovered facts upon which the claim is based, but in no event more than thirty (30) days after Installation Completion under subsection C below. Failure of the Buyer to give written notice of a claim within the time-period or in the form specified above shall be deemed to be a waiver of such claim. If any repairs are made by unauthorized personnel, Seller reserves the right to withhold warranty support and to charge Buyer per then current time and material rates for services provided if Seller determines that the root cause of a defect requiring service was caused by a third- party vendor supplied product or service.

## **6C. Acceptance Testing and Acceptance:**

Notwithstanding prior inspection or testing, payment, or passage of title, all Goods shall be subject to final acceptance testing ("Final Acceptance Testing") after installation at the installation site to validate performance against Seller's quoted Technical Specifications. Final Acceptance Testing will be performed by Seller's operator and consist of (i) Seller's standard acceptance-test procedure which checks all aspects of Goods performance against Seller's quoted Technical Specification and (ii) any additional tests that are mutually agreed upon and specified in the purchase order or statement of work referencing these Terms and Conditions. Upon successful completion of the Final Acceptance Testing, the Goods shall be accepted, and Buyer shall sign and deliver to Seller the Seller's acceptance certificate ("Installation Completion"). Notwithstanding the foregoing, the Goods including any software shall be deemed accepted and the written acceptance form certifying Installation Completion shall be deemed executed by Buyer upon the earlier of either of the following two conditions; (i) in the event the Goods are placed into production by Buyer at the Installation Site; or (ii) no later than 3 months after the date of delivery as determined by the terms of shipment.

**7. EQUIPMENT WARRANTY:** Any Equipment sold hereunder which (1) at the installation site, (2) have been properly installed and maintained by authorized persons, and (3) have been operated within the limits of rated and normal usage, are warranted to conform to Seller's quoted Technical Specifications and to be free of defects in material and workmanship, as determined by Seller's inspection, for a period of one year, or any purchased extended period, coming into effect upon installation completion. To further facilitate efficient warranty services if the Goods are sold as a Smart Factory, the warranty will come into effect upon installation completion. If the Buyer places a portion of the Smart Factory Equipment into production, the warranty will cover that Equipment one year after the entire Smart factory's installation is completed but in no event longer than eighteen (18) months from the date the Buyer placed that Equipment into production. The terms of this warranty do not apply to any Goods which have a life, under normal usages, that is inherently less than one year. Product demonstrations, test parts, time studies, production estimates and other such particulars furnished to Buyer are only Seller's estimate and do not create a warranty. Within the warranty period, Seller will repair or replace without cost to Buyer any product or parts covered by the warranty which Seller finds to be defective in material or workmanship, provided that the Buyer gives the Seller prompt notice. This shall be the sole and exclusive remedy of the Buyer under this warranty.

If Buyer licenses Applications Software to be delivered with Equipment at time of installation, at the end of the Applications Software warranty period Buyer shall receive a Software Service Agreement for the balance of the Equipment Warranty period.

To facilitate efficient warranty services delivery, Seller may in its sole discretion deliver to the Installation Site a variety of spare parts such as are reasonably believed to be of potential use in completing the Services (such spare parts, together with those parts removed for replacement during Warranty Services, being collectively "Seller's Property.") Buyer will cooperate with Seller in maintaining Seller's Property in a secure location segregated from Buyer's Equipment and Inventory during Services and in providing access during normal business hours for delivery and pick up. Seller is solely responsible for the packaging and cost of shipment of Seller's Property to and from Buyer's Installation Site. Should Buyer elect to retain any of the unused Spare Parts after close of Warranty Services mission, Buyer will be billed for such Parts at a discount of 5% off Seller's List Price as of the date of retention. Services under this warranty are provided during normal business hours and using standard freight delivery. Services and delivery may be otherwise provided dependent upon availability and will be invoiced at TRUMPF Service rates in accordance with TRUMPF Service policies and practices, which are incorporated by reference herein. Seller shall not be liable under any warranty or other obligation if the alleged defect in the Goods does not exist or the defect or defective performance is caused in whole or in part by Buyer's or any third party's misuse, neglect, modifications or additions, the use of non-TRUMPF spare parts or consumables, unauthorized attempts to repair, or by accident or other hazard outside Seller's control. Use of a non-TRUMPF spare part shall void the warranty if the TRUMPF spare part is available under the warranty free of charge. The warranty described herein is granted only to the original purchaser of the Goods and original purchaser's specified end-user and is non-transferrable.

**DISCLAIMER OF OTHER WARRANTIES: THE WARRANTY DESCRIBED IN THIS SECTION 7 IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXCLUDED**

## **8. DATA SERVICES:**

Seller's Equipment is self-monitoring and software may collect certain equipment data recording performance metrics of the Equipment during Buyer's use of the Equipment which can be transmitted to Seller in real time via Seller's secure Cloud Connect services portal as set forth in the technical documentation of the Equipment. Cloud Connect services are activated during installation.

Buyers of Equipment utilizing Cloud Connect may receive expanded applications capabilities or enhanced Cloud Connect notification and technician scheduling throughout the Equipment warranty period and during any period in which the Buyer maintains a Seller Service Agreement providing for such notification and reporting services. Seller uses the data collected for delivery of Goods and Services under warranty and service agreements, and in product research and development. Buyer agrees that such data may be transmitted, processed, and used by TRUMPF as set forth herein.



Buyer can opt out of active machine monitoring by following the procedures set forth in the Software and Operator Manuals. Should Buyer exercise this opt out option, it may not receive Cloud Connect enhanced services, may experience limitations on machine functions or systems integrations that rely on information processed through Cloud Connect or automated data communications, or may be subject to surcharges and increased costs.

Data collected via Cloud Connect may include metadata, logs or other information generated by the operation of the Equipment or Embedded Software, in automated logs or similar records through the normal operation of the Equipment. In some cases, and within additional services, NC programs, technology tables, environmental, technology and operation data may also be collected. All data is secured with the same level of care Seller provides for its own confidential information, but in no event less than reasonable care. Some features in Seller software may enable collection of data from users of Buyer's applications that access or use the software. If Buyer uses these features to enable data collection in its application, Buyer is solely responsible for compliance with any applicable law, including obtaining any requisite user consent and maintaining a prominent privacy policy that accurately informs users about how it uses, collects, and shares data.

Seller reserves the right to add and remove services from Cloud Connect offerings at Seller's sole discretion. CLOUD CONNECT SERVICES ARE PROVIDED 'AS IS' WITH NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION: 1) ANY WARRANTY CONCERNING THE AVAILABILITY, ACCURACY OR CONTENT OF THE INFORMATION, OR 2) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## **9A. Product Liability:**

With respect to all Goods or materials provided under this Agreement that are Seller's standard product or made to Seller's design or specifications, Seller shall, subject to the limitations of liability governing this Agreement, defend and indemnify Buyer against all third-party claims and liability required to be paid by Buyer to the extent arising out of defective materials, workmanship or design by Seller.

- 9B. Infringement/Malware:** Seller shall engage in commercially reasonable efforts to monitor the Goods supplied hereunder for infringement of third-party intellectual property and the presence of viruses or other malicious code. TRUMPF represents that (i) the Goods are not known to infringe, violate or misappropriate any intellectual property right(s) of third parties; (ii) that TRUMPF has all of the rights, permits, licenses and authority known to be necessary to perform its obligations hereunder; and (iii) the Goods, including any software and the media it is delivered on, have been scanned for and been found to be free from viruses and other malicious code. Seller shall, subject to the limitations of liability governing this Agreement, defend and indemnify Buyer against all third-party claims and liability required to be paid by Buyer to the extent arising out of Seller's negligence or malfeasance in monitoring the Goods as provided herein or in making the foregoing representations.
- 9C. Workplace Practices:** It is the responsibility of Buyer to know, understand and comply with the work and safety laws and regulations in effect and governing Buyer's use of the Goods provided hereunder. Buyer agrees that after installation of the Goods provided hereunder, the Goods and all persons other than Seller personnel operating or maintaining such Goods will be deemed under Buyer's exclusive control. To the extent governing law requires inspections, reviews, records keeping and/or after-purchase modifications to the Goods, it is the responsibility of the Buyer to arrange for and comply with such requirements and any associated costs are the sole responsibility of the Buyer. Subject to the limitation of liability governing this Agreement, Buyer shall indemnify Seller against all third-party claims and liability required to be paid by Seller to the extent arising out of (a) any modifications, including but not limited to repairs, made in the Goods by or on behalf of Buyer by persons or parties other than Seller, and/or (b) the Buyer's negligent use of the Goods, including but not limited to use in production with any of the Product safety functions disabled, obstructed or circumvented.
- 9D. Notice; Consent to Settlement:** It is a condition of indemnification or defense under this Section 9 that in the event that any third party asserts a claim or liability with respect to any matter for which a Party is entitled to indemnification hereunder, the indemnified Party gives prompt written notice to the indemnifying Party of such claim or liability. No settlement of an indemnified claim shall require an admission of liability or impose an affirmative obligation on a Party hereto, including an obligation to indemnify, without the written consent of the Party so affected. Consent shall not be unreasonably withheld.
- 9E. Insurance:** Each Party shall maintain comprehensive liability insurance coverage in an amount not less than one million dollars per occurrence with coverage of the other Party as an additional insured. Upon request, a Party shall provide the other Party with a certificate of insurance evidencing this coverage.

**9F. Excluded Limitations:**

The above indemnifications shall not be limited by the availability of insurance coverage to the indemnifying party, or by any protection afforded the indemnifying party under the Workers' Compensation Acts, Disability Acts or other employee benefits acts.

**10. LIMITATION OF LIABILITY:**

**NEITHER PARTY'S LIABILITY ON ANY INDEMNIFICATION OR ANY CLAIM OF ANY KIND, UNDER ANY THEORY, AT LAW OR IN EQUITY, INCLUDING NEGLIGENCE OR STRICT LIABILITY, FOR ANY LOSS OR DAMAGE ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OR BREACH OF THE TERMS HEREOF, OR FROM THE DESIGN, MANUFACTURE, SALE, DELIVERY, RESALE, INSTALLATION, TECHNICAL DIRECTION OF INSTALLATION, INSPECTION, MODIFICATION, REPAIR, OPERATION OR USE OF ANY SERVICE, GOOD OR PART THEREOF SHALL IN ANY CASE EXCEED THE PRICE ALLOCABLE TO THE SERVICE, GOOD OR PART THEREOF WHICH GIVES RISE TO THE CLAIM. IN NO EVENT SHALL EITHER PARTY HAVE ANY LIABILITY FOR ANY INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH A BREACH OF THE CONTRACT SALE OR ANY OTHER DUTY OF THAT PARTY WITH RESPECT TO THE GOODS OR SERVICES OR THIS AGREEMENT, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOST PROFITS, LOST SALES OR INJURY TO PERSONS OR PROPERTY EVEN IF THE PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES.**

**11. FORCE MAJEURE:**

Except with respect to payment obligations under this Agreement, neither Party shall be liable for or will be considered to be in breach of or default under this contract on account of any delay or failure to perform as a result of any causes or conditions that are beyond the Party's reasonable control and that the Party is unable to overcome through the exercise of commercially reasonable diligence, including but not limited to pandemics, fire, explosion, flood, storm or other acts of God, disruptions in transportation networks, failures of carriers or utilities, war, embargo, strike, riot, or the intervention of any government authority. If any force majeure event occurs, the affected Party shall give prompt written notice to the other party and use commercially reasonable efforts to minimize the impact of the event.

**12. LIMITATION OF ACTIONS:** No action for breach of any term of this contract of sale or any other duty of Seller with respect to these Goods may be commenced more than one (1) year after Installation Completion.

**13. CHANGES,  
CANCELLATION:**

Any changes to the scope of the Goods and Services under this Agreement must be agreed in a writing executed by both Parties. Orders may not be canceled except by written notice received by Seller prior to shipment. A restocking charge of ten percent of the selling price will be applied for the cancellation of standard items. Charges for the cancellation of special items will be based on non-recoverable expenses accruing to the order sustained by Seller plus ten percent of the selling price. Either Party may cancel an existing order without penalty or decline future orders under the Agreement in the event of (a) a change of control of, or (b) a bankruptcy of the other Party.

**14. INTELLECTUAL  
PROPERTY RIGHTS:**

The Goods sold hereunder are of Seller's proprietary design offered in configurations and only with such modification as is customarily available to all buyers in the marketplace without significantly altering the Good's, function or processes. The Goods do not incorporate or embody Buyer's intellectual property, or any technology developed by Buyer or specifically for Buyer. Buyer acquires no greater interest in the Goods, or the intellectual property embodied in the Goods than those rights of use, maintenance and resale as customarily accompany the purchase of off-the-shelf tangible goods. All Seller intellectual property including but not limited to patents, trademarks, trade names, trade secrets, and all modifications and derivatives thereof, are and shall remain the sole and exclusive property of Seller.

Any operating software or instruction that is embedded in or incorporated into the hardware or electrical components of the Equipment as an integral part of the Equipment delivered is referred to herein as "Embedded Software." Embedded Software is licensed, not sold. Seller grants Buyer a nonexclusive, perpetual, fully paid, royalty-free restricted license to Embedded Software, in executable form, solely as embedded as part of or through the Equipment and only in conjunction with Buyer's operation of the Equipment and Services as provided by Seller. Buyer may not install, access, configure or use any Embedded Software (including any APIs, tools, databases or other components of any Embedded Software) separately or independently of the rest of the Equipment, whether for production, technical support or any other purposes, or otherwise attempt to gain direct access to any Embedded Software components, or permit anyone else (including Buyer's customers) to do any of these things. Embedded Software excludes applications softwares formulated to interface with end users of the goods to perform specific business or technical functions ("Applications Software") and which are subject to the TRUMPF End User License Agreement.

**15. DESIGN CHANGES:**

Acceptance of Purchase Order by Seller determines product version for delivery. The designs and specification of all Goods sold may be subject to subsequent change by Seller without notice and, in the event of any such changes, Seller will have no obligation whatsoever to make similar changes in Goods previously ordered.

**16. RESERVATION OF  
SECURITY INTEREST; RISK  
OF LOSS:**

Seller hereby reserves, and Buyer hereby grants a security interest in the Goods (and the proceeds thereof) as security for the payment of the unpaid balance of the purchase price and Buyer's performance of its other obligations hereunder. Buyer will execute and deliver to Seller such financing statements as Seller shall request to perfect such security interest. The security interest hereunder shall terminate upon Buyer's payment in full of the purchase price of Goods and Services, and the respective taxes.

The risk of loss passes to Buyer upon delivery of the Goods to the carrier. Insurance against loss or damage to the Goods during shipment is the responsibility of Buyer. Until the entire purchase price for the Goods is paid in full, Buyer will keep the Goods insured against loss or damage by fire and other risks and hazards included with so-called "extended coverage" insurance, in an amount at least equal to such purchase price. Losses under such insurance shall be made payable to Seller and any payments under such insurance shall be paid to Seller and applied to the unpaid balance of the purchase price. Upon request, Buyer will furnish Seller with copies of the policies of such insurance and each renewal thereof.

**17. NONPAYMENT OF  
PURCHASE PRICE:  
STORAGE AND  
COLLECTION COSTS:**

If Buyer shall not pay the full purchase price within 30 days from the date of Installation Completion of the Goods; Buyer will pay Seller thereafter an additional one and one-half percent (1-1/2%) per month on the unpaid balance of the purchase price until paid in full. Such charge shall be added to and become an additional part of the purchase price for the Goods. Buyer also will pay all storage costs for the Goods after the scheduled delivery date as well as all costs of collection incurred by Seller in collecting the purchase price for the Goods and enforcing its security interest in the Goods, including, without limitation, reasonable attorneys' fees and expenses incurred by Seller.

**18. GOVERNING LAW:**

The validity, interpretation and performance of this contract for sale shall be governed by the laws of the State of Connecticut, excluding its conflict of law rules. The United Nations Convention on Contracts for the International Sale of Goods is expressly disclaimed by the Parties with respect to this Agreement and the transactions contemplated hereby.

**19. ENTIRE AGREEMENT:**

This Agreement constitutes the entire agreement between the Parties pertaining to the subject matter hereof, and supersedes all prior agreements, understandings, negotiations and discussions, whether oral or written, of the Parties pertaining to the subject matter hereof.

**Effective Date:**

Y2024-07-01

**1000 TruBend 7036 (B28)  
Ursprungsland**

The machine plant is manufactured by TRUMPF Maschinen Austria GmbH + Co. KG, A-Pasching. Its customs origin is Austria.

## **Export**

Export/shipment of the products to be supplied by TRUMPF in the case of further direct delivery to countries outside the European Community may be carried out under certain conditions (product, destination country, end user, etc.) in accordance EC dual-use ordinance, the German Foreign Trade and Payments Act (AWG, AVW), the Austrian Foreign Trade and Payments Act (AußWG 2011) as well as the US re-export regulations (EAR). If need be, please contact your responsible contact person at TRUMPF – should you not have already been so advised. In the event of an export permit requirement under the Foreign Trade and Payments Act / Dual Use Ordinance / US re-export law, delivery abroad is subject to the approval of the responsible authorities BAFA (Federal Office of Economics, Germany); the Federal Ministry of Science, Research and Industry (BMWi), Austria and, if applicable, the Bureau of Industry and Security (BIS) of the USA. Regarding domestic deliveries to exporting companies, we would like to point out that these companies themselves are responsible for applying for the above export license. The dispatch of products subject to issue of an authorization by TRUMPF (= consignor) on behalf of exporting companies (= exporters) can only take place if the exporter submits a copy of the necessary authorization to TRUMPF. The purchaser undertakes to make available all information and documents (for example, the final declaration of an export permit, etc.) to TRUMPF that are requested by TRUMPF should this be necessary. In the case of re-export of US products or of US products installed in our machines/plants, a re-export authorization may also be required from the responsible US authority, the Bureau of Industry and Security (BIS). If need be, please contact the contact person responsible for you at TRUMPF.

## **31000 Service Agreement Remote**

### **Contract terms**

Valid for one year upon receipt of PO  
Automatic renewal at the end of the term

## 3. Additional information about the order range

1000 TruBend 7036 (B28)


### Machine

#### C frame

- The robust machine frame consists of a welded construction: a press table, two side columns and connecting beams
- The entire machine design was calculated using the finite element method (FEM) and designed to resist fatigue
- The stable frame design ensures precise results even after years of continuous operation under maximum loads

#### Press beam

- The press beam is characterized by high rigidity and therefore ensures exact bending results
- The press beam is guided using double roller bearings on both sides
- High, constant bending accuracy is achieved using hardened bars and the adjustable "zero-play" setting



#### Highly dynamic electromechanical direct drive

- Highly dynamic electromechanical direct drive (torque motor)
- For high working speeds (depending upon the selected die width and operating cycle)
- Maximum working speed: see Technical Data

#### Distance measurement system (Y axis) with dynamic deflection compensation

- The high positioning accuracy of the press beam (Y axis) is ensured by a precision inductive distance measuring system.
- Despite the robust design of the machine frame, deflection occurs with high press forces. This deflection is measured with the inductive distance measurement system and is automatically compensated
- The deflection compensation ensures precise results with varying loads

#### Electrical cabinet air conditioning up to an ambient temperature of 40 °C

- Cooling unit to prevent overheating of the electrical cabinet
- The electrical cabinet air conditioning guarantees reliable machine operation at ambient temperatures of up to 40 °C





## E-Learning Package Technology TruBend

### Objectives:

You will become familiar with the advantages, functionality and operation of the courses listed for the options.

### Course content:

- E-learning Course: Safety First
- E-learning Course: Basic Course TruBend
- E-learning Course: Basic Course TruBend 1000 (B42)
- E-learning Course: Operator Course TruBend 1000 (B42)
- E-learning Course: Operator Course TruBend Series 5000 (B23)
- E-learning Course: Maintenance Course TruBend Series 5000 for 5085 (B23)
- E-learning Course: Maintenance Course for TruBend Cell 7000
- E-learning Course: Maintenance Course for TruBend Cell 5000 (B23)

### Requirements:

PC workstation with Internet connection

Each participant in this training course requires an individual MyTRUMPF account to gain access to the learning content.

### **Backgauge**

6-axis backgauge (X1, X2, R1, R2, Z1 and Z2 axis)

- The backgauge consists of two motion units whose axes can move totally independently of each other
- The stop edge can move in all spatial directions
- Offers the greatest degree of flexibility
- In addition to the X axes, the Z axes are also driven by helical rack and pinion drives
- Carbon fiber gauge finger with hardened metal stop



## **Control**

### Touchpoint TruBend machine control

- Combines the advantages of modern multi-touch technology with those of industrial control to create an operating concept with revolutionary simplicity
- The Touchpoint surface is consistently oriented towards requirements of everyday production
- Its intuitive operation resembles that of a tablet or smartphone and it can also be operated efficiently with gloves
- The views are presented so as to focus on the essential matters at hand
- Realistic 3D visualization
- Programs produced using TruTops Bend or TecZone Bend can be opened easily on the control
- 21.5" touchscreen

### User management system

- Log on to the machine control quickly without entering a password
- Unlocking of machine control using ID card systems
- Different user levels can be configured (standard/expert/customer administration)
- Five ID cards included in the scope of delivery

### Bending technology data

- Further development of "Integrated TRUMPF Technology Data"
- Contains four materials as standard (AlMg3, X5CrNi1810, St37, QStE380TM)

## **Data transmission**

### USB interface


- The machine control is equipped with a USB port as standard

### RJ45 network interface

- The machine control is equipped with an RJ45 network interface (10 or 100 MBit/s) as standard

### Network capability

- Enables the integration of the control into the customer's network



## Remote support interface

- Contact with Technical Service directly via broadband Internet connection
- Option for fast response
- Minimization of machine downtimes
- High data security due to passwords

## Operation

### Operating unit with foot switches

- For use standing or sitting
- Foot switch with two buttons
- Functions: Stroke triggering with STOP function, press beam UP

## Safety

### CE marking and EC Machinery Directive



- Delivery with EU declaration of conformity and CE marking
- Machine is subject to the EC Machinery Directive 2006/42/EC, the EMC Directive 2014/30/EU and further directives where relevant
- In individual cases, the machine can be sold only as "partially completed machinery" with declaration of incorporation. Such a machine must be completed by an integrator.

### Rear safety door

- The protective screen at the rear of the machine secures access from behind. A secured safety door permits safe access when required.

### Standard safety device

- Sideways pivoting safety doors with electronic monitoring prevent lateral entry into the working area
- The machine is secured with EMERGENCY STOP push-buttons

### Sideways pivoting safety doors

- Swing doors provide additional access to the machine area

## Services

### Transport device

- The transport device enables safe transport and an easy installation process

## **Advanced standard configuration**

### Integrated TRUMPF technology data

- The control calculates all bending parameters based on the TRUMPF technology data for standard tools and standard materials
- Modifications for customer-specific materials or tools can be performed by the user

### Manual TRUMPF upper tool clamp

- The single piece tool clamp is clamped using Allen screws and centers the tool automatically
- The head and shoulder-bearing tools can be loaded horizontally and vertically (Safety-Click) and can be rotated by 180°

### Manual TRUMPF lower tool clamp

- The lower tool clamp is clamped using socket head screws and centers the tool automatically
- The tool clamp is hardened

### Screen for Touchpoint machine control

- Screen for Touchpoint machine control integrated into the press beam
- 21.5" touchscreen

### Shop floor programming - TecZone Bend (trial)

- Demo version for generating 50 NC programs
- Automatic creation of a program proposal based on 2D and 3D data
- Manual modification of bending programs possible
- The program automatically generates the 3D-simulation including collision monitoring
- Creation of the NC program

### Tool Setup Optimizer (trial)

- Automatically optimizes a range of different bending programs to a minimum of setup plans
- Reduces setup time and increases productivity
- Requirement: activation of TecZone Bend (as demo or license) on the machine

### Installation, initial start-up and instruction

- Excluding orders of lifting equipment such as cranes

## **3000 Automatic tool clamps**

- Self centering and hardened upper and lower tool clamps for easy set up
- Individual tool segments can be easily and quickly changed
- The automatic upper and lower tool clamps are clamped and released via a softkey on the TASC 6000 machine control

## **4000 Additional screen on the left support arm**

- Second screen on the left support arm
- For visualization and display of further documents (e.g. PDF drawings, images, etc.)
- To support paperless production

## **5000 Shop floor programming – TecZone Bend (purchase)**

- Automatic creation of a program proposal based on 2D and 3D data
- Manual modification of bending programs possible
- The program automatically generates the 3D-simulation including collision monitoring
- Creation of NC program
- B23: Included in package 6 - Programming Upgrade
- B36: Included in package 4 - Programming Upgrade

## **6000 Tool Setup Optimizer (TSO)**

- Automatically optimizes a range of different bending programs to a minimum of setup plans
- Reduces setup time and increases productivity
- Requirement: activation of TecZone Bend (as demo or license) on the machine
- B23: Included in package 6 - Programming Upgrade

## **7000 Remote Control Interface (RCI)**

- Remote control of the machine via an external control system
- Communication between machine and control system via network connection

## **8000 OPC UA Interface for TRUMPF Machine Tools / Purchase**

- This package includes all available TRUMPF OPC UA machine interface packages and OPC UA for Machine Tools
- Available TRUMPF OPC UA interfaces include the Production Status Interface, Machine Control Interface, Material Flow Interface, Process Parameter Interface, Tools and Equipment Interface and the Maintenance Interface.

## **10000 ACB Wireless (Automatically Controlled Bending)**

- Cost-effective bending with high angular accuracy and consistently high quality starting with the first part
- Beside angle measurement, automatic regulation to the required set value
- Time-consuming run-in procedures are no longer necessary
- Automatic compensation for changes in material properties
- The measurement is performed using ACB Wireless sensor tools in which two sensor disks with different diameters are integrated
- Communication with the control is via a data rail integrated in the automatic upper tool clamp
- Machine-side preparation is a requirement for the use of ACB Wireless sensor tools
- Notice: Not included in this option
- Availability: 90%

## **11000 Operator Controlled Bending (OCB)**

- A digital angle measuring device with wireless Bluetooth connection to the machine control
- Bending angle measured values: Transfer to machine control at the push of a button, automatic adoption of bending angle correction
- Increase user-friendliness and productivity, reduce walking distances and input effort

## **12000 Measuring tool drawer and document storage**

### **Drawer for the measuring tool**

- Clean and tidy storage of the measuring tools needed, right next to the machine operator
- Flexible placement at any position of the left or right side of the machine
- Includes the following measuring instruments:
  - Analog bevel protractor
  - Digital slide gauge
  - 90° beveled steel square


### **Document storage**

- Sloping storage compartment, e.g. for drawings and production papers
- Flexible placement of the drawing tray at any position of the left or right machine side The drawing tray is flexible at any position of the left or right machine side

## 13000 Tool Indicator

- An LED strip is integrated in the upper tool clamp
- Optical display of the positions that the tool stations must be set up in
- Optical display of the tool station at which the next bending operation is to be performed
- Reduction of set up and bending times
- The TRUMPF hydraulic upper tool clamp is required
- B23: Included in package 1 - Performance Upgrade

## 14000 Comfort foot rest



- Especially for seated operation
- A footrest with a gas spring enables both the height and the inclination to be smoothly adjusted
- Enables fatigue-free work

## 15000 Front work area illumination

- Very good illumination of the working area in front of the machine
- The lighting is integrated in the machine housing and as such does not present an obstruction
- The modern LED technology works in an energy-saving way, without producing heat and has a very long service life
- B23: Included in package 1 - Performance Upgrade

## 16000 Rear work area illumination

- Very good illumination of the machine interior
- The lighting is integrated in the machine housing and as such does not present an obstruction
- The modern LED technology works in an energy-saving way, without producing heat and has a very long service life
- B23: Included in package 1 - Performance Upgrade

## 17000 Bending line laser

- The line laser projects a laser line onto the surface of the metal sheet and shows where the bend will be
- This function allows the operator to reliably and correctly position parts against the stop, even for very small parts

## **18000 Sitting and standing aid**

- Enables convenient, fatigue-free work, seated
- Especially for processing small parts, the standing and sitting aid offers the option of adjusting the operator's working posture and position to the prevailing circumstances

## **19000 2D code scanner**

- The 2D code scanner enables the reading of a code from paper for automatic loading of the next bending program
- Entry and search work are reduced and the loading of the wrong programs is eliminated
- Compatible with bar code and Data Matrix Code
- The scanner is cable-based

## **20000 2D code scanner DMC Bluetooth**

- The 2D code scanner enables reading of 2D codes from paper or sheet metal parts for automatic loading of programs
- Entry and search work are reduced and the loading of the wrong programs is eliminated
- Compatible with bar code and Data Matrix Code
- The scanner is wireless, communication using Bluetooth


## **21000 BendGuard**

- The BendGuard is an optoelectronic safety device which makes quick and safe bending possible
- The maximum Y rapid speed is permitted without restriction with foot operation alone
- Simple and quick setting of the tool height using a scale with counterweight
- The BendGuard can easily be pushed out of the working area for lateral tool setup operations and does not need to be adjusted again afterwards
- The BendGuard is not sensitive when it comes to bumps and impact (misalignment) because its electronics are separated from its housing

## **22000 BendGuard Automatic**

- The BendGuard Automatic is an optoelectronic safety device which allows quick and safe bending
- The maximum Y rapid speed is permitted without restriction with foot operation alone
- Automatic setting of the tool height by CNC-controlled height adjustment, without operator intervention
- The BendGuard Automatic can be pushed easily out of the working area for lateral tool setup operations and does not need to be adjusted again afterwards
- The BendGuard Automatic is not sensitive when it comes to bumps and impact (misalignment) because its electronics are separated from its housing
- B23: Included in package 1 - Performance Upgrade

## **23000 Comfort foot rest**



- Especially for seated operation
- A footrest with a gas spring enables both the height and the inclination to be smoothly adjusted
- Enables fatigue-free work

## **24000 Special paint finish**

- Maximum two colors

## **25000 Robot interface without sensor system for backgauge**

- Preparation for connection of an industrial robot

## **27000 Comfort support table without horizontal movement**

- Comfortable swing-up armrest and finished part deposit on the machine table
- Ensures comfortable operation while seated
- Various positions can be selected
- With plastic support



## 4. Additional information on technical data

### TruBend 7036 (B28)

#### Machine

|                       |                      |
|-----------------------|----------------------|
| Press force           | 360 kN               |
| Bending length        | 1020 mm              |
| Width between columns | 932 mm               |
| Usable open height    | 295 mm               |
| Throat depth          | 150 mm               |
| Working height        | 1150 mm <sup>1</sup> |

#### Speeds

|                                                 |           |
|-------------------------------------------------|-----------|
| Rapid downward movement (with BendGuard option) | 220 mm/s  |
| Max. closing movement <sup>2</sup>              | 25 mm/s   |
| Y return                                        | 220 mm/s  |
| X axis                                          | 1500 mm/s |
| R axis                                          | 750 mm/s  |
| Z axis                                          | 2200 mm/s |

#### Positioning accuracy

|        |          |
|--------|----------|
| Y axis | 0.002 mm |
| X axis | 0.02 mm  |
| R axis | 0.06 in  |
| Z axis | 0.1 mm   |

#### Traverse paths, stop range

|                                    |        |
|------------------------------------|--------|
| Stroke, Y axis                     | 120 mm |
| Traverse path of X axis            | 240 mm |
| Max. stop range in the X direction | 500 mm |
| Traverse path of the R axis        | 153 mm |

#### Control, hardware

|                |                                                                                                                                                                          |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| User interface | Touchpoint TruBend                                                                                                                                                       |
| Components     | Intel Core i5, 2.7 GHz, Dual Core processor;<br>Windows Embedded Standard 10; 21.5" TFT color display with LED backlight; 1920 x 1080 pixel display resolution (Full HD) |

#### Connected loads

|                                    |       |
|------------------------------------|-------|
| Connected load (IEC) approximately | 6 kVA |
|------------------------------------|-------|

# Technical Quotation



## Dimensions, weights

|        |         |
|--------|---------|
| Length | 1900 mm |
| Width  | 1340 mm |
| Height | 2380 mm |
| Weight | 3500 kg |

## Paint

|                |                                                                                                                   |
|----------------|-------------------------------------------------------------------------------------------------------------------|
| Textured paint | white = NCS S 0505 R80B, blue = approximately RAL design 250 20 20, black = RAL 9005, silver elements in RAL 9006 |
|----------------|-------------------------------------------------------------------------------------------------------------------|

---

<sup>1</sup>At 100 mm tool utilization height

<sup>2</sup>Depending on the selected die width and operation cycle. Depending on local regulations.

## 5. Additional information on technical data

### TruBend 7036 (B28)

#### Machine

|                       |         |
|-----------------------|---------|
| Press force           | 360 kN  |
| Bending length        | 40.2 in |
| Width between columns | 36.7 in |
| Usable open height    | 11.6 in |
| Throat depth          | 5.9 in  |
| Working height        | 45.3 in |

#### Speeds

|                                                 |           |
|-------------------------------------------------|-----------|
| Rapid downward movement (with BendGuard option) | 220 mm/s  |
| Max. closing movement                           | 25 mm/s   |
| Y return                                        | 220 mm/s  |
| X axis                                          | 1500 mm/s |
| R axis                                          | 750 mm/s  |
| Z axis                                          | 2200 mm/s |

#### Positioning accuracy

|        |           |
|--------|-----------|
| Y axis | 0.0001 in |
| X axis | 0.001 in  |
| R axis | 0.06 in   |
| Z axis | 0.004 in  |

#### Traverse paths, stop range

|                                    |         |
|------------------------------------|---------|
| Stroke, Y axis                     | 4.7 in  |
| Traverse path of X axis            | 9.4 in  |
| Max. stop range in the X direction | 19.7 in |
| Traverse path of the R axis        | 6.0 in  |

#### Control, hardware

|                |                                                                                                                                                                                |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| User interface | Touchpoint TruBend                                                                                                                                                             |
| Components     | Intel Core i5, 2.7 GHz, Dual Core processor;<br>Windows Embedded Standard 10; 21.5" TFT<br>color display with LED backlight; 1920 x 1080<br>pixel display resolution (Full HD) |

#### Connected loads

|                                    |       |
|------------------------------------|-------|
| Connected load (IEC) approximately | 6 kVA |
|------------------------------------|-------|

# Technical Quotation



## Dimensions, weights

|        |           |
|--------|-----------|
| Length | 74.8 in   |
| Width  | 52.8 in   |
| Height | 93.7 in   |
| Weight | 7716.1 lb |

## Paint

|                |                                                                                                                   |
|----------------|-------------------------------------------------------------------------------------------------------------------|
| Textured paint | white = NCS S 0505 R80B, blue = approximately RAL design 250 20 20, black = RAL 9005, silver elements in RAL 9006 |
|----------------|-------------------------------------------------------------------------------------------------------------------|