

May 8, 2024

Mr. Wayne Kistler (610-395-0371)
HALE TRAILER BRAKE & WHEEL
5361 Oakview Drive
Allentown, PA 18104

Proposal No. 11815-050824-CB
RE: STANDARD INDUSTRIAL PRESS BRAKE

Dear Wayne,

In response to your request, it is a pleasure to offer the following information for your review.

If you have any questions or need additional information, please do not hesitate to call me.

Please review the Terms and Conditions of Sale.

Mid Atlantic Machinery, Inc. looks forward to a continuing relationship with your Company, helping you to fulfill all your Metal Fabrication needs.

Sincerely,

Chris Barsanti

Chris Barsanti
CB/rt

Date: May 8, 2024

Proposal No.: 11815-050824-CB

STANDARD INDUSTRIAL **EV250-12 PRESS BRAKE**



SPECIFICATIONS:

★ Capacity	250 Tons
★ Bed and Ram length	144"
★ Distance between housings	10'-5"
★ Adjustable stroke	10"
★ Maximum open height	20"
★ Closed Height	10"
★ Throat (gap)	10"
★ Three working speeds:	
Fast Approach	300 i. p. m.
Pressing Speed	24 i. p. m.
Return Speed	250 i. p. m.
★ Approx. Dimensions:	156" L x 70" W x 121" H
★ Approx. Weight	30,000 lbs.
★ Ram repeatability	+,- .0004"

Standard Features included in quote

- ★ (2) 24" T-Slot Support Arms with imbedded scale
- ★ T-slot across front edge of brake bed
- ★ 10" Deep gaps in side frames for bending longer lengths with larger flanges
- ★ The parallelism between moving upper beam and fixed lower beam during is ensured by two precision proportional valves. controlled by the CNC control (axes Y1 and Y2).
- ★ Motor and controls. Electrics for 3/60/220/440. Low voltage at the controls. Emergency stop palm button.
- ★ All Components Readily Available from Your Local Suppliers
- ★ All component's original manufacturer and part number are included in machine manual so you will never have problems locating parts.
- ★ Typical 20-30 Year Lifetime
- ★ Manual ram clamps for American style tooling. *Available with Wila quick-change ram clamping optionally.*
- ★ Two day onsite training in contiguous U.S.
- ★ 29" travel, X axis, servo gauging system w/manual R/Z



Standard Features Included in quote

840 2D Graphical Control

- ★ Multi-touch touchscreen allowing operator to draw parts/tooling with finger/stylus
- ★ Remote support/service and diagnostics via ethernet
- ★ Windows 10 operating system
- ★ Fully 2D Graphical control w/touchscreen
- ★ 15" color screen on pendant
- ★ Crowning correction in degrees (*crowning sold separately*)
- ★ 2D identification of best bending sequences
- ★ 2D graphical Offline software for desktop programming
- ★ 2D collision detection
- ★ Unlimited job storage via USB & Ethernet
- ★ X, Y, R, Z1-Z2, X-Prime programmability
- ★ Readily accepts most tooling files
- ★ 30,000 hard drive programs
- ★ Programmable delay & retract at pinch point
- ★ Direct connection of optional *Mitutoyo* protractor and *Anglecheck* devices to allow process angle measurement
- ★ Inch/mm conversion
- ★ Auto return of ram included
- ★ Low speed retract included
- ★ Dwell/decompression included
- ★ Onsite training at customer's facility



Readily available



Off-the shelf controls

Available anywhere in the world

Standard Features Included in quote

Frame, Construction, Warranty

- ★ 5 Year Parts Warranty/5 Year Limited Labor Warranty / 2 Year CNC Control / Unlimited telephone support
- ★ Frame is an extremely heavy duty, welded fabrication minimizing deflection and crowning.
- ★ Extremely rigid movable beam for minimum deflection
- ★ Machine is flush floor mounted; no pit required
- ★ Built-in overload protection
- ★ The measuring of the ram position is made by two precision linear encoders located on each end of the upper beam. As the reference is always measured in relation to the bed, the ram position on bending depth is independent from the work length.



X Axis Servo Gauging System

- ★ X servo axis
- ★ 29" X axis travel
- ★ X axis
Speed: 15" per second
Accuracy: +/- .003"
- ★ Manual R + Manual Z
- ★ Gauge is rated for up to 450 ton x 14' capacity
- ★ Upgradeable to R, Z1-Z2, X-Prime, X1-X2, R1-R2 axes
- ★ Upgradeable to 39" travel
(longer travels are available)



Standard Features Included in quote

- ★ Y1-Y2-Axes +, - .0004" ram repeatability and programming of the ram position (vertical) as well as tilting +, - .750" (or more) for tapered bends (cones)
- ★ Front Gauging 2 each – 24" Front support arms with imbedded scales also includes t-slot across front edge
- ★ Groove in Bed and Ram Clamps for American Style Tooling (other styles avail.)
- ★ 5 Year Parts Warranty/2 Year CNC + 5 Year Limited Onsite Labor Warranty
- ★ Lifetime Telephone Support at No Charge
- ★ Manifold centralized lube system
- ★ Hand/Foot sequence w/footswitch for single operator
- ★ T-slot across front edge of brake bed
- ★ UL508A compliant
- ★ Programmable tonnage via the 840 control
- ★ Heavy duty, X axis, servo gauging system with 29" travel, manual R and manual Z
- ★ Training: 2 Day Onsite training for operation, maintenance, safety and insure proper physical installation of machine.

Note: machine must be fully leveled, bolted to floor, oil in reservoir and powered electrically prior to arrival of technician. *(\$1,000.00 per day for additional days)*

EV250-12 w/features listed above \$177,800.00



DELIVERY: To Be Confirmed At Time Of Order
F.O.B.: Clarksdale, MS
TERMS: 35% Deposit with Order, 55% Prior To Shipment; Net 20 Days
(With Approved Credit)

Price for machine plus options (please circle options) \$ _____
(Prepay & add freight to invoice)

Purchase order number (if applicable) _____

Please specify machine voltage _____

Accepted By: _____
Wayne Kistler

_____ Date

February 2024 Model EV Brake Options

Safety

Light Curtain with Footswitch

Floating blank key-switch included, some programmability. Side barriers included to completely protect throat area of machine \$6,500.00

Other brands of light curtains available at special request

Laser Guarding Systems

Wraps lasers around punch to allow operator closer to pinch-point and still be O.S.H.A. approved (Includes virtual training) \$16,400.00

Additional Footswitch and Pedestal Control \$2,100.00

Interlocked Safety Guarding for rear of press brake

From 6' to 14' \$5,500.00

From 16' to 20' \$7,500.00

Compliance Options including UL Listing, CSA, ZED

As standard all are U.L. 5088 compliant.

For other U.L. or CSA compliance contact factory

****NOTE:** This price does not include U.L. officer sign off at destination—that is the responsibility of the customer. For other listings *Price per quote*

Backgauge Options

Note: An X axis, servo gauging system with 29" travel is included with the quoted EV Y1-Y2 precision press brake

39" of gauge travel in lieu of 29"	\$7,900.00
R-Axis with 6" of programmable gauge finger height	\$6,000.00
Z1-Z2 axis with independent programming and actuation of left to right movement of precision gauging fingers (<i>R axis must be included</i>)	\$15,900.00
X-Prime Axis Add	\$15,900.00
Z1-Z2 + X1-X2 + R1-R2 fully articulated Robotic servo gauging system for up to 14' brakes	\$40,900.00
Z1-Z2 + X1-X2 + R1-R2 fully articulated Robotic servo gauging system for 16'-20' brakes	\$51,900.00
Additional fingers	\$1,500.00 ea.
Radan 3D DXF/DWG File Transfer Software for unfolding DXF files	price per quote
Robotic systems interface	price per quote
Tandem Integration of 2 machines Linking of multiple machines while being actuated via one CNC control.	price per quote

CNC Control Options



*Off the shelf
Non-Proprietary
Available anywhere in the world*

850W 2D/3D Graphical Control UPGRADE

- ★ Fully 2D cad /3D viewer graphical touchscreen control with graphical work-pieces and tooling
- ★ Identification of best bending sequences
- ★ Collision detection
- ★ Graphical Offline software for desktop programming + unlimited job storage via USB ports + Ethernet
- ★ 19" TFT color screen on a pendant
- ★ Programmable tonnage
- ★ X, Y, R, Z1-Z2, X-Prime, X1-X2, R1-R2 programmability
- ★ Controls CNC crowning
- ★ Embedded Windows 10 Operating System
- ★ 20 gigabytes hard drive memory
- ★ Laser system compatible
- ★ Programmable delay & retract at pinch point
- ★ Inch/mm conversion
- ★ 3D On screen part viewing
- ★ Capable of full 3D rendering capability with Autopol/Radan software
- ★ Two days onsite at customer's facility/contiguous U.S.—One day machine inspection/One day training



Esa 850W with full 2D cad/3D graphics viewer package

Add \$14,900.00

Crowning and Bed Clamping Systems

Manual and CNC crowning units used for fine tuning forming applications. When using with 4 way die sets add \$800.00 for clamps to hold four way die blocks from 2.25" up to 4.25". Larger four way die sets will require E-wide or larger crowning unit.

CROWNING

FOR DIES UP TO 3.5" WIDE

	Manual	**CNC Autocrown	**CNC Autocrown w/hyd. bed clamping
		**Requires 600-800 series controls	
6'	\$14,600.00	\$18,400.00	\$22,200.00
8'	\$17,800.00	\$21,600.00	\$25,800.00
10'	\$18,900.00	\$22,700.00	\$28,800.00
12'	\$20,200.00	\$24,000.00	\$31,500.00
14'	\$22,400.00	\$26,000.00	\$33,700.00
16'	\$25,400.00	\$29,400.00	\$40,500.00
20'	\$30,000.00	\$34,800.00	\$45,700.00

E-WIDE CROWNING FOR DIES UP TO 6" WIDE

	Manual	**CNC Autocrown	**CNC Autocrown w/hyd. bed clamping
		**Requires 600-800 series controls	
10'	\$25,600.00	\$29,300.00	\$37,800.00
12'	\$27,400.00	\$31,200.00	\$41,400.00
14'	\$30,700.00	\$34,400.00	\$46,600.00
16'	\$35,300.00	\$39,100.00	\$54,300.00
20'	\$44,400.00	\$47,800.00	\$63,400.00

For crowning for V die openings larger than 6" contact factory

New Standard Premium, heavy duty hardened crowning systems, also available

Quick-Change Ram Clamping Systems

Hydraulically powered quick-change ram clamping systems for faster set up times. All tooling for these systems require safety tangs.

	American	New Standard Pro
6'	\$15,600.00	\$16,000.00
8'	\$18,600.00	\$18,700.00
10'	\$20,300.00	\$20,600.00
12'	\$21,500.00	\$22,000.00
14'	\$23,300.00	\$23,600.00
16'	\$26,900.00	\$27,600.00
20'	\$31,000.00	\$31,700.00

New Standard Premium, heavy duty hardened clamping systems, also available

Contact factory for quotes on all other WILA products

Contact factory for quotes on all other WILA tooling products including:

Tooling

NOTE: NO DIES OR DIE HOLDERS ARE INCLUDED AS STANDARD—ALL DIES MUST BE ORDERED OPTIONALLY. NOTE: THE CUSTOMER AND/OR DEALER HAVE FULL RESPONSIBILITY FOR HOW WELL ANY DIE SETS WORK FOR THEIR APPLICATIONS. FLAME HARDENING IS OPTIONAL—CONTACT FOR QUOTE. Dies quoted below are subject to 1 year die manufacturer's warranty.

#225 Tooling package for 18 gauge up to 3/16" pl.

- (1) 1.5" net height die holder
 - (1) 3.75" long x 1 1/8" wide, 85 degree punch with 3/64" radius
 - (1) 2.25" square die block with 1/2", 3/4", 1", and 1 1/2" v die openings at 85 degrees.
- Total of 7.5" stack height

6' in length	\$7,400.00
8' in length	\$9,400.00
10' in length	\$9,800.00
12' in length	\$10,400.00
14' in length	\$11,800.00
16' in length	\$12,400.00
20' in length	\$14,700.00

#325 Tooling package for 12 gauge up to 1/2" plate

- (1) 2" net height die holder
 - (1) 3 3/4" long x 1 1/2" wide, 85 degree punch with 3/64" radius
 - (1) 3 1/4" square die block with 3/4", 1", 1 1/2" and 2" v die openings at 85 degrees.
- Total of 9" stack height

6' in length	\$10,300.00
8' in length	\$10,600.00
10' in length	\$11,100.00
12' in length	\$12,800.00
14' in length	\$13,500.00
16' in length	\$14,300.00
20' in length	\$16,600.00

#475 Tooling package for 10 gauge up to 3/8" plate

- (1) 2 1/2" net height die holder
 - (1) 3 1/4" long x 2" wide, 85 degree punch with 1/8" radius
 - (1) 4 3/4" square die block with 1", 1 1/2", 2 1/2" and 3" wide v die openings at 85 degrees.
- Total of 10.5" Stack height

12' in length	\$16,400.00
14' in length	\$17,400.00
16' in length	\$18,800.00
20' in length	\$24,500.00

#575 Tooling package for 10 gauge up to 1/2" plate

- (1) 2 1/2" net height die holder
 - (1) 3 3/4" long x 1 1/2" wide, 85 degree punch with 1/8" radius
 - (1) 2 3/4" long x 2 1/2" wide, 85 degree punch with 1/4" radius
 - (1) 5.75" square die block with 1", 2", 3" and 5" v die openings at 85 degrees.
- Total of 12" Stack Height

12' in length	\$22,700.00
14' in length	\$24,700.00
16' in length	\$28,000.00
20' in length	\$33,500.00

Lubrication System

Automatic Lubrication System (air power required)

Automatically pumps EP-1 grease through lubrication system via a timed system. Also includes flow adjustable injectors. Includes auto-shutoff with warning light when reservoir is empty.

\$5,700.00

Note: A manifold lubrication system that brings all lube points to one area comes standard on all machines

Manual & Quick-Change Support Arms

T-Slot Support Arms with scales

NOTE: (2) 24" arms are standard

24" T-Slot Support Arm	\$650.00 (ea.)
36" T-slot Support Arm	\$900.00 (ea.)
48" T-slot Support Arm	\$1,100.00(ea.)
Gravity stops for t-slot arms	\$400.00 ea.

Quick-Release Linear Work Support System

Quick-change, quick-disconnect style support arms with heavy duty, smooth transition roller guides for easy arm movement. Multiple adjustment points on arms for super precision placement.

(2) 24" Arm System	\$5,900.00
(2) 36" Arm System	\$7,100.00



CNC Sheet assists/followers

Heavy duty, CNC controlled sheet assist with 330 lb holding capacity
 Parking Option that allows followers to be moved from out in front of brake

\$42,900.00 each

\$3,900.00



Vertical adjustment
 Horizontal adjustment
 Mechanical accuracy
 Maximum inclination
 Holding capacity
 Portable, precise and very heavy duty
 Plate support extending from 35" to 58"

2.34"
 2.34" on the bending line
 +,- 2 degrees
 0-60 degrees
 330 lbs. each

Paint Color

Blue is the standard color. Special Paint Color (single color industrial enamel only)
 A sample is required

\$1,200.00

Extended Warranty Service

This package includes:

- ◆ A 7 year parts in lieu of standard 5 year parts warranty
- ◆ A 2 year PLC and CNC warranty
- ◆ A 5 year onsite limited labor warranty

In the event of a problem the customer will be required to help troubleshoot the situation over the phone. In the event the problem cannot be diagnosed and troubleshooting has been exhausted, Standard Industrial will send in a technician at no charge to resolve the situation.

90 through 550 ton press brake

\$9,500.00

Start-Up / Training

Note: Machine must be leveled, bolted in place, oil reservoir filled and hooked up electrically before technician arrives. ** Training includes: Two days onsite at customer's facility/contiguous U.S.—One day machine inspection/One day training

Contiguous U.S.

**** TWO DAY ONSITE INCLUDED**

Add \$1,500.00 for each additional day required.

Extra Open Height, Throat Depth, Stroke, Horns

Tonnage	12" Horn Ext. B & R	2" Extra Throat	4" Extra Throat	2" Extra Stroke	2" Ex. Open Ht. (per every 2")
90	\$3,900.00	\$3,500.00	\$4,500.00	\$9,000.00	\$700.00
140	\$4,100.00	\$3,800.00	\$4,800.00	\$9,000.00	\$800.00
200	\$4,500.00	\$3,900.00	\$4,900.00	\$10,500.00	\$900.00
250	\$4,700.00	\$4,200.00	\$5,200.00	\$10,500.00	\$900.00
350	\$5,000.00	\$4,800.00	\$7,000.00	\$12,000.00	\$1,100.00
450	\$5,900.00	\$5,200.00	\$8,000.00	\$12,000.00	\$1,300.00
550	\$6,400.00	\$5,600.00	\$8,500.00	\$15,000.00	\$1,500.00

WARRANTY STATEMENT

The main frame and ram are warranted for structural integrity (cracks in the welds) for Five years. The drive components such as shafts, bearings and slides are warranted for Five years, and purchased hydraulic and electric components (not PLC) for Five years. Any PLC or PLC related items or CNC options have a 2 year warranty. Tooling and tooling related items are subject to the manufacturer's warranty, typically 1 year.

Limited onsite labor is included as part of the 5 year warranty but it is **ONLY** included as part of the warranty with express written consent of manufacturer after all troubleshooting has been fulfilled by customer.

All Prices Are Subject To change At Any Time. Customer is responsible for freight, rigging, leveling and electrical hook-up unless otherwise agreed upon.

Terms: 35% deposit required at the point of order to begin delivery schedule or hold quick delivery machine. All Prices are fob Clarksdale, MS and are in U.S. dollars.

The customer is responsible for all applicable local, state and federal taxes and tariffs. Customer is required to take delivery of and pay for machine at agreed upon time of completion. Standard Industrial is only responsible for the operation of the machine itself and specifically not responsible for the customer's application. Any alteration to machine will forfeit the warranty without written approval by Standard Industrial. Standard will not be held responsible if the machine does not perform to the customer's expectations due to the customer's assumption that Standard is familiar with their application. This includes all dies and die related items, CNC, PLC, supports, peripherals, options and add-ons of any kind.

Pricing and delivery are subject to change at any time

DELIVERY SCHEDULE—subject to change

Quotation Date and Quote Number:

Prices are F.O.B. Clarksdale, MS

Current Delivery Starts at Receipt of 35% Non-Refundable Deposit:

PLEASE NOTE: HYDRAULIC OIL IS NOT INCLUDED WITH THE PURCHASE OF ANY STANDARD INDUSTRIAL MACHINE—CUSTOMER WILL NEED TO SUPPLY MOBIL DTE24 OR EQUIVALENT HYDRAULIC OIL ONCE MACHINE HAS BEEN DELIVERED—CONTACT FACTORY FOR AMOUNT OF OIL REQUIRED.

Customer:

Hale Trailer Brake & Wheel - Allentown, PA

Contact:

Wayne Kistler

Equipment Price:

\$177,800.00

Equipment:

Standard Industrial

PAYMENT OPTIONS:

	Option 1	Option 2	Option 3	Option 4	Option 5
Term (Months)	36	48	60	72	84
Monthly Payment	\$5,632.70	\$4,370.32	\$3,605.78	\$3,116.83	\$2,771.90
Payment Factor	0.03168	0.02458	0.02028	0.01753	0.01559
Purchase Option	\$1.00	\$1.00	\$1.00	\$1.00	\$1.00
Weekly Payment	\$1,299.85	\$1,008.54	\$832.10	\$719.27	\$639.67
Hourly Payment	\$32.50	\$25.21	\$20.80	\$17.98	\$15.99

2024 Section 179 Federal Income Tax Deduction:

This deduction allows a small manufacturing company that spends less than \$3,050,000 but no more than \$4,270,000 million a year on equipment to deduct the first \$1,220,000 from their taxable income. 60% Bonus Depreciation is taken after deduction limit has been reached.

Section 179 Deduction:	\$177,800
60% Bonus Depreciation Deduction:	\$0
Total First Year Deduction:	\$177,800
Total Tax Benefit:	\$56,896
Total Deduction x 32% (Assumed Federal Tax Bracket)	
Equipment Cost After Tax Savings	\$120,904

- Terms and conditions are subject to credit approval/market changes and may vary based on credit qualifications.
- Advance payments may be required and rates will be fixed for the term at commencement.
- Companies may also be eligible for additional state and local tax deductions plus interest deductions.
- These calculations are estimates only and every company's tax situation is different.
- MFR is not qualified tax advisor. This worksheet must not be interpreted as either a legal opinion or tax advisory.
- You should always consult with your accountant prior to making any purchase based on tax consequences.
- This document is for informational purposes only and does not constitute a commitment from MFR to provide financing.



For additional financing options and information, please contact:

Lisa Luedtke
 lluedtke@mfresources.com
 320-281-4200 - Direct
 320-292-4610 - Mobile

Mid Atlantic Machinery, Inc.

TERMS AND CONDITIONS GOVERNING ALL QUOTATIONS AND ORDERS

This quotation from Mid-Atlantic Machinery, Inc. (hereinafter referred to as "MAM") does not constitute an offer but is an invitation to place an order. All orders are subject to written acceptance by "MAM" upon sale confirmation and/or acceptance by manufacturers or suppliers. If an order based upon this proposal is accepted by "MAM", it is agreed that the order shall be subject to the terms and conditions set forth herein below. It is also understood that if the order placed is pursuant to a government contract, it shall also be subject to any conditions required by laws of the United States and mandatory terms of such government contract as are disclosed to "MAM". No contract term or condition shall be amended, deleted or added without the express written consent of "MAM" and "MAM" hereby gives notice of objection to any terms set forth in any other writing which are in addition to or different from the terms set forth in this quotation.

1. PRICES

- (a) All sales are made subject to all State, County, City and Federal use, sales and excise taxes, the amount of which the purchaser agrees to pay. Any such tax may be billed to the purchaser as part of the selling price or may be separately billed at any time by the seller, if the seller is required by any Taxing Authority to collect or pay such tax.
- (b) Are F.O.B. factory, at point of manufacture, or port of entry, unless otherwise specified.
- (c) Buyer shall pay all transportation charges and any additional charges for special packaging which the buyer requests.

2. SHIPPING SCHEDULE:

- (a) Subject to prior sale and confirmation by factory at time of acceptance of order.
- (b) Subject to unavoidable delays caused by strikes, accidents or other causes beyond our control including but not limited to acts and regulations of the Federal Government.

3. WARRANTY: The goods that are the subject of this sale have been manufactured by others. "MAM" makes no warranties, express or implied, in connection with this sale and without limiting the generality of the foregoing, hereby expressly EXCLUDES any and all warranties of MERCHANTABILITY and warranties of fitness for a particular purpose. The warranties available to buyer are those extended by the manufacturer to "MAM" to the extent that they are in force and effect, which warranties are on file at the offices of "MAM" and shall be assigned by "MAM" without recourse at buyer's request. Performance and production data, including accuracy, capacity and capability of machines and tools are estimates only and not guarantees since they are dependent upon varying future production factors and conditions not within "MAM" control. No agent, employee or representative of "MAM" has any authority to bind "MAM" to any affirmation, representation or warranty concerning the goods that are the subject of this quotation beyond that specifically included in the written quotation. "MAM" shall have no obligation to install or provide improvements or changes in design adapted by the manufacturer or "MAM" for similar goods subsequent to acceptance of buyer's order. In the event this quotation relates to used machinery, it is hereby agreed that "MAM" makes no warranties, express or implied in connection with the sale and hereby without limiting the generality of the foregoing, hereby expressly EXCLUDES any and all warranties of MERCHANTABILITY and warranties of fitness for a particular purpose and the buyer takes the goods sold hereby in an "as-is", "where-is" condition.

4. PAYMENT TERMS: As stated on proposal. Subject to credit approval at time of acceptance of order unless otherwise stated in quotation. Any unpaid balance thereafter shall be subject to a service charge of up to 1 1/2% per month or the maximum allowed by law, whichever is less. There shall be no extension or change in the time for payment due to delays in installation and/or delays in operation of the equipment caused by damage, warranty service or warranty replacement of parts.

5. ACCEPTANCE OF ORDERS:

- (a) Orders based on our quotation are continuous, outstanding and made by a duly authorized party.
- (b) Orders based on our quotation are subject to acceptance upon sale confirmation and/or acceptance by manufacturer(s) or suppliers.

6. TITLE: All quotations are F.O.B. factory, point of manufacture or port of entry unless other specified. Delivery of equipment to a carrier by manufacturer(s) or supplier(s), consigned by you or as you may direct, shall constitute transfer of title, ownership, possession and property in and to the equipment at such point of delivery, and such carrier shall thereafter be deemed to be acting for you and the equipment shall thereafter be at your risk.

7. CANCELLATION: Orders placed pursuant to this quotation can be cancelled only with "MAM" consent. In the event of such consent, you shall pay to "MAM" promptly upon receipt of invoice from it:

- (a) Contract price for all products which shall have been completed prior to receipt of notice of cancellation.
- (b) All actual costs made or incurred by "MAM" in connection with the uncompleted portion of the order plus normal profit of the total contract price as partial liquidated damages.
- (c) Cancellation charges if any of "MAM" on account of its purchasing commitments made under the order.
All machines and tools paid for by buyer hereunder shall be delivered to buyer in their "as-is" condition at the date of such cancellation at the sole cost and expense of buyer.

8. PROPERTY QUOTATION AND OTHER MATERIALS: This quotation and all drawings, specifications, materials, patterns and special purpose manufacturing aids which are supplied to you by "MAM" shall be kept in confidence and shall be listed and maintained in suitable condition at the expense of buyer and are to be considered the property of "MAM" held on consignment by buyer and to be insured while in buyer's possession. Such articles and all copies thereof from any source shall be returned to "MAM" at any time upon request and shall not be used for any third parties without the express permission of "MAM".

9. APPLICABLE LAW: The contract resulting from the acceptance of an order pursuant to this quotation shall be governed by and construed according to the laws of the Commonwealth of North Carolina.

10. PERFORMANCE IN EVENT OF DEFAULT: In addition to the rights and remedies conferred upon "MAM" by law, "MAM" will not be required to proceed with the performance of any order or contract if you are in default in the performance of any order or contract with "MAM" and in case of doubt as to your financial responsibility: shipments under an order may be suspended or sent sight draft with bill of lading attached by "MAM".

11. ERRORS: Any clerical errors are subject to correction and must be brought to the attention of "MAM" as soon as suspected.

12. BUYER'S USE: Buyer agrees that its employees, when operating machinery and equipment purchased hereunder, will comply with all operating procedures set forth in manufacturers operator's manuals and instruction sheets relating to products and Buyer further agrees not to remove or modify any safety device, warning sign, operator's manual or work handling tools. Buyer shall notify "MAM" promptly of any accident resulting from use of machinery and equipment purchased hereunder and agrees to cooperate with "MAM" in investigating and determining the cause of any such accident.

13. OSHA COMPLIANCE: "MAM" makes no guarantees or representations express or implied, that the equipment or tools purchased are in compliance with OSHA. "MAM" also will not guarantee or confirm, express or implied, that the installation or the use of the equipment or tools complies with OSHA.