

Proposal for the PCR41 Steel Processing Robotic System



Kelly Iron Works Inc
270 South Pine Street
Hazleton, PA
18201

Presented To: Padraig Kelly
October 30, 2025
Quote: 1969-2

Tom Bellizia 570-401-5518
Mid Atlantic Machinery

Investment Summary

This document is an official proposal to supply the Client with a PCR41 Steel Processing Robotic System for implementation at Hazleton, PA. Below is a pricing summary for the Client project requirements.

Basic System		Unit Price	Total
PCR41 Advanced Robotic Plasma Steel Cutting system with Prodevco Operating System			477,920
ProEVS DSTV viewer/editor software packages			Included
Hypertherm XPR300			Included
Remote installation support, remote commissioning support, and remote training			Included
1 week in person support, commissioning, and training			Included
	Subtotal		477,920
Quantity	Options	Unit Price	Total
1	Dust Collector ACT 2-2 DD		Included
4	10-foot section of motorized electric 300 lbs/foot infeed conveyor that cover a span of 12 feet each for total span of 48ft		Included
0	5-foot section of motorized electric 300 lbs foot out-feed conveyor that cover a span of 7 feet each for total span of 0ft		
4	10-foot section of motorized electric 300 lbs/foot out-feed conveyor that cover a span of 12 feet each for total span of 48ft		Included
0	5-foot section of motorized electric 300 lbs/foot out-feed conveyor that cover a span of 7 feet each for total span of 0ft		
0	12-foot section of synchronized lift and carry type cross-Transfer arm for in-feed, 4000# capacity per arm.	14,520	
0	12-foot section of synchronized lift and carry type cross-Transfer arm for out-feed, 4000# capacity per arm.	14,520	
1	Hypertherm VWI console upgrade for Argon Scribing	4,000	4,000
0	20ft long plate tray 28 inch wide with plate nesting for future capabilities by Pronest (Pronest Software not Included)	15,000	
0	Pronest Software	12,000	
0	Warranty extension for up to two additional years at \$6000 per year Includes remote support and factory installation	6,000	
	Project Total		481,920

All Prices in this quote are in USD, * Parts warranty coverage excludes normal wear and tear on consumable parts and is valid under normal operating conditions (refer to the operating manual) of the machine for 1 year or 2080 Hrs.

Introduction to the most modern robotic plasma steel cutting system: The PCR41




Introduction to PRODEVCO ROBOTIC SOLUTIONS

Prodevco Robotic Solutions is a team of passionate individuals that applied their 20+ years of in-depth knowledge of robotics and vision systems to develop specialized robotic equipment and innovative solutions for the manufacturing of structural steel.

Introduction to the most modern robotic plasma steel cutting system: The PCR41

The PCR41™ is a highly evolved platform that combines robotics, vision systems, and plasma torch technology to bring you the best combination of speed and precision available for cutting structural steel.

It's been designed to incorporate as many fabrication functions as possible into one machine. By completely eliminating material handling between operations, our PCR41 is able to produce completely finished parts at the lowest manufacturing cost. This machine automates all cutting operations typically performed on structural steel.



HARDWARE Component Description

Fanuc ARC Mate Robot

The heart of the system is a Fanuc multiple-axis robotic cutting system. FANUC Corporation is the worldwide leader of products and services supplier for Robotics Technologies since 1956 with a strong presence globally. Prodevco RobSOLUTIONS has been a Fanuc authorized integrator since its debut.



FANUC

Hypertherm XPR300

The Hypertherm plasma cutting system is a key component of our coping machine. Hypertherm provides the steel industry with the best technology in plasma cutting for nearly 50 years. We offer you the latest Hypertherm High definition plasma, the XPR300



ACT Dust Collector

ACT Dust Collector is a North American provider of filtration systems. Collecting dust and fumes is essential for the operation of our robots which is why we use the system from ACT.



3D Vision Sensor

Our laser vision system does not require any contact in order to measure the positioning of the part and it does it with an incredible accuracy and speed.

Linear Rotary Encoder

Provides reliable accuracy and repeatability.

SOFTWARE Component Description

Prodevco Operation System

The PRODEVCO OS is the technology behind our PCR41. It's been 100% developed in-house by the Prodevco team with the purpose of making our customer's life easier while being versatile and adaptable. All machine functions, part programming/loading, and alarms are controlled by the Prodevco OS. The software enables the operator to create and modify pieces at the machine level. Similarly, it is possible to disable (mute) selective operations if needed.

Our OS can process DSTV files directly from design drawing packages such as Tekla XSTEEL, Design DataSDS/2, Graitec Advance steel and others. It accepts drawing files directly from your detailing software without human intervention. Extremely flexible and adaptive, it will allow drawings to be referenced from the bottom, center or top of the beam. It also allows the modification of parts directly from the machine interface.

DSTV viewer: ProEVS allows you to review your drawings before processing it with the Prodevco OS and thus eliminate costly errors.

The PCR41 is supplied with all software updates and remote technical support service free of charge for the first year. Updates and additional support for subsequent years can be purchased as an option.

Summary of Major Components	PCR41
6 axis robot, Fanuc M-10iD/12 with hollow wrist	✓
Retractable in-feed conveyor	✓
Retractable out-feed conveyor	✓
Linear rotary encoder	✓
Part measuring with 3D vision sensor	✓
Hypertherm XPR 300	✓
Electrical control and operator interface	✓
Safety enclosure (13' x 8' x 8')	✓
Remote support via the internet	✓
Prodevco OS software for 4 face processing	✓
ProEVS DSTV viewer / editor	✓

PCR41 Functions and Features

Supported Operations

The PCR41 cut copes, notches, holes, and weld preps, it splits beams, plus scribes and marks H-beams, channels, angles, and HSS.

4 Face Operation

The PCR41 cutting envelope covers all 4 faces for HSS cutting and marking on all 4 sides.

Supported Operations
Copes and notches
Holes and slots
Compound angle cuts
Welding preparation up to 45°
Beam splitting
Scribing, pop marks, letters, etc.

Automatic adjustment to exact material dimensions

The 3D vision system measures the real dimensions of the part and compensates automatically for any variations. The end result corresponds exactly to the information in the DSTV file.

Short cycle times

Our 3D vision measuring system allows for faster and very accurate measurements as well as a greater number of measurements in a fraction of the time of physical probing. Robotic motion is unique in that it optimizes accelerations and decelerations resulting in the shortest cycle times possible. The Linear rotary encoder allows fast conveyor speeds, without loss of precision. Electric motors combined with Variable Speed Drives (VFD'S) Enable speed adjustments that further reduce cycle times.

Easy to Use


Our operation console is designed with simplicity in mind. All the required commands and displays are logically laid out to optimize the operator time. Most of the information is presented graphically, reducing the training required to operate the machine. It takes no more than a day for an operator to learn how to use the PCR41 plasma cutter and if ever you need assistance, we're just a click away.

Low maintenance

Fanuc robots are widely available throughout the world and have the longest MTBF's in the market (Mean Time Before Failure). The Hypertherm plasma and all electric motorization are known for reliability and low maintenance as well. On top of it, we are using state of the art encoder and measuring system which means that we avoid damage from collisions with unexpected beam profiles as well as issues with debris in the plasma torch obtained through physical probing. This combination allows for the lowest maintenance the market can offer.

Dimension of Steel Parts the PCR41 Will Process

Shapes Processed				
Shape	Minimum (in)		Maximum (in)	
	Width	Height	Width	Height
H Beam	4	4	30	16
Channel	3	1-1/4	40	16
Angle	2	2	8	8
HSS	2	2	16	16



Required services by the buyer for implementation of the PCR41

While the installation of equipment is done under the remote supervision of PRODEVCO' Technical staff, the client must provide PRODEVCO with the labor and lifting equipment necessary for installation.

Electrical connections required:

- Main control unit: 480 volts, 3 phases, 30 amps
- Plasma unit – Hypertherm XPR300: 480 volts, 3 phases, 110 amps or 600 V, 3 phases 90 amps
- Dust collector: (TBD)
- Cross transfer conveyor: 480 volts, 3 phases, 40 amps

Clean dry air with no oil at 120 psi

Gas supply (oxygen and nitrogen)

Internet Connection

The machine is configured for conveyors 33 inches in height above floor level.

Delivery of project

The standard ready to ship date is 12 weeks from receipt of down payment.

Remote Diagnostics, Software Upgrades and Technical Support

In our continuous improvement process, we regularly introduce software upgrades that add functionality and improve system performances.

Our technicians can connect, via the Internet, to remotely diagnose your PCR. This capability is also used to install software updates and provide training. Cameras in the enclosure give our technicians "eyes on" capability when remotely supporting your system. Additionally, your operator has direct access to our technicians via chat with one click of the mouse on the Prodevco logo on the upper left-hand side of the operator interface.

We guarantee remote assistance within 24 hours from a call. We can be reached by the Internet, by phone (905-761-6155) or E-mail.

Beyond the Warranty

The PCR 41 is fully covered for parts and labor for 1 year or 2080 working hours. (Excluding normal wear and tear on consumable parts and under normal operating conditions of the machine). Warranty extension can be purchased for \$6,000 annually and will include remote support, or for \$150 per hour. Beyond this warranty we still support our systems at the following costs.


Options	Price
Remote support and software updates after 1 year	\$6,000/year (optional) Or \$150/hour
Additional training and programming, hourly rate	\$150/hour
Additional service visit not included under warranty	\$1,250/day + Travel Costs

Payment Terms

- 50%** Of the purchase price with Purchase Order
- 45%** Before delivery + Freight costs
- 5%** Due after startup or within 30 days of delivery, (payment to be secured by letter of credit or escrow)

Freight Charges

The costs related to the shipment of merchandise to and/or from PRODEVCO to and/or from the client are assumed by CLIENT. The quote for freight costs will be sent prior to shipment.



General Conditions

This proposal is valid for 30 days following the date of this proposal and can be modified or canceled by the salesman before its acceptance.

Equipment referred to herein remains the sole property of PRODEVCO until its total payment. All applicable taxes, duties and fees are not included and are assumed by the client.

The client will provide PRODEVCO with the labor and lifting equipment necessary for installation and will supply an electrician and all necessary personnel to do the connections according to all the rules in force where the installation is to occur. The client will provide "clean" power to the equipment that is noise and spike free. The client will ensure an operating environment for the equipment with temperatures ranging between 5° Celcius and 40 ° Celcius. The optimal operating environment is between 10 ° Celsius and 30° Celsius. The Relative Humidity shall be less than 75%. The individual warranties of all the components of the system will be the only warranties applicable.

PRODEVCO is not and does not intend to be an authority in safety equipment and hazardous situations specialist specific to the client's production process. All safety equipment and all equipment offered in this proposal are only supplied as components of a turnkey system that should be assessed at the clients location by a safety specialist authorized in the clients jurisdiction. It is the client's sole responsibility to ensure employee safety in the work environment and to comply with all applicable regulations. The dust collection equipment provided should be evaluated within the clients operating environment. Evaluation of the utilization of spark arrestors, proper filter selection for cutting processes and materials such as Aluminum and Stainless Steel, actual placement of the dust collector and other factors is necessary prior to operation to ensure compliance and safe operation.

PRODEVCO is not responsible for ensuring the client's employees safety and cannot be responsible for defaults or wrongful uses of the safety equipment or of all other equipment in the cell.

PRODEVCO does not incur any other responsibilities other than the repair of components or the equipment's replacement which can become defective during the warranty period and the reimbursement to the buyer of the purchase price of the equipment of components for which a claim is made.

Under no circumstances will PRODEVCO be responsible towards the buyer or any direct or indirect damages including, without limitation to, loss of income and benefits, loss of equipment use, the cost of replacing equipment, production interruptions or any other damages caused to the buyer or to its clients.

In the case of a breach of the contract by PRODEVCO, under no circumstances will the responsibility exceed the price specified in the contract regarding any item or equipment concerned and no claim from the buyer can exceed the amount of the cause of claim.

In the event of any dispute related to this proposal or subsequent contract the parties agree that the laws of the Province of Ontario will govern this proposal and subsequent agreement and in the event of a dispute that both parties consent to the jurisdiction of the courts of the Province of Ontario in any action brought to enforce or otherwise relating to this proposal or subsequent agreement.

By issuing a Purchase order or Payment to PRODEVCO ROBOTIC SOLUTIONS INC or Dealer, the buyer recognizes having read this submission and accepts the conditions stated above

