

Technical Quotation



Myers Emergency Power Systems, LLC
44 South Commerce Way
Bethlehem, Pennsylvania 18017
USA

TruBend 3100 (B26)

Quotation number: 00164124/1 from 06/09/2025
TRUMPF Project ID: 0000699883
valid to: 09/07/2025



All illustrations are examples. The product may differ from the picture.

Regional Sales Manager

Mr James Rogowski

Phone (860) 3845467
E-mail james.rogowski@trumpf.com

Sales Representative

Mr Chris Barsanti

Mobile (610) 256-0711
E-mail CBarsanti@midatlanticmachinery.com

Product Manager

Mr Christopher Wargo

Phone 860-387-5563
E-mail christopher.wargo@trumpf.com

Technical Quotation



Myers Emergency Power Systems, LLC
44 South Commerce Way
Bethlehem, Pennsylvania 18017
USA

Dear Customer,

Thank you for your interest in TRUMPF technology. In response to your request we are pleased to provide the following quotation.

TRUMPF machines are designed to enable metal fabricators to compete and win in today's intensely competitive landscape.

It is most important to us that you benefit from your TRUMPF machine each and every day. TRUMPF accessories and services is the key to attain the full potential of your new TRUMPF machine and will ensure a maximum uptime, low operating cost and maintain its high capital value. We bundle these products under the category TruServices. TRUMPF knows it is our obligation to develop and continuously improve TruServices to ensure your competitive advantage for the lifetime of your machine. This is why we include superior services with your new machine such as our TRUMPF warranty, service agreements, consumables, training, installation and data-driven services for monitoring an optimal performance.

As the premier laser manufacturer in the world, and the largest manufacturer of fabrication equipment in the United States, TRUMPF is positioned to offer innovative machines of very high reliability and quality. TRUMPF has been in business for over 100 years and spends approximately 10% of its revenues each year on research and development that result in continued enhancements of existing products along with innovative new technologies to solve tomorrow's fabrication needs.

While our fabrication machines set themselves apart from our competitors' products through their flexibility and productivity, the company also distinguishes itself through dedication to customer training and support. Thousands of students pass through our US customer training center here in Farmington, Connecticut each year, learning to program, operate and maintain their TRUMPF products. We are also constantly optimizing our technical service group, keeping pace with our installed base of machines. Our dedication to continuous innovation and customer support has helped the TRUMPF Group to exceed \$5 billion in sales worldwide.

If you have not already had the opportunity to experience our 500,000 square foot manufacturing facility in Farmington, CT, we would like to offer you a visit. Meeting the people of TRUMPF while getting a firsthand look at our facility, including our new SmartFactory, which is opening early next year, our products and our lean manufacturing operations will open your eyes to the TRUMPF philosophy of providing machine tools and lasers which provide the lowest cost per part. If Connecticut is not your backyard, our technology is also showcased in our SmartFactory near Chicago, IL and in our Technology Center in Costa Mesa, CA. Contact your local TRUMPF sales person to arrange a visit.

Thank you once again for considering TRUMPF.

Burke Doar
Executive Vice President




Table of contents

- 1. Quotation..... 4
- 2. Terms and conditions..... 13
- 3. Additional information about the order range..... 24
- 4. Additional information on technical data..... 32
- 5. Additional information on technical data (imperial)..... 34

1. Quotation

1000	TruBend 3100 (B26)	1 PCE	172,000.00 USD
------	--------------------	-------	----------------

- Machine
 - Press force: 1000 kN/bending length: 3060 mm
 - Box frame
 - Press beam
 - Spherical bearing of the press beam with press beam tilting
 - Electro-hydraulic upper drive
 - Block hydraulics
 - Distance measurement system (Y axis)
 - Hydraulic oil filling
 - Oil cooler
 - E-Learning Package Technology TruBend
- Crowning
 - Self-regulating, combined crowning
- Backgauge
 - Gauge fingers (two pieces)
- Control
 - Machine control T-4000S 2D
 - Integrated TRUMPF technology data
- Data transmission
 - USB interface
 - RJ45 network interface
 - Network capability
 - Remote support interface
- Operation
 - Operating unit with foot switches
- Safety
 - CE marking and EC Machinery Directive
 - Standard safety device
- Services
 - Transport device

Technical Quotation



- Advanced standard configuration
 - Manual TRUMPF upper tool clamp
 - Manual TRUMPF lower tool clamp
 - 2-axis backgauge (X and R axis)
 - Installation, initial start-up and instruction

Advanced machine equipment

2000	Extension of the open height/stroke	1 PCE	12,000.00 USD
	• Extended open height/stroke + 150 mm		

Backgauge

3000	4-axis backgauge (X, R, Z1 and Z2 axis)	1 PCE	14,000.00 USD
4000	5-axis backgauge (X, Delta X, R, Z1, and Z2 axis)	1 PCE	22,000.00 USD
5000	Additional 860 mm gauge finger	1 PCE	1,000.00 USD

Tool clamp

6000	QuickClamp TRUMPF upper tool clamp	1 PCE	0.00 USD
7000	Hydraulic TRUMPF upper and lower tool clamps	1 PCE	14,000.00 USD
8000	AMADA tool system (upper and lower tool clamps)	1 PCE	5,000.00 USD

Control

9000	DXF import	1 PCE	0.00 USD
	• For 2D control		

Angle assistants

10000	ACB laser (Automatically Controlled Bending), manually adjustable	1 PCE	25,000.00 USD
	• With manual positioning of the ACB angle measuring station • One-point measurement up to bending length of 1000 mm		
11000	Operator Controlled Bending (OCB)	1 PCE	4,500.00 USD
	• Bluetooth manual bevel protractor		

Operation

Technical Quotation



12000	Additional operating unit with foot switches Cable-based	1 PCE	2,500.00 USD
13000	Work area illumination front and rear LED	1 PCE	1,500.00 USD
14000	2D code scanner - Cable-based - For reading the code from paper	1 PCE	3,000.00 USD
	Material handling		
15000	Support bracket At least two required	2 PCE	2,500.00 USD
	Safety		
16000	BendGuard	1 PCE	0.00 USD
	Special options		
17000	Special paint finish Maximum two colors	1 PCE	10,000.00 USD
18000	Electrical cabinet air conditioning up to an ambient temperature of 40 °C Up to 40 °C ambient temperature	1 PCE	0.00 USD
19000	Tank heating	1 PCE	1,000.00 USD
20000	Robot interface without sensor system for backgauge	1 PCE	7,500.00 USD
21000	Robot interface with sensor system for 4-axis backgauge	1 PCE	12,500.00 USD
	Documentation		
22000	TruBend documentation	1 PCE	0.00 USD
	TRUMPF TruServices		
23000	Standard TRUMPF TruServices Warranty:	1 PCE	0.00 USD

Technical Quotation



One-Year, Unlimited Hours

Training:

TruBend 3000 = 1 students for Operator course at TRUMPF Training Center

TruBend 5000 = 2 students for Operator course at TRUMPF Training Center

TruBend 7000 = 1 students for Operator course at TRUMPF Training Center

Transparency Agreement:

Machine will be connected to our Condition Monitoring Platform to benefit from our data-driven services, such as the Condition Report via MyTRUMPF. Valid for five years

Installation:

Installation, Start-up and Instruction

Standard Acceptance:

Machine acceptance will consist of producing TRUMPF's standard acceptance part which checks all aspects of machine performance against quoted specifications. This acceptance test will be performed at the customer's location, if requested. Any additional tests must be mutually agreed upon and specified in the purchase order.

24000	Extended Warranty + 1 PM Mission	1 PCE	25,800.00 USD
	Warranty extension with 1 preventative maintenance mission per year. (1 year max)		
25000	Additional Preventive Maintenance visit	1 PCE	6,000.00 USD
26000	Service Agreement Remote	1 PCE	750.00 USD
	• Technical service hotline • Remote Support: Online Remote diagnostics and troubleshooting • Technical Guides		

Remote Extension 24/7

- Technical service hotline now available around the clock
- Remote support now available around the clock

Visual Assistance

- Recording and exchanging audio, image and video files

Technical Quotation



- Editing images with real-time transmission
- Chat function for convenient communication

Condition Monitoring: option which identifies anomalies using machine data analysis, includes:

- Proactive expert contact by phone
- Proactive recommendations for action by mail or service app
- Proactive problem solving by TRUMPF service technicians

Condition Monitoring recommended for compatible machines at an additional fee of \$800

27000	Service Agreement Maintenance	1 PCE	6,500.00 USD
	• Technical service hotline • Remote Support: Online Remote diagnostics and troubleshooting • Technical Guides • Maintenance performed to specifications of the maintenance checklist		

On-site maintenance

- One preventative maintenance per contract year

Remote Extension 24/7

- Technical service hotline now available around the clock
- Remote support now available around the clock

Visual Assistance

- Recording and exchanging audio, image and video files
- Editing images with real-time transmission
- Chat function for convenient communication

Parts discount

- 10% Discount on service parts, long-life consumables and

Technical Quotation



consumables

Condition Monitoring: option which identifies anomalies using machine data analysis, includes:

- Proactive expert contact by phone
- Proactive recommendations for action by mail or service app
- Proactive problem solving by TRUMPF service technicians

28000	Service Agreement Maintenance + Onsite Repair Coverage	1 PCE	15,000.00 USD
--------------	---	--------------	----------------------

- Technical service hotline
- Remote Support: Online Remote diagnostics and troubleshooting
- Technical Guides
- Maintenance performed to specifications of the maintenance checklist

On-site maintenance

- One preventative maintenance per contract year

Remote Extension 24/7

- Technical service hotline now available around the clock
- Remote support now available around the clock

Visual Assistance

- Recording and exchanging audio, image and video files
- Editing images with real-time transmission
- Chat function for convenient communication

Parts discount

- 10% Discount on service parts, long-life consumables and consumables

Technical Quotation



Onsite repair coverage

- Labor and travel expenses for repair missions are included

Condition Monitoring: option which identifies anomalies using machine data analysis, includes:

- Proactive expert contact by phone
- Proactive recommendations for action by mail or service app
- Proactive problem solving by TRUMPF service technicians

29000	Service Agreement Performance	1 PCE	25,800.00 USD
	• Technical service hotline • Remote Support: Online Remote diagnostics and troubleshooting • Technical Guides • Maintenance performed to specifications of the maintenance checklist • Repair missions • Service parts for repair missions		

On-site maintenance

- One preventative maintenance per contract year

Remote Extension 24/7

- Technical service hotline now available around the clock
- Remote support now available around the clock

Visual Assistance

- Recording and exchanging audio, image and video files
- Editing images with real-time transmission
- Chat function for convenient communication

Parts discount

- 10% Discount on service parts, long-life consumables and

Technical Quotation



consumables

Extended parts coverage


- Coverage of long-life consumables for repair missions

Condition Monitoring: option which identifies anomalies using machine data analysis, includes:

- Proactive expert contact by phone
- Proactive recommendations for action by mail or service app
- Proactive problem solving by TRUMPF service technicians

30000	Smart Glasses Hardware only, but must be purchased with an Agreement	1 PCE	2,750.00 USD
31000	Operator Training, 3.5 days at TRUMPF in Farmington, CT	1 PCE	2,800.00 USD
32000	Sheetmetal Design Class, 3 days @ TRUMPF 1 seat included, \$3,500 per additional seat In this course, your employees will learn how to streamline the design process and make full use of sheet metal knowledge to design better parts and replace and/or make improvements to current manufacturing	1 PCE	4,000.00 USD
33000	TruTops Boost Software bundle (Standalone Machine) - Valid for new TruTops Boost customer only All in-one design and programming solution that works consistently from 3D modeling to NC generation across different technologies. The integrated software offers connected intelligence for the ideal interaction between software and machine. - One TruTops Boost core (floating license) including one Machine Package - Training seat for one student - Software maintenance contract for a 12-month period - Telephone & remote support and software updates	1 PCE	21,000.00 USD
34000	TruTops Boost Standard Machine Package - Existing TruTops Boost license(s) as well as valid software maintenance is required This option permits programming of the existing machine model quoted. Training not included	1 PCE	4,500.00 USD

Technical Quotation



35000	Additional core (floating license) of TruTops Boost - Existing TruTops Boost license(s) as well as valid software maintenance is required	1 PCE	11,000.00 USD
	Machine package(s) from the first core included. Current Software maintenance contract required / follows first core validity. Training not included		
36000	Data Exchange Package for 3D CAD models - Existing TruTops Boost license(s) as well as valid software maintenance is required	1 PCE	2,700.00 USD
	Read and write: VDA-FS (VDA), Parasolid (X_T, X_B, XMT_TXT, XMT_BIN) Read: Inventor (IPT, IAM), NX (PRT), Pro/E (PRT, ASM, XPR, XAS), SolidEdge (par, psm, asm), Solidworks (SLDPRT, SLDASM)		
37000	Assembly Importer - Existing TruTops Boost license(s) as well as valid software maintenance is required	1 PCE	2,700.00 USD
	Automated dissolving of assemblies in single parts in all supported file formats and automatic transfer into HomeZone (parts management)		
38000	Interface Package Catia V5 - Existing TruTops Boost license(s) as well as valid software maintenance is required	1 PCE	4,500.00 USD
	Supports direct import and export of the file format CATIA V5 (MODEL, EXP, CATpart, CATproduct, CGR)		
39000	TruTops Boost Programming Training	1 PCE	2,000.00 USD
40000	TruTops Boost Design Programming (webinar)	1 PCE	2,400.00 USD
	This course is designed for customers who wish to learn design in TruTops Boost without having to travel to TRUMPF. The goal of the course is to provide students with the core knowledge and skills to successfully draw 2D or 3D parts.		
41000	Either switch from TruTops Classic to Boost or Metamotion software	1 PCE	0.00 USD
	Please contact softwaresales@trumpf.com or ask your Sales Representative how to receive beneficial switch-over (update) pricing from TruTops Classic to TruTops Boost, as well as Metamotion software quote		

All freight charges, insurance premiums, duties, tariffs, and taxes are the responsibility of the Buyer.

If a service agreement is included: Service agreement will start after the warranty period of the machine expires.

2. Terms and conditions

Terms of payment

Payment terms:

20% deposit with purchase order

70% ten (10) days after shipment

10% ten (10) days after installation completion

TRUMPF, INC. TERMS AND CONDITIONS OF SALE FOR MACHINE TOOL EQUIPMENT AND AUTOMATION

This Agreement governs the sale of commercial off-the-shelf products from Seller's product lines (hereinafter referred to as "Goods" or "Equipment"), including products sold as a Smart Factory. A Smart Factory connects two or more products together. Seller makes all quotations and accepts orders for such Goods/Equipment only on the terms and conditions stated herein ("Terms of Sale").

1. ORDER ACCEPTANCE:

All orders are subject to acceptance only at Seller's facility in Farmington, Connecticut. These Terms of Sale shall be deemed accepted by Buyer upon Seller's receipt of Purchase Order from Buyer. No condition stated by Buyer shall be binding upon Seller if in conflict with, inconsistent with or in addition to the Terms of Sale, unless expressly accepted in a writing signed by Seller. In the event of conflict or differences in the terms or conditions of Buyer's Purchase Order and the Terms of Sale herein, the Terms of Sale shall govern.

2. PRICES:

All prices are: (a) Seller's current prices and are subject to change without notice at any time prior to acceptance of Buyer's order; (b) subject to all federal, state and local taxes upon the production, sale or shipment of the Goods sold hereunder, now or hereafter becoming effective, and if not included in the invoice, such amount may be invoiced later, and Buyer shall pay all such taxes.

If any new tariffs, duties, or similar governmental charges are imposed, enacted, or materially altered, and such measures increase the cost to Seller of providing the Goods contemplated herein, Seller shall adjust the prices charged to Buyer to reflect such increased costs. Seller shall provide Buyer with written notice of any such cost increase. Buyer agrees to pay for the additional cost, which shall become effective upon receipt of notice.

Technical Quotation



3. SHIPMENTS:

(A) Domestic: All orders are FCA Seller's plant in Farmington, Connecticut (or such warehousing facilities as Seller may establish) Incoterms 2020.

(B) International: All prices are in US Dollars and are, at Seller's election, FCA Farmington CT (or other warehousing facilities as Seller may establish) or DPU Port of Entry Incoterms 2020.

(C) All freight charges, insurance premiums, duties and taxes (including tariffs) are the responsibility of the Buyer.

4. PAYMENT:

All payment terms are subject to Seller's approval of Buyer's credit.

(A) Equipment shipping into US or Canada:

20% deposit with purchase order

70% Net 10 days after shipment

10% Net 10 days from Installation Completion.

Title to the Goods shall pass to the Buyer only upon receipt of final and full payment of the Goods by Supplier, from Buyer.

(B) Equipment shipping into Mexico:

20% deposit with purchase order

60% paid prior to shipment

20% Net 10 days from Installation Completion

Title to the Goods shall pass to the Buyer only upon receipt of final and full payment of the Goods by Supplier, from Buyer.

PLEASE NOTE: During the payment process, TRUMPF will never ask you to transfer to a changed bank account. If you notice anything suspicious, please contact your TRUMPF representative, and in the case of urgent suspicion, contact security@trumpf.com.


5. DELIVERY:

The scheduled shipment date is an estimate and is subject to filling prior orders and delays caused by strikes, accidents, shortages, acts of civil authority or other causes beyond Seller's control. Buyer's acceptance of delivery time from the shipper shall constitute a waiver of any claim for delay.

6A. Preparation of Installation Site:

Upon acceptance by Seller of any Purchase Order hereunder, Seller shall provide Buyer with a Pre-Installation Manual setting out requirements for site preparation at the installation site. Buyer is responsible for preparing the installation site as set out in the Pre-Installation Manual, for providing all utilities within rated parameters as stated in the Pre-Installation Manual, and for inspecting, rigging and placement of the Goods at the installation site.

Technical Quotation



6B. Inspection Upon Delivery:

Upon arrival of the Goods at the installation site, the Goods shall be inspected for shortages and damage in transit by authorized personnel of both Seller and Buyer. Buyer shall notify Seller in writing of any such claims within ten (10) days after Buyer discovers or should reasonably have discovered facts upon which the claim is based, but in no event more than thirty (30) days after Installation Completion under subsection C below. Failure of the Buyer to give written notice of a claim within the time-period or in the form specified above shall be deemed to be a waiver of such claim. If any repairs are made by unauthorized personnel, Seller reserves the right to withhold warranty support and to charge Buyer per then current time and material rates for services provided if Seller determines that the root cause of a defect requiring service was caused by a third- party vendor supplied product or service.

6C. Acceptance Testing and Acceptance:

Notwithstanding prior inspection or testing, payment, or passage of title, all Goods shall be subject to final acceptance testing ("Final Acceptance Testing") after installation at the installation site to validate performance against Seller's quoted Technical Specifications. Final Acceptance Testing will be performed by Seller's operator and consist of (i) Seller's standard acceptance-test procedure which checks all aspects of Goods performance against Seller's quoted Technical Specification and (ii) any additional tests that are mutually agreed upon and specified in the purchase order or statement of work referencing these Terms and Conditions. Upon successful completion of the Final Acceptance Testing, the Goods shall be accepted, and Buyer shall sign and deliver to Seller the Seller's acceptance certificate ("Installation Completion"). Notwithstanding the foregoing, the Goods including any software shall be deemed accepted and the written acceptance form certifying Installation Completion shall be deemed executed by Buyer upon the earlier of either of the following two conditions; (i) in the event the Goods are placed into production by Buyer at the Installation Site; or (ii) no later than 3 months after the date of delivery as determined by the terms of shipment.

7. EQUIPMENT WARRANTY: Any Equipment sold hereunder which (1) at the installation site, (2) have been properly installed and maintained by authorized persons, and (3) have been operated within the limits of rated and normal usage, are warranted to conform to Seller's quoted Technical Specifications and to be free of defects in material and workmanship, as determined by Seller's inspection, for a period of one year, or any purchased extended period, coming into effect upon installation completion. To further facilitate efficient warranty services if the Goods are sold as a Smart Factory, the warranty will come into effect upon installation completion. If the Buyer places a portion of the Smart Factory Equipment into production, the warranty will cover that Equipment one year after the entire Smart factory's installation is completed but in no event longer than eighteen (18) months from the date the Buyer placed that Equipment into production. The terms of this warranty do not apply to any Goods which have a life, under normal usages, that is inherently less than one year. Product demonstrations, test parts, time studies, production estimates and other such particulars furnished to Buyer are only Seller's estimate and do not create a warranty. Within the warranty period, Seller will repair or replace without cost to Buyer any product or parts covered by the warranty which Seller finds to be defective in material or workmanship, provided that the Buyer gives the Seller prompt notice. This shall be the sole and exclusive remedy of the Buyer under this warranty.

If Buyer licenses Applications Software to be delivered with Equipment at time of installation, at the end of the Applications Software warranty period Buyer shall receive a Software Service Agreement for the balance of the Equipment Warranty period.

To facilitate efficient warranty services delivery, Seller may in its sole discretion deliver to the Installation Site a variety of spare parts such as are reasonably believed to be of potential use in completing the Services (such spare parts, together with those parts removed for replacement during Warranty Services, being collectively "Seller's Property.") Buyer will cooperate with Seller in maintaining Seller's Property in a secure location segregated from Buyer's Equipment and Inventory during Services and in providing access during normal business hours for delivery and pick up. Seller is solely responsible for the packaging and cost of shipment of Seller's Property to and from Buyer's Installation Site. Should Buyer elect to retain any of the unused Spare Parts after close of Warranty Services mission, Buyer will be billed for such Parts at a discount of 5% off Seller's List Price as of the date of retention. Services under this warranty are provided during normal business hours and using standard freight delivery. Services and delivery may be otherwise provided dependent upon availability and will be invoiced at TRUMPF Service rates in accordance with TRUMPF Service policies and practices, which are incorporated by reference herein. Seller shall not be liable under any warranty or other obligation if the alleged defect in the Goods does not exist or the defect or defective performance is caused in whole or in part by Buyer's or any third party's misuse, neglect, modifications or additions, the use of non-TRUMPF spare parts or consumables, unauthorized attempts to repair, or by accident or other hazard outside Seller's control. Use of a non-TRUMPF spare part shall void the warranty if the TRUMPF spare part is available under the warranty free of charge. The warranty described herein is granted only to the original purchaser of the Goods and original purchaser's specified end-user and is non-transferrable.

DISCLAIMER OF OTHER WARRANTIES: THE WARRANTY DESCRIBED IN THIS SECTION 7 IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXCLUDED

8. DATA SERVICES:

Seller's Equipment is self-monitoring and software may collect certain equipment data recording performance metrics of the Equipment during Buyer's use of the Equipment which can be transmitted to Seller in real time via Seller's secure Cloud Connect services portal as set forth in the technical documentation of the Equipment. Cloud Connect services are activated during installation.

Buyers of Equipment utilizing Cloud Connect may receive expanded applications capabilities or enhanced Cloud Connect notification and technician scheduling throughout the Equipment warranty period and during any period in which the Buyer maintains a Seller Service Agreement providing for such notification and reporting services. Seller uses the data collected for delivery of Goods and Services under warranty and service agreements, and in product research and development. Buyer agrees that such data may be transmitted, processed, and used by TRUMPF as set forth herein.

Buyer can opt out of active machine monitoring by following the procedures set forth in the Software and Operator Manuals. Should Buyer exercise this opt out option, it may not receive Cloud Connect enhanced services, may experience limitations on machine functions or systems integrations that rely on information processed through Cloud Connect or automated data communications, or may be subject to surcharges and increased costs.

Data collected via Cloud Connect may include metadata, logs or other information generated by the operation of the Equipment or Embedded Software, in automated logs or similar records through the normal operation of the Equipment. In some cases, and within additional services, NC programs, technology tables, environmental, technology and operation data may also be collected. All data is secured with the same level of care Seller provides for its own confidential information, but in no event less than reasonable care. Some features in Seller software may enable collection of data from users of Buyer's applications that access or use the software. If Buyer uses these features to enable data collection in its application, Buyer is solely responsible for compliance with any applicable law, including obtaining any requisite user consent and maintaining a prominent privacy policy that accurately informs users about how it uses, collects, and shares data.

Seller reserves the right to add and remove services from Cloud Connect offerings at Seller's sole discretion. CLOUD CONNECT SERVICES ARE PROVIDED 'AS IS' WITH NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION: 1) ANY WARRANTY CONCERNING THE AVAILABILITY, ACCURACY OR CONTENT OF THE INFORMATION, OR 2) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

9A. Product Liability:

With respect to all Goods or materials provided under this Agreement that are Seller's standard product or made to Seller's design or specifications, Seller shall, subject to the limitations of liability governing this Agreement, defend and indemnify Buyer against all third-party claims and liability required to be paid by Buyer to the extent arising out of defective materials, workmanship or design by Seller.

- 9B. Infringement/Malware:** Seller shall engage in commercially reasonable efforts to monitor the Goods supplied hereunder for infringement of third-party intellectual property and the presence of viruses or other malicious code. TRUMPF represents that (i) the Goods are not known to infringe, violate or misappropriate any intellectual property right(s) of third parties; (ii) that TRUMPF has all of the rights, permits, licenses and authority known to be necessary to perform its obligations hereunder; and (iii) the Goods, including any software and the media it is delivered on, have been scanned for and been found to be free from viruses and other malicious code. Seller shall, subject to the limitations of liability governing this Agreement, defend and indemnify Buyer against all third-party claims and liability required to be paid by Buyer to the extent arising out of Seller's negligence or malfeasance in monitoring the Goods as provided herein or in making the foregoing representations.
- 9C. Workplace Practices:** It is the responsibility of Buyer to know, understand and comply with the work and safety laws and regulations in effect and governing Buyer's use of the Goods provided hereunder. Buyer agrees that after installation of the Goods provided hereunder, the Goods and all persons other than Seller personnel operating or maintaining such Goods will be deemed under Buyer's exclusive control. To the extent governing law requires inspections, reviews, records keeping and/or after-purchase modifications to the Goods, it is the responsibility of the Buyer to arrange for and comply with such requirements and any associated costs are the sole responsibility of the Buyer. Subject to the limitation of liability governing this Agreement, Buyer shall indemnify Seller against all third-party claims and liability required to be paid by Seller to the extent arising out of (a) any modifications, including but not limited to repairs, made in the Goods by or on behalf of Buyer by persons or parties other than Seller, and/or (b) the Buyer's negligent use of the Goods, including but not limited to use in production with any of the Product safety functions disabled, obstructed or circumvented.
- 9D. Notice; Consent to Settlement:** It is a condition of indemnification or defense under this Section 9 that in the event that any third party asserts a claim or liability with respect to any matter for which a Party is entitled to indemnification hereunder, the indemnified Party gives prompt written notice to the indemnifying Party of such claim or liability. No settlement of an indemnified claim shall require an admission of liability or impose an affirmative obligation on a Party hereto, including an obligation to indemnify, without the written consent of the Party so affected. Consent shall not be unreasonably withheld.
- 9E. Insurance:** Each Party shall maintain comprehensive liability insurance coverage in an amount not less than one million dollars per occurrence with coverage of the other Party as an additional insured. Upon request, a Party shall provide the other Party with a certificate of insurance evidencing this coverage.

9F. Excluded Limitations:

The above indemnifications shall not be limited by the availability of insurance coverage to the indemnifying party, or by any protection afforded the indemnifying party under the Workers' Compensation Acts, Disability Acts or other employee benefits acts.

10. LIMITATION OF LIABILITY:

NEITHER PARTY'S LIABILITY ON ANY INDEMNIFICATION OR ANY CLAIM OF ANY KIND, UNDER ANY THEORY, AT LAW OR IN EQUITY, INCLUDING NEGLIGENCE OR STRICT LIABILITY, FOR ANY LOSS OR DAMAGE ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OR BREACH OF THE TERMS HEREOF, OR FROM THE DESIGN, MANUFACTURE, SALE, DELIVERY, RESALE, INSTALLATION, TECHNICAL DIRECTION OF INSTALLATION, INSPECTION, MODIFICATION, REPAIR, OPERATION OR USE OF ANY SERVICE, GOOD OR PART THEREOF SHALL IN ANY CASE EXCEED THE PRICE ALLOCABLE TO THE SERVICE, GOOD OR PART THEREOF WHICH GIVES RISE TO THE CLAIM. IN NO EVENT SHALL EITHER PARTY HAVE ANY LIABILITY FOR ANY INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH A BREACH OF THE CONTRACT SALE OR ANY OTHER DUTY OF THAT PARTY WITH RESPECT TO THE GOODS OR SERVICES OR THIS AGREEMENT, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOST PROFITS, LOST SALES OR INJURY TO PERSONS OR PROPERTY EVEN IF THE PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES.

11. FORCE MAJEURE:

Except with respect to payment obligations under this Agreement, neither Party shall be liable for or will be considered to be in breach of or default under this contract on account of any delay or failure to perform as a result of any causes or conditions that are beyond the Party's reasonable control and that the Party is unable to overcome through the exercise of commercially reasonable diligence, including but not limited to pandemics, fire, explosion, flood, storm or other acts of God, disruptions in transportation networks, failures of carriers or utilities, war, embargo, strike, riot, or the intervention of any government authority. If any force majeure event occurs, the affected Party shall give prompt written notice to the other party and use commercially reasonable efforts to minimize the impact of the event.

12. LIMITATION OF ACTIONS: No action for breach of any term of this contract of sale or any other duty of Seller with respect to these Goods may be commenced more than one (1) year after Installation Completion.

**13. CHANGES,
CANCELLATION:**

Any changes to the scope of the Goods and Services under this Agreement must be agreed in a writing executed by both Parties. Orders may not be canceled except by written notice received by Seller prior to shipment. A restocking charge of ten percent of the selling price will be applied for the cancellation of standard items. Charges for the cancellation of special items will be based on non-recoverable expenses accruing to the order sustained by Seller plus ten percent of the selling price. Either Party may cancel an existing order without penalty or decline future orders under the Agreement in the event of (a) a change of control of, or (b) a bankruptcy of the other Party.

**14. INTELLECTUAL
PROPERTY RIGHTS:**

The Goods sold hereunder are of Seller's proprietary design offered in configurations and only with such modification as is customarily available to all buyers in the marketplace without significantly altering the Good's, function or processes. The Goods do not incorporate or embody Buyer's intellectual property, or any technology developed by Buyer or specifically for Buyer. Buyer acquires no greater interest in the Goods, or the intellectual property embodied in the Goods than those rights of use, maintenance and resale as customarily accompany the purchase of off-the-shelf tangible goods. All Seller intellectual property including but not limited to patents, trademarks, trade names, trade secrets, and all modifications and derivatives thereof, are and shall remain the sole and exclusive property of Seller.

Any operating software or instruction that is embedded in or incorporated into the hardware or electrical components of the Equipment as an integral part of the Equipment delivered is referred to herein as "Embedded Software." Embedded Software is licensed, not sold. Seller grants Buyer a nonexclusive, perpetual, fully paid, royalty-free restricted license to Embedded Software, in executable form, solely as embedded as part of or through the Equipment and only in conjunction with Buyer's operation of the Equipment and Services as provided by Seller. Buyer may not install, access, configure or use any Embedded Software (including any APIs, tools, databases or other components of any Embedded Software) separately or independently of the rest of the Equipment, whether for production, technical support or any other purposes, or otherwise attempt to gain direct access to any Embedded Software components, or permit anyone else (including Buyer's customers) to do any of these things. Embedded Software excludes applications softwares formulated to interface with end users of the goods to perform specific business or technical functions ("Applications Software") and which are subject to the TRUMPF End User License Agreement.

15. DESIGN CHANGES:

Acceptance of Purchase Order by Seller determines product version for delivery. The designs and specification of all Goods sold may be subject to subsequent change by Seller without notice and, in the event of any such changes, Seller will have no obligation whatsoever to make similar changes in Goods previously ordered.

**16. RESERVATION OF
SECURITY INTEREST; RISK
OF LOSS:**

Seller hereby reserves, and Buyer hereby grants a security interest in the Goods (and the proceeds thereof) as security for the payment of the unpaid balance of the purchase price and Buyer's performance of its other obligations hereunder. Buyer will execute and deliver to Seller such financing statements as Seller shall request to perfect such security interest. The security interest hereunder shall terminate upon Buyer's payment in full of the purchase price of Goods and Services, and the respective taxes.

The risk of loss passes to Buyer upon delivery of the Goods to the carrier. Insurance against loss or damage to the Goods during shipment is the responsibility of Buyer. Until the entire purchase price for the Goods is paid in full, Buyer will keep the Goods insured against loss or damage by fire and other risks and hazards included with so-called "extended coverage" insurance, in an amount at least equal to such purchase price. Losses under such insurance shall be made payable to Seller and any payments under such insurance shall be paid to Seller and applied to the unpaid balance of the purchase price. Upon request, Buyer will furnish Seller with copies of the policies of such insurance and each renewal thereof.

**17. NONPAYMENT OF
PURCHASE PRICE:
STORAGE AND
COLLECTION COSTS:**

If Buyer shall not pay the full purchase price within 30 days from the date of Installation Completion of the Goods; Buyer will pay Seller thereafter an additional one and one-half percent (1-1/2%) per month on the unpaid balance of the purchase price until paid in full. Such charge shall be added to and become an additional part of the purchase price for the Goods. Buyer also will pay all storage costs for the Goods after the scheduled delivery date as well as all costs of collection incurred by Seller in collecting the purchase price for the Goods and enforcing its security interest in the Goods, including, without limitation, reasonable attorneys' fees and expenses incurred by Seller.

18. GOVERNING LAW:

The validity, interpretation and performance of this contract for sale shall be governed by the laws of the State of Connecticut, excluding its conflict of law rules. The United Nations Convention on Contracts for the International Sale of Goods is expressly disclaimed by the Parties with respect to this Agreement and the transactions contemplated hereby.

19. ENTIRE AGREEMENT:

This Agreement constitutes the entire agreement between the Parties pertaining to the subject matter hereof, and supersedes all prior agreements, understandings, negotiations and discussions, whether oral or written, of the Parties pertaining to the subject matter hereof.

Effective Date:

Y2024-07-01

1000 TruBend 3100 (B26)

Country of origin

The machine plant is manufactured by TRUMPF Maschinen Austria GmbH + Co. KG, A-Pasching. Its customs origin is Austria.

Export

Export/shipment of the products to be supplied by TRUMPF in the case of further direct delivery to countries outside the European Community may be carried out under certain conditions (product, destination country, end user, etc.) in accordance EC dual-use ordinance, the German Foreign Trade and Payments Act (AWG, AVW), the Austrian Foreign Trade and Payments Act (AußWG 2011) as well as the US re-export regulations (EAR). If need be, please contact your responsible contact person at TRUMPF – should you not have already been so advised. In the event of an export permit requirement under the Foreign Trade and Payments Act / Dual Use Ordinance / US re-export law, delivery abroad is subject to the approval of the responsible authorities BAFA (Federal Office of Economics, Germany); the Federal Ministry of Science, Research and Industry (BMWi), Austria and, if applicable, the Bureau of Industry and Security (BIS) of the USA. Regarding domestic deliveries to exporting companies, we would like to point out that these companies themselves are responsible for applying for the above export license. The dispatch of products subject to issue of an authorization by TRUMPF (= consignor) on behalf of exporting companies (= exporters) can only take place if the exporter submits a copy of the necessary authorization to TRUMPF. The purchaser undertakes to make available all information and documents (for example, the final declaration of an export permit, etc.) to TRUMPF that are requested by TRUMPF should this be necessary. In the case of re-export of US products or of US products installed in our machines/plants, a re-export authorization may also be required from the responsible US authority, the Bureau of Industry and Security (BIS). If need be, please contact the contact person responsible for you at TRUMPF.

26000 Service Agreement Remote

Contract term

Automatically renewing after the end of the term of one year

3. Additional information about the order range

1000 TruBend 3100 (B26)

Machine

Box frame

- The robust machine frame consists of a welded construction: a press table, two side columns and two connecting beams
- The entire machine design was calculated using the finite element method (FEM) and designed to resist fatigue
- The stable frame design ensures precise results even after years of continuous operation under maximum loads

Press beam

- The press beam is characterized by high rigidity and therefore ensures exact bending results
- The press beam is guided using double roller bearings on both sides
- High, constant bending accuracy is achieved using hardened bars and the adjustable "zero-play" setting

Spherical bearing of the press beam with press beam tilting

- Spherical connection between press beam and cylinder
- The tilt position enables the production of geometric shapes such as funnels and allows simple corrections to be made when producing long profiles
- The spherical bearing prevents cylinder damage (leakage) due to radial forces caused by press beam tilting
- Refer to the technical data for the maximum press beam tilt

Electro-hydraulic upper drive

- Exactly synchronized operation of the cylinders is achieved through the electro-hydraulic 2-cylinder upper drive with proportional valves
- IE3 drive motor (premium efficiency)

Block hydraulics

- High accuracy and even press beam movement through block hydraulics with a low-noise high-pressure internal gear pump
- The high axis speeds (rapid downward movement, Y return and closing movement) enable high productivity

Distance measurement system (Y axis)

- The high positioning accuracy of the press beam (Y axis) is ensured by a mechanically guided magnetic incremental distance measuring system

Hydraulic oil filling

- The machine is delivered with a full oil tank
- This high-quality oil has a service life of ten years, making oil changes under normal conditions unnecessary

Oil cooler

- The oil cooler prevents the oil temperature from increasing too much and in doing so ensures constant movement characteristics for the press beam
- The oil cooler is especially used for hot regions (ambient temperature >35 °C) and/or for long machine runtimes with highest loading of the machine (3-shift or bottom bending)



E-Learning Package Technology TruBend

Objectives:

You will become familiar with the advantages, functionality and operation of the courses listed for the options.

Course content:

- E-learning Course: Safety First
- E-learning Course: Basic Course TruBend
- E-learning Course: Basic Course TruBend 1000 (B42)
- E-learning Course: Operator Course TruBend 1000 (B42)
- E-learning Course: Operator Course TruBend Series 5000 (B23)
- E-learning Course: Maintenance Course TruBend Series 5000 for 5085 (B23)
- E-learning Course: Maintenance Course for TruBend Cell 7000
- E-learning Course: Maintenance Course for TruBend Cell 5000 (B23)

Requirements:

PC workstation with Internet connection

Each participant in this training course requires an individual MyTRUMPF account to gain access to the learning content.

Crowning

Self-regulating, combined crowning

- The crowning compensates the deflection of the press beam and the press table during the bending process and in doing so ensures a constant bending angle along the entire bending length
- The crowning is set automatically under load via crowning slots and, in the table, via CNC-controlled hydraulic cylinders

Backgauge

Gauge fingers (two pieces)

- Wear-resistant gauge fingers ensure constant flange lengths
- The workpiece can butt against the backgauges at three different positions
- Easier back stop positioning of larger workpieces is possible by resting them on the gauge fingers

Control

Machine control T-4000S 2D

- Combines the advantages of modern multi-touch technology with those of industrial control to create an operating concept with simplicity
- Numeric or graphic: CNC bending programs can be numerically or graphically generated on the control
- With graphic programming, the bending sequence and all of the bending parameters are calculated based on a graphically generated product drawing
- The interface is consistently oriented towards requirements of everyday production
- The views are presented so as to focus on the essential matters at hand
- Programs produced using TruTops Bend or TecZone Bend can be opened easily on the control
- TRUMPF technology data TBS available at the control
- 24" touchscreen
- 1920x1080 pixels

Integrated TRUMPF technology data

- The control calculates all bending parameters based on the TRUMPF technology data for standard tools and standard materials
- Modifications for customer-specific materials or tools can be performed by the user

Data transmission

USB interface


- The machine control is equipped with a USB port as standard

RJ45 network interface

- The machine control is equipped with an RJ45 network interface (10 or 100 MBit/s) as standard

Network capability

- Enables the integration of the control into the customer's network



Remote support interface

- Contact with Technical Service directly via broadband Internet connection
- Option for fast response
- Minimization of machine downtimes
- High data security due to passwords

Operation

Operating unit with foot switches

- Easy positioning thanks to the compact design and low weight
- Functions: Stroke triggering with EMERGENCY STOP, press beam UP and an EMERGENCY STOP push-button

Safety

CE marking and EC Machinery Directive

- Delivery with EU declaration of conformity and CE marking
- Machine is subject to the EC Machinery Directive 2006/42/EC, the EMC Directive 2014/30/EU and further directives where relevant
- In individual cases, the machine can be sold only as "partially completed machinery" with declaration of incorporation. Such a machine must be completed by an integrator.



Standard safety device

- Sideways pivoting safety doors with electronic monitoring prevent lateral entry into the working area
- Rear safety doors with electronic monitoring enable access into the machine interior
- The machine is secured with EMERGENCY STOP push-buttons

Services

Transport device

- The transport device enables safe transport and an easy installation process

Advanced standard configuration

Manual TRUMPF upper tool clamp

- The single piece tool clamp is clamped using Allen screws and centers the tool automatically
- The head and shoulder-bearing tools can be loaded horizontally and vertically (Safety-Click) and can be rotated by 180°

Manual TRUMPF lower tool clamp

- The lower tool clamp is clamped using socket head screws and centers the tool automatically
- The tool clamp is hardened

2-axis backgauge (X and R axis)

- The X and R axes are freely programmable and enable smooth adjustment of gauge depths and heights
- Precise flange lengths are achieved thanks to the positioning accuracy of the axes
- The gauge fingers can be moved manually in front of the bending line in the Z direction without any danger
- The high axis speeds enable high productivity
- The drive in the X direction uses a ball screw shaft

Installation, initial start-up and instruction

- Excluding orders of lifting equipment such as cranes

2000 Extension of the open height/stroke

- Usable open height extended by 150 mm to 500 mm
- Y stroke extended by 150 mm to 350 mm
- Significant increase in part variety, especially for possible box depths

3000 4-axis backgauge (X, R, Z1 and Z2 axis)

- In addition to the CNC-controlled axes of the 2-axis backgauge the gauge fingers are automatically positioned in the Z direction
- Higher productivity, especially when bending workpieces at multiple tool stations

4000 5-axis backgauge (X, Delta X, R, Z1, and Z2 axis)

- In addition to the CNC-controlled axes of the 4-axis backgauge, the 5-axis backgauge enables the movement of the right gauge finger in the X direction relative to the left gauge finger (refer to technical data for maximum traverse path)
- Enables higher part variety due to angled back stop use

5000 Additional 860 mm gauge finger

- The additional gauge fingers are simply positioned on the linear guide of the backgauge and are manually positioned in the Z direction
- Additional gauge fingers enable an increased part precision by providing additional securing points when bending long, narrow workpieces
- With 5-axis backgauge, only gauge level 1 and 2 can be used together
- Available for 2, 4 and 5-axis backgauge

6000 QuickClamp TRUMPF upper tool clamp

- Short setup times through quick clamping of the upper tools using a quick clamp lever
- The tool clamp consists of hardened single segments which are movable and removable. (Segment width 150 mm)
- Bent flanges can pass between the individual clamping segments. The benefit of this is that deeper boxes can be produced

7000 Hydraulic TRUMPF upper and lower tool clamps

- Short setup times due to hydraulic clamping of the upper and lower tools at the push of a button
- The tools are clamped with clamp pistons. This guarantees secure clamping of various tool segments
- Upper and lower tool clamps are hardened

8000 AMADA tool system (upper and lower tool clamps)

- Enables the use of Amada tools without adapters
- Segmented upper tool clamp with levers

9000 DXF import

- Reads in DXF files on the 2D control

10000 ACB laser (Automatically Controlled Bending), manually adjustable

- Cost-effective bending with high angular accuracy and consistently high quality starting with the first part
- In addition to angle measurement, the ACB Laser performs automatic regulation to the required nominal value
- Complex run-in procedures are no longer required: The system automatically compensates for changes in the material properties
- The measurement is performed optically from two sides using measuring units
- The front measuring unit is positioned manually and the rear unit tracks it automatically
- ACB Laser can be used manually up to 1000 mm bending length (one-point measurement)
- Availability: 90%

11000 Operator Controlled Bending (OCB)

- A digital angle measuring device with wireless Bluetooth connection to the machine control
- Bending angle measured values: Transfer to machine control at the push of a button, automatic adoption of bending angle correction
- Increase user-friendliness and productivity, reduce walking distances and input effort

12000 Additional operating unit with foot switches

- Can increase productivity and user-friendliness when processing workpieces using several tool stations
- For safety reasons with two operators/machine: one operating unit with foot switches per operator (CE directive)

13000 Work area illumination front and rear

- Good illumination of the machine interior and of the working area in front of the machine
- The modern LED technology works in an energy-saving way, without producing heat and has a very long service life

14000 2D code scanner

- The 2D code scanner enables the reading of a code from paper for automatic loading of the next bending program
- Entry and search work are reduced and the loading of the wrong programs is eliminated
- Compatible with bar code and Data Matrix Code
- The scanner is cable-based

15000 Support bracket

- The support brackets can be manually adjusted in the Z and R directions and can be fastened using quick clamping devices
- The support brackets make it easier to handle large, heavy workpieces or can also be used as deposit surfaces for blanks
- Carrying capacity: 70 kg per support bracket

16000 BendGuard

- The BendGuard is an optoelectronic safety device which makes quick and safe bending possible
- The maximum Y rapid speed is permitted without restriction with foot operation alone
- Simple and quick setting of the tool height using a scale with counterweight
- The BendGuard can easily be pushed out of the working area for lateral tool setup operations and does not need to be adjusted again afterwards
- The BendGuard is not sensitive when it comes to bumps and impact (misalignment) because its electronics are separated from its housing

17000 Special paint finish

- Maximum two colors

18000 Electrical cabinet air conditioning up to an ambient temperature of 40 °C

- Cooling unit to prevent overheating of the electrical cabinet
- The electrical cabinet air conditioning guarantees reliable machine operation at ambient temperatures of up to 40 °C

19000 Tank heating

- The tank heating prevents the oil temperature from dropping too low and thus negatively influencing the travel behavior of the machine
- Tank heating is applicable for machine operation in very cold regions
- B23: Included in package 1 - Performance Upgrade

20000 Robot interface without sensor system for backgauge

- Preparation for connection of an industrial robot

21000 Robot interface with sensor system for 4-axis backgauge

- Preparation to connect an industrial robot including the backgauge sensor system for a 4-axis backgauge

4. Additional information on technical data

TruBend 3100 (B26)

Machine

Press force	1000 kN
Bending length	3060 mm
Width between columns	3384 mm
Usable open height with manual or hydraulic tool clamp	350 mm
Usable open height with manual or hydraulic tool clamp for extended version	500 mm
Usable open height with TRUMPF QuickClamp upper tool clamp	430 mm
Usable open height with TRUMPF QuickClamp upper tool clamp for extended version (option)	580 mm
Max. distance between the lower edge of the press beam and the upper edge of the machine table	470 mm
Max. distance between the lower edge of the press beam and the upper edge of the machine table (increased installation height option)	620 mm
Press beam tilt	± 6.5 mm
Table width	100 mm
Working height (minimum)	1049 mm
Working height (maximum) ¹	1069 mm

Speeds

Rapid downward movement (with BendGuard option)	200 mm/s
Max. closing movement ²	15 mm/s
Y return	200 mm/s
X axis	500 mm/s
R axis	200 mm/s
Z axis	1000 mm/s

Positioning accuracy

Y axis	0.01 mm
X axis	0.05 mm
R axis	0.1 mm

Traverse paths, stop range

Stroke, Y axis	200 mm
Stroke, Y axis (optionally increased open height)	350 mm
Traverse path of X axis	600 mm
Max. stop range in the X direction	860 mm
Traverse path of the R axis	150 mm
Traverse path, gauge finger in X direction (5-axis backgauge option)	$\pm 65 \text{ mm}^3$

Control, hardware

User interface	T4000-S 24" 3D control
----------------	------------------------

Connected loads

Connected load (IEC) approximately	20 kVA
------------------------------------	--------

Dimensions, weights

Length	3607 mm
Width	1644 mm
Height	2370 mm
Height (increased installation height option)	2720 mm
Weight	7700 kg
Weight (increased installation height option)	8300 kg

Paint

Textured paint	white = NCS S 0505 R80B, blue = approximately RAL design 250 20 20, black = RAL 9005, silver elements in RAL 9006
----------------	---

^{1,2} Depending on the selected die width and operation cycle. Depending on local regulations.

³ Right gauge finger relative to the left gauge finger

5. Additional information on technical data (imperial)

TruBend 3100 (B26)

Machine

Press force	1000 kN
Bending length	120.5 in
Width between columns	133.2 in
Usable open height with manual or hydraulic tool clamp	13.8 in
Usable open height with manual or hydraulic tool clamp for extended version	19.7 in
Usable open height with TRUMPF QuickClamp upper tool clamp	16.9 in
Usable open height with TRUMPF QuickClamp upper tool clamp for extended version (option)	22.8 in
Max. distance between the lower edge of the press beam and the upper edge of the machine table	18.5 in
Max. distance between the lower edge of the press beam and the upper edge of the machine table (increased installation height option)	24.4 in
Press beam tilt	± 0.3 in
Table width	3.9 in
Working height (minimum)	41.3 in
Working height (maximum)	42.1 in

Speeds

Rapid downward movement (with BendGuard option)	200 mm/s
Max. closing movement	15 mm/s
Y return	200 mm/s
X axis	500 mm/s
R axis	200 mm/s
Z axis	1000 mm/s

Positioning accuracy

Y axis	0.0004 in
X axis	0.002 in
R axis	0.004 in

Technical Quotation



Traverse paths, stop range

Stroke, Y axis	7.9 in
Traverse path of X axis	23.6 in
Max. stop range in the X direction	33.9 in
Traverse path of the R axis	5.9 in
Traverse path, gauge finger in X direction (5-axis backgauge option)	± 2.6 in

Control, hardware

User interface	T4000-S 24" 3D control
----------------	------------------------

Connected loads

Connected load (IEC) approximately	20 kVA
------------------------------------	--------

Dimensions, weights

Length	142.0 in
Width	64.7 in
Height	93.3 in
Height (increased installation height option)	107.1 in
Weight	16975.4 lb
Weight (increased installation height option)	18298.2 lb

Paint

Textured paint	white = NCS S 0505 R80B, blue = approximately RAL design 250 20 20, black = RAL 9005, silver elements in RAL 9006
----------------	---