

Vectis Cobot Cutting Tool Quote – SN00716 Cut Rover Fabtech Demo System

Config: UR10e Standard Reach, PowerMax 125 air plasma, Rover™ Ultraportable Remote-Deployment

Quote Number: JP081525A-716FTDemo

Date: August 15, 2025



Thank you for considering the Vectis Cobot Cutting Tool. Our mission is to help solve the skilled fabricator shortage by providing an affordable, versatile, & extremely easy-to-use tool you can leverage to boost productivity in your fab shop – for less cost, less risk, and less setup time than ever before. We appreciate the opportunity to review your applications with you to see if our product could be a good fit for your needs. Below you will find pricing and details on our system, with hyperlinks to more information [highlighted in blue](#). Please don't hesitate to reach out with any questions or concerns – we are here to **empower your success**.

New Build Config Price: **\$108,700**

Standard price for configuration shown (UR10e Standard Reach, Rover Cart + Cutting Skid, PowerMax 125 Air Plasma, AutoTCP)

SN00716 Demo Price: **\$100,000**

\$8,700 discount offered on SN00716 demo system. Options on final pages. System will be lightly used for programming-only demos at Fabtech. Maintains full 2-yr warranty & support.

SN00716 Availability: **Mid/Late Sept.**

Demo systems available first-come, first-serve based on PO date. Expected availability 1-2wks after conclusion of Fabtech show.



Proven track record: 700+ systems successfully in production

HOW LIKELY ARE YOU TO
RECOMMEND VECTIS
AUTOMATION TO A FRIEND
OR COLLEAGUE?



9.41/10

“The Vectis cutting system is **out of this world**. The guys are loving it. They’re **able to do 3-4 days of work now in one shift** with greater precision & quality”

- Tyson, Cobot Champion, Heavy Equipment Manufacturer

“We used to outsource these dome cuts but costs & lead time continued to grow. With the Vectis cutter, we **control our own destiny** and are courting additional customers with our new capability”

- David Bracken, President, ITMT ([link to video](#))

“The Vectis has been a **Godsend**. We cut structural shapes with it **every day**.”

- Rich Smith, Owner, Ackerman & Baynes. ([link to video](#))

PROPOSAL DETAILS:

Financing Options with typical rates **starting at 6.75% APR** subject to credit approval and no changes in underlying rates.
Financing option offered in partnership with a third-party financing partner upon credit approval. Rates subject to change. Inquire for more info.

Shipping: Freight is **included in price**, system ships ground on an LTL carrier. (DAP Customer Facility, Incoterms 2020)
Lead time is a typical estimate, and dependent on supplier lead times at time of order. Measured from down payment to ship date.

30-day Return Policy: If purchased outright, this product **may be returned within 30 days** of delivery.
Details available in purchase T&Cs. Applicable to first system purchased by customer. Return policy not applicable to leases/rent-to-owns.

Two-Year Warranty: Full system is covered under a 2yr warranty.
Vectis is your “one throat to choke” and will coordinate with component mfrs if needed.
Depending on the case, warranty may be a self-fix, ship-to-Vectis, or (rarely) on-site.
Any modification to the system’s integration voids warranty and return policy.



As-Quoted Payment Terms: 50% due with order, 50% due prior to shipment.

Terms & Conditions: This offer is governed by Vectis Terms and Conditions available at www.vectisautomation.com/terms-conditions.
Sales/Use taxes not included. Price valid for 30 days, unless force-majeure tariff changes cause additional input-cost increases.

CONFIG PRICE ON PG1 INCLUDES:

- Universal Robots [UR10e](#) Collaborative Robot (“Cobot”)
 - 27.5lb [12.5kg] wrist payload. Six-axis servo controlled.
 - Input power: Single-phase 110VAC fused at 15A.
 - **Freedrive jog mode** allows the programmer to teach cobot by physically moving it to program points.
 - 51” [1300mm] reach from base to wrist. Reach with torch is ~68”.
 - Embedded collaborative safety allows the cobot to **safely work alongside human operators**.
 - 17 safety functions, all EN ISO 13849-1,Cat.3, PL d. Full EN ISO 10218-1 compliance.
- Hypertherm PowerMax 125 Air Plasma System w/ Hyamp Robotic Torch and Vectis Controls Package
 - Includes Duramax Hyamp robotic cutting torch with bracket, Freedrive integration, and robotic teach pointer
 - 1” rated max pierce (*exact pierce capability depends on material & pierce angle*)
 - 1.5” rated max cut capacity (*exact max cut capacity depends on material and cut needs*)
 - All controls components & cables for seamless control of the Hypertherm power supply via the cobot pendant (amperage, on/off, etc)
 - Requires 480V 3-Phase power. Input amperage at max cut capacity is 31A
 - Rated output: 125A at 100% duty cycle
 - Includes “last resort” oil filter, but requires clean, dry, oil-free air input of 550 scfh flow at 85psi
 - Includes Hypertherm starter consumables kit



CONFIG PRICE ON Pg1 INCLUDES:

- Vectis Rover™ Ultraportable Cutting Skid
 - Skid can be lifted by crane and/or forklift onto various surfaces.
 - Compact footprint of 28" x 28". Self-counterbalanced.
 - Cobot electrically-isolating baseplate mounts directly to top surface.
 - All equipment fully packaged on skid.
 - Includes heavy-duty wheeled cart. Can cut from cart or off-cart.



- Vectis *Let's Cut Together*® Software license
 - **No programming background needed.**
 - Generate cut paths via point-to-point teach; or use our Shape Tool to create rectangles, circles, and slots via dimensional inputs and an origin point.
 - Once a nominal cut path is created, the Vectis software applies tool position & orientation offsets to properly cut based on operator inputs of bevel angle, kerf compensation, & cut height.
 - Pattern tool allows you to "copy and paste" desired cuts in a direction for a user-defined number of iterations.
 - **No annual "maintenance" charges.** You receive software updates for existing features at no cost to you.
 - *Note: Major feature additions, especially if they include hardware, may require a one-time future purchase but will not have maintenance charges*




- Domestic shipment to you on an LTL carrier



- 2yr Warranty & World-Class (97% rating) Lifetime Technical Support:

- Support@VectisAutomation.com 970-852-5200 x2
- FaceTime/Zoom video support along with typical texts/calls
- Remote support enabled by technology allows extremely fast response times.




- Vectis Ready-To-Cut Integration Package

- Isotherm RoboSuit protective covering for full arm
- Assembly and functional testing of system at Vectis Automation facility.
- DIY commissioning with [Vectis Training Academy](#): quick and easy self-setup saves you time & money
- Four button op panel with 16.4ft [5m] cable

No-Cost Key Features

- Vectis [AutoTCP](#) Tool Calibration
 - Calibrates the location of the cut torch relative to the cobot, compensating for both XYZ offset and tool orientation
- Vectis Voltage Height Control
 - Monitors voltage of arc and adapts the taught cobot path's height to help manage slight production inconsistencies from part-to-part.



• Vectis Clarity™ Data Insight Dashboard ~~\$3,660~~


New feature! Included free for orders placed before Sept. 1st, 2025

- On-system data capture & dashboard provides operational insights and helps Cobot Champions identify areas for program efficiency improvement
- Metrics captured and displayed include:
 - Part production per type, displayed per day, week, and month
 - Total parts made per period
 - Cycle Time and Program Efficiency per part: arc time, idle time, airmove time
- Data viewed on pendant screen (Network connection not required; to cope with differing IT requirements. Data export via USB drive is available for external viewing and reformatting)
- Data can also be exported to .CSV file via thumb drive
- Lifetime software license – no monthly subscription fees




SYSTEM OPTIONS: *Not Included in Config Price on Pg1. Can be added to system config at incremental prices below.*

- Upgrade to long-reach [UR20 arm](#) **\$14,650**
 - **Requires Park'N'Arc or Cutting Skid option**
 - Increases payload capacity to 20kg.
 - Adds ~18" of reach over UR10e, for an ~86" total reach radius w/ torch.
 - Key considerations:
 - Pendant includes 3-position enable safety. Freedrive works same as UR10e.
 - Pinch point possible between vertical tube (J2) and a tall fixture on table – customer responsible for ensuring fixture design & placement does not create a pinch point.



Other [Processes](#) & [Deployment Methods](#) are available – contact us to discuss:

Welder options, deployment options, aluminum push-pull packages, plasma cutting systems, and other unique needs.



Please reach out with any questions or concerns. We are always here to help - **your success is our #1 priority.**

